



State of Ohio Environmental Protection Agency

RECEIVED

AUG 5 1997

MAILING ADDRESS:

STREET ADDRESS:

1800 WaterMark Drive  
Columbus, OH 43215-1099

TELE: (614) 644-3020 FAX: (614) 644-2329

P.O. Box 1049  
Columbus, OH 43216-1049

OHIO EPA/CDO  
CERTIFIED MAIL

Re: Permit to Install  
Licking County  
Application No: 01-6803  
NSPS

July 30, 1997

DENISON UNIVERSITY  
LARRY LAYTON  
P.O. BOX F  
GRANVILLE, OH 43023

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Review Appeals Commission within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
236 East Town Street, Room 300  
Columbus, Ohio 43215

Very truly yours,

Thomas G. Rigo, Manager  
Field Operations & Permit Section  
Division of Air Pollution Control

cc: US EPA  
CENTRAL DISTRICT OFFICE, DAPC

George V. Voinovich, Governor  
Nancy P. Hollister, Lt. Governor  
Donald R. Schregardus, Director



---

## Permit to Install Terms and Conditions

---

Application No. 01-6803  
APS Premise No. 0145000018  
Permit Fee: \$1170.00

Name of Facility: DENISON UNIVERSITY

Person to Contact: LARRY LAYTON

Address: P.O. BOX F  
GRANVILLE, OH 43023

Location of proposed source(s): SOUTH MAIN STREET, ROUTE 661  
GRANVILLE, OHIO

Description of proposed source(s):  
(2) NATURAL GAS FIRED BOILERS.


Date of Issuance: July 30, 1997

Effective Date: July 30, 1997

The above named entity is hereby granted a permit to install for the above described source(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described source(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described source(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency



\_\_\_\_\_  
Director

**TERMINATION OF PERMIT TO INSTALL**

Substantial construction for installation must take place within 18 months of the effective date of this permit. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

**NOTICE OF INSPECTION**

The Director of the Ohio Environmental Protection Agency, or his authorized representatives, may enter upon the premises of the above-named applicant during construction and operation at any reasonable time for the purpose of making inspections, conducting tests, or to examine records or reports pertaining to the construction, modification or installation of the source(s) of environmental pollutants identified within this permit.

**CONSTRUCTION OF NEW SOURCES**

The proposed source(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources are inadequate or cannot meet applicable standards.

If the construction of the proposed source(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of Ohio Administrative Code (OAC) Rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons)

DENISON UNIVERSITY  
Application No. 01-6803  
Page 3 of 6  
July 30, 1997

may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet applicable standards.

#### **PERMIT TO INSTALL FEE**

In accordance with Ohio Revised Code 3745.11, the specified Permit to Install fee must be remitted within 30 days of the effective date of this permit to install.

#### **PUBLIC DISCLOSURE**

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC Rule 3745-49-03.

#### **APPLICABILITY**

This Permit to Install is applicable only to the contaminant sources identified. Separate application must be made to the Director for the installation or modification of any other contaminant sources.

#### **BEST AVAILABLE TECHNOLOGY**

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

#### **PERMIT TO OPERATE APPLICATION**

A Permit to Operate application must be submitted to the appropriate field office for each air contaminant source in this Permit to Install. In accordance with OAC Rule 3745-35-02, the application shall be filed no later than thirty days after commencement of operation.

#### **SOURCE OPERATION AFTER COMPLETION OF CONSTRUCTION**

This facility is permitted to operate each source described by this permit to install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws and regulations.

AIR EMISSION SUMMARY

The air contaminant sources listed below comprise the Permit to Install for DENISON UNIVERSITY located in Licking County. The sources listed below shall not exceed the emission limits/control requirements contained in the table. This condition in no way limits the applicability of any other state or federal regulations. Additionally, this condition does not limit the applicability of additional special terms and conditions of this permit.

<u>Ohio EPA Source Number</u>	<u>Source Identification Description</u>	<u>BAT Determination</u>	<u>Applicable Federal &amp; OAC Rules</u>	<u>Permit Allowable Mass Emissions and/or Control/Usage Requirements</u>
B002	Union boiler 25.23 MMBtu/hr natural gas-fired boiler	Compliance with applicable rules and specified limits; use of natural gas only; visible emissions shall not exceed 20 percent opacity as a six-minute average, except as provided by rule.	3745-31-05 3745-17-07 (A) (1) 3745-17-10 (B) (1)	0.02 lb/ MMBtu particulate matter; 0.33 TPY particulate matter; 3.54 lbs/hr NO <sub>x</sub> ; 15.47 TPY NO <sub>x</sub>
B004	Cleaver Brooks 53.37 MMBtu/hr natural gas-fired boiler	Compliance with applicable rules and specified limits; use of natural gas only; visible emissions shall not exceed 20 percent opacity as a six-minute average, except as provided by rule.	3745-31-05 3745-17-07 (A) (1) 3745-17-10 (B) (1) 40 CFR Part 60 Subpart Dc	0.02 lb/MMBtu particulate matter; 0.70 TPY particulate matter; 7.47 lbs/hr NO <sub>x</sub> ; 32.73 TPY NO <sub>x</sub> ; See Additional Special Terms and Conditions.

**SUMMARY**  
**TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS**

<u>Pollutant</u>	<u>Tons/Year</u>
Particulate Matter	1.03
Nitrogen Oxides	48.20

**NSPS REQUIREMENTS**

The following sources are subject to the applicable provisions of the New Source Performance Standards (NSPS) as promulgated by the United States Environmental Protection Agency, 40 CFR Part 60.

<u>Source No.</u>	<u>Source Description</u>	<u>NSPS Regulation (Subpart)</u>
B004	Cleaver Brooks 53.37 MMBtu/hour natural gas fired boiler	Dc

**RECORD(S) RETENTION AND AVAILABILITY**

All records required by this Permit to Install shall be retained on file for a period of not less than three years unless otherwise indicated by Ohio Environmental Protection Agency. All records shall be made available to the Director, or any representative of the Director, for review during normal business hours.

**REPORTING REQUIREMENTS**

Unless otherwise specified, reports required by the Permit to Install need only be submitted to OEPA Central District Office - DAPC, 3232 Alum Creek Drive, Columbus, Ohio 43207-3417.

**MAINTENANCE OF EQUIPMENT**

This source and its associated air pollution control system(s) shall be maintained regularly in accordance with good engineering practices and the recommendations of the respective manufacturers in order to minimize air contaminant emissions.

**MALFUNCTION/ABATEMENT**

In accordance with OAC RULE 3745-15-06, any malfunction of the source(s) or associated air pollution control system(s) shall be reported immediately to the OEPA Central District Office - DAPC, 3232 Alum Creek Drive, Columbus, Ohio 43207-3417.

DENISON UNIVERSITY  
Application No. 01-6803  
Page 6 of 6  
July 30, 1997

Except as provided by OAC Rule 3745-15-06(A)(3), scheduled maintenance of air pollution control equipment that requires the shutdown or bypassing of air pollution control system(s) must be accompanied by the shutdown of the associated air pollution sources.

**AIR POLLUTION NUISANCES PROHIBITED**

The air contaminant source(s) identified in this permit may not cause a public nuisance in violation of OAC Rule 3745-15-07.