

Facility ID: 1318107832 Issuance type: Final State Permit To Operate

This version of facility specific terms and conditions was converted from a database format to an HTML file during an upgrade of the Ohio EPA, Division of Air Pollution Control's permitting software. Every attempt has been made to convert the terms and conditions to look and substantively conform to the permit issued or being drafted in STARS. However, the format of the terms may vary slightly from the original. In addition, although it is not expected, there is a slight possibility that a term and condition may have been inadvertently "left out" of this reproduction during the conversion process. Therefore, if this version is to be used as a starting point in drafting a new version of a permit, it is imperative that the entire set of terms and conditions be reviewed to ensure they substantively mimic the issued permit. The official version of any permit issued final by Ohio EPA is kept in the Agency's Legal section. The Legal section may be contacted at (614) 644-3037.

In addition to the terms and conditions, hyperlinks have been inserted into the document so you may more readily access the section of the document you wish to review.

Finally, the term language under "Part II" and before "A. Applicable Emissions Limitations..." has been added to aid in document conversion, and was not part of the original issued permit.

[Go to Part II for Emissions Unit K003](#)

[Go to Part II for Emissions Unit K004](#)

[Go to Part II for Emissions Unit K005](#)

[Go to Part II for Emissions Unit K006](#)

\*\*\*THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION\*\*\*

Facility ID: 1318107832 Emissions Unit ID: K003 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

## Part II - Special Terms and Conditions

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
  - (a) None.
2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
  - (a) None.

### A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Colorliner offset lithographic, perfecting, web printing (Press A), using non-heatset ink. Rolled paper feeds to the press.	OAC rule 3745-21-07(G)(2)	The OC emissions from this source shall not exceed 8 lbs/hr nor 40 lbs/day.

### 2. Additional Terms and Conditions

- (a) None

### B. Operational Restrictions

1. None

### C. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information for each day for the coating operation:
  - The company identification for each surface coating, ink and cleanup material employed.
  - The number gallons of each coating, ink and photochemically reactive cleanup material employed.
  - The organic compound content of each coating, ink and photochemically reactive cleanup material, in pounds per gallon.
  - The total organic compound emission rate for all coatings, inks and photochemically reactive cleanup materials, in pounds per day.
  - The total number of hours the emissions unit was in operation.
  - The average hourly organic compound emission rate for all coatings, inks and photochemically reactive cleanup material, i.e., (d)/(e), in pounds per hour (average).

### D. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports which include the following information:
  - An identification of each day during which the average hourly organic compound emissions from the coatings, inks and photochemically reactive cleanup materials exceeded 8 pounds per hour, and the actual average hourly organic compound emissions for such day.
  - An identification of each day during which the organic compound emissions from the coatings, inks and photochemically reactive cleanup materials exceeded 40 pounds per day, and the actual organic compound emissions for each such day.

### E. Testing Requirements

1. Compliance with the emissions limitation(s) of these terms and conditions shall be determined in accordance with the following method(s):
  - Emissions Limitation:  
8 lbs/hr and 40 lbs/day
  - Applicable Compliance Method:  
Compliance with the emissions limitations shall be determined pursuant to the monitoring and record keeping in Section III. Organic compound content shall be determined using USEPA Method 24.

### F. Miscellaneous Requirements

1. None

\*\*\*THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION\*\*\*

Facility ID: 1318107832 Emissions Unit ID: K004 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

**Part II - Special Terms and Conditions**

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
  - (a) None.
2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
  - (a) None.

**A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Colorliner offset lithographic, perfecting, web printing (Press B), using non-heatset ink. Rolled paper feeds to the press.	OAC rule 3745-21-07(G)(2)	The OC emissions from this source shall not exceed 8 lbs/hr nor 40 lbs/day.

**2. Additional Terms and Conditions**

- (a) None

**B. Operational Restrictions**

1. None

**C. Monitoring and/or Record Keeping Requirements**

1. The permittee shall collect and record the following information for each day for the coating operation:
  - The company identification for each surface coating, ink and cleanup material employed.
  - The number gallons of each coating, ink and photochemically reactive cleanup material employed.
  - The organic compound content of each coating, ink and photochemically reactive cleanup material, in pounds per gallon.
  - The total organic compound emission rate for all coatings, inks and photochemically reactive cleanup materials, in pounds per day.
  - The total number of hours the emissions unit was in operation.
  - The average hourly organic compound emission rate for all coatings, inks and photochemically reactive cleanup material, i.e., (d)/(e), in pounds per hour (average).

**D. Reporting Requirements**

1. The permittee shall submit deviation (excursion) reports which include the following information:
  - An identification of each day during which the average hourly organic compound emissions from the coatings, inks and photochemically reactive cleanup materials exceeded 8 pounds per hour, and the actual average hourly organic compound emissions for such day.
  - An identification of each day during which the organic compound emissions from the coatings, inks and photochemically reactive cleanup materials exceeded 40 pounds per day, and the actual organic compound emissions for each such day.

**E. Testing Requirements**

1. Compliance with the emissions limitation(s) of these terms and conditions shall be determined in accordance with the following method(s):
  - Emissions Limitation:  
8 lbs/hr and 40 lbs/day
  - Applicable Compliance Method:  
Compliance with the emissions limitations shall be determined pursuant to the monitoring and record keeping in Section III. Organic compound content shall be determined using USEPA Method 24.

**F. Miscellaneous Requirements**

1. None

\*\*\*THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION\*\*\*

Facility ID: 1318107832 Emissions Unit ID: K005 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

**Part II - Special Terms and Conditions**

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
  - (a) None.
2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
  - (a) None.

**A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Colorliner offset lithographic, perfecting, web printing (Press C), using non-heatset ink. Rolled paper feeds to the press.	OAC rule 3745-21-07(G)(2)	The OC emissions from this source shall not exceed 8 lbs/hr nor 40 lbs/day.

2. **Additional Terms and Conditions**
  - (a) None

**B. Operational Restrictions**

1. None

**C. Monitoring and/or Record Keeping Requirements**

1. The permittee shall collect and record the following information for each day for the coating operation:
  - The company identification for each surface coating, ink and cleanup material employed.
  - The number gallons of each coating, ink and photochemically reactive cleanup material employed.
  - The organic compound content of each coating, ink and photochemically reactive cleanup material, in pounds per gallon.
  - The total organic compound emission rate for all coatings, inks and photochemically reactive cleanup materials, in pounds per day.
  - The total number of hours the emissions unit was in operation.
  - The average hourly organic compound emission rate for all coatings, inks and photochemically reactive cleanup material, i.e., (d)/(e), in pounds per hour (average).

**D. Reporting Requirements**

1. The permittee shall submit deviation (excursion) reports which include the following information:
  - An identification of each day during which the average hourly organic compound emissions from the coatings, inks and photochemically reactive cleanup materials exceeded 8 pounds per hour, and the actual average hourly organic compound emissions for such day.
  - An identification of each day during which the organic compound emissions from the coatings, inks and photochemically reactive cleanup materials exceeded 40 pounds per day, and the actual organic compound emissions for each such day.

**E. Testing Requirements**

1. Compliance with the emissions limitation(s) of these terms and conditions shall be determined in accordance with the following method(s):
  - Emissions Limitation:  
8 lbs/hr and 40 lbs/day
  - Applicable Compliance Method:  
Compliance with the emissions limitations shall be determined pursuant to the monitoring and record keeping in Section III. Organic compound content shall be determined using USEPA Method 24.

**F. Miscellaneous Requirements**

1. None

\*\*\*THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION\*\*\*

Facility ID: 1318107832 Emissions Unit ID: K006 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

**Part II - Special Terms and Conditions**

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
  - (a) None.
2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
  - (a) None.

**A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Colorliner offset lithographic, perfecting, web printing (Press D), using non-heatset ink. Rolled paper feeds to the press.	OAC rule 3745-21-07(G)(2)	The OC emissions from this source shall not exceed 8 lbs/hr nor 40 lbs/day.

2. **Additional Terms and Conditions**
  - (a) None

**B. Operational Restrictions**

1. None

**C. Monitoring and/or Record Keeping Requirements**

1. The permittee shall collect and record the following information for each day for the coating operation:
  - The company identification for each surface coating, ink and cleanup material employed.
  - The number gallons of each coating, ink and photochemically reactive cleanup material employed.
  - The organic compound content of each coating, ink and photochemically reactive cleanup material, in pounds per gallon.
  - The total organic compound emission rate for all coatings, inks and photochemically reactive cleanup materials, in pounds per day.
  - The total number of hours the emissions unit was in operation.
  - The average hourly organic compound emission rate for all coatings, inks and photochemically reactive cleanup material, i.e., (d)/(e), in pounds per hour (average).

**D. Reporting Requirements**

1. The permittee shall submit deviation (excursion) reports which include the following information:
  - An identification of each day during which the average hourly organic compound emissions from the coatings, inks and photochemically reactive cleanup materials exceeded 8 pounds per hour, and the actual average hourly organic compound emissions for such day.
  - An identification of each day during which the organic compound emissions from the coatings, inks and photochemically reactive cleanup materials exceeded 40 pounds per day, and the actual organic compound emissions for each such day.

**E. Testing Requirements**

1. Compliance with the emissions limitation(s) of these terms and conditions shall be determined in accordance with the following method(s):
  - Emissions Limitation:  
8 lbs/hr and 40 lbs/day
  - Applicable Compliance Method:  
Compliance with the emissions limitations shall be determined pursuant to the monitoring and record keeping in Section III. Organic compound content shall be determined using USEPA Method 24.

**F. Miscellaneous Requirements**

1. None