



John R. Kasich, Governor  
Mary Taylor, Lt. Governor  
Craig W. Butler, Director

1/25/2016

Mr. Michael Bellantis  
PPG Industries - Delaware  
760 Pittsburgh Drive  
Delaware, OH 43015

RE: FINALAIR POLLUTION PERMIT-TO-INSTALL  
Facility ID: 0121010005  
Permit Number: P0117950  
Permit Type: Administrative Modification  
County: Delaware

Certified Mail

No	TOXIC REVIEW
No	PSD
No	SYNTHETIC MINOR TO AVOID MAJOR NSR
No	CEMS
Yes	MACT/GACT
No	NSPS
No	NESHAPS
No	NETTING
No	MAJOR NON-ATTAINMENT
No	MODELING SUBMITTED
No	MAJOR GHG
No	SYNTHETIC MINOR TO AVOID MAJOR GHG

Dear Permit Holder:

Enclosed please find a final Ohio Environmental Protection Agency (EPA)Air Pollution Permit-to-Install (PTI) which will allow you to install or modify the described emissions unit(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, we urge you to read it carefully. Because this permit contains conditions and restrictions, please read it very carefully. In this letter you will find the information on the following topics:

- **How to appeal this permit**
- **How to save money, reduce pollution and reduce energy consumption**
- **How to give us feedback on your permitting experience**
- **How to get an electronic copy of your permit**
- **What should you do if you notice a spill or environmental emergency?**

**How to appeal this permit**

The issuance of this PTI is a final action of the Director and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer Josh Mandel," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
77 South High Street, 17th Floor  
Columbus, OH 43215

## **How to save money, reduce pollution and reduce energy consumption**

The Ohio EPA is encouraging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Compliance Assistance and Pollution Prevention at (614) 644-3469. Additionally, all or a portion of the capital expenditures related to installing air pollution control equipment under this permit may be eligible for financing and State tax exemptions through the Ohio Air Quality Development Authority (OAQDA) under Ohio Revised Code Section 3706. For more information, see the OAQDA website: [www.ohioairquality.org/clean\\_air](http://www.ohioairquality.org/clean_air)

## **How to give us feedback on your permitting experience**

Please complete a survey at [www.epa.ohio.gov/survey.aspx](http://www.epa.ohio.gov/survey.aspx) and give us feedback on your permitting experience. We value your opinion.

## **How to get an electronic copy of your permit**


This permit can be accessed electronically via the eBusiness Center: Air Services in Microsoft Word format or in Adobe PDF on the Division of Air Pollution Control (DAPC) Web page, [www.epa.ohio.gov/dapc](http://www.epa.ohio.gov/dapc) by clicking the "Search for Permits" link under the Permitting topic on the Programs tab.

## **What should you do if you notice a spill or environmental emergency?**

Any spill or environmental emergency which may endanger human health or the environment should be reported to the Emergency Response 24-HOUR EMERGENCY SPILL HOTLINE toll-free at (800) 282-9378. Report non-emergency complaints to the appropriate district office or local air agency.

If you have any questions regarding your permit, please contact Ohio EPA DAPC, Central District Office at (614)728-3778 or the Office of Compliance Assistance and Pollution Prevention at (614) 644-3469.

Sincerely,



Michael E. Hopkins, P.E.  
Assistant Chief, Permitting Section, DAPC

Cc: U.S. EPA  
Ohio EPA-CDO



**FINAL**

**Division of Air Pollution Control  
Permit-to-Install  
for  
PPG Industries - Delaware**

Facility ID:	0121010005
Permit Number:	P0117950
Permit Type:	Administrative Modification
Issued:	1/25/2016
Effective:	1/25/2016





**Division of Air Pollution Control**  
**Permit-to-Install**  
for  
PPG Industries - Delaware

**Table of Contents**

Authorization .....	1
A. Standard Terms and Conditions .....	4
1. Federally Enforceable Standard Terms and Conditions .....	5
2. Severability Clause .....	5
3. General Requirements .....	5
4. Monitoring and Related Record Keeping and Reporting Requirements.....	6
5. Scheduled Maintenance/Malfunction Reporting .....	7
6. Compliance Requirements .....	7
7. Best Available Technology .....	8
8. Air Pollution Nuisance .....	9
9. Reporting Requirements .....	9
10. Applicability .....	9
11. Construction of New Sources(s) and Authorization to Install .....	9
12. Permit-To-Operate Application .....	10
13. Construction Compliance Certification .....	11
14. Public Disclosure .....	11
15. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations .....	11
16. Fees.....	11
17. Permit Transfers .....	11
18. Risk Management Plans .....	11
19. Title IV Provisions .....	11
B. Facility-Wide Terms and Conditions.....	12
C. Emissions Unit Terms and Conditions .....	14
1. P083, Volumetric Machine Fill #1 .....	15
2. Emissions Unit Group -High Speed Dispersers #2: P109,P110,P459,P460 .....	17
3. Emissions Unit Group -LOS Lab Spray Booths: K002,K003,K004,K005 .....	26
4. Emissions Unit Group -Resin Reactors: P008,P009,P010,P042,P043 .....	31





**Final Permit-to-Install**  
PPG Industries - Delaware  
**Permit Number:** P0117950  
**Facility ID:** 0121010005  
**Effective Date:** 1/25/2016

## Authorization

Facility ID: 0121010005  
Facility Description: Paints and allied products  
Application Number(s): M0003063, M0003064, M0003074  
Permit Number: P0117950  
Permit Description: Administrative modification to update terms and conditions and rule applicability.  
Permit Type: Administrative Modification  
Permit Fee: \$1,400.00  
Issue Date: 1/25/2016  
Effective Date: 1/25/2016

This document constitutes issuance to:

PPG Industries - Delaware  
760 Pittsburgh Drive  
Delaware, OH 43015

of a Permit-to-Install for the emissions unit(s) identified on the following page.


Ohio Environmental Protection Agency (EPA) District Office or local air agency responsible for processing and administering your permit:

Ohio EPA DAPC, Central District Office  
50 West Town Street, 6th Floor  
P.O. Box 1049  
Columbus, OH 43216-1049  
(614)728-3778

The above named entity is hereby granted a Permit-to-Install for the emissions unit(s) listed in this section pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

  
Craig W. Butler  
Director



## Authorization (continued)

Permit Number: P0117950

Permit Description: Administrative modification to update terms and conditions and rule applicability.

Permits for the following Emissions Unit(s) or groups of Emissions Units are in this document as indicated below:

**Emissions Unit ID: P083**  
 Company Equipment ID: Volumetric Machine Fill #1  
 Superseded Permit Number: 01-12125  
 General Permit Category and Type: Not Applicable

**Group Name: High Speed Dispersers #2**

<b>Emissions Unit ID:</b>	<b>P109</b>
Company Equipment ID:	High Speed Disperser
Superseded Permit Number:	P0112131
General Permit Category and Type:	Not Applicable
<b>Emissions Unit ID:</b>	<b>P110</b>
Company Equipment ID:	High Speed Disperser
Superseded Permit Number:	P0112131
General Permit Category and Type:	Not Applicable
<b>Emissions Unit ID:</b>	<b>P459</b>
Company Equipment ID:	High Speed Disperser
Superseded Permit Number:	P0112131
General Permit Category and Type:	Not Applicable
<b>Emissions Unit ID:</b>	<b>P460</b>
Company Equipment ID:	High Speed Disperser
Superseded Permit Number:	P0112131
General Permit Category and Type:	Not Applicable

**Group Name: LOS Lab Spray Booths**

<b>Emissions Unit ID:</b>	<b>K002</b>
Company Equipment ID:	LOS Spraybooth
Superseded Permit Number:	01-08599
General Permit Category and Type:	Not Applicable
<b>Emissions Unit ID:</b>	<b>K003</b>
Company Equipment ID:	LOS Spraybooth
Superseded Permit Number:	01-08599
General Permit Category and Type:	Not Applicable
<b>Emissions Unit ID:</b>	<b>K004</b>
Company Equipment ID:	LOS Spraybooth
Superseded Permit Number:	01-08599
General Permit Category and Type:	Not Applicable
<b>Emissions Unit ID:</b>	<b>K005</b>
Company Equipment ID:	LOS Spraybooth
Superseded Permit Number:	01-08599
General Permit Category and Type:	Not Applicable



**Final Permit-to-Install**  
PPG Industries - Delaware  
**Permit Number:** P0117950  
**Facility ID:** 0121010005  
**Effective Date:** 1/25/2016

**Group Name: Resin Reactors**

<b>Emissions Unit ID:</b>	<b>P008</b>
Company Equipment ID:	Resin Reactor #1
Superseded Permit Number:	P0112131
General Permit Category andType:	Not Applicable
<b>Emissions Unit ID:</b>	<b>P009</b>
Company Equipment ID:	Resin Reactor #2
Superseded Permit Number:	P0112131
General Permit Category andType:	Not Applicable
<b>Emissions Unit ID:</b>	<b>P010</b>
Company Equipment ID:	Resin Plant Solvent Recovery System
Superseded Permit Number:	P0112131
General Permit Category andType:	Not Applicable
<b>Emissions Unit ID:</b>	<b>P042</b>
Company Equipment ID:	Resin Reactor #3
Superseded Permit Number:	P0112131
General Permit Category andType:	Not Applicable
<b>Emissions Unit ID:</b>	<b>P043</b>
Company Equipment ID:	Resin Plant Cationic Stripper
Superseded Permit Number:	P0112131
General Permit Category andType:	Not Applicable



**Final Permit-to-Install**  
PPG Industries - Delaware  
**Permit Number:** P0117950  
**Facility ID:** 0121010005  
**Effective Date:** 1/25/2016

## **A. Standard Terms and Conditions**

**1. Federally Enforceable Standard Terms and Conditions**

- a) All Standard Terms and Conditions are federally enforceable, with the exception of those listed below which are enforceable under State law only:
  - (1) Standard Term and Condition A.2.a), Severability Clause
  - (2) Standard Term and Condition A.3.c) through A. 3.e) General Requirements
  - (3) Standard Term and Condition A.6.c) and A. 6.d), Compliance Requirements
  - (4) Standard Term and Condition A.9., Reporting Requirements
  - (5) Standard Term and Condition A.10., Applicability
  - (6) Standard Term and Condition A.11.b) through A.11.e), Construction of New Source(s) and Authorization to Install
  - (7) Standard Term and Condition A.14., Public Disclosure
  - (8) Standard Term and Condition A.15., Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations
  - (9) Standard Term and Condition A.16., Fees
  - (10) Standard Term and Condition A.17., Permit Transfers

**2. Severability Clause**

- a) A determination that any term or condition of this permit is invalid shall not invalidate the force or effect of any other term or condition thereof, except to the extent that any other term or condition depends in whole or in part for its operation or implementation upon the term or condition declared invalid.
- b) All terms and conditions designated in parts B and C of this permit are federally enforceable as a practical matter, if they are required under the Act, or any of its applicable requirements, including relevant provisions designed to limit the potential to emit of a source, are enforceable by the Administrator of the U.S. EPA and the State and by citizens (to the extent allowed by section 304 of the Act) under the Act. Terms and conditions in parts B and C of this permit shall not be federally enforceable and shall be enforceable under State law only, only if specifically identified in this permit as such.

**3. General Requirements**

- a) Any noncompliance with the federally enforceable terms and conditions of this permit constitutes a violation of the Act, and is grounds for enforcement action or for permit revocation, revocation and re-issuance, or modification.

- b) It shall not be a defense for the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the federally enforceable terms and conditions of this permit.
- c) This permit may be modified, revoked, or revoked and reissued, for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or revocation, or of a notification of planned changes or anticipated noncompliance does not stay any term and condition of this permit.
- d) This permit does not convey any property rights of any sort, or any exclusive privilege.
- e) The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying or revoking this permit or to determine compliance with this permit. Upon request, the permittee shall also furnish to the Director or an authorized representative of the Director, copies of records required to be kept by this permit. For information claimed to be confidential in the submittal to the Director, if the Administrator of the U.S. EPA requests such information, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality.

#### **4. Monitoring and Related Record Keeping and Reporting Requirements**

- a) Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall maintain records that include the following, where applicable, for any required monitoring under this permit:
  - (1) The date, place (as defined in the permit), and time of sampling or measurements.
  - (2) The date(s) analyses were performed.
  - (3) The company or entity that performed the analyses.
  - (4) The analytical techniques or methods used.
  - (5) The results of such analyses.
  - (6) The operating conditions existing at the time of sampling or measurement.
- b) Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.
- c) Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall submit required reports in the following manner:
  - (1) Reports of any required monitoring and/or recordkeeping of federally enforceable information shall be submitted to the Ohio EPA DAPC, Central District Office.

- (2) Quarterly written reports of (i) any deviations from federally enforceable emission limitations, operational restrictions, and control device operating parameter limitations, excluding deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06, that have been detected by the testing, monitoring and recordkeeping requirements specified in this permit, (ii) the probable cause of such deviations, and (iii) any corrective actions or preventive measures taken, shall be made to the Ohio EPA DAPC, Central District Office. The written reports shall be submitted (i.e., postmarked) quarterly, by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. See A.15. below if no deviations occurred during the quarter.
  - (3) Written reports, which identify any deviations from the federally enforceable monitoring, recordkeeping, and reporting requirements contained in this permit shall be submitted to the Ohio EPA DAPC, Central District Office every six months, by January 31 and July 31 of each year for the previous six calendar months. If no deviations occurred during a six-month period, the permittee shall submit a semi-annual report, which states that no deviations occurred during that period.
  - (4) This permit is for an emissions unit located at a Title V facility. Each written report shall be signed by a responsible official certifying that, based on information and belief formed after reasonable inquiry, the statements and information in the report are true, accurate, and complete.
- d) The permittee shall report actual emissions pursuant to OAC Chapter 3745-78 for the purpose of collecting Air Pollution Control Fees.

## 5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction, i.e., upset, of any emissions units or any associated air pollution control system(s) shall be reported to the Ohio EPA DAPC, Central District Office in accordance with paragraph (B) of OAC rule 3745-15-06. (The definition of an upset condition shall be the same as that used in OAC rule 3745-15-06(B)(1) for a malfunction.) The verbal and written reports shall be submitted pursuant to OAC rule 3745-15-06.

Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emission unit(s) that is (are) served by such control system(s).

## 6. Compliance Requirements

- a) All applications, notifications or reports required by terms and conditions in this permit to be submitted or "reported in writing" are to be submitted to Ohio EPA through the Ohio EPA's eBusiness Center: Air Services web service ("Air Services"). Ohio EPA will accept hard copy submittals on an as-needed basis if the permittee cannot submit the required documents through the Ohio EPA eBusiness Center. In the event of an alternative hard copy submission in lieu of the eBusiness Center, the post-marked date or the date the document is delivered in person will be recognized as the date submitted. Electronic submission of applications, notifications or reports required to be submitted to Ohio EPA fulfills the requirement to submit the required information to the Director, the appropriate Ohio EPA District Office or contracted

local air agency, and/or any other individual or organization specifically identified as an additional recipient identified in this permit unless otherwise specified. Consistent with OAC rule 3745-15-03, the electronic signature date shall constitute the date that the required application, notification or report is considered to be "submitted". Any document requiring signature may be represented by entry of the personal identification number (PIN) by responsible official as part of the electronic submission process or by the scanned attestation document signed by the Authorized Representative that is attached to the electronically submitted written report.

Any document (including reports) required to be submitted and required by a federally applicable requirement in this permit shall include a certification by a Responsible Official that, based on information and belief formed after reasonable inquiry, the statements in the document are true, accurate, and complete.

- b) Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Director of the Ohio EPA or an authorized representative of the Director to:
- (1) At reasonable times, enter upon the permittee's premises where a source is located or the emissions-related activity is conducted, or where records must be kept under the conditions of this permit.
  - (2) Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit, subject to the protection from disclosure to the public of confidential information consistent with ORC section 3704.08.
  - (3) Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.
  - (4) As authorized by the Act, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit and applicable requirements.
- c) The permittee shall submit progress reports to the Ohio EPA DAPC, Central District Office concerning any schedule of compliance for meeting an applicable requirement. Progress reports shall be submitted semiannually or more frequently if specified in the applicable requirement or by the Director of the Ohio EPA. Progress reports shall contain the following:
- (1) Dates for achieving the activities, milestones, or compliance required in any schedule of compliance, and dates when such activities, milestones, or compliance were achieved.
  - (2) An explanation of why any dates in any schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.

## **7. Best Available Technology**

As specified in OAC Rule 3745-31-05, new sources that must employ Best Available Technology (BAT) shall comply with the Applicable Emission Limitations/Control Measures identified as BAT for each subject emissions unit.

**8. Air Pollution Nuisance**

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

**9. Reporting Requirements**

The permittee shall submit required reports in the following manner:

- a) Reports of any required monitoring and/or recordkeeping of state-only enforceable information shall be submitted to the Ohio EPA DAPC, Central District Office.
- b) Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from state-only required emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the Ohio EPA DAPC, Central District Office. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

**10. Applicability**

This Permit-to-Install is applicable only to the emissions unit(s) identified in the Permit-to-Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s) not exempt from the requirement to obtain a Permit-to-Install.

**11. Construction of New Sources(s) and Authorization to Install**

- a) This permit does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. This permit does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the application and terms and conditions of this permit. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of this permit does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Issuance of this permit is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.
- b) If applicable, authorization to install any new emissions unit included in this permit shall terminate within eighteen months of the effective date of the permit if the owner or operator has not undertaken a continuing program of installation or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation. This deadline may be extended by up to 12 months if application is made to the

Director within a reasonable time before the termination date and the permittee shows good cause for any such extension.

- c) The permittee may notify Ohio EPA of any emissions unit that is permanently shut down (i.e., the emissions unit has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent "modification" or "installation" as defined in OAC Chapter 3745-31) by submitting a certification from the authorized official that identifies the date on which the emissions unit was permanently shut down. Authorization to operate the affected emissions unit shall cease upon the date certified by the authorized official that the emissions unit was permanently shut down. At a minimum, notification of permanent shut down shall be made or confirmed by marking the affected emissions unit(s) as "permanently shut down" in "Air Services" along with the date the emissions unit(s) was permanently removed and/or disabled. Submitting the facility profile update electronically will constitute notifying the Director of the permanent shutdown of the affected emissions unit(s).
- d) The provisions of this permit shall cease to be enforceable for each affected emissions unit after the date on which an emissions unit is permanently shut down (i.e., emissions unit has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent "modification" or "installation" as defined in OAC Chapter 3745-31). All records relating to any permanently shutdown emissions unit, generated while the emissions unit was in operation, must be maintained in accordance with law. All reports required by this permit must be submitted for any period an affected emissions unit operated prior to permanent shut down. At a minimum, the permit requirements must be evaluated as part of the reporting requirements identified in this permit covering the last period the emissions unit operated.

Unless otherwise exempted, no emissions unit certified by the responsible official as being permanently shut down may resume operation without first applying for and obtaining a permit pursuant to OAC Chapter 3745-31 and OAC Chapter 3745-77 if the restarted operation is subject to one or more applicable requirements.

- e) The permittee shall comply with any residual requirements related to this permit, such as the requirement to submit a deviation report, air fee emission report, or other any reporting required by this permit for the period the operating provisions of this permit were enforceable, or as required by regulation or law. All reports shall be submitted in a form and manner prescribed by the Director. All records relating to this permit must be maintained in accordance with law.

## 12. Permit-To-Operate Application

The permittee is required to apply for a Title V permit pursuant to OAC Chapter 3745-77. The permittee shall submit a complete Title V permit application or a complete Title V permit modification application within twelve (12) months after commencing operation of the emissions units covered by this permit. However, if operation of the proposed new or modified source(s) as authorized by this permit would be prohibited by the terms and conditions of an existing Title V permit, a Title V permit modification of such new or modified source(s) pursuant to OAC rule 3745-77-04(D) and OAC rule 3745-77-08(C)(3)(d) must be obtained before operating the source in a manner that would violate the existing Title V permit requirements.

**13. Construction Compliance Certification**

The applicant shall identify the following dates in the "Air Services" facility profile for each new emissions unit identified in this permit.

- a) Completion of initial installation date shall be entered upon completion of construction and prior to start-up.
- b) Commence operation after installation or latest modification date shall be entered within 90 days after commencing operation of the applicable emissions unit.

**14. Public Disclosure**

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

**15. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations**

If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters.

**16. Fees**

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable permit-to-install fees within 30 days after the issuance of any permit-to-install. The permittee shall pay all applicable permit-to-operate fees within thirty days of the issuance of the invoice.

**17. Permit Transfers**

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The new owner must update and submit the ownership information via the "Owner/Contact Change" functionality in "Air Services" once the transfer is legally completed. The change must be submitted through "Air Services" within thirty days of the ownership transfer date.

**18. Risk Management Plans**

If the permittee is required to develop and register a risk management plan pursuant to section 112(r) of the Clean Air Act, as amended, 42 U.S.C. 7401 et seq. ("Act"), the permittee shall comply with the requirement to register such a plan.

**19. Title IV Provisions**

If the permittee is subject to the requirements of 40 CFR Part 72 concerning acid rain, the permittee shall ensure that any affected emissions unit complies with those requirements. Emissions exceeding any allowances that are lawfully held under Title IV of the Act, or any regulations adopted thereunder, are prohibited.



**Final Permit-to-Install**  
PPG Industries - Delaware  
**Permit Number:** P0117950  
**Facility ID:** 0121010005  
**Effective Date:** 1/25/2016

## **B. Facility-Wide Terms and Conditions**



**Final Permit-to-Install**  
PPG Industries - Delaware  
**Permit Number:** P0117950  
**Facility ID:** 0121010005  
**Effective Date:** 1/25/2016

1. All the following facility-wide terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only:
  - a) None.



**Final Permit-to-Install**  
PPG Industries - Delaware  
**Permit Number:** P0117950  
**Facility ID:** 0121010005  
**Effective Date:** 1/25/2016

## **C. Emissions Unit Terms and Conditions**

**1. P083, Volumetric Machine Fill #1**

**Operations, Property and/or Equipment Description:**

Paint filling line (M4 Filler)

a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

(1) None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3) [Established by PTI 01-12125, issued final 9/11/07]	Organic compound emissions shall not exceed 3.34 pounds per hour (lbs/hr) and 14.6 tons per year (tpy).  See b)(2)a. – b.
b.	OAC rule 3745-21-07(M)	See b)(2)b.

(2) Additional Terms and Conditions

a. The hourly and yearly OC emission limitation for P083 is established to reflect the potential to emit for this emissions unit. Therefore, it is not necessary to develop monitoring, recordkeeping and/or reporting requirements to ensure compliance with these limits.

b. The requirements of OAC rule 3745-21-07(M) are not applicable because there is no control device for this emissions unit.

c) Operational Restrictions

(1) None.

d) Monitoring and/or Recordkeeping Requirements

(1) None.

e) Reporting Requirements

f) The permittee shall also submit annual reports that specify the total organic compound emissions from this emissions unit for the previous calendar year. The reports shall be

submitted by April 15 of each year. This reporting requirement may be satisfied by including and identifying the specific emission data for this emissions unit in the annual Fee Emission Report.

[Authority for term: OAC rule 3745-77-07(A)(3)(c)]

g) Testing Requirements

(1) Compliance with the Emissions Limitations and/or Control Requirements specified in section b) of these terms and conditions shall be determined in accordance with the following methods:

a. Emission Limitations

For emissions unit P083 OC emissions shall not exceed 3.34 lbs/hr

Compliance Method(s)

Compliance shall be demonstrated by multiplying the maximum VOC content of the coating (lbs/gal) by the maximum usage in one hour (gal/hr).

[Authority for term: OAC rule 3745-77-07(C)(1)]

b. Emission Limitation

For emissions unit P083 OC emissions shall not exceed 14.6 tpy

Compliance Method(s)

The annual limit is based upon the calculated hourly emissions times the maximum operating schedule of 8,760 hours per year, divided by 2,000 lbs per ton.

Compliance with the annual limitation shall be assumed as long as compliance with the hourly limitation is maintained.

[Authority for term: OAC rule 3745-77-07(C)(1)]

h) Miscellaneous Requirements

(1) None.

**2. Emissions Unit Group -High Speed Dispersers #2: P109,P110,P459,P460**

<b>EU ID</b>	<b>Operations, Property and/or Equipment Description</b>
P109	High Speed Disperser 3C602
P110	High Speed Disperser 3C603
P459	High Speed Disperser 3C203
P460	High Speed Disperser 3C601

a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only:

(1) None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	<b>Applicable Rules/Requirements</b>	<b>Applicable Emissions Limitations/Control Measures</b>
a.	OAC rule 3745-31-05(A)(3)  [For P459 and P460 established by PTI 01-08099, issued final 02/02/00. For P109 and P110 established by 01-07324, issued final 03/15/00.]	<u>For emissions units P109:</u>  Organic compound (OC) emissions shall not exceed 0.895 pound per hour (lb/hr); 21.48 pounds per day (lbs/day); and 3.92 tons per year (tpy).  Particulate emissions (PE) from the baghouse shall not exceed 0.0002 lb/hr and 0.001 tpy.  See b)(2)a., c. and d.  <u>For emissions unit P110:</u>  OC emissions shall not exceed 0.895 lb/hr; 21.48 lbs/day; and 3.92 tpy  PE from the baghouse shall not exceed 0.0002 lb/hr and 0.001 tpy.  See b)(2)a., c. and d.  <u>For emissions unit P459:</u>  OC emissions shall not exceed 0.895

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
		<p>lb/hr; 21.48 lbs/day; and 3.92 tpy</p> <p>PE from the baghouse shall not exceed 0.001 lb/hr and 0.005 tpy.</p> <p>See b)(2)b. – d.</p> <p><u>For emissions unit P460:</u></p> <p>OC emissions shall not exceed 0.895 lb/hr; 21.48 lbs/day; and 3.92 tpy</p> <p>PE from the baghouse shall not exceed 0.003 lb/hr and 0.014 tpy.</p> <p>See b)(2)b. – d.</p>
b.	OAC rule 3745-17-07(A)	Visible particulate emissions shall not exceed 20% opacity as a 6-minute average, except as provided by rule.
c.	OAC rule 3745-17-07(B)	See b)(2)e.
d.	OAC rule 3745-17-08(B)	See b)(2)f.
e.	OAC rule 3745-17-11(B)	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
f.	<p>40 CFR Part 63, Subpart HHHHH</p> <p>[In accordance with 40 CFR 63.7985 this facility is an existing miscellaneous coating manufacturing facility subject to the emission limitations/control measures specified in this section.]</p>	See b)(2)g., c)(1)-(2), d)(1)-(2) and (4), and e)(1) and (3)
g.	40 CFR 63.1-16	Table 10 to 40 CFR Part 63, Subpart HHHHH – Applicability of General Provisions to Subpart HHHHH shows which parts of the General Provisions in 40 CFR 63.1-16 apply.

(2) Additional Terms and Conditions

- a. The emissions unit shall be covered with a vessel lid at all times except when operator access is necessary to add ingredients or take samples.
- b. The permittee shall employ a conservation vent and cooling jacket at all times when the emissions unit is in operation.
- c. The permittee shall operate the dust collector during any addition of pigments to the batch.
- d. The hourly and annual PE emissions limitations were established to reflect the potential to emit for this emissions unit. Therefore, it is not necessary to develop recordkeeping and/or reporting requirements to ensure compliance with the hourly and annual emissions limitations.
- e. Pursuant to paragraph (B)(11)(e) of OAC rule 3745-17-07, the requirements of OAC rule 3745-17-07(B) do not apply to these emissions units.
- f. Since this emissions unit is not located in an Appendix A area, pursuant to paragraph (A)(1) of OAC rule 3745-17-08, the requirements of OAC rule 3745-17-08(B) do not apply to these emissions units.
- g. The permittee is subject to the following MACT rule: Miscellaneous Coating Manufacturing, 40 CFR Part 63, Subpart HHHHH. The MACT Subpart HHHHH became effective on December 11, 2003. The requirements of this rule have been established in the Title V permit for this facility.

c) Operational Restrictions

- (1) The average combustion temperature within the thermal oxidizer, for any 3-hour block of time when the emission unit is in operation, shall not be less than 50 degrees Fahrenheit as determined by the three-run average temperature established by the most recent stack test.

[Authority for term: OAC rule 3745-77-07(A)(1) and 40 CFR Part 63, Subpart HHHHH]

- (2) The permittee shall comply with the applicable operational restrictions and requirements under 40 CFR Part 63, Subpart HHHHH, including the following sections:

63.8000	General requirements
63.8005	Requirements for process vessels
63.8010	Requirements for storage tanks
63.8015	Requirements for equipment leaks
63.8020	Requirements for wastewater streams

63.8025	Requirements for transfer operations
63.8030	Requirements for heat exchange systems
63.8050	Alternative means of compliance for emissions averaging for stationary process vessels
63.8055	Alternative means of compliance for weight percent HAP limit
63.8090	Compliance options if part of the plant is subject to both this subpart and another subpart
63.8095	Applicability of General Provisions to Subpart HHHHH

[Authority for term: 40 CFR Part 63, Subpart HHHHH and OAC rule 3745-77-07(A)(1)]

d) Monitoring and/or Recordkeeping Requirements

- (1) The permittee shall operate and maintain a continuous temperature monitor and recorder which measures and records the combustion temperature within the thermal oxidizer unit when the emissions units are in operation. Units shall be in degrees Fahrenheit. The monitoring and recording devices shall be capable of accurately measuring the combustion temperature. The temperature monitor and recorder shall be calibrated, operated and maintained in accordance with the manufacturer's recommendations, with any modifications deemed necessary by the permittee.

[Authority for term: OAC rule 3745-77-07(C) and 40 CFR Part 63, Subpart HHHHH]

- (2) The permittee shall collect and record the following information on a daily basis:
- a. all 3-hour blocks of time during which the average combustion temperature within the thermal oxidizer, when the emissions units were in operations, was less than 50 degrees Fahrenheit as determined by the three-run average temperature established by the most recent stack test; and
  - b. a log of the downtime for the capture (collection) system, control device, and monitoring equipment, when the associated emissions unit was in operation.

[Authority for term: OAC rule 3745-77-07(C) and 40 CFR Part 63, Subpart HHHHH]

- (3) The permittee shall perform weekly checks, when the emissions unit is in operation and when the weather conditions allow, for any visible particulate emissions from the stack serving this emissions unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:
- (a) the color of the emissions;
  - (b) whether the emissions are representative of normal operations;



- (c) if the emissions are not representative of normal operations, the cause of the abnormal emissions;
- (d) the total duration of any visible emissions incident; and
- (e) any corrective actions taken to minimize or eliminate the visible emissions.

If visible emissions are present, a visible emissions incident has occurred. The observer does not have to document the exact start and end times for the visible emissions incident under item (d) above or continue the weekly check until the incident has ended. The observer may indicate that the visible emissions incident was continuous during the observation period (or, if known, continuous during the operation of the emissions unit). With respect to the documentation of corrective actions, the observer may indicate that no corrective actions were taken if the visible emissions were representative of normal operations, or specify the minor corrective actions that were taken to ensure that the emissions unit continued to operate under normal conditions, or specify the corrective actions that were taken to eliminate abnormal visible emissions.

[Authority for term: OAC rule 3745-17-07(A)(1) and OAC rule 3745-77-07(C)]

- (4) The permittee shall comply with the applicable monitoring and/or recordkeeping requirements under 40 CFR Part 63, Subpart HHHHH, including the following sections:

63.8080	Recordkeeping requirements
---------	----------------------------

[Authority for term 40 CFR Part 63, Subpart HHHHH and OAC rule 3745-77-07(C)]

e) Reporting Requirements

- (1) The permittee shall submit quarterly deviation (excursion) reports that identify all 3-hour blocks of time during which the average combustion temperature within the thermal oxidizer does not comply with the temperature limitation specified above.

[Authority for term: OAC rule 3745-77-07(A)(3)(c) and 40 CFR Part 63, Subpart HHHHH]

- (2) The permittee shall submit semiannual written reports which identify the following:
  - a. identify all days during which any visible particulate emissions were observed from the dust collector serving this emissions unit; and
  - b. describe any corrective actions taken to eliminate the visible particulate emissions.

These reports shall be submitted to the Ohio EPA, Central District Office by January 31 and July 31 of each year and shall cover the previous 6-month period.

[Authority for term: OAC rule 3745-17-07(A)(1) and OAC rule 3745-77-07(A)(3)(c)]

- (3) The permittee shall comply with the applicable reporting requirements under 40 CFR Part 63, Subpart HHHHH, including the following sections:



63.8070	Notification requirement(s)
63.8075	Reporting requirements

[Authority for term: 40 CFR Part 63, Subpart HHHHH and OAC rule 3745-77-07(A)(3)(c)]

f) Testing Requirements

(1) Compliance with the Emissions Limitations and/or Control Requirements specified in section b) of these terms and conditions shall be determined in accordance with the following methods:

(a) Emission Limitation

Visible particulate emissions from the stack shall not exceed 20 percent opacity as a six-minute average, except as specified by rule.

Applicable Compliance Method(s)

If required, compliance with the stack visible particulate emissions limitation shall be determined through visible emissions observations performed in accordance with U.S. EPA Method 9.

[Authority for term: OAC rule 3745-17-03(B)(1)(a) and OAC rule 3745-77-07(C)(1)]

(b) Emission Limitation

For emissions units P109 and P110, PE from the baghouse shall not exceed 0.0002 lb/hr and 0.001 tpy

Applicable Compliance Method(s)

Compliance with the hourly emission limitation may be demonstrated by multiplying the emission factor of 20 lbs PE/ton pigment produced (AP-42, 6.4-1, 5/83) by the maximum amount of paint that can be produced (0.35 ton pigment/hr, PTI 01-07324), and by the assumed control efficiency (CE) of the baghouse (1-0.9997).

Compliance with the annual emission limitation shall be demonstrated by multiplying the allowable emission rate of 0.0002 lbs PE/hr by 8760 hrs/yr, and dividing by 2000 lbs/ton.

If required, the permittee shall demonstrate compliance by emission testing in accordance with 40 CFR Part 60, Appendix A, Methods 1 through 5.

[Authority for term: OAC rule 3745-77-07(C)(1)]

(c) Emission Limitation

For emissions unit P459, PE from the baghouse shall not exceed 0.001 lb/hr and 0.005 tpy

Applicable Compliance Method(s)

Compliance with the hourly emission limitation may be demonstrated by multiplying the emission factor of 20 lbs PE/ton pigment produced (AP-42, 6.4-1, 5/83) by the maximum amount of paint that can be produced (0.18 ton pigment/hr, PTI 01-08099), and by the assumed control efficiency (CE) of the baghouse (1-0.9997).

Compliance with the annual emission limitation shall be demonstrated by multiplying the allowable emission rate of 0.001 lbs PE/hr by 8760 hrs/yr, and dividing by 2000 lbs/ton.

If required, the permittee shall demonstrate compliance by emission testing in accordance with 40 CFR Part 60, Appendix A, Methods 1 through 5.

[Authority for term: OAC rule 3745-77-07(C)(1)]

(d) Emission Limitation

For emissions unit P460, PE from the baghouse shall not exceed 0.003 lb/hr and 0.014 tpy

Applicable Compliance Method(s)

Compliance with the hourly emission limitation may be demonstrated by multiplying the emission factor of 20 lbs PE/ton pigment produced (AP-42, 6.4-1, 5/83) by the maximum amount of paint that can be produced (0.54 ton pigment/hr, PTI 01-08099), and by the assumed control efficiency (CE) of the baghouse (1-0.9997).

Compliance with the annual emission limitation shall be demonstrated by multiplying the allowable emission rate of 0.003 lbs PE/hr by 8760 hrs/yr, and dividing by 2000 lbs/ton.

If required, the permittee shall demonstrate compliance by emission testing in accordance with 40 CFR Part 60, Appendix A, Methods 1 through 5.

[Authority for term: OAC rule 3745-77-07(C)(1)]

(e) Emission Limitation

For emissions units P109, P110, P459, and P460 OC emissions from each emissions unit shall not exceed 0.895 lb/hr; 21.48 lbs/day; and 3.92 tpy

Compliance Method(s)

The hourly emission limitation of 0.895 lb/hr was established using U.S. EPA Method 18 for emission egress points 4, 8, 9, 13, DC1-Leg2, and EF2-Leg2, as contained in the "Delaware 1993 Emissions Inventory Report."

Compliance with the daily emission limitation may be demonstrated by multiplying the allowable hourly emission rate of 0.895 lb/hr by the actual hours of operation per day.

Compliance with the annual emission limitation shall be demonstrated by multiplying the allowable emission rate of 0.895 lb/hr by the actual hours of operation per year, and dividing by 2000 lbs/ton.

If required, the allowable hourly OC emission rate shall be determined using U.S. EPA Method 18 for emission egress points 4,8,9,13, DC1-Leg2, and EF2-Leg2. The facility demonstrated compliance with the allowable hourly OC emission rate through emissions testing performed on 11/18/2003.

[Authority for term: OAC rule 3745-77-07(C)(1)]

- (2) The permittee shall conduct, or have conducted, emission testing for this emissions unit in accordance with the following requirements:
- (a) The emission testing for P109, P110, P459, and P460 shall be conducted within 6 months after issuance of the permit and within 6 months prior to permit renewal as specified in the Title V.
  - (b) The emissions testing may be conducted simultaneously, while using Methods 1 through 4 and 25 or 25A testing, for emissions units P003, P008, P009, P010, P042, P043, P093, P094, P095, P096, P097, P099, P100, P101, P102, P103, P104, P105, P106, and P107 is conducted.
  - (c) The emission testing shall be conducted to demonstrate compliance with the requirements established by 40 CFR Part 63, Subpart HHHHH.
  - (d) The following test method(s) shall be employed:  
  
40 CFR Part 60, Appendix A, Methods 1 through 4 and 25 or 25A  
  
Alternative U.S. EPA approved test methods may be used with prior approval from the Ohio EPA.
  - (d) The control efficiency (i.e., the percent reduction in mass emissions between the inlet and outlet of the control system) shall be determined in accordance with the test methods and procedures specified in OAC rule 3745-21-10. The test methods and procedures selected shall be based on a consideration of the diversity of the organic species present and their total concentration, and on a consideration of the potential presence of interfering gases.

- (e) The test(s) shall be conducted while the emissions unit is operating at or near its maximum capacity, unless otherwise specified or approved by the appropriate Ohio EPA District Office or local air agency.
- (f) Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the appropriate Ohio EPA District Office or local air agency. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of the test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Ohio EPA District Office's or local air agency's refusal to accept the results of the emission test(s).
- (g) Personnel from the appropriate Ohio EPA District Office or local air agency shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the control equipment.
- (h) A comprehensive written report on the results of the emissions test(s) shall be signed by the person or persons responsible for the tests and submitted to the appropriate Ohio EPA District Office or local air agency within 30 days following completion of the test(s). The permittee may request additional time for the submittal of the written report, where warranted, with prior approval from the appropriate Ohio EPA District Office or local air agency.

[Authority for term: 40 CFR Part 63, Subpart HHHHH and OAC rule 3745-77-07(C)(1)]

- g) Miscellaneous Requirements
  - (1) None.

**3. Emissions Unit Group -LOS Lab Spray Booths: K002,K003,K004,K005**

<b>EU ID</b>	<b>Operations, Property and/or Equipment Description</b>
K002	New LOS Spraybooth - no.1
K003	New LOS Spraybooth - no.2
K004	New LOS Spraybooth - no.3
K005	New LOS Spraybooth - no.4

a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only:

(1) None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	<b>Applicable Rules/Requirements</b>	<b>Applicable Emissions Limitations/Control Measures</b>
a.	OAC rule 3745-31-05(A)(3)  (Established by PTI 01-08599, issued final 7/3/2002)	<p>Volatile organic compound (VOC) emissions shall not exceed 0.94 lb/hr and 4.1 tons/yr.</p> <p>Organic compound (OC) emissions shall not exceed 3.08 lbs/hr and 13.5 tons/yr.</p> <p>Particulate emissions (PE) shall not exceed 0.551 lbs/hr and 2.4 tons/yr.</p> <p>The requirements of this rule include compliance with the requirements of OAC rule 3745-21-09(U)(2)(e).</p> <p>See b)(2)a.</p>
b.	OAC rule 3745-17-07(A)(1)	Visible emissions from any stack shall not exceed twenty percent opacity as a six minute average, except as provided by the rule.
c.	OAC rule 3745-17-11(A)(1)(k)	See b)(2)b.
d.	OAC rule 3745-21-09(U)(2)(e)	See b)(2)c.

(2) Additional Terms and Conditions

a. The 0.94 lb VOC/hr, 4.1 tons VOC/yr, 3.08 lbs OC/hr and 13.5 tons OC/yr emission limitations were established to reflect the potential to emit for K002,

K003, K004, and K005. Therefore, it is not necessary to develop monitoring, recordkeeping and/or reporting requirements to ensure compliance with these limits.

- b. The requirements of OAC rule 3745-17-11 do not apply to these emissions units because they employ hand-held cup spray guns.
- c. The permittee shall not employ more than ten gallons of coating per day for the miscellaneous metal parts and products coating line. The daily usage limitation for the coating line shall not include coatings applied to parts or products which are not metal.

c) Operational Restrictions

- (1) None.

d) Monitoring and/or Recordkeeping Requirements

- (1) The permittee shall operate and maintain daily records that document any time periods when the filtration system was not in service when the emission unit was in operation.

[Authority for term: OAC rule 3745-17-07(A)(1) and OAC rule 3745-77-07(A)(3)]

- (2) The permittee shall collect and record the following information each day for the coating line.

- a. the name and/or identification number of each coating employed;
- b. the volume, in gallons, of each coating employed; and
- c. the total volume, in gallons, of all of the coatings employed.

[Authority for term: OAC rule 3745-21-09(B)(3)(d) and OAC rule 3745-77-07(C)]

e) Reporting Requirements

- (1) The permittee shall notify the Central District Office in writing of any daily record showing that the dry filtration system was not in service when the emission unit was in operation. The notification shall include a copy of such record and be sent to the Central District Office within 30 days after the event occurs.

[Authority for term: OAC rule 3745-77-07(A)(3)(c)]

- (2) The permittee shall notify the Director (the appropriate Ohio EPA District Office or local air agency) in writing of any daily record showing that the coating line employs more than the applicable maximum daily coating usage limit. The notification shall include a copy of such record and shall be sent to the Director (the appropriate Ohio EPA District Office or local air agency) within 45 days after the exceedance occurs.

[Authority for term: OAC rule 3745-21-09(B)(3)(e) and OAC rule 3745-77-07(A)(3)(c)]

f) Testing Requirements

(1) Compliance with the emission limitation(s) in Section b)(1) of these terms and conditions shall be determined in accordance with the following method(s):

a. Emission Limitation

VOC emissions shall not exceed 0.94 lb/hr

Applicable Compliance Method(s)

Compliance shall be demonstrated by multiplying the maximum VOC content of the coating (5 lbs VOC per gallon) by the maximum usage in one hour (0.1875 gallon per hour).

If required, the permittee shall demonstrate compliance with the hourly emission limitation through emission tests performed in accordance with 40 CFR Part 60, Appendix A, Methods 1 through 4 and 18 or 25, as appropriate.

[Authority for term: OAC rule 3745-77-07(C)(1)]

b. Emission Limitation

VOC emissions shall not exceed 4.1 tons/yr

Applicable Compliance Method(s)

Compliance shall be demonstrated by multiplying the maximum pound per hour emission rate by 8760 hrs/yr and dividing by 2000 lbs/ton.

[Authority for term: OAC rule 3745-77-07(C)(1)]

c. Emission Limitation

OC emissions shall not exceed 3.08 lbs/hr

Applicable Compliance Method(s)

Compliance shall be demonstrated by multiplying the maximum OC content of the coating (6.58 lbs OC per gallon) by the maximum usage in one hour (0.4687 gallon per hour).

If required, the permittee shall demonstrate compliance with the hourly emission limitation through emission tests performed in accordance with 40 CFR Part 60, Appendix A, Methods 1 through 4 and 18 or 25, as appropriate.

[Authority for term: OAC rule 3745-77-07(C)(1)]

d. Emission Limitation

OC emissions shall not exceed 13.5 tons/yr

Applicable Compliance Method(s)

Compliance shall be demonstrated by multiplying the maximum pound per hour emission rate by 8760 hrs/yr and dividing by 2000 lbs/ton.

[Authority for term: OAC rule 3745-77-07(C)(1)]

e. Emission Limitation

PE shall not exceed 0.551 lb/hr

Applicable Compliance Method(s)

To determine the worst case emission for particulate, the following equation may be used:

$$E = (M) * (1-CE)$$

where:

E = particulate matter emission rate (lbs/hr)

M = maximum coating solids usage rate (lbs/hr)

CE = control efficiency of the control equipment

If required, the permittee shall demonstrate compliance with this emission limitation in accordance with the methods and procedures specified in OAC rule 3745-17-03(B)(10).

[Authority for term: OAC rule 3745-77-07(C)(1)]

f. Emission Limitation

PE shall not exceed 2.4 tons/yr

Applicable Compliance Method(s)

Compliance shall be demonstrated by multiplying the maximum pound per hour emission rate by 8760 hrs/yr and dividing by 2000 lbs/ton.

[Authority for term: OAC rule 3745-77-07(C)(1)]

g. Emission Limitation:

Visible PE from any stack serving this emissions unit shall not exceed 20% opacity, as a six-minute average, except as specified by rule.



**Final Permit-to-Install**  
PPG Industries - Delaware  
**Permit Number:** P0117950  
**Facility ID:** 0121010005  
**Effective Date:** 1/25/2016

Applicable Compliance Method:

If required, compliance with the above visible emission limitation shall be determined by visible emission evaluations performed in accordance with OAC rule 3745-17-03(B)(1) using the methods and procedures specified in USEPA Reference Method 9.

[Authority for term: OAC rule 3745-77-07(C)(1)]

- g) Miscellaneous Requirements
  - (1) None.

**4. Emissions Unit Group -Resin Reactors: P008,P009,P010,P042,P043**

<b>EU ID</b>	<b>Operations, Property and/or Equipment Description</b>
P008	Resin reactor system used for acrylic resin manufacturing in support of industrial and automotive paint production.
P009	Resin reactor system used for acrylic resin manufacturing in support of industrial and automotive paint production.
P010	Solvent recovery system for processing spent solvent generated by cleaning activities.
P042	Resin reactor system serving Uniprime (cationic) manufacture.
P043	Batch stripper for removing organic vapors from a resin batch.

a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only:

(1) None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	<b>Applicable Rules/Requirements</b>	<b>Applicable Emissions Limitations/Control Measures</b>
a.	OAC rule 3745-31-05(A)(3)  (For P008 – P010 PTI 01-289; For P042 – P043 PTI 01-862)	<p><u>For emissions units P008, P009, P010, P042 and P043:</u></p> <p>The requirements of this rule include compliance with the requirements of 40 CFR Part 63, Subpart FFFF.</p> <p><u>For emissions units P042 and P043:</u></p> <p>Volatile organic compound (VOC) emissions shall not exceed 2.85 tons per year (tpy) from emissions units P042 and P043 combined.</p> <p><u>For emissions unit P042:</u></p> <p>PE shall not exceed 2.1 tpy</p> <p><u>For emissions unit P009 and P042:</u></p> <p>The requirements established pursuant to this rule are equivalent to the</p>

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
		requirements of OAC rule 3745-17-11(B) and OAC rule 3745-17-07(A).  <u>For emissions unit P009:</u>  See b)(2)a., d)(1)
b.	OAC rule 3745-17-07(A)	<u>For emissions unit P009 and P042:</u>  Visible particulate emissions shall not exceed 20% opacity as a 6-minute average, except
c.	OAC rule 3745-17-11(B)	<u>For emissions unit P009 and P042:</u>  Particulate emissions (PE) shall not exceed 2.13 pounds per hour (lbs/hr), based on Table I, which is more stringent than the allowable PE rate from Figure II.
d.	OAC rule 3745-21-07(M)(2)	The requirements specified by this rule are less stringent than the requirements established pursuant to 40 CFR Part 63, Subpart FFFF.
e.	40 CFR Part 63, Subpart FFFF  [In accordance with 40 CFR 63.2435 this facility is an existing miscellaneous organic chemical manufacturing facility subject to the emission limitations/control measures specified in this section.]	See b)(2)b.
f.	40 CFR 63.1-16	Table 10 to 40 CFR Part 63, Subpart FFFF – Applicability of General Provisions to Subpart FFFF shows which parts of the General Provisions in 40 CFR 63.1-16 apply.

(2) Additional Terms and Conditions

- a. For emissions unit P009 and P042, the pressure drop across the baghouse shall be maintained within the range of 0 to 7 inches of water during solids charging.

b. The permittee is subject to the following MACT rule: Miscellaneous Organic Chemical Manufacturing, 40 CFR Part 63, Subpart FFFF. The MACT Subpart FFFF became effective on November 10, 2003. The requirements of this rule have been established in the Title V permit for this facility.

c) Operational Restrictions

(1) The permittee shall comply with the applicable operational restrictions and requirements under 40 CFR Part 63, Subpart FFFF.

63.2450	General requirements
63.2460	Requirements for batch process vents
63.2465	Requirements for process vents that emit hydrogen halide and halogen HAP or HAP metals
63.2470	Requirements for storage tanks
63.2475	Requirements for transfer racks
63.2480	Requirements for equipment leaks
63.2485	Requirements for wastewater streams and liquid streams in open systems with a MCPU
63.2490	Requirements for heat exchange systems
63.2495	Compliance with pollution prevention standard
63.2500	Compliance with emissions averaging
63.2505	Compliance with the alternative standard
63.2535	Compliance options if part of the plant is subject to both this subpart and another subpart
63.2540	General provisions to subpart FFFF

[Authority for term: 40 CFR Part 63, Subpart FFFF and OAC rule 3745-77-07(A)(1)]

d) Monitoring and/or Recordkeeping Requirements

(1) For P009, the permittee shall maintain daily records that document any time periods when the baghouse was not in service when the emissions unit was in operation.

[Authority for term: OAC rule 3745-77-07(C)]

- (2) The permittee shall comply with the applicable monitoring and/or recordkeeping requirements under 40 CFR Part 63, Subpart FFFF.

63.2515	Notification requirement(s)
63.2525	Recordkeeping requirement(s)

[Authority for term: 40 CFR Part 63, Subpart FFFF and OAC rule 3745-77-07(C)]

e) Reporting Requirements

- (1) The permittee shall also submit annual reports that specify the total organic compound emissions from this emissions unit for the previous calendar year. The reports shall be submitted by April 15 of each year. This reporting requirement may be satisfied by including and identifying the specific emission data for this emissions unit in the annual Fee Emission Report.

[Authority for term: OAC rule 3745-77-07(A)(3)(c)]

- (2) The permittee shall comply with the applicable reporting requirements under 40 CFR Part 63, Subpart FFFF.

63.2520	Reporting requirement(s)
---------	--------------------------

[Authority for term: 40 CFR Part 63, Subpart FFFF and OAC rule 3745-77-07(A)(3)(c)]

- (3) The permittee shall submit quarterly excursions reports:
- a. The excursion report shall identify the following:
    - i. each excursion from control device operating parameters that have been detected by the testing, monitoring and recordkeeping requirements specified in this permit, excluding excursions resulting from malfunctions reported in accordance with OAC rule 3745-15-06;
    - ii. period of time for each excursion (initially observed time and date, and end time and date);
    - iii. the probable cause of such excursions; and
    - iv. any corrective actions or preventive measures taken.
  - b. If no excursions occurred during a calendar quarter, the permittee shall submit a report that states that no excursions occurred during the quarter.; and
  - c. These reports shall be made to the OEPA, DAPC, CDO. The written reports shall be submitted electronically through Air Services quarterly, by January 31,

April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters.

[Authority for term: OAC rule 3745-77-07(A)(3)(c)]

- (4) The permittee shall submit quarterly deviation reports that identify the following:
- a. each incident described in Section e)(3)a.i. where a prompt investigation was not conducted;
  - b. each incident described in Section e)(3)a.i. where prompt corrective action, that would bring the control device operating parameters into normal ranges was determined to be necessary and was not taken; and
  - c. each incident described in Section e)(3)a.i. where proper records were not maintained for the investigation and/or the corrective action(s), as identified in the monitoring and record keeping requirements of this permit.
  - d. The deviation report shall identify the following:
    - i. any deviations from federally enforceable emission limitations or operational restrictions, excluding deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06, that have been detected by the testing, monitoring and recordkeeping requirements specified in this permit;
    - ii. the probable cause of such deviations; and
    - iii. any corrective actions or preventive measures taken, shall be made to the OEPA, DAPC, CDO. The written reports shall be submitted (i.e., postmarked) quarterly, by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters.
  - e. If no deviations occurred during a calendar quarter, the permittee shall submit a report that states that no deviations occurred during the quarter.

[Authority for term: OAC rule 3745-77-07(A)(3)(c)]

- (5) The quarterly excursion reports and quarterly deviation reports may be combined to fulfill the requirements of Section e)(2) and e)(3).

[Authority for term: OAC rule 3745-77-07(A)(3)(c)]

f) Testing Requirements

- (1) Compliance with the Emissions Limitations and/or Control Requirements specified in section b) of these terms and conditions shall be determined in accordance with the following methods:

a. Emission Limitation

Visible particulate emissions from the stack shall not exceed 20 percent opacity as a six-minute average, except as specified by rule for emissions units P009 and P042.

Applicable Compliance Method(s)

If required, compliance with the stack visible particulate emissions limitation shall be determined through visible emissions observations performed in accordance with U.S. EPA Method 9.

[Authority for term: OAC rule 3745-17-03(B)(1)(a) and OAC rule 3745-77-07(C)(1)]

b. Emission Limitation

PE shall not exceed 2.13 lbs/hr, based on Table I which is more stringent than the allowable PE rate from Figure II, for emissions units P009 and P042.

Applicable Compliance Method(s)

Compliance with the hourly emission limitation may be demonstrated by multiplying the emission factor of 5.5 lbs of particulates/ton of paint produced (AIRS, 3/90, 30101401) by the maximum amount of paint that can be produced (0.375 ton/hr), and by the assumed control efficiency (CE) of the baghouse (1-0.98).

If required, the permittee shall demonstrate compliance by emission testing in accordance with 40 CFR Part 60, Appendix A, Methods 1 through 5 and the procedures specified in OAC rule 3745-17-03(B)(10).

[Authority for term: OAC rule 3745-77-07(C)(1)]

c. Emission Limitation

For emission unit P042, PE shall not exceed 2.1 tpy

Applicable Compliance Method(s)

Compliance may be demonstrated by summing the emissions from each solids charging location. To determine emissions from each location, multiply the emission factor of 5.5 lbs PE/ton of paint produced (AIRS, 3/90, 30101401) by the maximum amount of solids charged (0.375 ton/hr) by the control efficiency (CE) of the fabric filter (1-0.98) by 8760 hrs/yr and divide by 2000 lbs/ton.

d. Emission Limitation

VOC emissions shall not exceed 2.85 tpy from emissions units P042 and P043 combined.

Applicable Compliance Method(s)

Compliance shall be demonstrated by multiplying the uncontrolled emission rate (103 lbs VOC/day) from P042 and P043 combined, by 365 days/yr, multiplying by the control efficiency of the TOU established during the most recent emission test that demonstrated that the emissions unit was in compliance, and dividing by 2000 lbs/ton.

[Authority for term: OAC rule 3745-77-07(C)(1)]

- (2) The permittee shall conduct, or have conducted, emission testing for this emissions unit in accordance with the following requirements:
- a. The emission testing shall be conducted within 6 months after issuance of the permit and within 6 months prior to permit expiration as specified in the Title V.
  - b. The emission testing shall be conducted to demonstrate compliance with the requirements established by 40 CFR Part 63, Subpart FFFF.
  - c. The applicable test method(s) found in Table 12 to Subpart FFFF of Part 63 – Applicability of General Provisions to Subpart FFFF shall be employed to demonstrate compliance.
  - d. Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the appropriate Ohio EPA District Office or local air agency. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of the test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Ohio EPA District Office's or local air agency's refusal to accept the results of the emission test(s).
  - e. Personnel from the appropriate Ohio EPA District Office or local air agency shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the control equipment.



**Final Permit-to-Install**  
PPG Industries - Delaware  
**Permit Number:** P0117950  
**Facility ID:** 0121010005  
**Effective Date:** 1/25/2016

- f. A comprehensive written report on the results of the emissions test(s) shall be signed by the person or persons responsible for the tests and submitted to the appropriate Ohio EPA District Office or local air agency within 30 days following completion of the test(s). The permittee may request additional time for the submittal of the written report, where warranted, with prior approval from the appropriate Ohio EPA District Office or local air agency.

[Authority for term: 40 CFR Part 63, Subpart FFFF and OAC rule 3745-77-07(C)(1)]

g) Miscellaneous Requirements

- (1) None.