



John R. Kasich, Governor
 Mary Taylor, Lt. Governor
 Craig W. Butler, Director

2/8/2016

Nathan Wheldon, PE
 Tri-County Compressor Station (MarkWest / Ohio Oil Gath
 1515 Arapahoe Street
 Suite 1600 - Tower 1
 Denver, CO 80202-2137

Certified Mail

No	TOXIC REVIEW
No	SYNTHETIC MINOR TO AVOID MAJOR NSR
No	CEMS
No	MACT/GACT
No	NSPS
No	NESHAPS
No	NETTING
No	MODELING SUBMITTED
No	SYNTHETIC MINOR TO AVOID TITLE V
No	FEDERALLY ENFORCABLE PTIO (FEPTIO)
No	SYNTHETIC MINOR TO AVOID MAJOR GHG

RE: FINALAIR POLLUTION PERMIT-TO-INSTALL AND OPERATE

Facility ID: 0607015001
 Permit Number: P0120033
 Permit Type: OAC Chapter 3745-31 Modification
 County: Belmont

Dear Permit Holder:

Enclosed please find a final Ohio Environmental Protection Agency (EPA) Air Pollution Permit-to-Install and Operate (PTIO) which will allow you to install, modify, and/or operate the described emissions unit(s) in the manner indicated in the permit. Because this permit contains conditions and restrictions, please read it very carefully. In this letter you will find the information on the following topics:

- **How to appeal this permit**
- **How to save money, reduce pollution and reduce energy consumption**
- **How to give us feedback on your permitting experience**
- **How to get an electronic copy of your permit**
- **What should you do if you notice a spill or environmental emergency?**

How to appeal this permit

The issuance of this PTIO is a final action of the Director and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer Josh Mandel," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
 77 South High Street, 17th Floor
 Columbus, OH 43215

How to save money, reduce pollution and reduce energy consumption

The Ohio EPA is encouraging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Compliance Assistance and Pollution Prevention at (614) 644-3469. Additionally, all or a portion of the capital expenditures related to installing air pollution control equipment under this permit may be eligible for financing and State tax exemptions through the Ohio Air Quality Development Authority (OAQDA) under Ohio Revised Code Section 3706. For more information, see the OAQDA website: www.ohioairquality.org/clean_air

How to give us feedback on your permitting experience

Please complete a survey at www.epa.ohio.gov/survey.aspx and give us feedback on your permitting experience. We value your opinion.

How to get an electronic copy of your permit

This permit can be accessed electronically via the eBusiness Center: Air Services in Microsoft Word format or in Adobe PDF on the Division of Air Pollution Control (DAPC) Web page, www.epa.ohio.gov/dapc by clicking the "Search for Permits" link under the Permitting topic on the Programs tab.

What should you do if you notice a spill or environmental emergency?

Any spill or environmental emergency which may endanger human health or the environment should be reported to the Emergency Response 24-HOUR EMERGENCY SPILL HOTLINE toll-free at (800) 282-9378. Report non-emergency complaints to the appropriate district office or local air agency.

If you have any questions regarding your permit, please contact Ohio EPA DAPC, Southeast District Office at (740)385-8501 or the Office of Compliance Assistance and Pollution Prevention at (614) 644-3469.

Sincerely,



Michael E. Hopkins, P.E.
Assistant Chief, Permitting Section, DAPC

Cc: Ohio EPA-SEDO



FINAL

**Division of Air Pollution Control
Permit-to-Install and Operate
for**

Tri-County Compressor Station (MarkWest / Ohio Oil Gath

Facility ID:	0607015001
Permit Number:	P0120033
Permit Type:	OAC Chapter 3745-31 Modification
Issued:	2/8/2016
Effective:	2/8/2016
Expiration:	5/31/2023



Division of Air Pollution Control
Permit-to-Install and Operate
for
Tri-County Compressor Station (MarkWest / Ohio Oil Gath

Table of Contents

Authorization	1
A. Standard Terms and Conditions	3
1. What does this permit-to-install and operate ("PTIO") allow me to do?.....	4
2. Who is responsible for complying with this permit?	4
3. What records must I keep under this permit?	4
4. What are my permit fees and when do I pay them?.....	4
5. When does my PTIO expire, and when do I need to submit my renewal application?	4
6. What happens to this permit if my project is delayed or I do not install or modify my source?	5
7. What reports must I submit under this permit?	5
8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit?	5
9. What are my obligations when I perform scheduled maintenance on air pollution control equipment? ...	5
10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report?	6
11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located?	6
12. What happens if one or more emissions units operated under this permit is/are shut down permanently?	6
13. Can I transfer this permit to a new owner or operator?.....	7
14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"?	7
15. What happens if a portion of this permit is determined to be invalid?	7
B. Facility-Wide Terms and Conditions.....	8
C. Emissions Unit Terms and Conditions	10
1. J001, Truck Loading.....	11



Authorization

Facility ID: 0607015001
Application Number(s): A0054350
Permit Number: P0120033
Permit Description: Installation of new tanks has increased truck loading PTE, and hence created a chapter 31.
Permit Type: OAC Chapter 3745-31 Modification
Permit Fee: \$200.00
Issue Date: 2/8/2016
Effective Date: 2/8/2016
Expiration Date: 5/31/2023
Permit Evaluation Report (PER) Annual Date: Jan 1 - Dec 31, Due Feb 15

This document constitutes issuance to:

Tri-County Compressor Station (MarkWest / Ohio Oil Gath
North of intersection of Hwy 379 and Town
Barnesville, OH 43713

of a Permit-to-Install and Operate for the emissions unit(s) identified on the following page.

Ohio Environmental Protection Agency (EPA) District Office or local air agency responsible for processing and administering your permit:

Ohio EPA DAPC, Southeast District Office
2195 Front Street
Logan, OH 43138
(740)385-8501

The above named entity is hereby granted this Permit-to-Install and Operate for the air contaminant source(s) (emissions unit(s)) listed in this section pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the described emissions unit(s) will operate in compliance with applicable State and federal laws and regulations.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency


Craig W. Butler
Director



Authorization (continued)

Permit Number: P0120033

Permit Description: Installation of new tanks has increased truck loading PTE, and hence created a chapter 31.

Permits for the following Emissions Unit(s) or groups of Emissions Units are in this document as indicated below:

Emissions Unit ID:	J001
Company Equipment ID:	J001
Superseded Permit Number:	
General Permit Category and Type:	Not Applicable



Final Permit-to-Install and Operate
Tri-County Compressor Station (MarkWest / Ohio Oil Gath
Permit Number: P0120033
Facility ID: 0607015001
Effective Date: 2/8/2016

A. Standard Terms and Conditions

1. What does this permit-to-install and operate ("PTIO") allow me to do?

This permit allows you to install and operate the emissions unit(s) identified in this PTIO. You must install and operate the unit(s) in accordance with the application you submitted and all the terms and conditions contained in this PTIO, including emission limits and those terms that ensure compliance with the emission limits (for example, operating, recordkeeping and monitoring requirements).

2. Who is responsible for complying with this permit?

The person identified on the "Authorization" page, above, is responsible for complying with this permit until the permit is revoked, terminated, or transferred. "Person" means a person, firm, corporation, association, or partnership. The words "you," "your," or "permittee" refer to the "person" identified on the "Authorization" page above.

The permit applies only to the emissions unit(s) identified in the permit. If you install or modify any other equipment that requires an air permit, you must apply for an additional PTIO(s) for these sources.

3. What records must I keep under this permit?

You must keep all records required by this permit, including monitoring data, test results, strip-chart recordings, calibration data, maintenance records, and any other record required by this permit for five years from the date the record was created. You can keep these records electronically, provided they can be made available to Ohio EPA during an inspection at the facility. Failure to make requested records available to Ohio EPA upon request is a violation of this permit requirement.

4. What are my permit fees and when do I pay them?

There are two fees associated with permitted air contaminant sources in Ohio:

PTIO fee. This one-time fee is based on a fee schedule in accordance with Ohio Revised Code (ORC) section 3745.11, or based on a time and materials charge for permit application review and permit processing if required by the Director.

You will be sent an invoice for this fee after you receive this PTIO and payment is due within 30 days of the invoice date. You are required to pay the fee for this PTIO even if you do not install or modify your operations as authorized by this permit.

Annual emissions fee. Ohio EPA will assess a separate fee based on the total annual emissions from your facility. You self-report your emissions in accordance with Ohio Administrative Code (OAC) Chapter 3745-78. This fee assessed is based on a fee schedule in ORC section 3745.11 and funds Ohio EPA's permit compliance oversight activities. For facilities that are permitted as synthetic minor sources, the fee schedule is adjusted annually for inflation. Ohio EPA will notify you when it is time to report your emissions and to pay your annual emission fees.

5. When does my PTIO expire, and when do I need to submit my renewal application?

This permit expires on the date identified at the beginning of this permit document (see "Authorization" page above) and you must submit a renewal application to renew the permit. Ohio EPA will send a renewal notice to you approximately six months prior to the expiration date of this permit. However, it is

very important that you submit a complete renewal permit application (postmarked prior to expiration of this permit) even if you do not receive the renewal notice.

If a complete renewal application is submitted before the expiration date, Ohio EPA considers this a timely application for purposes of ORC section 119.06, and you are authorized to continue operating the emissions unit(s) covered by this permit beyond the expiration date of this permit until final action is taken by Ohio EPA on the renewal application.

6. What happens to this permit if my project is delayed or I do not install or modify my source?

This PTIO expires 18 months after the issue date identified on the "Authorization" page above unless otherwise specified if you have not (1) started constructing the new or modified emission sources identified in this permit, or (2) entered into a binding contract to undertake such construction. This deadline can be extended by up to 12 months, provided you apply to Ohio EPA for this extension within a reasonable time before the 18-month period has ended and you can show good cause for any such extension.

7. What reports must I submit under this permit?

An annual permit evaluation report (PER) is required in addition to any malfunction reporting required by OAC rule 3745-15-06 or other specific rule-based reporting requirement identified in this permit. Your PER due date is identified in the Authorization section of this permit.

8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit?

If you are required to obtain a Title V permit under OAC Chapter 3745-77 in the future, the permit-to-operate portion of this permit will be superseded by the issued Title V permit. From the effective date of the Title V permit forward, this PTIO will effectively become a PTI (permit-to-install) in accordance with OAC rule 3745-31-02(B). The following terms and conditions of this permit will no longer be applicable after issuance of the Title V permit: Section B, Term 1.b) and Section C, for each emissions unit, Term a)(2).

The PER requirements in this permit remain effective until the date the Title V permit is issued and is effective, and cease to apply after the effective date of the Title V permit. The final PER obligation will cover operations up to the effective date of the Title V permit and must be submitted on or before the submission deadline identified in this permit on the last day prior to the effective date of the Title V permit.

9. What are my obligations when I perform scheduled maintenance on air pollution control equipment?

You must perform scheduled maintenance of air pollution control equipment in accordance with OAC rule 3745-15-06(A). If scheduled maintenance requires shutting down or bypassing any air pollution control equipment, you must also shut down the emissions unit(s) served by the air pollution control equipment during maintenance, unless the conditions of OAC rule 3745-15-06(A)(3) are met. Any emissions that exceed permitted amount(s) under this permit (unless specifically exempted by rule) must be reported as deviations in the annual permit evaluation report (PER), including nonexempt excess emissions that occur during approved scheduled maintenance.

10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report?

If you have a reportable malfunction of any emissions unit(s) or any associated air pollution control system, you must report this to the [DO/LAA] in accordance with OAC rule 3745-15-06(B). Malfunctions that must be reported are those that result in emissions that exceed permitted emission levels. It is your responsibility to evaluate control equipment breakdowns and operational upsets to determine if a reportable malfunction has occurred.

If you have a malfunction, but determine that it is not a reportable malfunction under OAC rule 3745-15-06(B), it is recommended that you maintain records associated with control equipment breakdown or process upsets. Although it is not a requirement of this permit, Ohio EPA recommends that you maintain records for non-reportable malfunctions.

11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located?

Yes. Under Ohio law, the Director or his authorized representative may inspect the facility, conduct tests, examine records or reports to determine compliance with air pollution laws and regulations and the terms and conditions of this permit. You must provide, within a reasonable time, any information Ohio EPA requests either verbally or in writing.

12. What happens if one or more emissions units operated under this permit is/are shut down permanently?

Ohio EPA can terminate the permit terms associated with any permanently shut down emissions unit. "Shut down" means the emissions unit has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent "modification" or "installation" as defined in OAC Chapter 3745-31.

You should notify Ohio EPA of any emissions unit that is permanently shut down by submitting a certification that identifies the date on which the emissions unit was permanently shut down. The certification must be submitted by an authorized official from the facility. You cannot continue to operate an emission unit once the certification has been submitted to Ohio EPA by the authorized official.

You must comply with all recordkeeping and reporting for any permanently shut down emissions unit in accordance with the provisions of the permit, regulations or laws that were enforceable during the period of operation, such as the requirement to submit a PER, air fee emission report, or malfunction report. You must also keep all records relating to any permanently shutdown emissions unit, generated while the emissions unit was in operation, for at least five years from the date the record was generated.

Again, you cannot resume operation of any emissions unit certified by the authorized official as being permanently shut down without first applying for and obtaining a permit pursuant to OAC Chapter 3745-31.

13. Can I transfer this permit to a new owner or operator?

You can transfer this permit to a new owner or operator. If you transfer the permit, you must follow the procedures in OAC Chapter 3745-31, including notifying Ohio EPA or the local air agency of the change in ownership or operator. Any transferee of this permit must assume the responsibilities of the transferor permit holder.

14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"?

This permit and OAC rule 3745-15-07 prohibit operation of the air contaminant source(s) regulated under this permit in a manner that causes a nuisance. Ohio EPA can require additional controls or modification of the requirements of this permit through enforcement orders or judicial enforcement action if, upon investigation, Ohio EPA determines existing operations are causing a nuisance.

15. What happens if a portion of this permit is determined to be invalid?

If a portion of this permit is determined to be invalid, the remainder of the terms and conditions remain valid and enforceable. The exception is where the enforceability of terms and conditions are dependent on the term or condition that was declared invalid.



Final Permit-to-Install and Operate
Tri-County Compressor Station (MarkWest / Ohio Oil Gath
Permit Number: P0120033
Facility ID: 0607015001
Effective Date: 2/8/2016

B. Facility-Wide Terms and Conditions

1. This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).
 - a) For the purpose of a permit-to-install document, the facility-wide terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (1) None.
 - b) For the purpose of a permit-to-operate document, the facility-wide terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (1) None.
2. Within six months of startup of the facility, the permittee shall collect and analyze a representative sample of the incoming gas and liquids. The permittee shall use the results of the analysis to recalculate the emissions from the various components at the facility utilizing the GRI-GLYCalc or other standard software/emission factors. The permittee shall then compare the results of the revised calculations with the calculations submitted with the air pollution control permit application(s). If the emissions results are significantly different from those results submitted with the application, then the applicant shall submit the revised calculations to the appropriate District Office or Local Air Authority. The applicant should provide all input data used, the basis for each input value used, and the results provided by the program.
3. The composition of the gas being processed may vary due to the nature of the industry. The company will sample the gas semiannually to perform a detailed gas analysis in order to determine if the composition has changed such that it will result in an increase in emissions of any toxic air contaminant. These records shall be maintained for a period of not less than five years and shall be made available to the Ohio EPA upon request.



C. Emissions Unit Terms and Conditions



1. J001, Truck Loading

Operations, Property and/or Equipment Description:

Truck loading rack for condensate controlled by a low pressure flare with 98% control efficiency for VOC emissions, maximum annual throughput of 3,285,000 gallons

a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

(1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

a. None.

(2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

a. None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3), as effective June 30, 2008	Volatile organic compound (VOC) emissions shall not exceed 0.03 ton per month averaged over a rolling, 12-month period. Nitrogen oxides (NO _x) emission shall not exceed 0.02 ton per month averaged over a rolling, 12-month period. Carbon monoxide (CO) emission shall not exceed 0.09 ton per month averaged over a rolling, 12-month period. Sulfur dioxide (SO ₂) emissions shall not exceed 0.00008 ton per month averaged over a rolling, 12-month period. Particulate emissions (PE) shall not



	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
		exceed 0.0009 ton per month averaged over a rolling, 12-month period. See b)(2)a. below
b.	OAC Rule 3745-31-05(A)(3)(a)(ii) as effective June 30, 2008	The Best Available Technology (BAT) requirements under OAC rule 3745-31-05(A)(3) do not apply to the NO _x , CO, SO ₂ and PE emissions from this air contaminant source since the potential to emit is less than 10 tons/year. The Best Available Technology (BAT) requirements under OAC rule 3745-31-05(A)(3) do not apply to VOC emissions from this air contaminant source since the calculated annual emission rate is less than 10 tons/yr taking into account the voluntary restriction from OAC rule 3745-31-05(E). See b)(2)b. below.
c.	OAC rule 3745-31-05(E) June 30, 2008	Install and operate a flare that has 98% control efficiency for VOC emissions. VOC emissions shall not exceed 0.33 ton per year.

(2) Additional Terms and Conditions

- a. This Best Available Technology (BAT) emission limit applies until U.S. EPA approves Ohio Administrative Code (OAC) paragraph 3745-31-05(A)(3)(a)(ii) (the less than 10 tons per year BAT exemption) into the Ohio State Implementation Plan (SIP).
- b. These requirements apply once U.S. EPA approves OAC paragraph 3745-31-05(A)(3)(a)(ii) (the less than 10 tons per year BAT exemption) as part of the Ohio SIP.

c) Operational Restrictions

- (1) The truck loading operation is constrained by an inherent operational limitation of gas (scf/yr) for the routine liquid handling activities associated with this facility.
- (2) The vapors collected by the vapor collection system from truck loading shall be vented to the flare or to vapor recovery. See the permit for the flare emissions unit for flare requirements.

- (3) The delivery vessel and flash/storage vessel hatches shall be verified by the driver/operator to be in good condition, closed and properly seated at all times during the loading of the delivery vessel. Prior to connecting the transfer line(s) from the tank to the tank truck, the permittee shall inspect all fittings, valves, gaskets and fasteners that will be used during the transfer to ensure they are in proper condition (i.e., not corroded, torn, worn, stripped or otherwise damaged) and will result in vapor tight connections.
 - (4) During the loading of materials from the tank to the tank truck, the permittee shall continually monitor the transfer equipment, the tank and the tank truck for any leaks through visual, olfactory, or other observations. If any leak is detected, loading of the materials shall cease until the leaking component has been repaired.
 - (5) The permittee shall not permit materials to be spilled, discarded in sewers, stored in open containers or handled in any other manner that would result in evaporation.
 - (6) The permittee shall install and operate add-on control (vapor recovery, flare/combustor or equivalent) for the control of VOC emissions whenever this emissions unit is in operation and shall maintain add-on controls in accordance with the manufacturer's recommendations, instructions, and/or operating manual(s), with any modifications deemed necessary by the permittee.
 - (7) In the event add-on control is not operating in accordance with the manufacturer's recommendations, instructions, or operating manual, with any modifications deemed necessary by the permittee, add-on control shall be expeditiously repaired or otherwise returned to these documented operating conditions.
- d) Monitoring and/or Recordkeeping Requirements
- (1) The permittee shall maintain annual records of the amount of material through the emissions unit, in gallons/yr.
 - (2) The permittee shall maintain monthly records of the following information:
 - a. each occurrence where the truck was not vented to the add-on control and/or hatches were not properly closed;
 - b. the estimated time and material throughput, in gallons, of each occurrence in "a.";
 - c. for transfer operations, the permittee shall maintain a record of the following information:
 - i. the date any leak was detected;
 - ii. the findings of the inspection for the leak, which shall indicate the location, nature, and severity of the leak;
 - iii. the leak detection method;
 - iv. the corrective action(s) taken to repair each leak and the date of final repair; and

- d. the inspector's name and signature
- (2) The permittee shall maintain documentation of the manufacturer's recommendations, instructions, or operating manuals for add-on control, along with documentation of any modifications deemed necessary by the permittee. These documents shall be maintained at the facility and shall be made available to the appropriate Ohio EPA District Office or local air agency upon request.
- (3) The permittee shall conduct periodic inspections of the add-on control to determine whether it is operating in accordance with the manufacturer's recommendations, instructions, or operating manuals with any modifications deemed necessary by the permittee or operator. These inspections shall be performed at a frequency that shall be based upon the recommendation of the manufacturer and the permittee shall maintain a copy of the manufacturer's recommended inspection frequency and it shall be made available to the Ohio EPA upon request.
- (4) In addition to the recommended periodic inspections, not less than once each calendar year the permittee shall conduct a comprehensive inspection of the add-on control and perform any needed maintenance and repair to ensure that it is operated in accordance with the manufacturer's recommendations.
- (5) The permittee shall document each inspection (periodic and annual) of the add-on control and shall maintain the following information:
 - a. the date of the inspection;
 - b. a description of each/any problem identified and the date it was corrected;
 - c. a description of any maintenance and repairs performed; and
 - d. the name of person who performed the inspection.

These records shall be maintained at the facility for not less than five years from the date the inspection and any necessary maintenance or repairs were completed and shall be made available to the appropriate Ohio EPA District Office or local air agency upon request.
- (6) The permittee shall maintain records that document any time periods when the add-on control was not in service when the emissions unit(s) was/were in operation, as well as, a record of all operations during which add-on control was not operated according to the manufacturer's recommendations with any documented modifications made by the permittee. These records shall be maintained for a period of not less than five years and shall be made available to the Ohio EPA upon request.
- e) Reporting Requirements
 - (1) The reports required by this permit may be submitted through the Ohio EPA's eBusiness Center: Air Services online web portal; or they may be mailed as a hard copy to the appropriate district office or local air agency.

- (2) The permittee shall submit an annual Permit Evaluation Report (PER) to the Ohio EPA District Office or Local Air Agency by the due date identified in the Authorization section of this permit. The permit evaluation report shall cover a reporting period of no more than twelve months for each air contaminant source identified in this permit.

f) Testing Requirements

- (1) Compliance with the Emissions Limitations and/or Control Requirements specified in section b) of these terms and conditions shall be determined in accordance with the following methods:

a. Emissions Limitations:

VOC emissions shall not exceed 0.03 ton per month averaged over a twelve-month, rolling period.

VOC emissions shall not exceed 0.32 tons per year.

Applicable Compliance Method:

The monthly VOC emissions limitation averaged over a 12-month, rolling period was derived by the potential monthly VOC emissions from truck loading, calculated as follows from the permittee's application and emission factors for VOC are from AP-42 Section 1.4:

Truck Loading Emissions

$$Ll * throughput \left(\frac{gallons}{year} \right) * (1 - CE) = 0.317 \text{ ton per year}$$

Pilot Emissions

$$\frac{0.39 \text{ MMBtu}}{hr} * \frac{0.00539 \text{ lb VOC}}{\text{MMBtu}} * \frac{(8760) \text{ hr}}{yr} * \frac{ton}{2,000 \text{ lb}} = 0.00092 \frac{ton \text{ VOC}}{yr}$$

Flare Emissions

$$\frac{1.6 \text{ MMBtu}}{hr} * \frac{0.00539 \text{ lb VOC}}{\text{MMBtu}} * \frac{365 \text{ hr}}{yr} * \frac{ton}{2,000 \text{ lb}} = 0.002 \frac{ton \text{ VOC}}{yr}$$

Pilot + Truck Loading + Flare Emissions per month:

$$\frac{(0.317 + 0.0009 + 0.002) \text{ ton}}{yr} = 0.32 \frac{ton \text{ VOC}}{yr}$$

$$\frac{0.33 \text{ ton VOC}}{yr} * \frac{yr}{12 \text{ month}} = 0.03 \frac{ton \text{ VOC}}{\text{month}}$$

Where:

LI = loading loss, 12.46*SPM/T
S = saturation factor, 0.6 for submerged loading
P = true vapor pressure of liquid loaded, 6.8 pounds per square inch absolute
M = molecular weight of vapors, 102.7 pounds per pound-mole
T = temperature of bulk liquid loaded, 515 °R
CE= control efficiency of flare (98%)

Compliance shall be demonstrated by the actual amount of throughput derived through recordkeeping required in (d)1.

b. Design Efficiency:

Install and operate a flare that has 98% control efficiency for VOC emissions.

Applicable Compliance Method:

Compliance shall be demonstrated by a manufacturer's design efficiency for the low pressure flare of 100% capture and a minimum of 98% control efficiency for VOC emissions as stated in the permittee's application.

c. Emissions Limitation:

NO_x emissions shall not exceed 0.02 ton/m as a rolling, 12-month average.

Applicable Compliance Method:

The emissions limitation was derived by the following calculations based on the emissions factors from TNRCC RG-109, Texas Commission on Environmental Quality, 2010 Flare Study Final Report and worst case scenario in the permittee's application:

Pilot Emissions:

$$\frac{0.39 \text{MMBtu}}{\text{hr}} * \frac{0.138 \text{ NOx}}{\text{MMBtu}} * \frac{8760 \text{ hr}}{\text{yr}} * \frac{\text{ton}}{2,000 \text{ lb}} = 0.24 \frac{\text{ton NOx}}{\text{yr}}$$

Truck Loading Emissions:

$$\frac{1.6 \text{MMBtu}}{\text{hr}} * \frac{0.137 \text{ lb NOx}}{\text{MMBtu}} * \frac{365 \text{ hr}}{\text{yr}} * \frac{\text{ton}}{2,000 \text{ lb}} = 0.0403 \frac{\text{ton NOx}}{\text{yr}}$$

Pilot + Truck Loading Emissions per month:

$$\frac{(0.24 + 0.0403) \text{ton}}{\text{yr}} * \frac{\text{yr}}{12 \text{ month}} = 0.023 \frac{\text{ton NOx}}{\text{month}}$$

Compliance shall be demonstrated by the actual amount of throughput derived through recordkeeping required in d)1.

d. Emissions Limitation:

CO emissions shall not exceed 0.09 ton/m as a rolling, 12-month average.

Applicable Compliance Method:

The emissions limitation was derived by the following calculations based on the emissions factors from AP-42, Table 13.5-1 and the worst case scenario in the permittee's application:

Pilot Emissions:

$$\frac{0.39 \text{ MMBtu}}{\text{hr}} * \frac{0.55 \text{ CO}}{\text{MMBtu}} * \frac{8760 \text{ hr}}{\text{yr}} * \frac{\text{ton}}{2,000 \text{ lb}} = 0.95 \frac{\text{ton CO}}{\text{yr}}$$

Truck Loading Emissions:

$$\frac{1.6 \text{ MMBtu}}{\text{hr}} * \frac{0.55 \text{ lb CO}}{\text{MMBtu}} * \frac{365 \text{ hr}}{\text{yr}} * \frac{\text{ton}}{2,000 \text{ lb}} = 0.16 \frac{\text{ton CO}}{\text{yr}}$$

Pilot + Truck Loading Emissions per month:

$$\frac{(0.95 + 0.16) \text{ ton}}{\text{yr}} * \frac{\text{yr}}{12 \text{ month}} = 0.09 \frac{\text{tons CO}}{\text{month}}$$

Compliance shall be demonstrated by the actual amount of throughput derived through recordkeeping required in d)1.

e. Emissions Limitation:

SO₂ emissions shall not exceed 0.00009 ton/m as a rolling, 12-month average.

Applicable Compliance Method:

The emissions limitation was derived by the following calculations based on the emissions factors from sulfur content in the fuel and worst case scenario in the permittee's application:

Pilot Emissions:

$$\frac{0.39 \text{ MMBtu}}{\text{hr}} * \frac{0.138 \text{ NOx}}{\text{MMBtu}} * \frac{8760 \text{ hr}}{\text{yr}} * \frac{\text{ton}}{2,000 \text{ lb}} = 0.00078 \frac{\text{ton NOx}}{\text{yr}}$$

Truck Loading Emissions:

$$\frac{1.6 \text{ MMBtu}}{\text{hr}} * \frac{0.000457 \text{ lb NOx}}{\text{MMBtu}} * \frac{365 \text{ hr}}{\text{yr}} * \frac{\text{ton}}{2,000 \text{ lb}} = 0.00013 \frac{\text{ton NOx}}{\text{yr}}$$

Pilot + Truck Loading Emissions per month:

$$\frac{(0.00078 + 0.00013) \text{ ton}}{\text{yr}} * \frac{\text{yr}}{12 \text{ month}} = 0.00008 \frac{\text{ton NOx}}{\text{month}}$$

Compliance shall be demonstrated by the actual amount of throughput derived through recordkeeping required in d)1.

f. Emissions Limitation:

PE emissions shall not exceed 0.0008 ton/m as a rolling, 12-month average.

Applicable Compliance Method:

The emissions limitation was derived by the following calculations based on the emissions factors form AP-42, Table 13.5-1 and the worst case scenario in the permittee's application:

Pilot Emissions:

$$\frac{0.39 \text{ MMBtu}}{\text{hr}} * \frac{0.00559 \text{ lb PE}}{\text{MMBtu}} * \frac{8760 \text{ hr}}{\text{yr}} * \frac{\text{ton}}{2,000 \text{ lb}} = 0.0096 \frac{\text{ton PE}}{\text{yr}}$$

Truck Loading Emissions:

$$\frac{1.3 \text{ MMBtu}}{\text{hr}} * \frac{0.00559 \text{ lb PE}}{\text{MMBtu}} * \frac{365 \text{ hr}}{\text{yr}} * \frac{\text{ton}}{2,000 \text{ lb}} = 0.0013 \frac{\text{ton PE}}{\text{yr}}$$

Pilot + Truck Loading Emissions per month:

$$\frac{(0.0096 + 0.0013) \text{ ton}}{\text{yr}} * \frac{\text{yr}}{12 \text{ month}} = 0.0009 \frac{\text{ton PE}}{\text{month}}$$

Compliance shall be demonstrated by the actual amount of throughput derived through recordkeeping required in d)1.

g) Miscellaneous Requirements

- (1) Modeling to demonstrate compliance with, the "Toxic Air Contaminant Statute", ORC 3704.03(F)(4)(b), for this project were not necessary because the maximum annual emissions for each toxic air containment as defined in OAC rule 3745-114-01 for the emissions units not exempted from modeling per Ohio EPA Engineering Guide #69, will be less than 1.0 ton per year when controlled. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified PTIO prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials or use of new materials that would cause the emissions of any toxic air contaminant to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new PTIO.