



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL CERTIFIED MAIL
MEDINA COUNTY**

Street Address:

122 S. Front Street

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049

Application No: 16-02105

DATE: 4/12/2001

Excell Polishing and Buffing
Thomas Voegerl
9774 Trease Rd
Wadsworth, OH 44281

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
236 East Town Street, Room 300
Columbus, Ohio 43215

Very truly yours,

Thomas G. Rigo, Manager
Field Operations and Permit Section
Division of Air Pollution Control

CC: USEPA

ARAQMD



Permit To Install

STATE OF OHIO ENVIRONMENTAL PROTECTION AGENCY

FINAL PERMIT TO INSTALL 16-02105

Application Number: 16-02105
APS Premise Number: 1652100093
Permit Fee: **\$800**
Name of Facility: Excell Polishing and Buffing
Person to Contact: Thomas Voegerl
Address: 9774 Trease Rd
Wadsworth, OH 44281

Location of proposed air contaminant source(s) [emissions unit(s)]:
9774 Trease Rd
Wadsworth, Ohio

Description of proposed emissions unit(s):
Two (2) Rotary Buffing Units for Vehicle Wheels.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency



Director

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized

representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio

Excell Polishing and Buffing
PTI Application: 16-02105
Issued: 4/12/2001

Facility ID: 1652100093

Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit to Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within thirty (30) days after commencing operation of the emissions unit(s) covered by this permit.

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
Particulate Matter	18.8

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P901 - Multi-station enclosed, robotic rotary buffing module, enclosed and controlled with a CGS scrubber estimated to be 99% efficient.	OAC rule 3745-31-05(A)(3)	<p>2.14 Lbs/Hr Particulate 9.4 Tons/Yr. Particulate</p> <p>Visible particulate emissions of fugitive dust shall not exceed five percent opacity, as a three-minute average from any building opening or roof vent, except as specified by rule.</p> <p>0.01 grain per dry standard cubic foot of exhaust gas or no visible particulate emissions from the control device stack exhaust stack, (whichever is less stringent).</p>
	OAC rule 3745-17-07	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05.
	OAC rule 3745-17-08(A)	See 2.a below.
	OAC rule 3745-17-11	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC

8

Excell Polishing and Buffing
PTI Application: 16-02105
Issued

Facility ID: 1652100093

Emissions Unit ID: **P901**

rule 3745-31-05.

|

2. Additional Terms and Conditions

- 2.a** The permittee shall minimize or eliminate visible particulate emissions of fugitive dust by employing best available control measures. These measures shall include, but not be limited to, the following:
- i. The installation and use of hoods, fans and other equipment to adequately enclose, contain, capture and vent the fugitive dust;
 - ii. The collection efficiency is sufficient to minimize or eliminate visible particulate emissions of fugitive dust at the point(s) of capture to the extent possible with good engineering design.

Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance, as described below. Ohio EPA may require additional control measures at any or all operations described above if deemed necessary based on observed visible emissions.

- 2.b** For each operation that is not adequately enclosed, the above-identified control measure(s) shall be implemented at all times during operation. If the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that additional control measure(s) is (are) necessary to ensure compliance with the above-mentioned applicable requirements, such additional control measures shall be implemented immediately. Any required implementation of the additional control measure(s) shall continue during operation until further observation confirms that use of these additional control measure(s) is unnecessary.
- 2.c** Specific additional control measures shall be determined by the permittee. Such additional control measures may include increased water application, use of chemical dust suppressant, or shut-down of operations. The use of additional control measures shall, at all times, comply with all air, surface water, ground water, solid waste, and hazardous waste laws and regulations.
- 2.d** Implementation of the above-mentioned control measure(s) in accordance with the terms and conditions of this permit is appropriate and sufficient to satisfy the requirements of OAC rules 3745-17-08 and 3745-31-05.

B. Operational Restrictions

1. The scrubber water supply pressure shall be continuously maintained at a value of not less than 12

Emissions Unit ID: **P901**

pounds per square inch (gauge) at all times while the emissions unit is in operation.

2. The scrubber water flow rate shall be continuously maintained at a value of not less than 445 gallons per minute at all times while the emissions unit is in operation.
3. All particulate emissions captured from this emissions unit shall be vented to the control device.

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall perform weekly checks, when the emissions unit is in operation and when the weather conditions allow, for any visible fugitive particulate emissions escaping from the building containing this emissions unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:
 - a. the color of the emissions;
 - b. whether the emissions are representative of normal operations;
 - c. if the emissions are not representative of normal operations, the cause of the abnormal emissions;
 - d. the total duration of any abnormal visible emission incident; and
 - e. any corrective actions taken to eliminate the abnormal visible emissions.
2. If any visible emissions in excess of 5 percent opacity are observed, corrective actions shall be employed to eliminate any visible emissions in excess of 5 percent opacity, these actions shall also be noted in the operations log.
3. The hourly and annual emission limitations outlined are based upon the emissions unit's Potential to Emit (PTE). Therefore, no records are required to demonstrate compliance with these limits
4. The permittee shall properly install, operate and maintain equipment to monitor and record the water supply pressure and the water flow rate while the emissions unit is in operation. The monitoring devices and recorder(s) shall be installed, calibrated, operated and maintained in accordance with the manufacturer's recommendations, instructions and operating manuals.
5. The permittee shall collect and record the following information each day:
 - a. The water supply pressure, in psig, on daily basis.
 - b. The water flow rate, in gpm, on daily basis.
 - c. A log or record of operating time for the capture (collection) system, control device,

monitoring equipment, and the associated emissions unit.

D. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports that identify all periods of time during which the following scrubber parameters were not maintained at or above the required levels:
 - a. The water supply pressure.
 - b. The scrubber water flow rate.
2. The permittee shall submit semiannual written reports which (a) identify all days during which any of the above mentioned excursions occurred, (b) describe any corrective actions taken to eliminate the abnormal condition. These reports shall be submitted to the Akron Regional Air Quality Management District by January 31 and July 31 of each year and shall cover the previous 6-month period. If no deviation/excursion has occurred in a reporting period a negative declaration shall be submitted by the appropriate date.

E. Testing Requirements

1. Compliance with the emission limitations in sections A.1 and A.2 of these terms and conditions shall be determined in accordance with the following methods:
 - a. Emission Limitation:

1.48 Lbs/Hr Particulate matter
3.1 Tons/Yr. Particulate matter

Applicable Compliance Method:

either multiply the particulate emissions factor of 26.4 pound(s) of particulate emissions per unit ton of wheels polished by the maximum hourly production rate or use OAC rule 3745-17-03(B)(10).
 - b. Emission Limitation:

5% opacity as a 3-minute average

Applicable Compliance Method:

OAC rule 3745-17-03(B)(1)

F. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires the permittee to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P902 - Multi-station, enclosed, robotic rotary buffing module. enclosed and controlled with a CGS scrubber estimated to be 99% efficient.	OAC rule 3745-31-05(A)(3)	2.14 Lbs/Hr Particulate 9.4 Tons/Yr. Particulate Visible particulate emissions of fugitive dust shall not exceed five percent opacity, as a three-minute average from any building opening or roof vent, except as specified by rule. 0.01 grain per dry standard cubic foot of exhaust gas or no visible particulate emissions from the control device stack exhaust stack, (whichever is less stringent).
	OAC rule 3745-17-07	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05.
	OAC rule 3745-17-08(A)	See 2.a below.
	OAC rule 3745-17-11	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05.

14

Excell

PTI A

Issued: 4/12/2001

Emissions Unit ID: **P902**

2. Additional Terms and Conditions

- 2.a** The permittee shall minimize or eliminate visible particulate emissions of fugitive dust by employing best available control measures. These measures shall include, but not be limited to, the following:
- i. The installation and use of hoods, fans and other equipment to adequately enclose, contain, capture and vent the fugitive dust;
 - ii. The collection efficiency is sufficient to minimize or eliminate visible particulate emissions of fugitive dust at the point(s) of capture to the extent possible with good engineering design.

Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance, as described below. Ohio EPA may require additional control measures at any or all operations described above if deemed necessary based on observed visible emissions.

- 2.b** For each operation that is not adequately enclosed, the above-identified control measure(s) shall be implemented at all times during operation. If the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that additional control measure(s) is (are) necessary to ensure compliance with the above-mentioned applicable requirements, such additional control measures shall be implemented immediately. Any required implementation of the additional control measure(s) shall continue during operation until further observation confirms that use of these additional control measure(s) is unnecessary.
- 2.c** Specific additional control measures shall be determined by the permittee. Such additional control measures may include increased water application, use of chemical dust suppressant, or shut-down of operations. The use of additional control measures shall, at all times, comply with all air, surface water, ground water, solid waste, and hazardous waste laws and regulations.
- 2.d** Implementation of the above-mentioned control measure(s) in accordance with the terms and conditions of this permit is appropriate and sufficient to satisfy the requirements of OAC rules 3745-17-08 and 3745-31-05.

B. Operational Restrictions

1. The scrubber water supply pressure shall be continuously maintained at a value of not less than 12

pounds per square inch (gauge) at all times while the emissions unit is in operation.

2. The scrubber water flow rate shall be continuously maintained at a value of not less than 450 gallons per minute at all times while the emissions unit is in operation.
3. All particulate emissions captured from this emissions unit shall be vented to the control device.

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall perform weekly checks, when the emissions unit is in operation and when the weather conditions allow, for any visible fugitive particulate emissions escaping from the building containing this emissions unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:
 - a. the color of the emissions;
 - b. whether the emissions are representative of normal operations;
 - c. if the emissions are not representative of normal operations, the cause of the abnormal emissions;
 - d. the total duration of any abnormal visible emission incident; and
 - e. any corrective actions taken to eliminate the abnormal visible emissions.
2. If any visible emissions in excess of 5 percent opacity are observed, corrective actions shall be employed to eliminate any visible emissions in excess of 5 percent opacity, these actions shall also be noted in the operations log.
3. The hourly and annual emission limitations outlined are based upon the emissions unit's Potential to Emit (PTE). Therefore, no records are required to demonstrate compliance with these limits
4. The permittee shall properly install, operate and maintain equipment to monitor and record the water supply pressure and the water flow rate while the emissions unit is in operation. The monitoring devices and recorder(s) shall be installed, calibrated, operated and maintained in accordance with the manufacturer's recommendations, instructions and operating manuals.
5. The permittee shall collect and record the following information each day:
 - a. The water supply pressure, in psig, on daily basis.
 - b. The water flow rate, in gpm, on daily basis.

Emissions Unit ID: **P902**

- c. A log or record of operating time for the capture (collection) system, control device, monitoring equipment, and the associated emissions unit.

D. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports that identify all periods of time during which the following scrubber parameters were not maintained at or above the required levels:
 - a. The water supply pressure.
 - b. The scrubber water flow rate.
2. The permittee shall submit semiannual written reports which (a) identify all days during which any of the above mentioned excursions occurred, (b) describe any corrective actions taken to eliminate the abnormal condition. These reports shall be submitted to the Akron Regional Air Quality Management District by January 31 and July 31 of each year and shall cover the previous 6-month period. If no deviation/excursion has occurred in a reporting period a negative declaration shall be submitted by the appropriate date.

E. Testing Requirements

1. Compliance with the emission limitations in sections A.1 and A.2 of these terms and conditions shall be determined in accordance with the following methods:
 - a. Emission Limitation:

1.48 Lbs/Hr Particulate matter
 3.1 Tons/Yr. Particulate matter

Applicable Compliance Method:

either multiply the particulate emissions factor of 26.4 pound(s) of particulate emissions per 1000 tires polished by the maximum hourly production rate or use OAC rule 3745-17-03(B)(10).
 - b. Emission Limitation:

5% opacity as a 3-minute average

Applicable Compliance Method:

OAC rule 3745-17-03(B)(1)

F. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires the permittee to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

NEW SOURCE REVIEW FORM B

PTI Number: 16-02105 Facility ID: 1652100093

FACILITY NAME Excell Polishing and Buffing

FACILITY DESCRIPTION Two (2) Rotary Buffing Units for Vehicle CITY/TWP Wadsworth

Emissions Unit ID: P902

SIC CODE 3471 SCC CODE 3-04-003-40 EMISSIONS UNIT ID P901

EMISSIONS UNIT DESCRIPTION Multi-station enclosed, robotic rotary buffing module.

DATE INSTALLED March, 2000

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	attainment			2.14 lbs/hr	9.4
PM ₁₀					
Sulfur Dioxide					
Organic Compounds					
Nitrogen Oxides					
Carbon Monoxide					
Lead					
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS? NESHAP? PSD? OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

compliance with the terms of this permit and the use of a wet scrubber to control particulate emissions.

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? No

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ 183,000

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? YES X NO

IDENTIFY THE AIR CONTAMINANTS:

20 NEW SOURCE REVIEW FORM B

PTI Number: 16-02105 Facility ID: 1652100093

FACILITY NAME Excell Polishing and Buffing

FACILITY DESCRIPTION Two (2) Rotary Buffing Units for Vehicle CITY/TWP Wadsworth

Emissions Unit ID: **P902**

SIC CODE 3471 SCC CODE 3-04-003-40 EMISSIONS UNIT ID P902

EMISSIONS UNIT DESCRIPTION Multi-station, enclosed, robotic rotary buffing module.

DATE INSTALLED April, 2000

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter	Attainment	2.09 lbs/hr	2.5	2.14 lbs/hr	9.4
PM ₁₀					
Sulfur Dioxide					
Organic Compounds					
Nitrogen Oxides					
Carbon Monoxide					
Lead					
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS? _____ NESHAP? _____ PSD? _____ OFFSET POLICY? _____

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? No
 OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ 183,000

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? _____ YES X NO

IDENTIFY THE AIR CONTAMINANTS: _____