



John R. Kasich, Governor
Mary Taylor, Lt. Governor
Craig W. Butler, Director

3/22/2016

Genevieve Damico *Via E-Mail Notification*
United States Environmental Protection Agency
Mail Code: AR-18J
77 West Jackson Blvd.
Chicago, IL 60604-3507

RE: PROPOSED AIR POLLUTION TITLE V PERMIT
Facility Name: Hancock County Landfill
Facility ID: 0332010095
Permit Type: Minor Permit Modification
Permit Number: P0120219

Dear Ms. Damico:

A proposed OAC Chapter 3745-77 Title V permit for the referenced facility has been issued for review by U.S. EPA. This permit can be accessed electronically on the Division of Air Pollution Control (DAPC) Web page, www.epa.ohio.gov/dapc by clicking the "Search for Permits" link under the Permitting topic on the Programs tab. If U.S. EPA does not object to this proposed permit, the permit will be processed for issuance as a final action not less than 45 days from the date of this letter. Please contact me at (614) 644-2835 by the end of the 45 day review period if you wish to object to the proposed permit.

Sincerely,

A handwritten signature in black ink that reads "Michael E. Hopkins".

Michael E. Hopkins, P.E.
Assistant Chief, Permitting Section, DAPC

Cc: Ohio EPA DAPC, Northwest District Office



PROPOSED

Division of Air Pollution Control Title V Permit for Hancock County Landfill

Facility ID:	0332010095
Permit Number:	P0120219
Permit Type:	Minor Permit Modification
Issued:	3/22/2016
Effective:	To be entered upon final issuance
Expiration:	To be entered upon final issuance



Division of Air Pollution Control
Title V Permit
for
Hancock County Landfill

Table of Contents

Authorization	1
A. Standard Terms and Conditions	2
1. Federally Enforceable Standard Terms and Conditions	3
2. Monitoring and Related Record Keeping and Reporting Requirements.....	3
3. Reporting of Any Exceedence of a Federally Enforceable Emission Limitation or Control Requirement Resulting From Scheduled Maintenance.....	6
4. Risk Management Plans	7
5. Title IV Provisions	7
6. Severability Clause	7
7. General Requirements	7
8. Fees.....	8
9. Marketable Permit Programs.....	8
10. Reasonably Anticipated Operating Scenarios	9
11. Reopening for Cause	9
12. Federal and State Enforceability	9
13. Compliance Requirements	10
14. Permit Shield	11
15. Operational Flexibility.....	11
16. Emergencies	12
17. Off-Permit Changes	12
18. Compliance Method Requirements	12
19. Insignificant Activities or Emissions Levels.....	13
20. Permit to Install Requirement.....	13
21. Air Pollution Nuisance	13
22. Permanent Shutdown of an Emissions Unit	13
23. Title VI Provisions	13
24. Reporting Requirements Related to Monitoring and Record Keeping Requirements Under State Law Only	14
25. Records Retention Requirements Under State Law Only.....	14
26. Inspections and Information Requests	14
27. Scheduled Maintenance/Malfunction Reporting For State-Only Requirements.....	15
28. Permit Transfers	15



29. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations	15
30. Submitting Documents Required by this Permit	16
B. Facility-Wide Terms and Conditions.....	17
C. Emissions Unit Terms and Conditions	21
1. F001, Roadways.....	22
2. P901, Landfill	27
3. P902, Active Collection	41



Proposed Title V Permit
Hancock County Landfill
Permit Number: P0120219
Facility ID: 0332010095

Effective Date: To be entered upon final issuance

Authorization

Facility ID: 0332010095
Facility Description: Municipal Solid Waste Landfill
Application Number(s): A0055218
Permit Number: P0120219
Permit Description: Title V minor permit modification to remove shutdown emissions unit G001 and add G002.
Permit Type: Minor Permit Modification
Issue Date: 3/22/2016
Effective Date: To be entered upon final issuance
Expiration Date: To be entered upon final issuance
Superseded Permit Number: P0116766

This document constitutes issuance of an OAC Chapter 3745-77 Title V permit to:

Hancock County Landfill
10400 Allen Township Road 107
Allen Twp., OH 45840

Ohio Environmental Protection Agency (EPA) District Office or local air agency responsible for processing and administering your permit:

Ohio EPA DAPC, Northwest District Office
347 North Dunbridge Road
Bowling Green, OH 43402
(419)352-8461

The above named entity is hereby granted a Title V permit pursuant to Chapter 3745-77 of the Ohio Administrative Code. This permit and the authorization to operate the air contaminant sources (emissions units) at this facility shall expire at midnight on the expiration date shown above. You will be sent a notice approximately 18 months prior to the expiration date regarding the renewal of this permit. If you do not receive a notice, please contact the Ohio EPA DAPC, Northwest District Office. If a renewal permit is not issued prior to the expiration date, the permittee may continue to operate pursuant to OAC rule 3745-77-08(E) and in accordance with the terms of this permit beyond the expiration date, if a timely renewal application is submitted. A renewal application will be considered timely if it is submitted no earlier than 18 months and no later than 6 months prior to the expiration date.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Craig W. Butler
Director



Proposed Title V Permit
Hancock County Landfill
Permit Number: P0120219
Facility ID: 0332010095
Effective Date: To be entered upon final issuance

A. Standard Terms and Conditions

1. Federally Enforceable Standard Terms and Conditions

- a) All Standard Terms and Conditions are federally enforceable, with the exception of those listed below which are enforceable under State law only:
- (1) Standard Term and Condition A. 24., Reporting Requirements Related to Monitoring and Record Keeping Requirements of State-Only Enforceable Permit Terms and Conditions
 - (2) Standard Term and Condition A. 25., Records Retention Requirements for State-Only Enforceable Permit Terms and Conditions
 - (3) Standard Term and Condition A. 27., Scheduled Maintenance/Malfunction Reporting For State-Only Requirements
 - (4) Standard Term and Condition A. 29., Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations
 - (5) Standard Term and Condition A. 30.

(Authority for term: ORC 3704.036(A))

2. Monitoring and Related Record Keeping and Reporting Requirements

- a) Except as may otherwise be provided in the terms and conditions for a specific emissions unit (i.e., in section C. Emissions Unit Terms and Conditions of this Title V permit), the permittee shall maintain records that include the following, where applicable, for any required monitoring under this permit:
- (1) The date, place (as defined in the permit), and time of sampling or measurements.
 - (2) The date(s) analyses were performed.
 - (3) The company or entity that performed the analyses.
 - (4) The analytical techniques or methods used.
 - (5) The results of such analyses.
 - (6) The operating conditions existing at the time of sampling or measurement.

(Authority for term: OAC rule 3745-77-07(A)(3)(b)(i))

- b) Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

(Authority for term: OAC rule 3745-77-07(A)(3)(b)(ii))

- c) The permittee shall submit required reports in the following manner:
- (1) All reporting required in accordance with OAC rule 3745-77-07(A)(3)(c) for deviations caused by malfunctions shall be submitted in the following manner:

Any malfunction, as defined in OAC rule 3745-15-06(B)(1), shall be promptly reported to the Ohio EPA in accordance with OAC rule 3745-15-06. In addition, to fulfill the OAC rule 3745-77-07(A)(3)(c) deviation reporting requirements for malfunctions, written reports that identify each malfunction that occurred during each calendar quarter (including each malfunction reported only verbally in accordance with OAC rule 3745-15-06) shall be submitted by January 31, April 30, July 31, and October 31 of each year in accordance with Standard Term and Condition A.2.c)(2) below; and each report shall cover the previous calendar quarter. An exceedance of the visible emission limitations specified in OAC rule 3745-17-07(A)(1) that is caused by a malfunction is not a violation and does not need to be reported as a deviation if the owner or operator of the affected air contaminant source or air pollution control equipment complies with the requirements of OAC rule 3745-17-07(A)(3)(c).

In accordance with OAC rule 3745-15-06, a malfunction reportable under OAC rule 3745-15-06(B) is a deviation of the federally enforceable permit requirements. Even though verbal notifications and written reports are required for malfunctions pursuant to OAC rule 3745-15-06, the written reports required pursuant to this term must be submitted quarterly to satisfy the prompt reporting provision of OAC rule 3745-77-07(A)(3)(c).

In identifying each deviation caused by a malfunction, the permittee shall specify the emission limitation(s) (or control requirement(s)) for which the deviation occurred, describe each deviation, and provide the magnitude and duration of each deviation. For a specific malfunction, if this information has been provided in a written report that was submitted in accordance with OAC rule 3745-15-06, the permittee may simply reference that written report to identify the deviation. Nevertheless, all malfunctions, including those reported only verbally in accordance with OAC rule 3745-15-06, must be reported in writing on a quarterly basis.

Any submitted scheduled maintenancerequests, as referenced in OAC rule 3745-15-06(A)(1), that results in a deviation from a federally enforceable emission limitation (or control requirement) shall be reported in the same manner as described above for malfunctions.

(Authority for term: OAC rule 3745-77-07(A)(3)(c))

- (2) Except as may otherwise be provided in the terms and conditions for a specific emissions unit (i.e., in section C. Emissions Unit Terms and Conditions of this Title V permit or, in some cases, in section B. Facility-Wide Terms and Conditions of this Title V permit), all reporting required in accordance with OAC rule 3745-77-07(A)(3)(c) for deviations of the emission limitations, operational restrictions, and control device operating parameter limitations shall be submitted in the following manner:

Written reports of (a) any deviations from federally enforceable emission limitations, operational restrictions, and control device operating parameter limitations, (b) the

probable cause of such deviations, and (c) any corrective actions or preventive measures taken, shall be submitted promptly to the Ohio EPA DAPC, Northwest District Office. Except as provided below, the written reports shall be submitted by January 31, April 30, July 31, and October 31 of each year; and each report shall cover the previous calendar quarter.

In identifying each deviation, the permittee shall specify the emission limitation(s), operational restriction(s), and/or control device operating parameter limitation(s) for which the deviation occurred, describe each deviation, and provide the estimated magnitude and duration of each deviation.

These written deviation reports shall satisfy the requirements of OAC rule 3745-77-07(A)(3)(c) pertaining to the submission of monitoring reports every six months and to the prompt reporting of all deviations. Full compliance with OAC rule 3745-77-07(A)(3)(c) requires reporting of all other deviations of the federally enforceable requirements specified in the permit as required by such rule.

If an emissions unit has a deviation reporting requirement for a specific emission limitation, operational restriction, or control device operating parameter limitation that is not on a quarterly basis (e.g., within 30 days following the end of the calendar month, or within 30 or 45 days after the exceedance occurs), that deviation reporting requirement satisfies the reporting requirements specified in this Standard Term and Condition for that specific emission limitation, operational restriction, or control device parameter limitation. Following the provisions of that non-quarterly deviation reporting requirement will also satisfy (for the deviations so reported) the requirements of OAC rule 3745-77-07(A)(3)(c) pertaining to the submission of monitoring reports every six months and to the prompt reporting of all deviations, and additional quarterly deviation reports for that specific emission limitation, operational restriction, or control device parameter limitation are not required pursuant to this Standard Term and Condition.

See A.29 below if no deviations occurred during the quarter.

(Authority for term: OAC rule 3745-77-07(A)(3)(c))

- (3) All reporting required in accordance with the OAC rule 3745-77-07(A)(3)(c) for other deviations of the federally enforceable permit requirements which are not reported in accordance with Standard Term and Condition A.2)c)(2) above shall be submitted in the following manner:

Unless otherwise specified by rule, written reports that identify deviations of the following federally enforceable requirements contained in this permit; Standard Terms and Conditions: A.3, A.4, A.5, A.7.e), A.8, A.13, A.15, A.19, A.20, A.21, and A.23 of this Title V permit, as well as any deviations from the requirements in section C. Emissions Unit Terms and Conditions of this Title V permit, and any monitoring, record keeping, and reporting requirements, which are not reported in accordance with Standard Term and Condition A.2.c)(2) above shall be submitted to the Ohio EPA DAPC, Northwest District Office by January 31 and July 31 of each year; and each report shall cover the previous six calendar months. Unless otherwise specified by rule, all other deviations from federally enforceable requirements identified in this permit shall be submitted annually as part of the annual compliance certification, including deviations of federally

enforceable requirements not specifically addressed by permit or rule for the insignificant activities or emissions levels (IEU) identified in section B. Facility-Wide Terms and Conditions of this Title V permit. Annual reporting of deviations is deemed adequate to meet the deviation reporting requirements for IEUs unless otherwise specified by permit or rule.

In identifying each deviation, the permittee shall specify the federally enforceable requirement for which the deviation occurred, describe each deviation, and provide the magnitude and duration of each deviation.

These semi-annual and annual written reports shall satisfy the reporting requirements of OAC rule 3745-77-07(A)(3)(c) for any deviations from the federally enforceable requirements contained in this permit that are not reported in accordance with Standard Term and Condition A.2.c)(2) above.

If no such deviations occurred during a six-month period, the permittee shall submit a semi-annual report which states that no such deviations occurred during that period.

(Authority for term: OAC rules 3745-77-07(A)(3)(c)(i) and (ii) and OAC rule 3745-77-07(A)(13)(b))

- (4) Each written report shall be signed by a Responsible Official certifying that, "based on information and belief formed after reasonable inquiry, the statements and information in the report (including any written malfunction reports required by OAC rule 3745-15-06 that are referenced in the deviation reports) are true, accurate, and complete." Signature by the Responsible Official may be represented by entry of the personal identification number (PIN) by the Responsible Official as part of the electronic submission process or by the scanned attestation document signed by the Responsible Official that is attached to the electronically submitted written report.

(Authority for term: OAC rule 3745-77-07(A)(3)(c)(iv))

- (5) Consistent with A.2.c.1. above, reports of any required monitoring and/or record keeping information required to be submitted to Ohio EPA shall be submitted to Ohio EPA DAPC, Northwest District Office unless otherwise specified.

(Authority for term: OAC rule 3745-77-07(A)(3)(c))

3. Reporting of Any Exceedence of a Federally Enforceable Emission Limitation or Control Requirement Resulting From Scheduled Maintenance

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. Except as provided in OAC rule 3745-15-06(A)(3), any scheduled maintenance necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s). Any scheduled maintenance, as defined in OAC rule 3745-15-06(A)(1), that results in a deviation from a federally enforceable emission limitation (or control requirement) shall be reported in the same manner as described for malfunctions in Standard Term and Condition A.2.c)(1) above.

(Authority for term: OAC rule 3745-77-07(A)(3)(c))

4. Risk Management Plans

If applicable, the permittee shall develop and register a risk management plan pursuant to section 112(r) of the Clean Air Act, as amended, 42 U.S.C. § 7401 et seq. ("Act"); and, pursuant to 40 C.F.R. 68.215(a), the permittee shall submit either of the following:

- a) a compliance plan for meeting the requirements of 40 C.F.R. Part 68 by the date specified in 40 C.F.R. 68.10(a) and OAC 3745-104-05(A); or
- b) as part of the compliance certification submitted under 40 C.F.R. 70.6(c)(5), a certification statement that the source is in compliance with all requirements of 40 C.F.R. Part 68 and OAC Chapter 3745-104, including the registration and submission of the risk management plan.

(Authority for term: OAC rule 3745-77-07(A)(4))

5. Title IV Provisions

If the permittee is subject to the requirements of 40 CFR Part 72 concerning acid rain, the permittee shall ensure that any affected emissions unit complies with those requirements. Emissions exceeding any allowances that are lawfully held under Title IV of the Act, or any regulations adopted thereunder, are prohibited.

(Authority for term: OAC rule 3745-77-07(A)(5))

6. Severability Clause

A determination that any term or condition of this permit is invalid shall not invalidate the force or effect of any other term or condition thereof, except to the extent that any other term or condition depends in whole or in part for its operation or implementation upon the term or condition declared invalid.

(Authority for term: OAC rule 3745-77-07(A)(6))

7. General Requirements

- a) Any noncompliance with the federally enforceable terms and conditions of this permit constitutes a violation of the Act, and is grounds for enforcement action or for permit revocation, revocation and reissuance, or modification, or for denial of a permit renewal application.
- b) It shall not be a defense for the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the federally enforceable terms and conditions of this permit except as provided pursuant to A.16 below.
- c) This permit may be modified, reopened, revoked, or revoked and reissued, for cause, in accordance with A.11 below. The filing of a request by the permittee for a permit modification, revocation and reissuance, or revocation, or of a notification of planned changes or anticipated noncompliance does not stay any term and condition of this permit.
- d) This permit does not convey any property rights of any sort, or any exclusive privilege.

- e) The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon request, the permittee shall also furnish to the Director or an authorized representative of the Director, copies of records required to be kept by this permit. For information claimed to be confidential in the submittal to the Director, if the Administrator of the U.S. EPA requests such information, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality.
- f) Except as otherwise indicated below, this Title V permit, or permit modification, is effective for five years from the original effective date specified in the permit. In the event that this facility becomes eligible for non-title V permits, this permit shall cease to be enforceable when:
- (1) the permittee submits an approved facility-wide potential to emit analysis supporting a claim that the facility no longer meets the definition of a "major source" as defined in OAC rule 3745-77-01(W) based on the permanent shutdown and removal of one or more emissions units identified in this permit; or
 - (2) the permittee no longer meets the definition of a "major source" as defined in OAC rule 3745-77-01(W) based on obtaining restrictions on the facility-wide potential(s) to emit that are federally enforceable or legally and practically enforceable ; or
 - (3) a combination of (1) and (2) above.

The permittee shall continue to comply with all applicable OAC Chapter 3745-31 requirements for all regulated air contaminant sources once this permit ceases to be enforceable. The permittee shall comply with any residual requirements, such as quarterly deviation reports, semi-annual deviation reports, and annual compliance certifications covering the period during which this Title V permit was enforceable. All records relating to this permit must be maintained in accordance with law.

(Authority for term: OAC rule 3745-77-01(W), OAC rule 3745-77-07(A)(3)(b)(ii), OAC rule 3745-77(A)(7))

8. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78.

(Authority for term: OAC rule 3745-77-07(A)(8))

9. Marketable Permit Programs

No revision of this permit is required under any approved economic incentive, marketable permits, emissions trading, and other similar programs or processes for changes that are provided for in this permit.

(Authority for term: OAC rule 3745-77-07(A)(9))

10. Reasonably Anticipated Operating Scenarios

The permittee is hereby authorized to make changes among operating scenarios authorized in this permit without notice to the Ohio EPA, but, contemporaneous with making a change from one operating scenario to another, the permittee must record in a log at the permitted facility the scenario under which the permittee is operating. The permit shield provided in these standard terms and conditions shall apply to all operating scenarios authorized in this permit.

(Authority for term: OAC rule 3745-77-07(A)(10))

11. Reopening for Cause

This Title V permit will be reopened prior to its expiration date under the following conditions:

- a) Additional applicable requirements under the Act become applicable to one or more emissions units covered by this permit, and this permit has a remaining term of three or more years. Such a reopening shall be completed not later than eighteen (18) months after promulgation of the applicable requirement. No such reopening is required if the effective date of the requirement is later than the date on which the permit is due to expire, unless the original permit or any of its terms and conditions has been extended pursuant to paragraph (E)(1) of OAC rule 3745-77-08.
- b) This permit is issued to an affected source under the acid rain program and additional requirements (including excess emissions requirements) become applicable. Upon approval by the Administrator, excess emissions offset plans shall be deemed to be incorporated into the permit, and shall not require a reopening of this permit.
- c) The Director of the Ohio EPA or the Administrator of the U.S. EPA determines that the federally applicable requirements in this permit are based on a material mistake, or that inaccurate statements were made in establishing the emissions standards or other terms and conditions of this permit related to such federally applicable requirements.
- d) The Administrator of the U.S. EPA or the Director of the Ohio EPA determines that this permit must be revised or revoked to assure compliance with the applicable requirements.

(Authority for term: OAC rules 3745-77-07(A)(12) and 3745-77-08(D))

12. Federal and State Enforceability

Only those terms and conditions designated in this permit as federally enforceable, that are required under the Act, or any of its applicable requirements, including relevant provisions designed to limit the potential to emit of a source, are enforceable by the Administrator of the U.S. EPA, the State, and citizens under the Act. All other terms and conditions of this permit shall not be federally enforceable and shall be enforceable under State law only.

(Authority for term: OAC rule 3745-77-07(B))

13. Compliance Requirements

- a) Any document (including reports) required to be submitted and required by a federally applicable requirement in this Title V permit shall include a certification by a Responsible Official that, based on information and belief formed after reasonable inquiry, the statements in the document are true, accurate, and complete.
- b) Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Director of the Ohio EPA or an authorized representative of the Director to:
 - (1) At reasonable times, enter upon the permittee's premises where a source is located or the emissions-related activity is conducted, or where records must be kept under the conditions of this permit.
 - (2) Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit, subject to the protection from disclosure to the public of confidential information consistent with paragraph (E) of OAC rule 3745-77-03.
 - (3) Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.
 - (4) As authorized by the Act, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit and applicable requirements.
- c) The permittee shall submit progress reports to the Ohio EPA DAPC, Northwest District Office concerning any schedule of compliance for meeting an applicable requirement. Progress reports shall be submitted semiannually or more frequently if specified in the applicable requirement or by the Director of the Ohio EPA. Progress reports shall contain the following:
 - (1) Dates for achieving the activities, milestones, or compliance required in any schedule of compliance, and dates when such activities, milestones, or compliance were achieved.
 - (2) An explanation of why any dates in any schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.
- d) Compliance certifications concerning the terms and conditions contained in this permit that are federally enforceable emission limitations, standards, or work practices, shall be submitted to the Director (the Ohio EPA DAPC, Northwest District Office) and the Administrator of the U.S. EPA in the following manner and with the following content:
 - (1) Compliance certifications shall be submitted annually on a calendar year basis. The annual certification shall be submitted on or before April 30th of each year during the permit term.
 - (2) Compliance certifications shall include the following:
 - a. Identification of each term or condition that is the basis of the certification. The identification may include a statement by the Responsible Official that every term and condition that is federally enforceable has been reviewed, and such terms

and conditions with which there has been continuous compliance throughout the year are not separately identified.

- b. The permittee's current compliance status.
 - c. Whether compliance was continuous or intermittent consistent with A.13.d.2.a above.
 - d. The method(s) used for determining the compliance status of the source currently and over the required reporting period consistent with A.13.d.2.a above.
 - e. Such other facts as the Director of the Ohio EPA may require in the permit to determine the compliance status of the source.
- (3) Compliance certifications shall contain such additional requirements as may be specified pursuant to sections 114(a)(3) and 504(b) of the Act.

(Authority for term: OAC rules 3745-77-07(C)(1),(2),(4) and (5) and ORC section 3704.03(L))

14. Permit Shield

- a) Compliance with the terms and conditions of this permit (including terms and conditions established for alternate operating scenarios, emissions trading, and emissions averaging, but excluding terms and conditions for which the permit shield is expressly prohibited under OAC rule 3745-77-07) shall be deemed compliance with the applicable requirements identified and addressed in this permit as of the date of permit issuance.
- b) This permit shield provision shall apply to any requirement identified in this permit pursuant to OAC rule 3745-77-07(F)(2), as a requirement that does not apply to the source or to one or more emissions units within the source.

(Authority for term: OAC rule 3745-77-07(F))

15. Operational Flexibility

The permittee is authorized to make the changes identified in OAC rule 3745-77-07(H)(1)(a) to (H)(1)(c) within the permitted stationary source without obtaining a permit revision, if such change is not a modification under any provision of Title I of the Act [as defined in OAC rule 3745-77-01(JJ)], and does not result in an exceedance of the emissions allowed under this permit (whether expressed therein as a rate of emissions or in terms of total emissions), and the permittee provides the Administrator of the U.S. EPA and the Ohio EPA DAPC, Northwest District Office with written notification within a minimum of seven days in advance of the proposed changes, unless the change is associated with, or in response to, emergency conditions. If less than seven days notice is provided because of a need to respond more quickly to such emergency conditions, the permittee shall provide notice to the Administrator of the U.S. EPA and the Ohio EPA DAPC, Northwest District Office as soon as possible after learning of the need to make the change. The notification shall contain the items required under OAC rule 3745-77-07(H)(2)(d).

(Authority for term: OAC rules 3745-77-07(H)(1) and (2))

16. Emergencies

The permittee shall have an affirmative defense of emergency to an action brought for noncompliance with technology-based emission limitations if the conditions of OAC rule 3745-77-07(G)(3) are met. This emergency defense provision is in addition to any emergency or upset provision contained in any applicable requirement.

(Authority for term: OAC rule 3745-77-07(G))

17. Off-Permit Changes

The owner or operator of a Title V source may make any change in its operations or emissions at the source that is not specifically addressed or prohibited in the Title V permit, without obtaining an amendment or modification of the permit, provided that the following conditions are met:

- a) The change does not result in conditions that violate any applicable requirements or that violate any existing federally enforceable permit term or condition.
- b) The permittee provides contemporaneous written notice of the change to the Director and the Administrator of the U.S. EPA, except that no such notice shall be required for changes that qualify as insignificant emissions levels or activities as defined in OAC rule 3745-77-01(U). Such written notice shall describe each such change, the date of such change, any change in emissions or pollutants emitted, and any federally applicable requirement that would apply as a result of the change.
- c) The change shall not qualify for the permit shield under OAC rule 3745-77-07(F).
- d) The permittee shall keep a record describing all changes made at the source that result in emissions of a regulated air pollutant subject to an applicable requirement, but not otherwise regulated under the permit, and the emissions resulting from those changes.
- e) The change is not subject to any applicable requirement under Title IV of the Act or is not a modification under any provision of Title I of the Act.

Paragraph (I) of rule 3745-77-07 of the Administrative Code applies only to modification or amendment of the permittee's Title V permit. The change made may require a permit-to-install under Chapter 3745-31 of the Administrative Code if the change constitutes a modification as defined in that Chapter. Nothing in paragraph (I) of rule 3745-77-07 of the Administrative Code shall affect any applicable obligation under Chapter 3745-31 of the Administrative Code.

(Authority for term: OAC rule 3745-77-07(I))

18. Compliance Method Requirements

Nothing in this permit shall alter or affect the ability of any person to establish compliance with, or a violation of, any applicable requirement through the use of credible evidence to the extent authorized by law. Nothing in this permit shall be construed to waive any defenses otherwise available to the permittee, including but not limited to, any challenge to the Credible Evidence Rule (see 62 Federal Register 8314, Feb. 24, 1997), in the context of any future proceeding.

(This term is provided for informational purposes only.)

19. Insignificant Activities or Emissions Levels

Each IEU that is subject to one or more applicable requirements shall comply with those applicable requirements.

(Authority for term: OAC rule 3745-77-07(A)(1))

20. Permit to Install Requirement

Prior to the "installation" or "modification" of any "air contaminant source," as those terms are defined in OAC rule 3745-31-01, a permit to install must be obtained from the Ohio EPA pursuant to OAC Chapter 3745-31.

(Authority for term: OAC rule 3745-77-07(A)(1))

21. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

(Authority for term: OAC rule 3745-77-07(A)(1))

22. Permanent Shutdown of an Emissions Unit

The permittee may notify Ohio EPA of any emissions unit that is permanently shut down by submitting a certification from the Responsible Official that identifies the date on which the emissions unit was permanently shut down. Authorization to operate the affected emissions unit shall cease upon the date certified by the Responsible Official that the emissions unit was permanently shut down.

After the date on which an emissions unit is permanently shut down (i.e., that has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent "modification" or "installation" as defined in OAC Chapter 3745-31 and therefore ceases to meet the definition of an "emissions unit" as defined in OAC rule 3745-77-01(O)), rendering existing permit terms and conditions irrelevant, the permittee shall not be required, after the date of the certification and submission to Ohio EPA, to meet any Title V permit requirements applicable to that emissions unit, except for any residual requirements, such as the quarterly deviation reports, semi-annual deviation reports and annual compliance certification covering the period during which the emissions unit last operated. All records relating to the shutdown emissions unit, generated while the emissions unit was in operation, must be maintained in accordance with law.

Unless otherwise exempted, no emissions unit identified in this permit that has been certified by the Responsible Official as being permanently shut down may resume operation without first applying for and obtaining a permit to install pursuant to OAC Chapter 3745-31.

(Authority for term: OAC rule 3745-77-01)

23. Title VI Provisions

If applicable, the permittee shall comply with the standards for recycling and reducing emissions of ozone depleting substances pursuant to 40 CFR Part 82, Subpart F, except as provided for motor vehicle air conditioners in Subpart B of 40 CFR Part 82:

- a) Persons operating appliances for maintenance, service, repair, or disposal must comply with the required practices specified in 40 CFR 82.156.
- b) Equipment used during the maintenance, service, repair, or disposal of appliances must comply with the standards for recycling and recovery equipment specified in 40 CFR 82.158.
- c) Persons performing maintenance, service, repair, or disposal of appliances must be certified by an approved technician certification program pursuant to 40 CFR 82.161.

(Authority for term: OAC rule 3745-77-01(H)(11))

24. Reporting Requirements Related to Monitoring and Record Keeping Requirements Under State Law Only

The permittee shall submit required reports in the following manner:

- a) Reports of any required monitoring and/or record keeping information shall be submitted to the Ohio EPA DAPC, Northwest District Office.
- b) Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (i) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and record keeping requirements specified in this permit, (ii) the probable cause of such deviations, and (iii) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the Ohio EPA DAPC, Northwest District Office. In identifying each deviation, the permittee shall specify the applicable requirement for which the deviation occurred, describe each deviation, and provide the magnitude and duration of each deviation. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

25. Records Retention Requirements Under State Law Only

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

26. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine



whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

(Authority for term: OAC rule 3745-77-07(C))

27. Scheduled Maintenance/Malfunction Reporting For State-Only Requirements

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the Ohio EPA DAPC, Northwest District Office in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

28. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The Ohio EPA DAPC, Northwest District Office must be notified in writing of any transfer of this permit.

(Authority for term: OAC rule 3745-77-01(C))

29. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations

If no emission limitation (or control requirement), operational restriction and/or control device parameter limitation deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted by January 31, April 30, July 31, and October 31 of each year; and each report shall cover the previous calendar quarter.

The permittee is not required to submit a quarterly report which states that no deviations occurred during that quarter for the following situations:

- a) where an emissions unit has deviation reporting requirements for a specific emission limitation, operational restriction, or control device parameter limitation that override the deviation reporting requirements specified in Standard Term and Condition A.2.c)(2); or
- b) where an uncontrolled emissions unit has no monitoring, record keeping, or reporting requirements and the emissions unit's applicable emission limitations are established at the potential to emit; or
- c) where the company's Responsible Official has certified that an emissions unit has been permanently shut down.



Proposed Title V Permit
Hancock County Landfill
Permit Number: P0120219
Facility ID: 0332010095

Effective Date: To be entered upon final issuance

30. Submitting Documents Required by this Permit

All applications, notifications or reports required by terms and conditions in this permit to be submitted or "reported in writing" are to be submitted to Ohio EPA through the Ohio EPA's eBusiness Center: Air Services web service ("Air Services"). Ohio EPA will accept hard copy submittals on an as-needed basis if the permittee cannot submit the required documents through the Ohio EPA eBusiness Center. In the event of an alternative hard copy submission in lieu of the eBusiness Center, the post-marked date or the date the document is delivered in person will be recognized as the date submitted. Electronic submission of applications, notifications, or reports required to be submitted to Ohio EPA fulfills the requirement to submit the required information to the Director, the Ohio EPA DAPC, Northwest District Office, and/or any other individual or organization specifically identified as an additional recipient identified in this permit unless otherwise specified. Consistent with OAC rule 3745-15-03, the required application, notification or report is considered to be "submitted" on the date the submission is successful using a valid electronic signature. Signature by the Responsible Official may be represented as provided through procedures established in Air Services.



Proposed Title V Permit
Hancock County Landfill
Permit Number: P0120219
Facility ID: 0332010095

Effective Date: To be entered upon final issuance

B. Facility-Wide Terms and Conditions



1. All the following facility-wide terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only:
 - a) None.
2. Based on the Landfill Gas Emission Model (LandGEM), this facility (Hancock County Landfill) will not exceed an emission rate of 50 megagrams per year of NMOC for the duration of the life of the landfill. Therefore, based on the current capacity and annual waste acceptance rate, the permittee will not trigger the requirements of 40 CFR Part 60, Subpart WWW to collect and control the landfill gas. The permittee installed an active gas collection system with an open flare for the primary purpose of distributing landfill gas to off-site facilities where the landfill gas will be combusted to generate heat and/or electricity. The installation of the active gas collection system is addressed under the requirements for emissions unit P902. The facility has the option to also operate the landfill under passive conditions which are addressed under the requirements of emissions unit P901.
3. To address the time periods when the permittee is under contract to provide landfill gas to off-site facilities, this facility will operate under the terms and conditions provided for in both this emissions units P902 which addresses an active gas collection system and emissions unit P901 which addresses landfill operations not directly associated with an active gas collection system. During time periods when the permittee is not actively collecting landfill gas, this facility will operate under the terms and conditions provided for in emissions unit P901. Emissions unit P902 serves to present, in a simplified manner, the additional requirements associated with the installation and operation of an active gas collection system. It should be noted that the requirements presented under emissions unit P901 are in effect at all times even when the landfill is operated with an active gas collection system.
4. The permittee shall maintain daily records that identify whether the landfill is operating with an active gas collection system with control (active system) or as a passive venting system without control (passive system).
5. The permittee shall submit annual reports that summarize (a) the time periods when the landfill was operated as an active system and (b) the time periods when the landfill was operated as a passive system. These reports shall be submitted by January 31 of each year and shall cover the previous calendar year.
6. The following insignificant emissions unit is subject to 40 CFR 63.11110 et seq. (GACT Subpart CCCCCC): G002 – Gasoline/diesel fuel dispensing facility with a 1000 gallon split on-road diesel/gasoline fuel tank and a 6000 gallon dual-wall above ground off-road diesel fuel tank. This unit is a 'new affected source' pursuant to 40 CFR 63.11112(b).

The emission sources to which Subpart CCCCCC applies are gasoline storage tanks and associated equipment components in vapor or liquid gasoline service at the gasoline dispensing facilities (GDF) that meet the criteria specified in 40 CFR 63.11111. Pressure/Vacuum vents on gasoline storage tanks and the equipment necessary to unload product from cargo tanks into the storage tanks at GDF are covered emission sources. The equipment used for the refueling of motor vehicles is not covered by Subpart CCCCCC.

[40 CFR 63.11112(a)]

The applicable requirements are summarized below:



Effective Date: To be entered upon final issuance

- a) The permittee must, at all times, operate and maintain any affected source, including associated air pollution control equipment and monitoring equipment, in a manner consistent with safety and good air pollution control practices for minimizing emissions. Determination of whether such operation and maintenance procedures are being used will be based on information available to the Ohio EPA which may include, but is not limited to, monitoring results, review of operation and maintenance procedures, review of operation and maintenance records, and inspection of the source.
 [40 CFR 63.11115(a)]
- b) The permittee must not allow gasoline to be handled in a manner that would result in vapor releases to the atmosphere for extended periods of time. Measures to be taken include, but are not limited to, the following:
 - 1) Minimize gasoline spills;
 - 2) Clean up spills as expeditiously as practicable;
 - 3) Cover all open gasoline containers and all gasoline storage tank fill-pipes with a gasketed seal when not in use (portable gasoline containers that meet the requirements of 40 CFR 59, Subpart F, are considered acceptable for compliance with this section); and
 - 4) Minimize gasoline sent to open waste collection systems that collect and transport gasoline to reclamation and recycling devices, such as oil/water separators.
 [40 CFR 63.11116(a) and (d)]
- c) If an affected source's throughput ever exceeds an applicable throughput threshold, the affected source will remain subject to the requirements for sources above the threshold, even if the affected source throughput later falls below the applicable throughput threshold.
 [40 CFR 63.11111(i)]
- d) The dispensing of gasoline from a fixed gasoline storage tank at a GDF into a portable gasoline tank for the on-site delivery and subsequent dispensing of the gasoline into the fuel tank of a motor vehicle or other gasoline-fueled engine or equipment used within the facility is subject to (and only to) section B.3.b) of this permit.
 [40 CFR 63.11111(j)]
- e) The permittee may elect to comply only with the more stringent provisions of other applicable subparts, in accordance with 40 CFR 63.11111(k).

7. The permittee shall comply with the applicable monitoring and record-keeping requirements required under 40 CFR 63 Subpart CCCCCC, including the following sections:

63.11111(e) and (h)	record keeping of monthly throughput
63.11125(d)	records of equipment malfunctions

[40 CFR Part 63 Subpart CCCCCC]



Effective Date: To be entered upon final issuance

8. The permittee shall comply with the applicable reporting requirements required under 40 CFR 63 Subpart CCCCCC, including the following sections:

63.11116(b)	not subject to reporting and notifications, but must have records available upon request
-------------	--

[40 CFR Part 63 Subpart CCCCCC]

9. The permittee shall comply with the applicable requirements under the 40 CFR Part 63 General Provisions as identified in Table 3 to Subpart CCCCCC.

[40 CFR Part 63 Subpart CCCCCC]

10. The following insignificant emissions units at this facility must comply with all applicable State and federal regulations, as well as any emission limitations and/or control requirements contained within the identified permit to install for the emissions unit. The insignificant emissions units listed below are subject to one or more applicable requirements contained in a permit to install or in the SIP-approved versions of OAC Chapters 3745-17, 3745-18, 3745-21, and/or 40 CFR Part 60 or 63.

EU ID	Operations, Property and/or Equipment Description
G002	Gasoline/diesel fuel dispensing facility with a 1000 gallon split on-road diesel/gasoline fuel tank and a 6000 gallon dual-wall above ground off-road diesel fuel tank

[Authority for term: OAC rule 3745-77-07(A)(13)]



Proposed Title V Permit
Hancock County Landfill
Permit Number: P0120219
Facility ID: 0332010095
Effective Date: To be entered upon final issuance

C. Emissions Unit Terms and Conditions



1. F001, Roadways

Operations, Property and/or Equipment Description:

paved and unpaved roadways and parking areas

a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

(1) None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3), as effective 11/30/01 (PTI P0116765 issued July 24, 2014) [See b)(2)g.]	The requirements established pursuant to this rule are equivalent to the requirements established pursuant to OAC rule 3745-31-05(F) below.
b.	OAC rule 3745-31-05(F) [See b)(2)i.] (PTI P0116765 issued July 24, 2014)	Develop and implement a site-specific work practice plan designed as described in d)(1) to minimize or eliminate fugitive dust emissions.
c.	OAC rule 3745-31-05(A)(3), as effective 12/01/06	See b)(2)h.
d.	OAC rule 3745-17-07(B)(1)	See b)(2)e.
e.	OAC rule 3745-17-08(B)(1)	See b)(2)f.

(2) Additional Terms and Conditions

a. The permittee shall employ best available control measures on all unpaved and paved roadways and parking areas for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's application, the permittee has committed to treat the roadways and parking areas by application of chemical stabilization/dust suppressants and/or watering and/or sweeping at sufficient treatment frequencies to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.

- b. The needed frequencies of implementation of the control measures shall be determined by the permittee's inspections pursuant to the monitoring section of this permit. Implementation of the control measures shall not be necessary for roadways and parking areas that are covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements. Implementation of any control measure may be suspended if unsafe or hazardous driving conditions would be created by its use.
- c. The permittee shall promptly remove, in such a manner as to minimize or prevent resuspension, earth and/or other material from paved streets onto which such material has been deposited by trucking or earth moving equipment or erosion by water or other means.
- d. Open-bodied vehicles transporting materials likely to become airborne shall have such materials covered at all times if the control measure is necessary for the materials being transported.
- e. This emissions unit is exempt from the visible particulate emission limitations specified in OAC rule 3745-17-07(B) pursuant to OAC rule 3745-17-07(B)(11)(e).
- f. The facility is not located within an "Appendix A" area as identified in OAC rule 3745-17-08. Therefore, pursuant to OAC rule 3745-17-08(A), this emissions unit is exempt from the requirements of OAC rule 3745-17-08(B)(1).
- g. The permittee has satisfied the Best Available Technology (BAT) requirements pursuant to OAC paragraph 3745-31-05(A)(3), as effective November 30, 2001, in this permit. On December 1, 2006, paragraph (A)(3) of OAC rule 3745-31-05 was revised to conform to ORC changes effective August 3, 2006 (S.B. 265 changes), such that BAT is no longer required by State regulations for NAAQS pollutants less than ten tons per year. However, that rule revision has not yet been approved by U.S. EPA as a revision to Ohio's State Implementation Plan (SIP). Therefore, until the SIP revision occurs and the U.S. EPA approves the revisions to OAC rule 3745-31-05, the requirement to satisfy BAT still exists as part of the federally-approved SIP for Ohio. Once U.S. EPA approves the December 1, 2006 version of 3745-31-05, then these emission limits/control measures no longer apply.

It should be noted that the requirements established pursuant to OAC rule 3745-31-05(F) will remain applicable after the above SIP revisions are approved by U.S. EPA.

- h. This rule applies once U.S. EPA approves the December 1, 2006 version of OAC rule 3745-31-05 as part of the State Implementation Plan.

BAT requirements under OAC rule 3745-31-05(A)(3)(a), as effective 12/01/06, do not apply to the PM₁₀ emissions from this air contaminant source since the controlled PTE is less than 10 tons per year taking into consideration the voluntary restriction established under OAC rule 3745-31-05(F) in this permit.



The BAT requirements under OAC rule 3745-31-05(A)(3), as effective 12/01/06 are not applicable to the particulate emissions emitted from this emissions unit. BAT is only applicable to emissions of an air contaminant or precursor of an air contaminant for which a national ambient air quality standard (NAAQS) has been adopted under the Clean Air Act. Particulate emissions (also referred to as total suspended particulate or particulate matter) are an air contaminant that does not involve an established NAAQS.

i. This permit establishes the following voluntary restriction under OAC rule 3745-31-05(F) as proposed by the permittee for the purpose of avoiding BAT requirements under OAC rule 3745-31-05(A)(3), as effective 12/01/06:

i. Develop and implement a site-specific work practice plan designed as described in d)(1) to minimize or eliminate fugitive dust emissions.

c) Operational Restrictions

(1) None.

d) Monitoring and/or Recordkeeping Requirements

(1) Work Practice Plan

The permittee shall develop and implement a site-specific work practice plan designed to minimize or eliminate fugitive dust from the permittees roadways and parking areas. This work practice plan shall include, at a minimum, the following elements:

a. An identification of each segment of roadway or parking area for which the plan applies.

b. A determination of the frequency that each roadway or parking area will be inspected to determine if additional control measures are needed.

c. The identification of the record keeping form/record that will be used to track the inspection and treatment of the roadways. This form/record should include, at a minimum, the following elements:

i. Roadway or parking area segment inspected;

ii. Date inspected;

iii. Name of employee who either did the inspection or who can verify that the inspection was completed;

iv. Result of the inspection (needs treated or does not need treated);

v. A description of why no treatment was needed;

vi. Date treated;



- vii. Name of employee who either treated the segment or who can verify that the segment was treated; and
 - viii. Method used to treat the segment.
- d. A description of how and where the records shall be maintained.

The permittee shall begin using the Work Practice Plan within 30 days from the date Ohio EPA approved the initial plan. As needs warrant, the permittee can modify the Work Practice Plan. The permittee shall submit a copy of proposed revisions to the Work Practice Plan to the Ohio EPA Northwest District Office for review and approval. The permittee can begin using the revised Work Practice Plan upon approval. [OAC 3745-77-07(C)(1), and PTI P0116765]

(2) Work Practice Plan Inspections

Except as otherwise provided in this section, the permittee shall perform inspections of each of the roadway segments and parking areas at frequencies described in the Work Practice Plan. The purpose of the inspections is to determine the need for implementing control measures. The inspections shall be performed during representative, normal traffic conditions. No inspection shall be necessary for a roadway or parking area that is covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements. Any required inspection that is not performed due to any of the above-identified events shall be performed as soon as such event(s) has (have) ended, except if the next required inspection is within one week. [OAC rule 3745-77-07(C)(1) and PTI P0116765]

(3) Work Practice Plan Record Keeping

The permittee shall maintain records of the following information:

- a. The records required to be collected under the Work Practice Plan, and
- b. The date and reason any element of the Work Practice Plan was not implemented.

The permittee shall maintain these records in accordance with the Standard Terms and Conditions of Part I of this permit. [OAC 3745-77-07(C)(1) and PTI P0116765]

e) Reporting Requirements

- (1) Within 30 days from the final issuance of this permit, the permittee shall submit their proposed Work Practice Plan to the Ohio EPA Northwest District Office. [OAC 3745-77-07(C)(1) and PTI P0116765]



Proposed Title V Permit
Hancock County Landfill
Permit Number: P0120219
Facility ID: 0332010095

Effective Date: To be entered upon final issuance

- (2) The permittee shall submit semi-annual deviation reports concerning any failure to implement the Work Practice Plan. These reports shall be submitted as part of the semi-annual monitoring, recordkeeping, and reporting requirements deviation reports required in the Standard Terms and Conditions section of this permit.
[OAC 3745-77-07(C)(1) and PTI P0116765]

- f) Testing Requirements
 - (1) None.

- g) Miscellaneous Requirements
 - (1) None.

2. P901, Landfill

Operations, Property and/or Equipment Description:

municipal solid waste landfill and associated material handling operations

a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

(1) None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3) (PTI P0116765 issued July 24, 2014)	55.0 tons of fugitive nonmethane organic compounds (NMOC) per year 21,100 tons of fugitive methane per year
b.	OAC rule 3745-31-05(A)(3), as effective 11/30/01 (PTI P0116765 issued July 24, 2014)	Develop and implement a site-specific work practice plan designed as described in d)(1) to minimize or eliminate fugitive dust emissions. See b)(2)m.
c.	OAC rule 3745-31-05(A)(3), as effective 12/01/06 (PTI P0116765 issued July 24, 2014)	See b)(2)n.
d.	40 CFR 60.750 et seq. (NSPS Subpart WWW)	See b)(2)a., b)(2)b., and b)(2)d. through b)(2)g.
e.	40 CFR 63.1930 et seq. (MACT Subpart AAAA)	See b)(2)h.
f.	OAC rule 3745-17-07(B)(1)	See b)(2)i.
g.	OAC rule 3745-17-08(B)	See b)(2)j.

(2) Additional Terms and Conditions

a. The permittee (owner or operator), for the MSW landfill having a design capacity greater than 2.5 million cubic meters by volume or 2.5 million megagrams by mass, shall calculate the landfill nonmethane organic compounds (NMOC) emission rate annually or may elect to calculate and submit an estimate of the annual NMOC emission rate for the next 5-year period, in lieu of an annual

report; and if the estimated NMOC emission rate can be documented to be less than 50 megagrams for each of the next five consecutive years. The estimate shall include the current amount of solid waste-in-place and the estimated waste acceptance rate for the next 5 years. The NMOC emissions for each year shall be calculated using the procedures and appropriate equation contained in this permit [and 40 CFR 60.754(a)]. The landfill NMOC emissions can be calculated in 1, 2 or 3 Tiers as follows:

- i. Tier 1: the NMOC emissions are calculated using the appropriate formula and the default values from 40 CFR 60.754(a)(1);
- ii. Tier 2: the NMOC emissions are calculated, using the appropriate formula from 40 CFR 60.754(a)(1), using the site specific NMOC concentration (instead of the default value), obtained through the sampling procedures specified in 40 CFR 60.754(a)(3), using either Method 25C or Method 18 of Part 60 appendix A;
- iii. Tier 3: the NMOC emissions are calculated, using the appropriate formula from 40 CFR 60.754(a)(1), using the site-specific methane generation rate constant, k , determined as required in 40 CFR 60.754(a)(4), using Method 2E of Part 60 appendix A, and the site-specific NMOC concentration determined from the sampling in Tier 2, 40 CFR 60.754(a)(3).

If the actual waste acceptance rate exceeds the estimated acceptance rate in any year reported in the 5-year estimate, a revised 5-year estimate shall be submitted to the director (the Ohio EPA, Northwest District Office). The revised estimate shall cover the 5-year period beginning with the year in which the actual waste acceptance rate exceeded the estimated waste acceptance rate, or the reporting frequency shall be changed to annual.

The initial 5-year NMOC emissions report shall be submitted to the director by January 31st, following the first year in which the landfill design capacity exceeded 2.5 million cubic meters by volume or 2.5 million megagrams by mass, and shall cover the preceding calendar year and the 5 consecutive years that follow. The NMOC emissions report shall be submitted by January 31st every 5 years, until a collection and control system is installed in compliance with 60.752(b)(2) and operating in accordance with 40 CFR 60.753 and 60.755.
[40 CFR 60.752(b), 60.754(a), & 60.757(b)]

- b. As long as the calculated NMOC emission rate is calculated to be less than 50 megagrams per year the permittee shall:
 - i. submit the initial 5-year NMOC emission rate report and either annual or 5-year emission reports thereafter; and
 - ii. recalculate the NMOC emission rate following the fifth year and every 5 years thereafter, using the procedures and calculation specified in 40 CFR 60.754(a) and contained in the testing section of this permit.

If Tier 2 is used to calculate the estimated annual NMOC emissions, the site-specific NMOC concentration shall be re-tested every 5 years, as required in 40 CFR 60.754(a)(3).

If Tier 3 is used to calculate the estimated annual NMOC emissions, the initial/original site-specific methane generation rate constant shall be used in all future annual NMOC emission calculations and reports.

The NMOC emissions report shall be submitted by January 31st every 5 years (unless reverting to annually), until such time a collection and control system is installed in compliance with 60.752(b)(2) and operated in accordance with 40 CFR 60.753 and 60.755, or the landfill is closed.

Unless other arrangements are made with the director, the permittee shall submit a Permit-to-Install (PTI) application with the first annual report where the calculated NMOC emissions exceed 50 megagrams per year, in order to permit the facility for the collection and control system(s) required by the Standards of Performance for Municipal Solid Waste Landfills, Subpart WWW.

[40 CFR 60.752(b)]

- c. The facility shall not accept for disposal any regulated asbestos containing material (RACM) as defined in the National Emission Standards for Hazardous Air Pollutants (NESHAP) for Asbestos, 40 CFR Part 61, Subpart M, Section 141 and OAC rule 3745-20, or any subsequent revisions to either rule. RACM is defined to include:
 - i. friable asbestos material;
 - ii. Category I nonfriable asbestos containing material that has become friable;
 - iii. Category I nonfriable asbestos containing material that will be or has been subjected to sanding, grinding, cutting, or abrading; or
 - iv. Category II nonfriable asbestos containing material that has a high probability of becoming or has become crumbled, pulverized, or reduced to powder by the forces expected to act on the material in the course of demolition or renovation operations regulated by this subpart.

In addition, this facility shall not accept any Category II nonfriable asbestos-containing material. For asbestos materials, the permittee shall be limited to accepting Category I nonfriable asbestos containing material that has not or will not be subjected to sanding, grinding, cutting, or abrading. The permittee shall ensure that any Category I nonfriable asbestos containing material which has not or will not be subjected to sanding, grinding, cutting, or abrading shall not become friable during processing at the landfill. Any asbestos containing material that is or becomes friable is subject to the asbestos NESHAP regulation. [40 CFR Part 61, Subpart M & OAC 3745-20]

- d. If any asbestos material arrives at the landfill from an unregulated residence and meets the description of RACM as described in b)(2)c, the landfill shall:
- i. cause or permit no visible emissions to the outside air from the asbestos-containing waste materials during on-site transportation, transfer, deposition or compacting operations;
 - ii. assure that deposition and burial operations be conducted in a manner which prevents handling by equipment or persons that causes asbestos-containing waste materials to be broken-up or dispersed before the materials are buried;
 - iii. cover the asbestos-containing waste material with at least twelve inches of non-asbestos-containing material, as soon as practicable after deposition, but no later than at the end of the operating day; and
 - iv. assure that during the unloading, deposition, burial and initial compaction of asbestos-containing waste materials, the disposal site is restricted adequately to deter unauthorized entry of the general public and any unauthorized personnel to within one hundred feet of the operations.
[40 CFR Part 61, Subpart M & OAC 3745-20]
- e. There shall be no open burning, in violation of OAC Chapter 3745-19, at this facility.
[OAC rule 3745-19]
- f. Pursuant to the authority in ORC section 3704.03(L), any representative of the director may, upon presentation of proper identification, enter at any reasonable time upon any portion of the property where this landfill is located, including any improvements thereon, to make inspections; take samples; conduct tests; examine records or reports pertaining to any emissions of air contaminants; and inspect monitoring equipment, emissions control equipment, and/or methods of operation and gas sampling. No operator or agent of this landfill shall act in any manner to refuse, hinder, or thwart this legal right of entry.
[ORC section 3704.03(L)]
- g. The permittee shall submit a Permit to Install (PTI) modification application and be issued a new PTI, before and where an expansion or an increase in the waste material received increases the NMOC emissions to equal or exceed 50 megagrams/year. If the amended design capacity report is not submitted with the PTI application, the permittee shall submit an amended design capacity report to the director within 90 days of the increase in the maximum design capacity of the landfill.
[40 CFR 60.752(a) & 60.757(a)]
- h. This facility is not subject to 40 CFR Part 63, Subpart AAAA, pursuant to 40 CFR 63.1935.
- i. This emissions unit is exempt from the visible particulate emission limitations specified in OAC rule 3745-17-07(B) pursuant to OAC rule 3745-17-07(B)(11)(e).

- j. The facility is not located within an "Appendix A" area as identified in OAC rule 3745-17-08. Therefore, pursuant to OAC rule 3745-17-08(A), this emissions unit is exempt from the requirements of OAC rule 3745-17-08(B)(1).
- k. The permittee shall employ best available control measures on all operations generating fugitive dust for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's application, the permittee has committed to treat with water and/or any other suitable dust suppression chemicals at sufficient treatment frequencies to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.
- l. The needed frequencies of implementation of the control measures shall be determined by the permittee's inspections pursuant to the monitoring section of this permit. Implementation of the control measures shall not be necessary for roadways and parking areas that are covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements. Implementation of any control measure may be suspended if unsafe or hazardous driving conditions would be created by its use.
- m. The permittee has satisfied the Best Available Technology (BAT) requirements pursuant to OAC paragraph 3745-31-05(A)(3), as effective November 30, 2001, in this permit. On December 1, 2006, paragraph (A)(3) of OAC rule 3745-31-05 was revised to conform to ORC changes effective August 3, 2006 (S.B. 265 changes), such that BAT is no longer required by State regulations for NAAQS pollutants less than ten tons per year. However, that rule revision has not yet been approved by U.S. EPA as a revision to Ohio's State Implementation Plan (SIP). Therefore, until the SIP revision occurs and the U.S. EPA approves the revisions to OAC rule 3745-31-05, the requirement to satisfy BAT still exists as part of the federally-approved SIP for Ohio. Once U.S. EPA approves the December 1, 2006 version of 3745-31-05, then these emission limits/control measures no longer apply.
- n. This rule applies once U.S. EPA approves the December 1, 2006 version of OAC rule 3745-31-05 as part of the State Implementation Plan.

BAT requirements under OAC rule 3745-31-05(A)(3)(a), as effective 12/01/06, do not apply to the PM10 emissions from this air contaminant source since the uncontrolled potential to emit for PM10 is less than 10 tons per year.

The BAT requirements under OAC rule 3745-31-05(A)(3), as effective 12/01/06 are not applicable to the particulate emissions emitted from this emissions unit. BAT is only applicable to emissions of an air contaminant or precursor of an air contaminant for which a national ambient air quality standard (NAAQS) has been adopted under the Clean Air Act. Particulate emissions (also referred to as total suspended particulate or particulate matter) are an air contaminant that does not involve an established NAAQS.



- c) Operational Restrictions
 - (1) None.
- d) Monitoring and/or Recordkeeping Requirements
 - (1) Work Practice Plan

The permittee shall develop and implement a site-specific work practice plan designed to minimize or eliminate fugitive dust from the permittee's operations generating fugitive dust. This work practice plan shall include, at a minimum, the following elements:

- a. An identification of each operation for which the plan applies.
- b. A determination of the frequency that each operation will be inspected to determine if additional control measures are needed.
- c. The identification of the record keeping form/record that will be used to track the inspection and treatment of the operations. This form/record should include, at a minimum, the following elements:
 - i. Operation(s) inspected;
 - ii. Date inspected;
 - iii. Name of employee who either did the inspection or who can verify that the inspection was completed;
 - iv. Result of the inspection (needs treated or does not need treated);
 - v. A description of why no treatment was needed;
 - vi. Date treated;
 - vii. Name of employee who either treated the operation(s) or who can verify that the operation(s) was treated; and
 - viii. Method used to treat the operation.
- d. A description of how and where the records shall be maintained.

The permittee shall begin using the Work Practice Plan within 30 days from the date Ohio EPA approved the initial plan. As needs warrant, the permittee can modify the Work Practice Plan. The permittee shall submit a copy of proposed revisions to the Work Practice Plan to the Ohio EPA Northwest District Office for review and approval. The permittee can begin using the revised Work Practice Plan upon approval. [OAC rule 3745-77-07(C)(1) and PTI P0116765]

(2) Work Practice Plan Inspections

Except as otherwise provided in this section, the permittee shall perform inspections of each of the operations at frequencies described in the Work Practice Plan. The purpose of the inspections is to determine the need for implementing control measures. The inspections shall be performed during representative, normal conditions. No inspection shall be necessary for an operation covered /handled with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements. Any required inspection that is not performed due to any of the above-identified events shall be performed as soon as such event(s) has (have) ended, except if the next required inspection is within one week.
[OAC rule 3745-77-07(C)(1) and PTI P0116765]

(3) Work Practice Plan Record Keeping

The permittee shall maintain records of the following information:

- a. The records required to be collected under the Work Practice Plan, and
- b. The date and reason any element of the Work Practice Plan was not implemented.

The permittee shall maintain these records in accordance to the Standard Terms and Conditions of Part I of this permit.

[OAC rule 3745-77-07(C)(1) and PTI P0116765]

(4) The permittee shall keep for at least 5 years, up-to-date, readily accessible, on-site records of the design capacity report which showed the landfill capacity to equal or exceed 2.5 million megagrams and/or 2.5 million cubic meters, the current amount of solid waste in-place, and the year-by-year waste acceptance rate. Off-site records may be maintained if they are retrievable within 4 hours. Either hardcopy or electronic formats are acceptable.

[OAC rule 3745-77-07(C)(1), PTI P0116765 and 40 CFR 60.758(a)]

(5) The permittee shall maintain records of the total volume of material received each day. These records shall be maintained for a period of not less than three years, and the records shall be available for review by the director or his representative during normal business hours.

[OAC rule 3745-77-07(C)(1) and PTI P0116765]

(6) This solid waste landfill has a design capacity greater than 2.5 million megagrams or 2.5 million cubic meters; therefore, the permittee shall calculate the NMOC emission rate for the landfill using the procedures specified in 40 CFR 60.754(a)(1) and this permit, and shall maintain records of such calculations. Except as provided in 60.757(b)(1)(ii) (where NMOC emissions can be calculated to be less than 50 megagrams in each of the next 5 consecutive years), the NMOC emission rate shall be re-calculated and reported annually.

[OAC rule 3745-77-07(C)(1), PTI P0116765 and 40 CFR 60.752(b)(2)]

- (7) The permittee shall keep readily accessible documentation of the nature, date of deposition, amount, and location of asbestos-containing and/or nondegradable wastes, excluded from collection as provided in 40 CFR 60.759(a)(3)(i), as well as any nonproductive areas excluded from collection as provided in 40 CFR 60.759(a)(3)(ii). [OAC rule 3745-77-07(C)(1), PTI P0116765 and 40 CFR 60.752(b)(2)]

e) Reporting Requirements

- (1) Until a collection and control system is installed, meeting the requirements of 40 CFR 60.753 and 60.755, the permittee shall submit an annual NMOC emission rate report to the director, except for the provisions for the "5-year" estimate below. The director may request such additional information as may be necessary to verify the reported NMOC emission rate.
- a. The NMOC emission rate report shall contain an annual or 5-year estimate of the NMOC emission rate, calculated using the formula from 40 CFR 60.754(a), also contained in this permit:
- i. The initial NMOC emission rate report may be combined with the initial design capacity report. Subsequent NMOC emission rate reports shall be submitted annually thereafter, except as provided for below.
- ii. If the estimated NMOC emission rate as reported in the annual report to the director is less than 50 megagrams per year in each of the next 5 consecutive years, the permittee may elect to submit an estimate of the NMOC emission rate for the next 5-year period in lieu of the annual report. This estimate shall include the current amount of solid waste-in-place and the estimated waste acceptance rate for each year of the 5 years for which an NMOC emission rate is estimated. All data and calculations upon which this estimate is based shall be provided to the director. This estimate shall be revised at least once every 5 years. If the actual waste acceptance rate exceeds the estimated waste acceptance rate in any year reported in the 5-year estimate, a revised 5-year estimate shall be submitted to the director. The revised estimate shall cover the 5-year period beginning with the year in which the actual waste acceptance rate exceeded the estimated waste acceptance rate.
- b. The permittee is exempt from the requirements of submitting the annual or 5-year NMOC emission estimate report, following the installation of a collection and control system meeting the requirements of 40 CFR 60.753 and 60.755 [or other option under 40 CFR 60.752(b)(2)(iii)], or when the landfill is closed. [OAC rule 3745-77-07(C)(1), PTI P0116765 and 40 CFR 60.757(b)]
- (2) Unless otherwise approved by the director, the permittee shall submit a PTI application along with the first NMOC emissions report in which the emission rate exceeds 50 megagrams per year; and a collection and control system design plan, if applicable, shall be submitted within 1 year of the first NMOC emissions report in which the emission rate exceeds 50 megagrams per year, except as follows:

- a. If the permittee elects to recalculate the NMOC emission rate after Tier 2 NMOC sampling and analysis, as provided in 40 CFR 60.754(a)(3), and the resulting rate is less than 50 megagrams per year, annual periodic reporting shall be resumed, using the Tier 2 determined site-specific NMOC concentration, until the calculated emission rate is equal to or greater than 50 megagrams per year or the landfill is closed. The revised NMOC emission rate report, with the recalculated emission rate based on NMOC sampling and analysis, shall be submitted to the director within 180 days of the first calculated emission rate exceeding 50 megagrams per year.

If the permittee elects to recalculate the NMOC emission rate after determining a site-specific methane generation rate constant (k), as provided in Tier 3 in 40 CFR 60.754(a)(4), and the resulting NMOC emission rate is less than 50 megagrams per year, annual periodic reporting shall be resumed. The resulting site-specific methane generation rate constant (k) shall be used in the emission rate calculation until such time as the emissions rate calculation results in an exceedance of 50 megagrams per year. The revised NMOC emission rate report, based on the provisions of 40 CFR 754(a)(4) and the resulting site-specific methane generation rate constant (k), shall be submitted to the director within 1 year of the first calculated emission rate exceeding 50 megagrams per year.

[OAC rule 3745-77-07(C)(1), PTI P0116765 and 40 CFR 60.757(c)]

- (3) The permittee shall submit a closure report to the Division of Air Pollution Control at the appropriate Ohio EPA office of jurisdiction, within 30 days of waste acceptance cessation. Permanent closure shall be conducted in accordance with the requirements of 40 CFR 258.60; and the Ohio EPA may request additional information, as may be necessary, to verify that all of these conditions are met. If a closure report has been submitted to the Ohio EPA, no additional wastes may be placed into the landfill without filing a notification of modification as described in 40 CFR 60.7(a)(4).

[OAC rule 3745-77-07(C)(1), PTI P0116765 and 40 CFR 60.757(d)]

- (4) Within 30 days from the final issuance of this permit, the permittee shall submit their proposed Work Practice Plan to the Ohio EPA Northwest District Office.

[OAC rule 3745-77-07(C)(1) and PTI P0116765]

- (5) The permittee shall submit semi-annual deviation reports concerning any failure to implement the Work Practice Plan. These reports shall be submitted as part of the semi-annual monitoring, recordkeeping, and reporting requirements deviation reports required in the Standard Terms and Conditions section of this permit.

[OAC rule 3745-77-07(C)(1) and PTI P0116765]

f) Testing Requirements

- (1) The permittee shall calculate the NMOC emission rate using either the equation provided in 40 CFR 60.754(a)(1)(i) or the equation provided in 40 CFR 60.754(a)(1)(ii), and specified below. Both equations may be used if the actual year-to-year solid waste acceptance rate is known, as specified in 40 CFR 60.754(a)(1)(i), for part of the life of the landfill. The default values to be used in both equations are 0.05 per year for k, unless a site-specific methane generation rate constant is determined as specified in a

Tier 3 determination; 170 cubic meters per megagram for L_0 ; and 4,000 ppm by volume as hexane for C_{NMOC} , unless samples are collected and the actual NMOC concentration is determined, as specified in a Tier 2 determination.

- a. The following equation shall be used if the actual year-to-year solid waste acceptance rate is known:

$$M_{NMOC} = \sum (i = 1 \text{ to } n) (L_0)(M_i)(e^{-kt_i})(C_{NMOC})(3.6 \times 10^{-9})$$

where,

M_{NMOC} = Total NMOC emission rate from the landfill, megagrams per year

k = methane generation rate constant, year⁻¹

L_0 = methane generation potential, cubic meters per megagram solid waste

M_i = mass of solid waste in the i^{th} section, megagrams

t_i = age of the i^{th} section, years

C_{NMOC} = concentration of NMOC, parts per million by volume as hexane

3.6×10^{-9} = conversion factor

n = number of sections

The mass of nondegradable solid waste may be subtracted from the total mass of solid waste in a particular section of the landfill, when calculating the value for M_i , if documentation of the nature and amount of such wastes is maintained.

- b. The following equation shall be used if the actual year-to-year solid waste acceptance rate is unknown:

$$M_{NMOC} = 2(L_0)(R)[(e^{-kc} - e^{-kt})](C_{NMOC})(3.6 \times 10^{-9})$$

Where:

M_{NMOC} = mass emission rate of NMOC, megagrams per year

L_0 = methane generation potential, cubic meters per megagram solid waste

R = average annual acceptance rate, megagrams per year

k = methane generation rate constant, year⁻¹

t = age of landfill, years

C_{NMOC} = concentration of NMOC, parts per million by volume as hexane

c = time since closure, years; for active landfill $c=0$ and $e^{-kc}=1$

3.6×10^{-9} = conversion factor

The mass of nondegradable solid waste may be subtracted from the total mass of solid waste in a particular section of the landfill when calculating the value of R , if documentation of the nature and amount of such wastes is maintained.

[OAC rule 3745-77-07(C)(1), PTI P0116765 and 40 CFR 60.754(a)(1)]

- (2) The permittee shall compare the calculated NMOC mass emission rate to the standard of 50 megagrams per year. If the calculated NMOC emission rate is calculated to be less than 50 megagrams per year, then the permittee shall submit an emission rate report as required in 40 CFR 60.757(b)(1), and shall recalculate the NMOC mass

emission rate annually and submit the report to the director, as required under 40 CFR 60.752(b)(1) and as provided in this permit.

If the calculated NMOC emission rate is equal to or greater than 50 megagrams per year, the permittee shall submit, within one year, a collection and control system design plan, prepared by a professional engineer, and shall install it in compliance with 40 CFR 60.752(b)(2); or shall determine a site-specific NMOC concentration and recalculate the NMOC emission rate using the procedures provided in a Tier 2 determination, in 40 CFR 60.754(a)(3).

[OAC rule 3745-77-07(C)(1), PTI P0116765 and 40 CFR 60.754(a)(2)]

- (3) For a Tier 2 determination of the NMOC emission rate, the permittee shall determine the NMOC concentration using the following sampling procedure:
- a. The permittee shall install at least two sample probes per hectare of landfill surface that has retained waste for at least 2 years. If the landfill is larger than 25 hectares in area, only 50 sample probes are required. The sample probes should be located to avoid known areas of nondegradable solid waste.
 - b. The permittee shall collect and analyze one sample of landfill gas from each probe to determine the NMOC concentration using Method 25 or 25C of Appendix A of 40 CFR Part 60. Method 18 of Appendix A of 40 CFR Part 60 may be used to analyze the samples collected by the Method 25 or 25C sampling procedure.
 - c. Taking composite samples from different probes into a single cylinder is allowed; however, equal sample volumes must be taken from each probe. For each composite, the sampling rate, collection times, beginning and ending cylinder vacuums, or alternative volume measurements must be recorded to verify that composite volumes are equal. Composite sample volumes should not be less than one liter, unless evidence can be provided to substantiate the accuracy of smaller volumes. The compositing shall be terminated before the cylinder approaches ambient pressure where measurement accuracy diminishes.
 - d. If using Method 18, the permittee must identify all compounds in the sample, and, at a minimum, test for those compounds published in the most recent Compilation of Air Pollutant Emission Factors (AP-42), minus carbon monoxide, hydrogen sulfide, and mercury. At a minimum, the instrument must be calibrated for each of the compounds on the list. The concentration of each Method 18 compound shall be converted to CNMOC as hexane by multiplying it by the ratio of its carbon atoms divided by six.
 - e. The permittee shall also divide the NMOC concentration determined from Method 25 or 25C of Appendix A of 40 CR Part 60 by six, to convert from CNMOC as carbon to CNMOC as hexane.
 - f. If the landfill has an active or passive gas removal system in place, Method 25 or 25C samples may be collected from these systems instead of surface probes, provided the removal system can be shown to provide sampling as representative as the two sampling probe per hectare requirement. For active

collection systems, samples may be collected from the common header pipe before the gas moving or condensate removal equipment. For these systems, a minimum of three samples must be collected from the header pipe.

- g. If more than the required number of samples is taken, all samples must be used in the analysis.
 - h. The permittee shall recalculate the NMOC mass emission rate using the average NMOC concentration from the collected samples instead of the default value.
 - i. If the resulting mass emission rate, recalculated using the site-specific NMOC concentration, is equal to or greater than 50 megagrams per year, the permittee shall either:
 - i. comply with 40 CFR 60.752(b)(2) and submit, within one year, a collection and control system design plan, and install the system within 30 months after the first annual report in which the emission rate equals or exceeds 50 megagrams per year, as required by rule; or
 - ii. determine the site-specific methane generation rate constant, k , in a Tier 3 determination, and recalculate the NMOC emission rate using the site-specific NMOC concentration from Tier 2 and site-specific methane generation rate constant, k , from Tier 3.
 - j. If the resulting mass emission rate, recalculated using the site-specific NMOC concentration, is less than 50 megagrams per year, the permittee shall submit annual reports (or 5-year submission per 40 CFR 60.757(b)(1)(ii)) for the estimated NMOC emissions, recalculated each year using the site-specific NMOC concentration and as provided in 40 CFR 60.757(b)(1). The site-specific NMOC concentration shall be retested, as above, every 5 years.
[OAC rule 3745-77-07(C)(1), PTI P0116765 and 40 CFR 60.754(a)(3)]
- (4) For a Tier 3 determination of the NMOC emission rate, the permittee shall determine the site-specific methane generation rate constant, using the procedures provided in Method 2E of Appendix A of 40 CFR, Part 60. The permittee shall estimate the NMOC mass emission rate using the equations from 40 CFR 60.754(a)(1), and included in this permit, using a site-specific methane generation rate constant k and the site-specific NMOC concentration from Tier 2, instead of the default values provided with the calculation in the rule. The permittee shall compare the resulting NMOC mass emission rate to the standard of 50 megagrams per year.
- a. If the resulting NMOC mass emission rate, calculated using the site-specific methane generation rate constant from Tier 3 and the site-specific concentration of NMOC from Tier 2, is equal to or greater than 50 megagrams per year, the permittee shall comply with 40 CFR 60.752(b)(2) and submit, within one year, a collection and control system design plan, and install the system within 30 months after the first annual report in which the emission rate equals or exceeds 50 megagrams per year, as required by rule; or

- b. If the resulting NMOC mass emission rate, calculated using the site-specific methane generation rate constant from Tier 3 and the site-specific concentration of NMOC from Tier 2, is less than 50 megagrams per year, the permittee shall submit annual reports (or 5-year submission per 40 CFR 60.757(b)(1)(ii)) for the estimated NMOC emissions, recalculated each year using the site-specific methane generation rate constant k and the site-specific NMOC concentration from Tier 2, and submitted as provided in 40 CFR 60.757(b)(1).
- c. The site-specific NMOC concentration shall be retested, as above, every 5 years, to be used in the NMOC emission estimate calculations. However, the calculation of the methane generation rate constant is performed only once, and the value obtained from this test shall be used in all subsequent annual NMOC emission rate calculations.
[OAC rule 3745-77-07(C)(1), PTI P0116765 and 40 CFR 60.754(a)(4)]
- (5) The permittee may use other methods to determine the NMOC concentration or site-specific methane generation rate constant k , as an alternative to the methods required in 40 CFR 754(a)(3) or (4), only if the method has been approved by the Administrator of the U.S. Environmental Protection Agency.
[OAC rule 3745-77-07(C)(1), PTI P0116765 and 40 CFR 60.754(a)(5)]
- (6) When calculating emissions for PSD purposes, the permittee shall estimate the NMOC emission rate, for comparison to the PSD major source and significance levels in 40 CFR 51.166 or 40 CFR 52.21 using AP-42 or other approved measurement procedures.
[OAC rule 3745-77-07(C)(1), PTI P0116765 and 40 CFR 60.754(c)]
- (7) Compliance with the emission limitations in b)(1) shall be determined in accordance with the following method(s):
 - a. Emission Limitations:
55.0 tons of NMOC/year
21,100 tons of methane/year

Applicable Compliance Method:
Emissions shall not exceed these values based on the calculations referenced below. These calculations represent the highest emission rates which could occur based on U.S. EPA's Landfill Gas Emission Model (LandGEM).

The maximum gas generation/emissions were calculated or predicted using LandGEM, based on the proposed landfill capacity of 8,530,000 megagrams divided equally over approximately 29 years of proposed operation, at the maximum receiving rate of 195,000 megagrams of waste material per year. Predictions are for year 2035.
 - i. NMOC concentrations and emissions were determined according to 40 CFR 60, Appendix A, Method 25C and LandGEM (Tier 2 value of 221 - note: updated Tier 2 value of 129 from Sep 2012).



Proposed Title V Permit
Hancock County Landfill
Permit Number: P0120219
Facility ID: 0332010095

Effective Date: To be entered upon final issuance

- ii. CH4 emissions were estimated according to U.S. EPA's AP-42, Compilation of Air Pollution Emission Factors, Chapter 2.4, for municipal solid waste landfills, (11/98) and LandGEM.

[OAC rule 3745-77-07(C)(1), PTI P0116765 and 40 CFR 60 Subpart WWW]

g) Miscellaneous Requirements

- (1) The application and enforcement of the provisions of the New Source Performance Standards (NSPS), as promulgated by the United States Environmental Protection Agency, 40 CFR Part 60, are delegated to the Ohio Environmental Protection Agency. The requirements for 40 CFR Part 60 are also federally enforceable.



3. P902, Active Collection

Operations, Property and/or Equipment Description:

Municipal Solid Waste Landfill (no asbestos waste) - active gas collection/ flare system

- a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (1) b)(1)f, b)(1)g, b)(2)f, b)(2)i through b)(2)m; c)(1) through c)(4); d)(1) through d)(6); e)(1), e)(2), e)(4); f)(2); g)(2), and g)(3).
- b) Applicable Emissions Limitations and/or Control Requirements
 - (1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	ORC 3704.03(T) (PTI P0116927 issued July 16, 2014)	<u>Flare Combustion Emissions:</u> 46.0 pounds carbon monoxide (CO) per mmDSCF methane 39.0 pounds nitrogen oxides (NO _x) per mmDSCF methane See b)(2)a.
b.	OAC rule 3745-31-05(A)(3), as effective 11/30/01 (PTI P0116927 issued July 16, 2014)	See b)(2)b., b)(2)c., and b)(2)d). <u>Controlled Landfill Gas Emissions:</u> 0.25 pound volatile organic compounds (VOC) /hour; 1.10 tons VOC /year <u>Flare Combustion Emissions:</u> 15.0 pounds PM ₁₀ per mmDSCF methane; 3.69 tons PM ₁₀ /year 0.45 pounds sulfur dioxide (SO ₂)/hour; 2.00 tons SO ₂ /year
c.	OAC rule 3745-31-05(A)(3), as effective 12/01/06 (PTI P0116927 issued July 16, 2014)	See b)(2)e.
d.	40 CFR 60.750 et seq. (NSPS Subpart WWW)	See b)(2)c.
e.	40 CFR 63.1930 et seq. (MACT Subpart AAAA)	See b)(2)c.



	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
f.	OAC rule 3745-31-05(E)	See b)(2)f. Visible Emission Limitation [See b)(2)j.i.]
g.	ORC 3704.03(F) OAC rule 3745-114-01	See g)(2)
h.	OAC rule 3745-17-07(B)(1)	See b)(2)g.
i.	OAC rule 3745-17-08(B)	See b)(2)h.

(2) Additional Terms and Conditions

- a. The Best Available Technology (BAT) requirements for this emissions unit have been determined to be compliance with the emission limitations established in b)(1)a.
- b. The VOC emission limitations represent the VOC portion of the fugitive and controlled nonmethane organic compound (NMOC) emission rates from the landfill. For the purpose of this permit and federal enforceability, NMOC emissions have been converted to VOC by applying the AP-42 Chapter 2.4 (11/98) conversion rate of 39% to the predicted NMOC emission rate from the Landfill Gas Emission Model (LandGEM). NMOC emission limits were not established under this rule because there is not an established national ambient air quality standard (NAAQS) associated with NMOC [See b)(2)e.]. 40 CFR 60.750 et seq. (NSPS, Subpart WWW) addresses NMOC emissions; therefore, the monitoring, recordkeeping, and reporting requirements of this permit will reflect NMOC rather than VOC.
- c. BAT requirements that were established in Permit-to-Install (PTI) 03-17102 issued final on May 4, 2006 remain in effect for Hancock County Landfill when operating under active gas collection and/or passive gas venting situations. The requirements of 40 CFR 60.750 et seq. (NSPS Subpart WWW) and 40 CFR 63.1930 et seq. (MACT Subpart AAAAA) also remain in effect when operating under active gas collection and/or passive gas venting situations.

The requirements for OAC rule 3745-31-05(A)(3)(a), NSPS Subpart WWW, and MACT Subpart AAAAA are contained in the terms and conditions for emissions unit P901. The permittee is required to comply with all requirements contained in the terms and conditions for emissions unit P901 at all times even when operating with active gas collection (See Facility-Wide Term and Condition B.3).

- d. The permittee has satisfied the Best Available Technology (BAT) requirements pursuant to OAC rule 3745-31-05(A)(3), as effective November 30, 2001, in this permit. The requirements of this also rule include compliance with the state-only restrictions established in accordance with OAC rule 3745-31-05(E).

On December 1, 2006, paragraph (A)(3) of OAC rule 3745-31-05 was revised to conform to Ohio Revised Code (ORC) changes effective August 3, 2006 (Senate Bill 265 Changes), such that BAT is no longer required by State regulations for

NAAQS pollutants less than ten tons per year. However, that rule revision has not yet been approved by U.S. EPA as a revision to Ohio's State Implementation Plan (SIP). Therefore, until the SIP revision occurs and the U.S. EPA approves the revisions to OAC rule 3745-31-05, the requirement to satisfy BAT still exists as part of the federally-approved SIP for Ohio. Once U.S. EPA approves the December 1, 2006 version of 3745-31-05, then these emission limits/control measures no longer apply.

It should be noted that the landfill gas collection and control requirements established pursuant to OAC rule 3745-31-05(E) will remain applicable after the above SIP revisions are approved by U.S. EPA.

- e. This rule paragraph applies once U.S. EPA approves the December 1, 2006 version of OAC rule 3745-31-05 as part of the State Implementation Plan.

The Best Available Technology (BAT) requirements under OAC rule 3745-31-05(A)(3)(a) do not apply to the PE, NMOC, and methane emitted from this emissions unit. BAT (under Senate Bill 265 changes) is only applicable to emissions of an air contaminant or precursor of an air contaminant for which a national ambient air quality standard (NAAQS) has been adopted under the Clean Air Act. PE (also referred to as total suspended particulate or particulate matter), NMOC, and methane are air contaminants that do not involve an established NAAQS.

Additionally, the BAT requirements under OAC rule 3745-31-05(A)(3)(a) do not apply to the VOC, SO₂, and PM₁₀ emissions from this air contaminant source because each pollutant is less than 10 tons per year.

- f. The Ohio EPA is imposing terms and conditions under OAC rule 3745-31-05(E) "State-only enforceable limitations" associated with the installation and operation of the voluntary active gas collection system (including a flare). The requirements of OAC rule 3745-31-05(E) contained in this permit are a necessary component of any approval by the Ohio EPA, Division of Solid and Infectious Waste Management associated with the facility's "alteration request" to PTI 03-10322. The following is a list of the terms and conditions enforceable under OAC rule 3745-31-05(E); b)(2)f, b)(2)i, b)(2)j, b)(2)k, b)(2)l, b)(2)m, c)(1) c)(2), c)(3), c)(4), d)(1), d)(2), d)(3), d)(4), d)(5), d)(6), e)(1), e)(2), e)(4), f)(2), and g)(3).

[OAC rule 3745-31-05(E)]

- g. This emissions unit is exempt from the visible particulate emission limitations specified in OAC rule 3745-17-07(B) pursuant to OAC rule 3745-17-07(B)(11)(e).
- h. The facility is not located within an "Appendix A" area as identified in OAC rule 3745-17-08. Therefore, pursuant to OAC rule 3745-17-08(A), this emissions unit is exempt from the requirements of OAC rule 3745-17-08(B)(1).
- i. All gas collected by the active gas collection system shall comply with at least one of the following requirements:

- i. the collected gas may be routed to a flare designed and operated in accordance with the requirements specified in b)(2)i., b)(2)j., and b)(2)k.

AND/OR

- ii. The collected gas may be routed to any number of destinations, which are not under the common control of the permittee, where landfill gas is used in an enclosed combustion device to generate heat and/or electricity.

[OAC rule 3745-31-05(E)]

- j. Flare requirements:

- i. Flare shall be designed and operated with no visible emissions as determined by the Method 22 of Appendix A of 40 CFR, Part 60, except for a period not to exceed a total of 5 minutes during any 2 consecutive hours. The observation period for compliance determination is 2 hours and shall be used according to Method 22.

- ii. Flare shall be operated with a flame present at all times. The presence of a flare pilot flame shall be monitored using a thermocouple or any other equivalent device to detect the presence of flame.

- iii. The actual exit velocity of a flare shall be determined by dividing the volumetric flow rate (in units of standard temperature and pressure), as determined by 40 CFR 60 Appendix A Methods 2, 2A, 2C, or 2D as appropriate; by the unobstructed (free) cross sectional area of the flare tip.

[OAC rule 3745-31-05(E)]

- k. Flares shall be used only with the net heating value of the gas being combusted being 11.2 MJ/scm (300 Btu/scf) or greater if the flare is steam-assisted or air-assisted; or with the net heating value of the gas being combusted being 7.45 MJ/scm (200 Btu/scf) or greater if the flare is non-assisted. The net heating value of the gas being combusted in a flare shall be calculated using the following equation:

$$H_t = K \times \sum (i = 1 \text{ to } n) \text{ of } C_i H_i$$

where:

K = constant, $1.740 \times 10^{-7} [(1/\text{ppm})(\text{g mole}/\text{scm})(\text{MJ}/\text{Kcal})]$ where the standard temperature for (g mole/scm) is 20 degree Celsius;

H_t = Net heating value of the sample, MJ/scm; where the net enthalpy per mole of off gas is based on combustion at 25 degree Celsius and 760 mm Hg, but the standard temperature for determining the volume corresponding to one mole is 20 degree Celsius;

C_i = Concentration of sample component i in ppm on a wet basis, as measured for organics by 40 CFR 60 Appendix A Method 18 and measured for hydrogen and carbon monoxide by ASTM D1946-77 (Incorporated by reference as specified in 40 CFR 60.17); and

H_i = Net heat of combustion of sample component i , kcal/g mole at 25 degree Celsius and 760 mm Hg. The heats of combustion may be determined using ASTM D2382-76 (incorporated by reference as specified in 40 CFR 60.17) if published values are not available or cannot be calculated. For this test, the net heating value is calculated from the concentration of methane in the landfill gas as measured by 40 CFR 60 Appendix A Method 3C. A minimum of three 30-minute Method 3C samples are determined. The measurement of other organic compounds, hydrogen, and carbon monoxide is not applicable.
 [OAC rule 3745-31-05(E)]

I. Flare requirements (cont.):

- i. Steam-assisted and non-assisted flares shall be designed for and operated with an exit velocity, as determined by dividing the volumetric flow rate (in units of standard temperature and pressure) as determined by 40 CFR 60 Appendix A Methods 2, 2A, 2C, or 2D as appropriate; by the unobstructed (free) cross sectional area of the flare tip,) less than 18.3 m/sec (60 ft/sec), except as provided in 'ii' and 'iii' below.
- ii. Steam-assisted and non-assisted flares designed for and operated with an exit velocity, as determined by dividing the volumetric flow rate (in units of standard temperature and pressure) as determined by 40 CFR 60 Appendix A Methods 2, 2A, 2C, or 2D as appropriate; by the unobstructed (free) cross sectional area of the flare tip, equal to or greater than 18.3 m/sec (60 ft/sec) but less than 122 m/sec (400 ft/sec) are allowed if the net heating value of the gas being combusted is greater than 37.3 MJ/scm (1,000 Btu/scf).
- iii. Steam-assisted and non-assisted flares designed for and operated with an exit velocity, as determined by dividing the volumetric flow rate (in units of standard temperature and pressure) as determined by 40 CFR 60 Appendix A Methods 2, 2A, 2C, or 2D as appropriate; by the unobstructed (free) cross sectional area of the flare tip, less than the velocity, V_{MAX} , as determined by the equation below, and less than 122 m/sec (400 ft/sec) are allowed.

$$\text{Log}_{10} (V_{MAX}) = (H_t + 28.8)/31.7$$

Where:

V_{MAX} = Maximum permitted velocity, M/sec

28.8 = Constant

31.7 = Constant

H_t = The net heating value as determined in b)(2)i.

[OAC rule 3745-31-05(E)]

- m. The collected gas may be routed to a flare that meets the requirements of 40 CFR 60 Subpart WWW as provided for in 40 CFR 60.18(c)(3)(i). [OAC rule 3745-31-05(E)]

c) Operational Restrictions

- (1) The following operational restrictions have been included in this permit for the purpose of establishing state-only requirements for the active gas collection system [See b)(2)d.]:

- a. The permittee shall operate the collection system with negative pressure at each well except under the following conditions:
 - i. a fire or increased well temperature (the permittee shall record instances when positive pressure occurs in efforts to avoid a fire);
 - ii. use of a geomembrane or synthetic cover (the permittee shall develop acceptable pressure limits in the design plan); and
 - iii. a decommissioned well (A well may experience a static positive pressure after shutdown to accommodate for declining flows. All design changes shall be approved by the Northwest District Office).
- b. The permittee shall operate each interior well in the collection system such that:
 - i. landfill gas temperature is less than 55 degrees Celsius (131 Fahrenheit); and
 - ii. nitrogen level is less than 20%, or oxygen level is less than 5%.
- c. If a well exceeds any of the operating parameters in c)(1)b or the negative pressure requirement as specified in c)(1)a, action* shall be initiated to correct the exceedance within 5 calendar days.
- d. If correction of the exceedance cannot be achieved within 15 calendar days, the permittee has the following options to address the exceedance:
 - i. the permittee may take additional or alternative measures* to correct the exceedance within 120 days of the initial exceedance.
 - ii. the permittee may submit an alternative timeline request (ATR) for correcting an exceedance to the Northwest District Office. The alternative timeline request shall be submitted in accordance with timeframes and procedures outlined in Ohio EPA guidance documents. ATRs shall be submitted for approval to the Ohio EPA in accordance with timeframes and procedures outlined in Ohio EPA guidance documents.
 - iii. The permittee may request a higher operating temperature, nitrogen, or oxygen value at a particular well through a "Higher Operating Value (HOV) Demonstration". HOV requests shall be submitted for approval to the Ohio EPA in accordance with timeframes and procedures outlined in Ohio EPA guidance documents.

*Any attempted corrective action and/or measure shall not cause exceedances of other operational or performance standards. The permittee should be advised that certain corrective actions and/or measures may require approval(s) of an "alteration request" and/ or permit modifications from the appropriate Ohio EPA divisional programs.
[OAC rule 3745-77-07(A)(1) and OAC rule 3745-31-05(E)]

- (2) In the event the collection or control system is inoperable, the gas mover system shall be shut down and all valves in the collection and control system contributing to venting of the gas to the atmosphere shall be closed within one hour.

In any implementation of the above requirement, when the collection and control system is inoperable and the system will not be back in service before the vacuum in the landfill is displaced, the permittee shall be allowed to remove the wellheads prior to the build-up of landfill gas that can cause any damage to the capping system or contribute to offsite migration.

[OAC rule 3745-77-07(A)(1) and OAC rule 3745-31-05(E)]

- (3) The permittee shall operate the flare at all times when the collected gas is routed to the system.

[OAC rule 3745-77-07(A)(1) and OAC rule 3745-31-05(E)]

- (4) A pilot flame shall be maintained at all times in the flare's pilot burner, or a fail-close valve shall be installed to cease gas flow to the flare when there is no flame present.

[OAC rule 3745-77-07(A)(1) and OAC rule 3745-31-05(E)]

d) **Monitoring and/or Recordkeeping Requirements**

- (1) For the active gas collection system, the permittee shall install a sampling port for each well and record the following information on a monthly basis:

- a. the gauge pressure in the gas collection header at each individual well;
- b. the nitrogen or oxygen concentration in the landfill gas; and
- c. the temperature of the landfill gas.

[OAC rule 3745-77-07(C)(1) and OAC rule 3745-31-05(E)]

- (2) The permittee shall install, calibrate, maintain, and operate the following equipment in accordance with the manufacturer's specifications:

- a. a heat sensing device, such as an ultraviolet beam sensor or thermocouple, at the pilot light or the flame itself to indicate the continuous presence of a flame; and
- b. a gas flow rate measuring device that shall record the flow to the control device at least every 15 minutes.

[OAC rule 3745-77-07(C)(1) and OAC rule 3745-31-05(E)]

- (3) If a gas flow rate measuring device is not installed, then the permittee shall secure the bypass line valve in the closed position with a car-seal or a lock-and-key type configuration. A visual inspection of the seal or closure mechanism shall be performed

at least once every month to ensure that the valve is maintained in the closed position and that the gas flow is not diverted through the bypass line.
[OAC rule 3745-77-07(C)(1) and OAC rule 3745-31-05(E)]

(4) The permittee shall maintain the following information for the life of the control equipment as measured during, if applicable, the initial performance test or compliance demonstration:

- a. the flare type (i.e., steam-assisted, air-assisted, or non-assisted);
- b. all visible emission readings;
- c. heat content determinations of the gas;
- d. flow rate or bypass flow rate measurements;
- e. exit velocity determinations made during the performance test as specified in 40 CFR Part 60.18; and
- f. continuous records of the flare flame monitoring and all periods of operation during which the flare flame is absent.

[OAC rule 3745-77-07(C)(1) and OAC rule 3745-31-05(E)]

(5) The permittee shall properly install, operate, and maintain a device to continuously monitor the flare flame when the emissions unit is in operation. The monitoring device and any recorder shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manuals. In addition, the permittee shall record the following information each day:

- a. all periods of time during which there was no flame; and
- b. the downtime for the flare and monitoring equipment when the collection and control systems are in operation.

[OAC rule 3745-77-07(C)(1) and OAC rule 3745-31-05(E)]

(6) The permittee shall maintain, for the life of the collection system, an up-to-date, readily accessible, plot map showing each existing and planned collector in the system and providing a unique identification location for each collector.

[OAC rule 3745-77-07(C)(1) and OAC rule 3745-31-05(E)]

e) Reporting Requirements

(1) Any breakdown or malfunction of the landfill gas collection and control system resulting in the emission of raw landfill gas to the atmosphere shall be reported to the Northwest District Office within one hour after the occurrence, or as soon as reasonably possible, and immediate remedial measures shall be undertaken to correct the problem and to prevent further emissions to the atmosphere.

[OAC rule 3745-77-07(C)(1) and OAC rule 3745-31-05(E)]

- (2) The permittee shall notify the Northwest District Office immediately of any known subsurface fire or any evidence indicating the existence of a subsurface fire at the landfill.
[OAC rule 3745-77-07(C)(1) and OAC rule 3745-31-05(E)]
- (3) The permittee shall submit quarterly deviation (excursion) reports that identify the following:
 - a. value, length of time, and initial date for any exceedance(s) of the applicable parameters contained in c)(1)(b);
 - b. date and description of any actions and/or measures initiated to correct any exceedance(s) of the applicable parameters contained in c)(1)(b);
 - c. description and duration of all periods when the gas stream is not vented to off-site facilities and is diverted from the control device (flare) through a bypass line or the indication of bypass flow;
 - d. description and duration of all periods when the control device (flare) was not operating for a period exceeding 1 hour and length of time the control device was not operating;
 - e. all periods of time when the collection system was not operating in excess of 5 days.

The quarterly deviation (excursion) reports shall be submitted in accordance with the reporting requirements of the Standard Terms and Conditions of this permit.
[OAC rule 3745-77-07(C)(1)]

- (4) The permittee shall submit an equipment removal report to the Northwest District Office 30 days prior to removal or cessation of operation of the control equipment. The equipment removal report shall contain the information specified in 40 CFR Part 60.757 (e)(1). The Ohio EPA may request additional information as may be necessary to verify that all of the conditions for removal in 40 CFR Part 60.752 (b)(2)(v) have been met.
[OAC rule 3745-77-07(C)(1) and OAC rule 3745-31-05(E)]

f) Testing Requirements

- (1) Compliance with the Emissions Limitations and/or Control Requirements specified in section b) of these terms and conditions shall be determined in accordance with the following methods:
 - a. Emission Limitation:
There shall be no visible emissions from the flare, except for periods of time not to exceed a total of 5 minutes during any two consecutive hours.

Applicable Compliance Method:

If required, compliance with the visible emission limitation specified above shall be determined in accordance with Test Method 22 as set forth in "Appendix on Test Methods" in 40 CFR, Part 60 ("Standards of Performance for New



Effective Date: To be entered upon final issuance

Stationary Sources"), and the modifications listed in paragraphs (B)(4)(a) through (B)(4)(c) of OAC rule 3745-17-03.
 [OAC rule 3745-77-07(C)(1) and PTI P0116927]

- b. Emission Limitations: (Controlled Landfill Gas Emissions)
 0.25 lb VOC/hr; 1.10 tons VOC/year

Applicable Compliance Method:

These hourly and annual emission limitations represent the highest gas generation /emissions rates which could occur at this facility based on the following landfill capacities:

Landfill Unit	Landfill Capacity (tons)	Maximum Receiving Rate
Active Unit	9,403,425	750 tons/day

The landfill emission limitations contained in this permit can be documented as follows:

- i. NMOC emissions were calculated by Landfill Gas Emission Model (LandGEM). The predicted NMOC emissions were converted to VOC emissions by applying the AP-42 Chapter 2.4 (11/98) conversion rate of 39%.
 - ii. The following landfill gas collection system capture efficiencies, based on engineering design: Active Unit: 55%.
 - iii. A 98% control efficiency from the flare for the control of NMOC, as applicable.
 - iv. A maximum operating schedule of 8,760 hours/year.
 [OAC rule 3745-77-07(C)(1) and PTI P0116927]
- c. Emission Limitations: (Flare Combustion Emissions)
 15.0 pounds PM₁₀ per mmdSCF methane; 3.69 tons PM₁₀/year
 0.45 pounds SO₂ /hour; 2.00 tons SO₂/year

Applicable Compliance Method:

The hourly flare combustion emission limitations were established based on the emission factors from AP-42 Chapter 2.4, Municipal Solid Waste Landfills (Draft October 2008).

Compliance with the annual emission limitations may be demonstrated by multiplying the pound pollutant per mmdSCF methane limitations by a maximum operating schedule of 8,760 hours/year and then dividing by 2,000 pounds/ton.
 [OAC rule 3745-77-07(C)(1) and PTI P0116927]

- d. Emission Limitations: (Flare Combustion Emissions)
46.0 pounds CO per mmDSCF methane
39.0 pounds NO_x per mmDSCF methane

Applicable Compliance Method:

The above flare combustion emission limitations were established based on the emission factors from AP-42 Chapter 2.4, Municipal Solid Waste Landfills (Draft October 2008).

[OAC rule 3745-77-07(C)(1) and PTI P0116927]

- (2) The permittee shall conduct or have conducted within 90 days after initial use of the flare a determination of the actual volumetric flow rate (in units of standard temperature and pressure) for the flare as determined by 40 CFR 60 Appendix A Methods 2, 2A, 2C, or 2D as appropriate. Alternative procedures and/or U.S. EPA-approved test methods may be used with prior approval from the Ohio EPA, NWDO.
[OAC rule 3745-77-07(C)(1) and OAC rule 3745-31-05(E)]

g) Miscellaneous Requirements

- (1) The permittee shall not construct, install, or modify any emission unit(s) contained in this PTI until approval of the "alteration request" to PTI 03-10322 has been granted by the Ohio EPA.
[OAC rule 3745-77-07(C)(1)]
- (2) Modeling to demonstrate compliance with, the "Toxic Air Contaminant Statute", ORC 3704.03(F)(4)(b), was not necessary because the emissions unit's maximum annual emissions for each toxic air contaminant, as defined in OAC rule 3745-114-01, will be less than 1.0 ton per year. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified PTI prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes that would cause the emissions of any toxic air contaminant to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new PTI.
[PTI P0116927]
- (3) The permittee may request alternatives to the operational standards, test methods, procedures, compliance measures, monitoring, recordkeeping, or reporting requirements contained in this permit which are associated with the active collection system. Any request for alternatives shall be submitted to the Ohio EPA Northwest District Office and shall include a revision to the collection and control system design plan. Alternatives will not be recognized without the written approval of the Ohio EPA.
[OAC rule 3745-77-07(C)(1) and OAC rule 3745-31-05(E)]