



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL CERTIFIED MAIL
SUMMIT COUNTY**

Street Address:

122 S. Front Street

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049

Application No: 16-02091

DATE: 4/10/2001

Commercial Alloys Corp
Shawn George
1831 E Highland Rd
Twinsburg Twp, OH 44087

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
236 East Town Street, Room 300
Columbus, Ohio 43215

Very truly yours,

Thomas G. Rigo, Manager
Field Operations and Permit Section
Division of Air Pollution Control

CC: USEPA

ARAQMD



Permit To Install

STATE OF OHIO ENVIRONMENTAL PROTECTION AGENCY

FINAL PERMIT TO INSTALL 16-02091

Application Number: 16-02091
APS Premise Number: 1677000575
Permit Fee: **\$1200**
Name of Facility: Commercial Alloys Corp
Person to Contact: Shawn George
Address: 1831 E Highland Rd
Twinsburg Twp, OH 44087

Location of proposed air contaminant source(s) [emissions unit(s)]:
1831 E Highland Rd
Twinsburg Twp, Ohio

Description of proposed emissions unit(s):
Two (2) aluminum scrap shredders.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency



Director

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized

representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio

Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit to Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within thirty (30) days after commencing operation of the emissions unit(s) covered by this permit.

Commercial Alloys Corp
 PTI Application: 16-02091
 Issued: 4/10/2001

Facility ID: 1677000575

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
PM	12.2

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P901 - Shredder no. 1: 1250 HP hammer mill with a vibrating table and a double deck screener	OAC rule 3745-31-05(A)(3)	Emissions of particulate matter shall not exceed 1.56 pounds per hour nor 6.8 TPY. See A.2.a below
	OAC rule 3745-17-07(A)(1)	See A.2.b below
	OAC rule 3745-17-07(B)(1)	See A.2.c below.
	OAC rule 3745-17-11(B)(1) (Table 1)	See A.2.d below
	OAC rule 3745-15-07	See A.2.e below

2. Additional Terms and Conditions

- 2.a. This facility is not located in an Appendix A area as described in OAC rule 3745-17-08; therefore, OAC rule 3745-17-08 does not apply to this emissions unit.
- 2.b. Visible particulate emissions from any stack shall not exceed 20 per cent opacity as a six-minute average, except as provided by rule.
- 2.c. Visible particulate emissions from any fugitive dust source shall not exceed 20 per cent opacity as a three-minute average.
- 2.d. This emissions limit is less stringent than the limit established through OAC rule 3745-31-05(A)(3).

Commercial Alloys Corp
PTI Application: 16-02001
Issued

Facility ID: 1677000575

Emissions Unit ID: **P901**

2.e This facility agrees to these terms and conditions to avoid any such public nuisance.

B. Operational Restrictions

1. The permittee shall properly use, operate, and maintain a fabric filter control device to control particulate emissions from both emissions units P901 and P902. The baghouse installed on these emissions units for the control of particulate matter shall be operated and maintained in accordance with the manufacturer's specifications, instructions and operating manual(s).
2. The pressure drop across the baghouse shall be maintained within the range of 2.0 and 6.0 inches of water while the emissions unit is in operation.
3. The permittee shall not accept for the shredding operations any NESHAP Regulated Asbestos Containing Materials (RACM) as defined in the NESHAP for asbestos 40 CFR Part 61 Subpart M, section 141 amended November 20, 1990 or subsequent revisions.

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall perform daily checks, when the emissions unit is in operation and when the weather conditions allow, for any visible particulate emissions from the stack serving this emissions unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:
 - a. the color of the emissions;
 - b. whether the emissions are representative of normal operations;
 - c. if the emissions are not representative of normal operations, the cause of the abnormal emissions;
 - d. the total duration of any visible emission incident; and
 - e. any corrective actions taken to eliminate the visible emissions.
2. The permittee shall inspect the fabric filter at least once each week for proper operation and for changes that signal the potential for malfunctions, including, to the maximum extent possible without dismantling other than opening the device, the presence of tears, holes, and abrasions in filter bags and the presence of dust deposits on the clean side of the bags.
3. The permittee shall properly install, operate, and maintain equipment to monitor the pressure drop

across the baghouse while the emissions unit is in operation. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the baghouse on a daily basis.

D. Reporting Requirements

1. The permittee shall submit quarterly deviation (excursion) reports that identify all periods of operation for the emissions unit during which visible emissions occurred and shall include a copy of the visible emission monitoring records which show a deviation for that quarter. These deviation (excursion) reports shall be submitted in accordance with paragraph 2.b of the General Terms and Conditions.
2. The permittee shall submit pressure drop deviation (excursion) reports that identify all periods of time during which the pressure drop across the baghouse did not comply with the allowable range specified above. These deviation (excursion) reports shall be submitted in accordance with paragraph 2.b of the General Terms and Conditions.

E. Testing Requirements

1. Emission Limitation:

1.56 pounds of particulate matter per hour and 6.8 TPY

Applicable Compliance Method:

Compliance with the particulate matter emission limitation of 1.56 pounds per hour shall be determined in accordance with OAC rule 3745-17-03(B)(10). No testing is specifically required by this permit but, if appropriate, may be required pursuant to OAC rule 3745-15-04(A). Such testing may be required at opacity levels less than those required by the visible emissions limit in Section A.1.

To comply with the ton per year limitation, multiply the pound per hour limitation by the maximum operating hours of 8760 per year, and divide by the conversion factor of 2000 pounds per ton.

2. Emission Limitation:

Visible emissions shall not exceed 20 per cent opacity, as a six-minute average, from the stack,

except as provided by rule.

Applicable Compliance Method:

Compliance shall be based upon visible emissions observations in accordance with OAC rule 745-17-03(B)(1), using test method 9 of 40 CFR Part 60, Appendix A.

3. Emission Limitation:

Visible emissions of fugitive dust shall not exceed 20 per cent opacity, as a three-minute average.

Applicable Compliance Method:

Compliance shall be based upon visible emissions observations in accordance with OAC rule 3745-17-03(B)(3), using test method 9 of 40 CFR Part 60, Appendix A.

F. Miscellaneous Requirements

1. The permittee shall comply with any applicable State and federal requirements governing the storage, treatment, transport, and disposal of any waste material generated by the operation of the emissions unit.
2. The permittee is hereby notified that this permit, and all agency records concerning the operation of this permitted emissions unit are subject to public disclosure in accordance with OAC rule 3745-49-03.

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P902 - Shredder no. 2: 400 HP ring mill and a vibrating table	OAC rule 3745-31-05(A)(3)	Emissions of particulate matter shall not exceed 1.24 pounds per hour nor 5.4 TPY. See A.2.a below
	OAC rule 3745-17-07(A)(1)	See A.2.b below
	OAC rule 3745-17-07(B)(1)	See A.2.c below.
	OAC rule 3745-17-11(B)(1) (Table 1)	See A.2.d below
	OAC rule 3745-15-07	See A.2.e below

2. Additional Terms and Conditions

- 2.a. This facility is not located in an Appendix A area as described in OAC rule 3745-17-08; therefore, OAC rule 3745-17-08 does not apply to this emissions unit.
- 2.b. Visible particulate emissions from any stack shall not exceed 20 per cent opacity as a six-minute average, except as provided by rule.
- 2.c. Visible particulate emissions from any fugitive dust source shall not exceed 20 per cent opacity as a three-minute average.
- 2.d. This emissions limit is less stringent than the limit established through OAC rule

3745-31-05(A)(3).

- 2.e This facility agrees to these terms and conditions to avoid any such public nuisance.

B. Operational Restrictions

1. The permittee shall properly use, operate, and maintain a fabric filter control device to control particulate emissions from both emissions units P901 and P902. The baghouse installed on these emissions units for the control of particulate matter shall be operated and maintained in accordance with the manufacturer's specifications, instructions and operating manual(s).
2. The pressure drop across the baghouse shall be maintained within the range of 2.0 and 6.0 inches of water while the emissions unit is in operation.
3. The permittee shall not accept for the shredding operations any NESHAP Regulated Asbestos Containing Materials (RACM) as defined in the NESHAP for asbestos 40 CFR Part 61 Subpart M, section 141 amended November 20, 1990 or subsequent revisions.

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall perform daily checks, when the emissions unit is in operation and when the weather conditions allow, for any visible particulate emissions from the stack serving this emissions unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:
 - a. the color of the emissions;
 - b. whether the emissions are representative of normal operations;
 - c. if the emissions are not representative of normal operations, the cause of the abnormal emissions;
 - d. the total duration of any visible emission incident; and
 - e. any corrective actions taken to eliminate the visible emissions.
2. The permittee shall inspect the fabric filter at least once each week for proper operation and for changes that signal the potential for malfunctions, including, to the maximum extent possible without dismantling other than opening the device, the presence of tears, holes, and abrasions in

filter bags and the presence of dust deposits on the clean side of the bags.

3. The permittee shall properly install, operate, and maintain equipment to monitor the pressure drop across the baghouse while the emissions unit is in operation. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the baghouse on a daily basis.

D. Reporting Requirements

1. The permittee shall submit quarterly deviation (excursion) reports that identify all periods of operation for the emissions unit during which visible emissions occurred and shall include a copy of the visible emission monitoring records which show a deviation for that quarter. These deviation (excursion) reports shall be submitted in accordance with paragraph 2.b of the General Terms and Conditions.
2. The permittee shall submit pressure drop deviation (excursion) reports that identify all periods of time during which the pressure drop across the baghouse did not comply with the allowable range specified above. These deviation (excursion) reports shall be submitted in accordance with paragraph 2.b of the General Terms and Conditions.

E. Testing Requirements

1. Emission Limitation:

1.24 pounds of particulate matter per hour and 5.4 TPY

Applicable Compliance Method:

Compliance with the particulate matter emission limitation of 1.24 pounds per hour shall be determined in accordance with OAC rule 3745-17-03(B)(10). No testing is specifically required by this permit but, if appropriate, may be required pursuant to OAC rule 3745-15-04(A). Such testing may be required at opacity levels less than those required by the visible emissions limit in Section A.1.

To comply with the ton per year limitation, multiply the pound per hour limitation by the maximum operating hours of 8760 per year, and divide by the conversion factor of 2000 pounds per ton.

2. Emission Limitation:

Visible emissions shall not exceed 20 per cent opacity, as a six-minute average, from the stack, except as provided by rule.

Applicable Compliance Method:

Compliance shall be based upon visible emissions observations in accordance with OAC rule 745-

17-03(B)(1), using test method 9 of 40 CFR Part 60, Appendix A.

3. Emission Limitation:

Visible emissions of fugitive dust shall not exceed 20 per cent opacity, as a three-minute average.

Applicable Compliance Method:

Compliance shall be based upon visible emissions observations in accordance with OAC rule 3745-17-03(B)(3), using test method 9 of 40 CFR Part 60, Appendix A.

F. Miscellaneous Requirements

- 1.** The permittee shall comply with any applicable State and federal requirements governing the storage, treatment, transport, and disposal of any waste material generated by the operation of the emissions unit.
- 2.** The permittee is hereby notified that this permit, and all agency records concerning the operation of this permitted emissions unit are subject to public disclosure in accordance with OAC rule 3745-49-03.

NEW SOURCE REVIEW FORM B

PTI Number: 16-02091 Facility ID: 1677000575

FACILITY NAME Commercial Alloys Corp

FACILITY DESCRIPTION Two (2) aluminum scrap shredders. CITY/TWP Twinsburg Twp

Emissions Unit ID: P902

SIC CODE 5093 SCC CODE 3-03-888-01 EMISSIONS UNIT ID P901

EMISSIONS UNIT DESCRIPTION Shredder no. 1: 1250 HP hammer mill with a vibrating table and a double deck screener

DATE INSTALLED April 2001

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter		1.09 pounds/hour	4.8	1.56 pounds/hour	6.8
PM ₁₀					
Sulfur Dioxide					
Organic Compounds					
Nitrogen Oxides					
Carbon Monoxide					
Lead					
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS? NESHAP? PSD? OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

minimizing fugitive dust and visible particulate emissions, use of fabric filter

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? no

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? YES x NO

IDENTIFY THE AIR CONTAMINANTS:

19 NEW SOURCE REVIEW FORM B

PTI Number: 16-02091

Facility ID: 1677000575

FACILITY NAME Commercial Alloys Corp

FACILITY DESCRIPTION Two (2) aluminum scrap shredders.

CITY/TWP Twinsburg Twp

Emissions Unit ID: **P902**

SIC CODE 5093

SCC CODE 3-03-888-01

EMISSIONS UNIT ID P902

EMISSIONS UNIT DESCRIPTION Shredder no. 2: 400 HP ring mill and a vibrating table

DATE INSTALLED April 2001

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter		0.85 pounds/hour	3.7	1.24 pounds/hour	5.4
PM ₁₀					
Sulfur Dioxide					
Organic Compounds					
Nitrogen Oxides					
Carbon Monoxide					
Lead					
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS? NESHAP? PSD? OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

minimizing fugitive dust and visible particulate emissions, use of fabric filter

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? no

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? YES x NO

IDENTIFY THE AIR CONTAMINANTS: