State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL** **CERTIFIED MAIL**
**SUMMIT COUNTY**

Street Address: 122 S. Front Street
Lazarus Gov. Center **TELE:** (614) 644-3020 **FAX:** (614) 644-2329
Mailing Address: Lazarus Gov. Center P.O. Box 1049

**Application No: 16-02026**

**DATE: 3/29/00**

Akron Foundry Company
Larry Pettry
2728 Wingate Avenue
Akron, OH 44314

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
236 East Town Street, Room 300
Columbus, Ohio 43215

Very truly yours,

Thomas G. Rigo

Thomas G. Rigo, Manager
Field Operations and Permit Section
Division of Air Pollution Control

CC: **USEPA** **ARAQMD**

## FINAL PERMIT TO INSTALL 16-02026

| | |
|---|---|
| Application Number: | 16-02026 |
| APS Premise Number: | 1677010219 |
| Permit Fee: | **$400** |
| Name of Facility: | Akron Foundry Company |
| Person to Contact: | Larry Pettry |
| Address: | 2728 Wingate Avenue<br>Akron, OH 44314 |

Location of proposed air contaminant source(s) [emissions unit(s)]:
**2728 Wingate Avenue**
**Akron**, **Ohio**

Description of proposed emissions unit(s):
**Aluminum Reverbatory Furnace.**

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

## Part I - GENERAL TERMS AND CONDITIONS

### A. Permit to Install General Terms and Conditions

#### 1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

#### 2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.

b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

#### 3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

#### 4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized

representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

**5. Scheduled Maintenance/Malfunction Reporting**

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

**6. Permit Transfers**

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

**7. Air Pollution Nuisance**

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

**8. Termination of Permit to Install**

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

**9. Construction of New Sources(s)**

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio

Environmental Protection Agency if the proposed sources are inadequate or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities prove to be inadequate or cannot meet applicable standards.

**10. Public Disclosure**

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

**11. Applicability**

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit to Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

**12. Best Available Technology**

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

**13. Source Operation and Operating Permit Requirements After Completion of Construction**

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within thirty (30) days after commencing operation of the emissions unit(s) covered by this permit.

**14. Construction Compliance Certification**

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

**15. Fees**

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

## B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

**SUMMARY (for informational purposes only)**

### TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

| Pollutant | Tons Per Year |
|---|---|
| particulate matter | 4.4 |
| nitrogen oxides | 3.5 |

Emissions Unit ID: **P055**

**PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**

**A. Applicable Emissions Limitations and/or Control Requirements**

**1.** The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| Operations, Property, and/or Equipment | Applicable Rules/Requirements | Applicable Emissions Limitations/Control Measures |
|---|---|---|
| Aluminum-Melting Reverbatory Furnace - natural gas-fired, maximum rated heat input @ 4.0 million Btu/hr, batch operation, maximum process weight rate capacity @ 1300 lbs/hr, air pollutant emissions uncontrolled and hooded/vented to a stack | OAC rule 3745-31-05 | 20% opacity from any stack, as a 6-minute average<br><br>1.0 lb/hr and 4.4 tpy of particulate matter<br><br>0.8 lb/hr and 3.5 tpy of nitrogen oxides<br><br>See sections A.2 and B.1 through B.6 below for additional requirements of OAC rule 3745-31-05. |
| | OAC rule 3745-17-07 | The visible particulate emissions limitation required by OAC rule 3745-17-07 is less stringent than the visible particulate emissions limitation established pursuant to OAC rule 3745-31-05. |
| | OAC rule 3745-17-11 | The mass particulate emissions limitation required by OAC rule 3745-17-11 is less stringent than the mass particulate emissions limitation established pursuant to OAC rule 3745-31-05. |

**2. Additional Terms and Conditions**

**2.a** The permittee shall properly design, fabricate, install, operate, and maintain the emissions unit covered under this permit to the extent possible with good engineering

practice.

**2.b** Based upon application data, the above particulate matter and nitrogen oxides emission limitations (regulated under OAC rule 3745-31-05) are greater than the potential to emit for this emissions unit. Therefore, no recordkeeping, reporting, nor emissions calculations are required to demonstrate compliance with these emission limitations.

## B. Operational Restrictions

**1.** The permittee shall employ only natural gas as fuel in this emissions unit.

**2.** The aluminum melting furnace shall only be charged with pure, clean, and dry bar stock and sawed-off pieces of solid aluminum. Aluminum chips or turnings from machining shall not be employed in this emissions unit.

**3.** The permittee shall not process materials containing oil, grease, paint, plastics or paper in this emissions unit.

**4.** Aluminum containing heavy metals, such as lead, cadmium, or mercury, shall not be processed in this emissions unit.

**5.** The permittee shall not process articles that contain polychlorinated biphenyls (PCBs) or polyvinyl chloride (PVC) in this emissions unit.

**6.** The permittee shall not use chlorine gas for any purpose in this emissions unit.

## C. Monitoring and/or Recordkeeping Requirements

**1.** The permittee shall document the usage (and the quantity in pounds) of chlorine gas for any purpose in this emissions unit.

## D. Reporting Requirements

**1.** The permittee shall notify the Director (the appropriate District Office or local air agency) in writing of any record in which chlorine gas was used for any purpose in this emissions unit. The notification shall include a copy of such record and shall be sent to the Director (the appropriate District Office or local air agency) within 30 days after the chlorine gas usage.

## E. Testing Requirements

**1.** Compliance with the emission limitations in Section A.1 of these terms and conditions shall be determined in accordance with the following methods:

**a.** Emission Limitation: 20% opacity from any stack, as a 6-minute average

Applicable Compliance Method: USEPA Method 9, 40 CFR Part 60, Appendix A.

**b.** Emission Limitations: 1.0 lb/hr and 4.4 tpy of particulate matter

Applicable Compliance Method: The permittee shall demonstrate compliance with the above limitations based upon the calculation of hourly and yearly potential particulate matter emissions specified below:

PTEh = (PWRmax) x (EFp) + (HImax) x (EFc)
PTEy = (PTEh) x (8760 hrs/yr) x (1 ton/2000 lbs)

where:

PTEh = 0.8 lb/hr of particulate matter (hourly potential to emit);
PTEy = 3.4 tpy of particulate matter (yearly potential to emit);
PWRmax = 1300 lbs/hr of aluminum metal processed (maximum process weight rate capacity);
EFp = 1.1 lbs of particulates/ton of aluminum metal processed;
HImax = 4.0 mmBtu/hr (maximum rated heat input); and
EFc = 0.017 lb of particulates/mmBtu heat input

[Note: the above emission factors, EFp and EFc are taken from **STAPPA/ALAPCO**, published 5/30/91, Tables 11-1 and 11-2.]

If necessary, the permittee may be required to demonstrate compliance of the above limitations by testing in accordance with USEPA Method 5, 40 CFR Part 60, Appendix A.

**c.** Emission Limitations: 0.8 lb/hr and 3.5 tpy of nitrogen oxides

Applicable Compliance Method: The permittee shall demonstrate compliance with the above limitations based upon the calculation of hourly potential nitrogen oxides emissions specified below:

PTEh = (HImax) x (EFc)

PTEy = (PTEh) x (8760 hrs/yr) x (1 ton/2000 lbs)

where:

PTEh = 0.6 lb/hr of nitrogen oxides (hourly potential to emit);
PTEy = 2.6 tpy of nitrogen oxides (yearly potential to emit);
HImax = 4.0 mmBtu/hr (maximum rated heat input); and
EFc = 0.150 lb of nitrogen oxides/mmBtu heat input

[Note: the above emission factor, EFc is taken from **STAPPA/ALAPCO**, published 5/30/91, Table 11-1.]

If necessary, the permittee may be required to demonstrate compliance of the above limitations by testing in accordance with USEPA Method 7E, 40 CFR Part 60, Appendix A.

## F. Miscellaneous Requirements

**1.** Pursuant to Engineering Guide #69, modeling to demonstrate compliance with the Ohio EPA's Air Toxic Policy was not necessary since the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would result in an increase in emissions of any pollutant that has a listed TLV to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.