

*Air - Cosh.
Cosh Landfill
Permit*

OHIO ENVIRONMENTAL PROTECTION AGENCY (PERMIT-TO-INSTALL)

OHIO E.P.A.
FEB 22 2002
ENTERED DIRECTOR'S JOURNAL

Application No.: 06-5547
Application Received: July 13, 1998
Solid Waste Permit Fee: \$43,939.00
Solid Waste Permit Fee Balance: \$43,539.00
Air Permit Fee: \$400.00

Applicant: Coshocton Landfill, Inc. (a subsidiary of Waste Management, Inc.)
Address: 19484 County Road 7
City, State, Zip: Coshocton, Ohio 43812
Telephone: (740) 622-5590

Name: Coshocton Sanitary Landfill
Location: Located south of Coshocton County Road 7 and 1/2 mile east of State Route 83 in Tuscarawas and Franklin Townships, Coshocton County.
PTI: Vertical and Lateral Expansion

Issuance Date: FEB 22 2002

Effective Date: FEB 22 2002

The above named entity is hereby issued a permit approval (permit-to-install) for the above described source pursuant to Chapter 3745-31 of the Ohio Administrative Code (OAC). Issuance of this permit approval (permit-to-install) does not constitute expressed or implied approval or agreement that, if constructed and/or modified in accordance with the plans, specifications and/or information accompanying the permit application, the above described source of environmental pollutants will operate in compliance with applicable State and Federal laws, rules and regulations, and does not constitute expressed or implied assurances that if constructed and/or modified in accordance with those plans, specifications and/or information accompanying the permit application, the above described source of environmental pollutants will be granted the necessary operating permits and/or licenses. This permit approval (permit-to-install) is issued subject to the attached conditions which are hereby incorporated and made a part hereof.

Ohio Environmental Protection Agency

by Christopher Jones
Christopher Jones, Director

2002 APR -2 A:10:50
O.E.P.A.
S.E.D.O.

I certify this to be a true and accurate copy of the official document as filed in the records of the Ohio Environmental Protection Agency.

By Zona L. Clements Date 2-22-02

3. Issuance of this permit approval does not relieve the applicant of the duty to comply with all applicable federal, state, and local laws, ordinances, and regulations.
4. This permit approval shall apply only to those facilities shown on the plans submitted as part of PTI Application Number 06-5547.
5. The landfill's authorized maximum daily waste receipt is 1500 tons.
6. This permit approval may be modified, or alternatively revoked and reissued, to comply with any revisions to OAC Chapters 3745-27 and 3745-31 applicable to this municipal solid waste disposal facility.
7. The permittee shall provide for the proper maintenance and operation of the municipal solid waste facility in accordance with the provisions of OAC Chapter 3745-27.
8. Nothing in this permit approval shall be interpreted to release the permittee from responsibility under Chapters 3704, 3714, 3734, or 6111 of the Ohio Revised Code (ORC); under the Federal Clean Water Act or the Comprehensive Environmental Response, Compensation, and Liability Act; or from other applicable laws for remedying conditions resulting from any release of contaminants to the environment.
9. Ohio EPA, Southeast District Office (SEDO) and the Coshocton County Health Department shall be notified of the construction starting date prior to the start of construction on each of the facility's phases so that construction of this facility can be routinely inspected by the Ohio EPA, SEDO and the Coshocton County Health Department before the phase(s) are placed in operation.
10. This permit approval does not include approval for the acceptance of any hazardous or infectious wastes, except for those excluded from hazardous waste or infectious waste regulation by ORC Chapter 3734.
11. The permittee shall perform the following activities during construction and operation of the facility in accordance with the cited provisions of OAC Chapter 3745-27 as follows:
 - a. The test pad required by OAC Rule 3745-27-08(C)(1)(m) shall be constructed and a report containing the test results shall be submitted to Ohio EPA, SEDO no later than 14 days prior to the initial construction date of the landfill component which the test pad models.

15. In lieu of conducting trial seams every four hours for the purpose of testing the seaming apparatus in use each day in accordance with OAC Rule 3745-27-08(C)(2)(g)(i), the permittee shall comply with the alternative testing procedure proposed in Section 5.5 of the Quality Assurance/Control Plan.
16. In lieu of performing destructive testing for peel and shear for every 500 feet of seam length on the flexible membrane liner in accordance with OAC Rule 3745-27-08(C)(2)(g)(iii), the permittee shall comply with the alternative testing procedure proposed in Section 5.8.1 of the Quality Assurance/Control Plan.
17. Pursuant to ORC Sections 3745.11(Q) and (V), payment of the solid waste permit-to-install fee balance, in the amount of \$43,539.00 payable to "Treasurer, State of Ohio", shall be submitted to Ohio EPA, Attn: Fiscal Administration, P.O. Box 1049, Columbus, Ohio, 43216-1049. The fee balance shall be submitted within 30 days of the effective date of this permit approval. Failure to timely submit the required fee balance will result in assessment of late penalties in accordance with ORC Sections 3745.11(Q) and (V).
18. The permittee shall fund a new financial assurance instrument or increase the amount listed on the existing financial assurance instrument in accordance with OAC Rules 3745-27-15, 3745-27-16, and 3745-27-17 for the current cost estimates of the facility, including the costs for the newly authorized disposal area, prior to waste acceptance in any disposal area newly authorized by this permit to install.

OAC Rule 3745-27-07(H)(4)(d) and "Deemed Acceptable"

OAC Rule 3745-27-07(H)(4)(d) states that "the limits of solid waste placement of the sanitary landfill facility are not located within two hundred feet of a stream, lake, or wetland, unless deemed acceptable to the director."

Future waste placement proposed within 200 feet of a wetland is hereby deemed acceptable provided that any facility construction activities subject to the requirements of Sections 401 and/or 404 of the Clean Water Act (33 United States Code Sections 1341 and 1344) shall not occur without first obtaining the applicable permits from Ohio EPA.

- i. Reports of any required monitoring and/or recordkeeping of federally enforceable information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- ii. Quarterly written reports of (i) any deviations from federally enforceable emission limitations, operational restrictions, and control device operating parameter limitations, excluding deviations resulting from malfunctions reported in accordance with OAC Rule 3745-15-06, that have been detected by the testing, monitoring and recordkeeping requirements specified in this permit, (ii) the probable cause of such deviations, and (iii) any corrective actions or preventive measures taken, shall be made to the appropriate Ohio EPA District Office or local air agency. The written reports shall be submitted quarterly, i.e., by January 31, April 30, July 31 and October 31 of each year and shall cover the previous calendar quarters. See B.11 below if no deviations occurred during the quarter.
- iii. Written reports, which identify any deviations from the federally enforceable monitoring, recordkeeping, and reporting requirements contained in this permit shall be submitted to the appropriate Ohio EPA District Office or local air agency every six months, i.e., by January 31 and July 31 of each year for the previous six calendar months. If no deviations occurred during a six-month period, the permittee shall submit a semi-annual report, which states that no deviations occurred during that period.
- iv. Each written report shall be signed by a responsible official certifying that, based on information and belief formed after reasonable inquiry, the statements and information in the report are true, accurate, and complete.

2. **Scheduled Maintenance/Malfunction Reporting**

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC Rule 3745-15-06. The malfunction, i.e., upset, of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC Rule 3745-15-06. (The definition of an upset condition shall be the same as that

activity in order to maintain compliance with the federally enforceable terms and conditions of this permit.

- c. This permit may be modified, reopened, revoked, or revoked and reissued, for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or revocation, or of a notification of planned changes or anticipated noncompliance does not stay any term and condition of this permit.
- d. This permit does not convey any property rights of any sort, or any exclusive privilege.
- e. The permittee shall furnish to the director, or an authorized representative of the director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon request, the permittee shall also furnish to the director or an authorized representative of the director, copies of records required to be kept by this permit. For information claimed to be confidential in the submittal to the director, if the Administrator of the U.S. EPA requests such information, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality.

7. Fees

The permittee shall pay fees to Ohio EPA in accordance with ORC Section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit To Install fees within 30 days after the issuance of this Permit To Install.

8. Federal and State Enforceability

Only those terms and conditions designated in this permit as federally enforceable, that are required under the Act, or any of its applicable requirements, including relevant provisions designed to limit the potential to emit of a source, are enforceable by the Administrator of the U.S. EPA, the State, and citizens under the Act. All other terms and conditions of this permit shall not be federally enforceable and shall be enforceable under State law only.

- ii. An explanation of why any dates in any schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.

10. Permit To Operate Application

- a. If the permittee is required to apply for a Title V permit pursuant to OAC Chapter 3745-77, the permittee shall submit a complete Title V permit application or a complete Title V permit modification application within 12 months after commencing operation of the emissions units covered by this permit. However, if the proposed new or modified source(s) would be prohibited by the terms and conditions of an existing Title V permit, a Title V permit modification must be obtained before the operation of such new or modified source(s) pursuant to OAC Rule 3745-77-04(D) and OAC Rule 3745-77-08(C)(3)(d).
- b. If the permittee is required to apply for permit(s) pursuant to OAC Chapter 3745-35, the source(s) identified in this Permit To Install is (are) permitted to operate for a period of up to one year from the date the source(s) commenced operation. Permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within 30 days after commencing operation of the source(s) covered by this permit.

11. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

B. State Only Enforceable Permit To Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit To Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the director within a reasonable time before the termination date and the party shows good cause for any such extension.

6. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the director. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the permit conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio EPA if the proposed sources are inadequate or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the director approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit To Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit To Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio EPA if the proposed facilities prove to be inadequate or cannot meet applicable standards.

7. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC Rule 3745-49-03.

Methane	2413.6
NMOC	52.9

Part II - FACILITY SPECIFIC TERMS AND CONDITIONS

A. State and Federally Enforceable Permit To Install Facility Specific Terms and Conditions

None

B. State Only Enforceable Permit To Install Facility Specific Terms and Conditions

None

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
F001 - MSW Landfill (Terms in this permit supersede those identified in PTI # 06-2076 issued September 28, 1993) (See A.1.2.a.below)	OAC Rule 3745-31-05(A)(3)	The requirements established pursuant to this rule also include compliance with the requirements of 40 CFR Part 60, Subpart WWW. Emissions of non-methane organic compounds (NMOC) shall not

months after the first annual report in which the emission rate equals or exceeds 50 megagrams per year, unless Tier 2 or Tier 3 sampling demonstrates that the emission rate is less than 50 megagrams per year, as specified in 40 CFR Part 60.757(c)(1) or (2);

- iii. route all the collected gas to a control system in accordance with 40 CFR Part 60.752(b)(2)(iii); and
- iv. operate the collection system and control device in accordance with 40 CFR Part 60.753, 40 CFR Part 60.755, and 40 CFR Part 60.756.

If the permittee is required to install a collection and control system, it shall be necessary to modify this permit.

- b. If this emissions unit is permanently closed, a closure notification, as provided for in 40 CFR Part 60.757(d), shall be submitted to the Ohio EPA, Southeast District Office.
- c. Upon promulgation, the permittee shall comply with the requirements in 40 CFR Part 63, Subpart AAAA, National Emissions Standards for Hazardous Air Pollutants; Municipal Solid Waste Landfills.
- d. The facility operation activities that are covered by this permit and subject to the above-mentioned requirements are listed below:

Landfill operations associated with the load-in of MSW
Wind erosion from the surface of the landfill

- e. The permittee shall employ best available control measures on all landfill operations associated with the load-in of MSW for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to watering of dusty materials, either prior to dumping or during dumping, and good operating practices to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.

of the Ohio EPA is a violation of the NESHAP for Asbestos (40 CFR Part 61, Subpart M) and OAC Chapter 3745-31.

2. There shall be no open burning, in violation of OAC Chapter 3745-19, at this facility.

III. Monitoring and/or Recordkeeping Requirements

1. Pursuant to 40 CFR Part 60.758, this facility shall keep readily accessible, on-site, up-to-date records of the maximum design capacity of the landfill, the current amount of solid waste in place, and the year-by-year waste acceptance rate.
2. The initial calculated NMOC emission rate for this emissions unit was less than 50 megagrams (55 tons) per year. Pursuant to 40 CFR Part 60.752(b), the permittee shall recalculate the NMOC emission rate annually. The NMOC emission rate shall be calculated using the procedures specified in 40 CFR Part 60.754(a)(1).
3. Except as otherwise provided in this section, the permittee shall perform inspections of each MSW load-in operation at each MSW storage pile in accordance with the following frequencies:

Landfill cell identification Minimum load-in inspection frequency

Active cell(s) Daily

4. Except as otherwise provided in this section, the permittee shall perform inspections of the wind erosion from MSW landfill cell surfaces in accordance with the following frequencies:

Landfill cell identification Minimum wind erosion inspection frequency

Active cell(s) Daily
Closed cell(s) Weekly

5. No inspection shall be necessary for wind erosion from the surface of a MSW landfill cell when the cell is covered with snow and/or ice and for any landfill cell activity if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements. Any required inspection that is not

IV. Reporting Requirements

1. Except as provided for in Section A.IV.2. below, the permittee shall submit annual NMOC emission rate reports as required by 40 CFR Part 60.757(b)(1). The reports shall contain an annual or 5-year estimate of the NMOC emission rate calculated using the formula and procedures provided in 40 CFR Part 60.754(a) or (b), as applicable, and all the data, calculations, sample reports and measurements used to estimate the annual or 5-year emissions. This report shall no longer be required when the collection system and control device are in operation, or the landfill is closed.
2. If the estimated NMOC emission rate, as reported in the annual report to the Ohio EPA Southeast District Office, is less than 50 megagrams (55 tons) per year in each of the next five (5) consecutive years, the permittee may elect to submit an estimate of the NMOC emission rate for the next five (5)-year period in lieu of the annual report. This estimate shall include the current amount of solid waste-in-place and the estimated waste acceptance rate for each year of the five (5) years for which an NMOC emission rate is estimated. All data and calculations upon which this estimate is based shall be provided to the Ohio EPA Southeast District Office. This estimate shall be revised at least once every five (5) years. If the actual waste acceptance rate exceeds the estimated waste acceptance rate in any year reported in the five (5)-year estimate, a revised five (5)-year estimate shall be submitted to the Ohio EPA Southeast District Office. The revised estimate shall cover the five (5)-year period beginning with the year in which the actual waste acceptance rate exceeded the estimated waste acceptance rate.
3. The permittee shall submit deviation reports that identify any of the following occurrences:
 - a. each day (week for closed cell) during which an inspection was not performed by the required frequency, excluding an inspection which was not performed due to an exemption for snow and/or ice cover or precipitation; and
 - b. each instance when a control measure, that was to be implemented as a result of an inspection, was not implemented.

c. Emissions Limitation:

Emissions of VOC shall not exceed 42.3 TPY

Applicable Compliance Method:

Emissions were predicted by USEPA's Landfill estimation model. The highest annual emission rate predicted would be in 2028, one year prior to closure in 2029.

d. Emissions Limitation:

Total emissions of HAP shall not exceed 7.9 TPY

Applicable Compliance Method:

Emissions were predicted by USEPA's Landfill estimation model. The highest annual emission rate predicted would be in 2028, one year prior to closure in 2029.

2. Compliance with the visible emission limitation identified above shall be determined in accordance with Test Method 9 as set forth in "Appendix on Test Methods" in 40 CFR, Part 60 ("Standards of Performance for New Stationary Sources"), as such Appendix existed on July 1, 1996, and the modifications listed in paragraphs (B)(3)(a) and (B)(3)(b) of OAC Rule 3745-17-03.

3. Emission Limitation:

Fugitive particulate emissions (PE) from landfill operations shall not exceed 1 ton per year.

Applicable Compliance Method:

Compliance shall be demonstrated by employing the emission factor (pounds per ton) derived from the equations in AP-42, Compilation of Air Pollution Emission Factors, Chapter 13.2.4-3 (1/95), for aggregate handling and storage piles and applying a control factor of 50% for the application of water.

V. Testing Requirements

None

VI. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC Rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

facility construction,
including storage piles
(see section A.1.2.c)

no visible particulate
emissions except for 3
minutes during any
60-minute period

best available control
measures that are
sufficient to minimize
or eliminate visible
emissions of fugitive dust
(see sections A.1.2.g,
A.1.2.h and A.1.2.j
through A.1.2.l)

Fugitive PE from facility
construction, including
storage piles, shall not
exceed 70.2 TPY.

2. Additional Terms and Conditions

- a. The paved roadways and parking areas that are covered by this permit and subject to the above-mentioned requirements are listed below:

paved roadways: Roadway #1

paved parking areas: none

- b. The unpaved roadways and parking areas that are covered by this permit and subject to the above-mentioned requirements are listed below:

unpaved roadways: Roadways #2 through #6

unpaved parking areas: none

- c. The facility construction activities that are covered by this permit and subject to the above-mentioned requirements are listed below:

- g. The permittee shall employ best available control measures on all construction areas, including storage piles, for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to treat the construction areas, including storage piles, with water spray at sufficient treatment frequencies to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.
- h. The needed frequencies of implementation of the control measures shall be determined by the permittee's inspections pursuant to the monitoring section of this permit. Implementation of the control measures shall not be necessary for a paved or unpaved roadway or parking area or construction area, including storage piles, that is covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements. Implementation of any control measure may be suspended if unsafe or hazardous driving conditions would be created by its use.
- i. Any unpaved roadway or parking area, which during the term of this permit is paved or takes the characteristics of a paved surface due to the application of certain types of dust suppressants, may be controlled with the control measure(s) specified above for paved surfaces. Any unpaved roadway or parking area that takes the characteristics of a paved roadway or parking area due to the application of certain types of dust suppressants shall remain subject to the visible emission limitation for unpaved roadways and parking areas. Any unpaved roadway or parking area that is paved shall be subject to the visible emission limitation for paved roadways and parking areas.
- j. The permittee shall promptly remove, in such a manner as to minimize or prevent resuspension, earth and/or other material from paved streets onto which such material has been deposited by trucking or earth moving equipment or erosion by water or other means.

3. The permittee may, upon receipt of written approval from the Ohio EPA Southeast District Office, modify the above-mentioned inspection frequencies if operating experience indicates that less frequent inspections would be sufficient to ensure compliance with the above-mentioned applicable requirements.
4. The permittee shall maintain records of the following information:
 - a. the date and reason any required inspection was not performed, including those inspections that were not performed due to snow and/or ice cover or precipitation;
 - b. the date of each inspection where it was determined by the permittee that it was necessary to implement the control measures;
 - c. the dates the control measures were implemented; and
 - d. on a calendar quarter basis, the total number of days the control measures were implemented and the total number of days where snow and/or ice cover or precipitation were sufficient to not require the control measures.

The information required in section A.III.4.d shall be kept separately for (i) the paved roadways and parking areas, (ii) the unpaved roadways and parking areas and (iii) construction areas, including storage piles, and shall be updated on a calendar quarter basis within 30 days after the end of each calendar quarter.

IV. Reporting Requirements

1. The permittee shall submit deviation reports that identify any of the following occurrences:
 - a. each day during which an inspection was not performed by the required frequency, excluding an inspection which was not performed due to an exemption for snow and/or ice cover or precipitation; and
 - b. each instance when a control measure, that was to be implemented as a result of an inspection, was not implemented.

from the equations in AP-42, Compilation of Air Pollution Emission Factors, Chapter 13.2.1 (10/97), for paved roadways and parking areas, and Chapter 13.2.2 (9/98), for unpaved roadways and parking areas and applying a control factor of 80% for the application of water and surface improvements.

c. Emission Limitation:

Fugitive particulate emissions from facility construction, including storage piles, shall not exceed 70.2 TPY.

Applicable Compliance Method:

Compliance shall be demonstrated by employing the emission factors contained in "Air Resources Protection, Dust Emissions Estimate and Control Plan", No. 2540-FM-LRWM0391a8/95; 1995; pg. 4, produced by the Commonwealth of Pennsylvania Department of Environmental Protection, Bureau of Land Recycling and Waste Management, and applying a control factor of 50% for the application of water.

VI. Miscellaneous Requirements

None

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Coshocton Sanitary Landfill, Coshocton County
PTI Number 06-5547
Page 35 of 35

Pursuant to ORC Section 3745.11(B), payment of the Air Pollution Control permit-to-install fee, in the amount of \$1,200.00 payable to "Treasurer, State of Ohio", shall be submitted to Ohio EPA, Attn: Fiscal Administration, P.O. Box 1049, Columbus, Ohio, 43216-1049. The fee shall be submitted within 30 days of the effective date of this permit. Failure to timely submit the required permit fee will result in assessment of late penalties in accordance with OAC Rule 3745-78-05.

END OF PERMIT CONDITIONS