



State of Ohio Environmental Protection Agency

PERMIT TO OPERATE AN AIR CONTAMINANT SOURCE

U.E.P.A.
S.E.D.O.
1992 SEP 17 AM 9:32

Date of Issuance 09/18/92

Application No. 0660000023P001

Effective Date 09/18/92

Permit Fee \$100

This document constitutes issuance to:

OHIO PLASTIC CO
2ND ST
FRAZEYBURG

OHIO 43822

of a permit to operate for:

DRYING OVEN
BAKE OVEN

The following terms and conditions are hereby expressly incorporated into this permit to operate:

1. This permit to operate shall be effective until 09/18/95
You will be contacted approximately six months prior to this date regarding the renewal of this permit. If you are not contacted, please write to the appropriate Ohio EPA field office.
2. The above-described source is and shall remain in full compliance with all applicable State and federal laws and regulations and the terms and conditions of this permit.
3. Prior to any modification of this source, as defined in rule 3745-31-01 of the Ohio Administrative Code (OAC), a permit to install must be granted by the Ohio EPA pursuant to OAC Chapter 3745-31.
4. The Director of the Ohio EPA or an authorized representative may, subject to the safety requirements of the permit holder, enter upon the premises of this source at any time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State and federal air pollution laws and regulations and the terms and conditions of this permit.
5. A permit fee in the amount specified above must be remitted within 15 days from the issuance date of this permit.
6. Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA field office must be notified in writing of any transfer of this permit.
7. This source and any associated air pollution control system(s) shall be maintained regularly in accordance with good engineering practices in order to minimize air contaminant emissions. Any malfunction of this source or any associated air pollution control system(s) shall be reported immediately to the appropriate Ohio EPA field office in accordance with OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of this source.
8. Any unauthorized or emergency release of an air contaminant from this source which, due to the toxic or hazardous nature of the material, may pose a threat to public health, or otherwise endanger the safety or welfare of the public, shall be reported immediately to the appropriate Ohio EPA field office (during normal business hours) or to the Ohio EPA's Emergency Response Group (1-800-282-9378). (Additional reporting may be required pursuant to the federal Comprehensive Environmental Response, Compensation, and Liability Act.)

OHIO EPA, SOUTHEAST DISTRICT OFFICE
AIR POLLUTION GROUP 2195 FRONT ST.
LOGAN, OH 43138 (614) 385-8501

10. If this term and condition is checked, the permit holder is subject to the attached special terms and conditions.

OHIO ENVIRONMENTAL PROTECTION AGENCY

Donald R. Schreyer

Director

APPLICATION NUMBER: 0660000023 P001
FACILITY NAME: OHIO PLASTIC CO.
EQUIPMENT DESCRIPTION: DRYING OVEN
COMPANY ID: BAKE OVEN

SPECIAL TERMS AND CONDITIONS

1. Applicable Rules:

The following rules of the Ohio Administrative Code establish the applicable emission limitations and/or control requirements for this source:

3745-31-05
3745-21-07

(This condition in no way limits the applicability of other requirements of the Ohio Administrative Code to this source.)

2. Allowable Mass Emission Limitation(s) and/or Control Requirements:

Emissions shall not exceed 15 lbs of organic materials in any one day nor 3 lbs of organic materials in any one hour.

3. Record Keeping and Reporting Requirements:

This facility shall maintain daily records which list the following information for each surface coating or ink employed in this source for each spray booth and each oven:

- a. The company identification of the surface coating;
- b. the number of gallons employed;
- c. the VOC content, in pounds of VOC per gallon of coating;
- d. the VOC content, in pounds of VOC per gallon of coating, minus water;
- e. the water content, in percent by volume;
- f. the nonvolatile (solids) content, in percent by volume;
- g. whether or not the employed coating is photochemically reactive; and
- h. calculated hourly and daily rates or emission based on usage rates of coatings.

These daily records, as well as any supporting coating or ink analyses and computations, shall be retained in the company's files for a period of not less than two years and shall be made available to the Director or any authorized representative of the Director for review during normal business hours.

Ohio Plastic Co.
0660000023 P001
Page 2

This facility shall submit quarterly reports to the Southeast District Office which summarize the following information for each coating employed in this source during the previous three calendar months: company identification of the surface coating, the total number of gallons employed, the VOC content (in pounds VOC per gallon of coating, minus water), the water content, the non-volatile (solids) content, and the calculated hourly and daily rates of emissions of organic materials by booth and oven. The reports shall be submitted by February 15, May 15, August 15 and November 15 of each year and shall cover the previous three calendar months (October through December, January through March, April through June and July through September, respectively).

These quarterly reports shall also summarize the emissions from this source during the previous quarter (three calendar months) and during the previous year (four quarters). Compliance with the annual emission limit shall be based on quarterly calculations using an arithmetic average of all data for the preceding four quarters.

Prepared by: Dean Ponchar 
Date prepared: August 25, 1992

DP/bje