

SF

Re: Baltic  
Application for Schutte, Hammermill, Jacobson Mixer, California  
Pelletmill and York - Shipley Boiler  
Received September 11, 1975  
From Gerber and Sons, Inc.

September 29, 1975

P. Dean Gerber  
P. O. Box 248, 101 South Ray Street  
Baltic, Ohio 43804

RECEIVED  
SEP 30 1975  
Ohio Environmental Protection Agency  
SOUTHEAST DISTRICT

Gentlemen:

Enclosed is the Ohio EPA Permit To Install which will allow you to install the described source in the manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

As indicated on the permit, you are required to pay a permit fee as provided for in Ohio EPA regulation EP-39-02. The exact amount of this fee is indicated on page 1 of the Permit To Install. This amount must be remitted within fifteen (15) days of the effective date of the Permit To Install. Checks should be made payable to: Treasurer, State of Ohio and sent to Ohio EPA, New Source Permits Record Section, 361 East Broad Street, Columbus, Ohio 43215.

Under Ohio Revised Code, Chapters 119 and 3704, this permit will take effect on the date indicated unless you or an objector requests an adjudication hearing within thirty (30) days of the date of issuance, as provided for by Ohio Environmental Protection Agency regulation EP-40-13. At an adjudication hearing you may appear in person, or be represented by your attorney, or by such other representative as is permitted to practice before this agency, or you may present your position, arguments, or contentions in writing. At the hearing you may present evidence and examine witnesses appearing for and against you. Requests for hearing shall be in writing and shall specify the issues of fact and law to be contested. Requests for hearing should be sent to the Hearing Clerk, Box 1049, 361 East Broad Street, Columbus, Ohio 43215.

The agency may withdraw this permit at any time before it takes effect.

Ohio Environmental Protection Agency  
Division of A. B. C.  
Southeast District Office

Date Received

~~9-30-75~~ 9-30-75

P. Dean Carter  
September 20, 1975  
Page 2

If you have any questions, please contact the Ohio EPA District Office  
or local air pollution control agency to whom you submitted your  
application.

Very truly yours,

Jaqueline J. Hudson, Chief  
Air Source Permit Review Section

Copy to: Lawrence County Health Department  
Southern Division Office, Public Health

OHIO ENVIRONMENTAL PROTECTION AGENCY

Permit To Install

RECEIVED  
SEP 30 1975  
Ohio Environmental Protection Agency  
SOUTHEAST DISTRICT

Application No. 06-180

Applicants Name: Gerber and Sons, Inc.

Permit Fee: \$325.00

Address: 101 South Ray Street

City: Baltic State: Ohio

Telephone: (216) 897-6551

Description of Proposed Source: Schutte, Hammernill, Jacobson Mixer, California Pelletmill and York - Shipley Boiler

Issuance Date: September 29, 1975

Effective Date: November 13, 1975

The above named entity is hereby granted a permit to install for the above described source pursuant to Chapter EP-30 of the regulations of the Ohio Environmental Protection Agency. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described source of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described source of pollutants will be granted the necessary operating permits. This permit is granted subject to the following conditions attached hereto:

Ohio Environmental Protection Agency

by Ned E. Williams, P.E.  
Director  
361 East Broad Street  
Columbus, Ohio 43215

P. Dean Gerber  
September 29, 1975  
Page 2

Substantial construction for installation must take place within eighteen months of the effective date of this permit. This deadline may be extended by up to twelve months, if application is made to the Director no less than sixty days before the expiration of this permit and the party shows good cause for any such extension.

The proposed source shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources are inadequate or cannot meet applicable standards.

The Director of the Ohio Environmental Protection Agency, or his authorized representatives, may enter upon the premises of the above named applicant during construction and operation at any reasonable time for the purpose of making inspections, conducting tests, examining records or reports pertaining to the construction, modification or installation of the above described source of environmental pollutants.

A permit fee specified above must be remitted within 15 days of the effective date of this permit to install, to the Treasurer, State of Ohio.

Should there be any questions regarding the requirements, meaning or interpretations of any of the above which we may clarify, please contact the Air Pollution Control Section in the appropriate District Office of the Ohio Environmental Protection Agency.