



John R. Kasich, Governor
Mary Taylor, Lt. Governor
Craig W. Butler, Director

8/15/2016

Certified Mail

Steve Dittoe
 Premier Silica - Millwood Operation
 26900 Coshocton Road
 Howard, OH 43028

No	TOXIC REVIEW
No	SYNTHETIC MINOR TO AVOID MAJOR NSR
No	CEMS
No	MACT/GACT
Yes	NSPS
No	NESHAPS
No	NETTING
No	MODELING SUBMITTED
Yes	SYNTHETIC MINOR TO AVOID TITLE V
Yes	FEDERALLY ENFORCABLE PTIO (FEPTIO)
No	SYNTHETIC MINOR TO AVOID MAJOR GHG

RE: FINALAIR POLLUTION PERMIT-TO-INSTALL AND OPERATE

Facility ID: 0142000010
 Permit Number: P0121337
 Permit Type: Renewal
 County: Knox

Dear Permit Holder:

Enclosed please find a final Ohio Environmental Protection Agency (EPA) Air Pollution Permit-to-Install and Operate (PTIO) which will allow you to install, modify, and/or operate the described emissions unit(s) in the manner indicated in the permit. Because this permit contains conditions and restrictions, please read it very carefully. In this letter you will find the information on the following topics:

- **How to appeal this permit**
- **How to save money, reduce pollution and reduce energy consumption**
- **How to give us feedback on your permitting experience**
- **How to get an electronic copy of your permit**
- **What should you do if you notice a spill or environmental emergency?**

How to appeal this permit

The issuance of this PTIO is a final action of the Director and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer Josh Mandel," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
 77 South High Street, 17th Floor
 Columbus, OH 43215

How to save money, reduce pollution and reduce energy consumption

The Ohio EPA is encouraging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Compliance Assistance and Pollution Prevention at (614) 644-3469. Additionally, all or a portion of the capital expenditures related to installing air pollution control equipment under this permit may be eligible for financing and State tax exemptions through the Ohio Air Quality Development Authority (OAQDA) under Ohio Revised Code Section 3706. For more information, see the OAQDA website: www.ohioairquality.org/clean_air

How to give us feedback on your permitting experience

Please complete a survey at www.epa.ohio.gov/survey.aspx and give us feedback on your permitting experience. We value your opinion.

How to get an electronic copy of your permit

This permit can be accessed electronically via the eBusiness Center: Air Services in Microsoft Word format or in Adobe PDF on the Division of Air Pollution Control (DAPC) Web page, www.epa.ohio.gov/dapc by clicking the "Search for Permits" link under the Permitting topic on the Programs tab.

What should you do if you notice a spill or environmental emergency?

Any spill or environmental emergency which may endanger human health or the environment should be reported to the Emergency Response 24-HOUR EMERGENCY SPILL HOTLINE toll-free at (800) 282-9378. Report non-emergency complaints to the appropriate district office or local air agency.

If you have any questions regarding your permit, please contact Ohio EPA DAPC, Central District Office at (614)728-3778 or the Office of Compliance Assistance and Pollution Prevention at (614) 644-3469.

Sincerely,



Michael E. Hopkins, P.E.
Assistant Chief, Permitting Section, DAPC

Cc: Ohio EPA-CDO



FINAL

**Division of Air Pollution Control
Permit-to-Install and Operate
for
Premier Silica - Millwood Operation**

Facility ID:	0142000010
Permit Number:	P0121337
Permit Type:	Renewal
Issued:	8/15/2016
Effective:	8/15/2016
Expiration:	8/15/2021



Division of Air Pollution Control
Permit-to-Install and Operate
for
Premier Silica - Millwood Operation

Table of Contents

Authorization	1
A. Standard Terms and Conditions	4
1. What does this permit-to-install and operate ("PTIO") allow me to do?.....	5
2. Who is responsible for complying with this permit?	5
3. What records must I keep under this permit?	5
4. What are my permit fees and when do I pay them?.....	5
5. When does my PTIO expire, and when do I need to submit my renewal application?	5
6. What happens to this permit if my project is delayed or I do not install or modify my source?	6
7. What reports must I submit under this permit?	6
8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit?	6
9. What are my obligations when I perform scheduled maintenance on air pollution control equipment? ...	6
10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report?	7
11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located?	7
12. What happens if one or more emissions units operated under this permit is/are shut down permanently?	7
13. Can I transfer this permit to a new owner or operator?.....	8
14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"?	8
15. What happens if a portion of this permit is determined to be invalid?	8
B. Facility-Wide Terms and Conditions.....	9
C. Emissions Unit Terms and Conditions	11
1. P005, Barber Green Sand Dryer	12
2. P014, Steel Sand Bulk Loadout	23
3. P016, Sand Dryers Related Process Equipment.....	29
4. Emissions Unit Group -Silos: P018, P019, and P020: P018,P019,P020,.....	32
5. Emissions Unit Group -Various Emissions Units: F001,F004,F005,F006,	37



Final Permit-to-Install and Operate
Premier Silica - Millwood Operation
Permit Number: P0121337
Facility ID: 0142000010
Effective Date: 8/15/2016

Authorization

Facility ID: 0142000010
Application Number(s): A0056300
Permit Number: P0121337
Permit Description: FEPTIO renewal permit for industrial sand processing operations (hauling, conveying, crushing, screening, drying and storing). Includes modifications to two emissions units to increase their production throughput.
Permit Type: Renewal
Permit Fee: \$0.00
Issue Date: 8/15/2016
Effective Date: 8/15/2016
Expiration Date: 8/15/2021
Permit Evaluation Report (PER) Annual Date: Apr 1 - Mar 31, Due May 15

This document constitutes issuance to:

Premier Silica - Millwood Operation
26900 Coshocton Road
Howard, OH 43028

of a Permit-to-Install and Operate for the emissions unit(s) identified on the following page.

Ohio Environmental Protection Agency (EPA) District Office or local air agency responsible for processing and administering your permit:

Ohio EPA DAPC, Central District Office
50 West Town Street, 6th Floor
P.O. Box 1049
Columbus, OH 43216-1049
(614)728-3778

The above named entity is hereby granted this Permit-to-Install and Operate for the air contaminant source(s) (emissions unit(s)) listed in this section pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the described emissions unit(s) will operate in compliance with applicable State and federal laws and regulations.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency


Craig W. Butler
Director



Authorization (continued)

Permit Number: P0121337

Permit Description: FEPTIO renewal permit for industrial sand processing operations (hauling, conveying, crushing, screening, drying and storing). Includes modifications to two emissions units to increase their production throughput.

Permits for the following Emissions Unit(s) or groups of Emissions Units are in this document as indicated below:

Emissions Unit ID: P005
 Company Equipment ID: Barber Green Sand Dryer
 Superseded Permit Number: P0118562
 General Permit Category and Type: Not Applicable

Emissions Unit ID: P014
 Company Equipment ID: Steel Sand Bulk Loadout
 Superseded Permit Number: P0107107
 General Permit Category and Type: Not Applicable

Emissions Unit ID: P016
 Company Equipment ID: Sand Dryers Related Process Equipment
 Superseded Permit Number: P0107107
 General Permit Category and Type: Not Applicable

Group Name: Silos: P018, P019, and P020

Emissions Unit ID:	P018
Company Equipment ID:	40/70 Steel Sand Storage Silo #1
Superseded Permit Number:	P0107107
General Permit Category and Type:	Not Applicable
Emissions Unit ID:	P019
Company Equipment ID:	30/50 Steel Sand Storage Silo
Superseded Permit Number:	P0107107
General Permit Category and Type:	Not Applicable
Emissions Unit ID:	P020
Company Equipment ID:	40/70 Steel Sand Storage Silo #2
Superseded Permit Number:	P0107107
General Permit Category and Type:	Not Applicable

Group Name: Various Emissions Units

Emissions Unit ID:	F001
Company Equipment ID:	Plant and Quarry Haul Roads
Superseded Permit Number:	P0107107
General Permit Category and Type:	Not Applicable
Emissions Unit ID:	F004
Company Equipment ID:	Quarry Material Handling
Superseded Permit Number:	P0107107
General Permit Category and Type:	Not Applicable
Emissions Unit ID:	F005
Company Equipment ID:	Jaw Crusher
Superseded Permit Number:	P0107107
General Permit Category and Type:	Not Applicable



Final Permit-to-Install and Operate
Premier Silica - Millwood Operation
Permit Number: P0121337
Facility ID: 0142000010
Effective Date: 8/15/2016

Emissions Unit ID:	F006
Company Equipment ID:	Cone Crusher
Superseded Permit Number:	P0107107
General Permit Category and Type:	Not Applicable



Final Permit-to-Install and Operate
Premier Silica - Millwood Operation
Permit Number: P0121337
Facility ID: 0142000010
Effective Date: 8/15/2016

A. Standard Terms and Conditions

1. What does this permit-to-install and operate ("PTIO") allow me to do?

This permit allows you to install and operate the emissions unit(s) identified in this PTIO. You must install and operate the unit(s) in accordance with the application you submitted and all the terms and conditions contained in this PTIO, including emission limits and those terms that ensure compliance with the emission limits (for example, operating, recordkeeping and monitoring requirements).

2. Who is responsible for complying with this permit?

The person identified on the "Authorization" page, above, is responsible for complying with this permit until the permit is revoked, terminated, or transferred. "Person" means a person, firm, corporation, association, or partnership. The words "you," "your," or "permittee" refer to the "person" identified on the "Authorization" page above.

The permit applies only to the emissions unit(s) identified in the permit. If you install or modify any other equipment that requires an air permit, you must apply for an additional PTIO(s) for these sources.

3. What records must I keep under this permit?

You must keep all records required by this permit, including monitoring data, test results, strip-chart recordings, calibration data, maintenance records, and any other record required by this permit for five years from the date the record was created. You can keep these records electronically, provided they can be made available to Ohio EPA during an inspection at the facility. Failure to make requested records available to Ohio EPA upon request is a violation of this permit requirement.

4. What are my permit fees and when do I pay them?

There are two fees associated with permitted air contaminant sources in Ohio:

PTIO fee. This one-time fee is based on a fee schedule in accordance with Ohio Revised Code (ORC) section 3745.11, or based on a time and materials charge for permit application review and permit processing if required by the Director.

You will be sent an invoice for this fee after you receive this PTIO and payment is due within 30 days of the invoice date. You are required to pay the fee for this PTIO even if you do not install or modify your operations as authorized by this permit.

Annual emissions fee. Ohio EPA will assess a separate fee based on the total annual emissions from your facility. You self-report your emissions in accordance with Ohio Administrative Code (OAC) Chapter 3745-78. This fee assessed is based on a fee schedule in ORC section 3745.11 and funds Ohio EPA's permit compliance oversight activities. For facilities that are permitted as synthetic minor sources, the fee schedule is adjusted annually for inflation. Ohio EPA will notify you when it is time to report your emissions and to pay your annual emission fees.

5. When does my PTIO expire, and when do I need to submit my renewal application?

This permit expires on the date identified at the beginning of this permit document (see "Authorization" page above) and you must submit a renewal application to renew the permit. Ohio EPA will send a renewal notice to you approximately six months prior to the expiration date of this permit. However, it is

very important that you submit a complete renewal permit application (postmarked prior to expiration of this permit) even if you do not receive the renewal notice.

If a complete renewal application is submitted before the expiration date, Ohio EPA considers this a timely application for purposes of ORC section 119.06, and you are authorized to continue operating the emissions unit(s) covered by this permit beyond the expiration date of this permit until final action is taken by Ohio EPA on the renewal application.

6. What happens to this permit if my project is delayed or I do not install or modify my source?

This PTIO expires 18 months after the issue date identified on the "Authorization" page above unless otherwise specified if you have not (1) started constructing the new or modified emission sources identified in this permit, or (2) entered into a binding contract to undertake such construction. This deadline can be extended by up to 12 months, provided you apply to Ohio EPA for this extension within a reasonable time before the 18-month period has ended and you can show good cause for any such extension.

7. What reports must I submit under this permit?

An annual permit evaluation report (PER) is required in addition to any malfunction reporting required by OAC rule 3745-15-06 or other specific rule-based reporting requirement identified in this permit. Your PER due date is identified in the Authorization section of this permit.

8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit?

If you are required to obtain a Title V permit under OAC Chapter 3745-77 in the future, the permit-to-operate portion of this permit will be superseded by the issued Title V permit. From the effective date of the Title V permit forward, this PTIO will effectively become a PTI (permit-to-install) in accordance with OAC rule 3745-31-02(B). The following terms and conditions of this permit will no longer be applicable after issuance of the Title V permit: Section B, Term 1.b) and Section C, for each emissions unit, Term a)(2).

The PER requirements in this permit remain effective until the date the Title V permit is issued and is effective, and cease to apply after the effective date of the Title V permit. The final PER obligation will cover operations up to the effective date of the Title V permit and must be submitted on or before the submission deadline identified in this permit on the last day prior to the effective date of the Title V permit.

9. What are my obligations when I perform scheduled maintenance on air pollution control equipment?

You must perform scheduled maintenance of air pollution control equipment in accordance with OAC rule 3745-15-06(A). If scheduled maintenance requires shutting down or bypassing any air pollution control equipment, you must also shut down the emissions unit(s) served by the air pollution control equipment during maintenance, unless the conditions of OAC rule 3745-15-06(A)(3) are met. Any emissions that exceed permitted amount(s) under this permit (unless specifically exempted by rule) must be reported as deviations in the annual permit evaluation report (PER), including nonexempt excess emissions that occur during approved scheduled maintenance.

10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report?

If you have a reportable malfunction of any emissions unit(s) or any associated air pollution control system, you must report this to the [DO/LAA] in accordance with OAC rule 3745-15-06(B). Malfunctions that must be reported are those that result in emissions that exceed permitted emission levels. It is your responsibility to evaluate control equipment breakdowns and operational upsets to determine if a reportable malfunction has occurred.

If you have a malfunction, but determine that it is not a reportable malfunction under OAC rule 3745-15-06(B), it is recommended that you maintain records associated with control equipment breakdown or process upsets. Although it is not a requirement of this permit, Ohio EPA recommends that you maintain records for non-reportable malfunctions.

11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located?

Yes. Under Ohio law, the Director or his authorized representative may inspect the facility, conduct tests, examine records or reports to determine compliance with air pollution laws and regulations and the terms and conditions of this permit. You must provide, within a reasonable time, any information Ohio EPA requests either verbally or in writing.

12. What happens if one or more emissions units operated under this permit is/are shut down permanently?

Ohio EPA can terminate the permit terms associated with any permanently shut down emissions unit. "Shut down" means the emissions unit has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent "modification" or "installation" as defined in OAC Chapter 3745-31.

You should notify Ohio EPA of any emissions unit that is permanently shut down by submitting a certification that identifies the date on which the emissions unit was permanently shut down. The certification must be submitted by an authorized official from the facility. You cannot continue to operate an emission unit once the certification has been submitted to Ohio EPA by the authorized official.

You must comply with all recordkeeping and reporting for any permanently shut down emissions unit in accordance with the provisions of the permit, regulations or laws that were enforceable during the period of operation, such as the requirement to submit a PER, air fee emission report, or malfunction report. You must also keep all records relating to any permanently shutdown emissions unit, generated while the emissions unit was in operation, for at least five years from the date the record was generated.

Again, you cannot resume operation of any emissions unit certified by the authorized official as being permanently shut down without first applying for and obtaining a permit pursuant to OAC Chapter 3745-31.

13. Can I transfer this permit to a new owner or operator?

You can transfer this permit to a new owner or operator. If you transfer the permit, you must follow the procedures in OAC Chapter 3745-31, including notifying Ohio EPA or the local air agency of the change in ownership or operator. Any transferee of this permit must assume the responsibilities of the transferor permit holder.

14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"?

This permit and OAC rule 3745-15-07 prohibit operation of the air contaminant source(s) regulated under this permit in a manner that causes a nuisance. Ohio EPA can require additional controls or modification of the requirements of this permit through enforcement orders or judicial enforcement action if, upon investigation, Ohio EPA determines existing operations are causing a nuisance.

15. What happens if a portion of this permit is determined to be invalid?

If a portion of this permit is determined to be invalid, the remainder of the terms and conditions remain valid and enforceable. The exception is where the enforceability of terms and conditions are dependent on the term or condition that was declared invalid.



Final Permit-to-Install and Operate
Premier Silica - Millwood Operation
Permit Number: P0121337
Facility ID: 0142000010
Effective Date: 8/15/2016

B. Facility-Wide Terms and Conditions



1. This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).
 - a) For the purpose of a permit-to-install document, the facility-wide terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (1) None.
 - b) For the purpose of a permit-to-operate document, the facility-wide terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (1) None.



Final Permit-to-Install and Operate
Premier Silica - Millwood Operation
Permit Number: P0121337
Facility ID: 0142000010
Effective Date: 8/15/2016

C. Emissions Unit Terms and Conditions

1. P005, Barber Green Sand Dryer

Operations, Property and/or Equipment Description:

Barber Green rotary sand dryer controlled by a DUCON 72 scrubber, includes load out from the wet dryer feed pile and load in to the sand dryer feed hopper

a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

(1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

a. None.

(2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

a. b(1)b., b(2)a., d(2), d(3), d(6), e(2) and e(6).

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3)	Nitrogen oxides (NOx) emissions shall not exceed 0.045 pounds per ton of material processed.
b.	OAC rule 3745-31-05(D) (Synthetic minor to avoid Title V)	Particulate emissions (PE) from the stack serving this emissions unit shall not exceed 3.56 tons per rolling, 12-month period. See b(2)a., d(2), d(3), d(6), e(2) and e(6) below.
c.	OAC rule 3745-31-05(A)(3) June 30,2008	Particulate emissions (PE) shall not exceed 0.81 pounds per hour and 3.56 tons per year. Sulfur dioxide (SO2) emissions shall not exceed 0.01 pound per hour and 0.06 ton per year.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
		<p>Volatile organic compound (VOC) emissions shall not exceed 0.14 pound per hour and 0.60 ton per year.</p> <p>Carbon monoxide (CO) emissions shall not exceed 2.08 pounds per hour and 9.09 tons per year.</p> <p>See b)(2)b. below.</p>
d.	OAC rule 3745-31-05(A)(3)(a)(ii) June 30,2008	See b)(2)c. below.
e.	OAC rule 3745-17-07(A)(1)	<p>Visible particulate emissions from the stack serving this emissions unit shall not exceed 20 percent opacity as a six-minute average, except as provided by rule. The presence of water vapor in the scrubber plume does not constitute visible emissions.</p> <p>See d)(1) and e)(4) below.</p>
f.	OAC rule 3745-17-11(B)(2)	Particulate emissions (PE) from the stack serving this emission unit shall not exceed 4.21 pounds per hour, based upon Figure II, Curve P-2 of OAC rule 3745-17-11.
g.	OAC rule 3745-18-06(E)(2)	Sulfur dioxide (SO ₂) emissions shall not exceed 440 pounds per hour pursuant to the requirements of OAC rule 3745-18-06(E)(2).
h	40 CFR Part 60, Subpart UUU	<p>Particulate emissions (PE) shall not exceed 0.057 gram per dry standard cubic meter (0.025 grain per dry standard cubic foot).</p> <p>See d)(4), d)(5) and e)(2) below.</p>
i.	40 CFR Part 60, Subpart A	See b)(2)d. below.

(2) Additional Terms and Conditions

- a. All of the emissions from the Barber Green sand dryer shall be vented to the wet scrubber whenever the emissions unit is in operation.

[OAC rule 3745 31 05(D)]
- b. These Best Available Technology (BAT) emissions limits apply until U.S. EPA approves Ohio Administrative Code (OAC) paragraph 3745-31-05(A)(3)(a)(ii) (the

less than 10 tons per year BAT exemption) into the Ohio State Implementation Plan (SIP).

[OAC rule 3745-31-05(A)(3)]

- c. These requirements apply once U.S. EPA approves OAC paragraph 3745-31-05(A)(3)(a)(ii) (the less than 10 tons per year BAT exemption) as part of the Ohio SIP.

[OAC rule 3745-31-05(A)(3)(a)(ii)]

- d. The permittee shall comply with the applicable requirements of the General Provisions of the Standards of Performance for New Stationary Sources, 40 CFR Part 60, Subpart A (60.1-60.19) as specified in 40 CFR Part 60, Subpart UUU.

c) Operational Restrictions

- (1) None.

d) Monitoring and/or Recordkeeping Requirements

- (1) The permittee shall perform daily checks, when the emissions unit is in operation and when the weather conditions allow, for any visible particulate emissions from the stack and for any visible emissions of fugitive dust from the egress points (i.e., building windows, doors, roof monitors, etc.) serving this emissions unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:
 - a. the location and color of the emissions;
 - b. whether the emissions are representative of normal operations;
 - c. if the emissions are not representative of normal operations, the cause of the abnormal emissions;
 - d. the total duration of any visible emissions incident; and
 - e. any corrective actions taken to minimize or eliminate the visible emissions.

If visible emissions are present, a visible emissions incident has occurred. The observer does not have to document the exact start and end times for the visible emissions incident under item (d) above or continue the daily check until the incident has ended. The observer may indicate that the visible emissions incident was continuous during the observation period (or, if known, continuous during the operation of the emissions unit). With respect to the documentation of corrective actions, the observer may indicate that no corrective actions were taken if the visible emissions were representative of normal operations, or specify the minor corrective actions that were taken to ensure that the emissions unit continued to operate under normal conditions, or specify the corrective actions that were taken to eliminate abnormal visible emissions.

[OAC rule 3745-17-07(A)]

- (2) In order to maintain compliance with the applicable emission limitation(s) contained in this permit, the pressure drop across the scrubber shall not be less than 90 percent of the average value recorded according to 40 CFR 60.736(c) during the most recent performance test that demonstrated compliance with the particulate matter standard.

[OAC rule 3745-31-05(D)]

- (3) In order to maintain compliance with the applicable emission limitation(s) contained in this permit, the acceptable range for the scrubber liquid flow rate shall not be less than 80 percent or greater than 120 percent of the average value recorded according to 40 CFR 60.736(c) during the most recent performance test that demonstrated compliance with the particulate matter standard.

[OAC rule 3745-31-05(D)]

- (4) The permittee shall install, calibrate, maintain and operate monitoring devices that continuously measure and record the pressure loss of the gas stream through the scrubber and the scrubbing liquid flow rate to the scrubber. The pressure loss monitoring device must be certified by the manufacturer to be accurate within 5 percent of water column gauge pressure at the level of operation. The liquid flow rate monitoring device must be certified by the manufacturer to be accurate within 5 percent of design scrubbing liquid flow rate.

[40 CFR Part 60, Subpart UUU]

- (5) The permittee shall collect and record the following information once each day as an arithmetic average over a 2-hour period:
- the change in pressure of the gas stream across the scrubber; and
 - the flowrate of the scrubbing liquid.

[40 CFR Part 60, Subpart UUU]

- (6) The permittee shall properly install, operate, and maintain equipment to continuously monitor the pressure drop across the scrubber (in pounds per square inch, gauge) and the scrubber liquid flow rate (in gallons per minute) during operation of this/these emissions unit(s), including periods of startup and shutdown. The permittee shall record the pressure drop across the scrubber and the scrubber liquid's flow rate on a daily basis as described in d)(5). The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s), with any modifications deemed necessary by the permittee.

Whenever the monitored value for any parameter deviates from the range(s) or minimum limit(s) established in accordance with this permit, the permittee shall promptly investigate the cause of the deviation. The permittee shall maintain records of the following information for each investigation:

- the date and time the deviation began;
- the magnitude of the deviation at that time;

- c. the date the investigation was conducted;
- d. the name(s) of the personnel who conducted the investigation; and
- e. the findings and recommendations.

In response to each required investigation to determine the cause of a deviation, the permittee shall take prompt corrective action to bring the control equipment parameters within the acceptable range(s), or at or above the minimum limit(s) specified in this permit, unless the permittee determines that corrective action is not necessary and documents the reasons for that determination and the date and time the deviation ended. The permittee shall maintain records of the following information for each corrective action taken:

- f. a description of the corrective action;
- g. the date the corrective action was completed;
- h. the date and time the deviation ended;
- i. the total period of time (in minutes) during which there was a deviation;
- j. the pressure drop and flow rate readings immediately after the corrective action was implemented; and
- k. the name(s) of the personnel who performed the work.

Investigation and records required by this paragraph do not eliminate the need to comply with the requirements of OAC rule 3745-15-06 if it is determined that a malfunction has occurred.

These range(s) and/or limit(s) for the pressure drop and liquid flow rate are effective for the duration of this permit, unless revisions are requested by the permittee and approved in writing by Ohio EPA, Central District Office. The permittee may request revisions to the permitted range or limit for the pressure drop or liquid flow rate based upon information obtained during future performance tests that demonstrate compliance with the allowable particulate emission rate for this/these emissions unit(s). In addition, approved revisions to the range or limit will not constitute a relaxation of the monitoring requirements of this permit and may be incorporated into this permit by means of an administrative modification.

[OAC rule 3745-31-05(D)]

e) Reporting Requirements

- (1) All applications, notifications or reports required by terms and conditions in this permit to be submitted or "reported in writing" are to be submitted to Ohio EPA through the Ohio EPA's eBusiness Center: Air Services web service ("Air Services"). Ohio EPA will accept hard copy submittals on an as-needed basis if the permittee cannot submit the required documents through the Ohio EPA eBusiness Center. In the event of an alternative hard copy submission in lieu of the eBusiness Center, the post-marked date or the date the

document is delivered in person will be recognized as the date submitted. Electronic submission of applications, notifications, or reports required to be submitted to Ohio EPA fulfills the requirement to submit the required information to the Director, the District Office or Local Air Agency, and/or any other individual or organization specifically identified as an additional recipient identified in this permit unless otherwise specified. Consistent with OAC rule 3745-15-03, the required application, notification or report is considered to be "submitted" on the date the submission is successful using a valid electronic signature. Signature by the signatory authority may be represented as provided through procedures established in Air Services.

- (2) The permittee shall submit quarterly deviation (excursion) reports that identify:
- a. all deviations (excursions) of the following emission limitations, operational restrictions and/or control device operating parameter limitations that restrict the potential to emit (PTE) of any regulated air pollutant and have been detected by the monitoring, record keeping and/or testing requirements in this permit:
 - i. each period of time (start time and date, and end time and date) when the pressure drop across the scrubber and/or the liquid flow rate was/were outside of the appropriate range or exceeded the applicable limit contained in this permit;
 - ii. any period of time (start time and date, and end time and date) when the emissions unit was in operation and the process emissions were not vented to the scrubber;
 - b. the probable cause of each deviation (excursion);
 - c. any corrective actions that were taken to remedy the deviations (excursions) or prevent future deviations (excursions); and
 - d. the magnitude and duration of each deviation (excursion).

If no deviations (excursions) occurred during a calendar quarter, the permittee shall submit a report that states that no deviations (excursions) occurred during the quarter.

The quarterly reports shall be submitted, electronically through Ohio EPA Air Services, each year by January 31 (covering October to December), April 30 (covering January to March), July 31 (covering April to June), and October 31 (covering July to September), unless an alternative schedule has been established and approved by the director (Ohio EPA, Central District Office).

[OAC rule 3745-15-03(B)(1)(b)] and [OAC rule 3745-15-03(C)]

- (3) The permittee shall submit semiannual reports that identify:
- a. any daily 2-hour average of the wet scrubber pressure drop determined as described in d)(5) that is less than 90 percent of the average value recorded according to 40 CFR 60.736(c) during the most recent performance test that demonstrated compliance with the particulate matter standard; and

- b. each daily wet scrubber liquid flow rate recorded as described in d)(5) that is less than 80 percent or greater than 120 percent of the average value recorded according to 40 CFR 60.736(c) during the most recent performance test that demonstrated compliance with the particulate matter standard.

[40 CFR Part 60, Subpart UUU]

- (4) The permittee shall submit an annual Permit Evaluation Report (PER) to Ohio EPA. The PER must be submitted by the due date identified in the Authorization section of this permit. The permit evaluation report shall cover a reporting period of no more than twelve months for each air contaminant source identified in this permit.

[OAC rule 3745-15-03(B)(2)] and [OAC rule 3745-15-03(D)]

- (5) The permittee shall identify the following information in the annual PER in accordance with the monitoring requirements for visible emissions in term d)(1) above:
 - a. all days during which any visible particulate emissions were observed from the stack serving this emissions unit; and
 - b. any corrective actions taken to minimize or eliminate the visible particulate emissions.

[OAC rule 3745-15-03(B)(2)] and [OAC rule 3745-15-03(D)]

- (6) The permittee shall identify in the annual permit evaluation report the following information concerning the operations of the wet scrubber during the 12-month reporting period for this emissions unit:
 - a. each period of time (start time and date, and end time and date) when the pressure drop across the scrubber and/or the liquid flow rate was/were outside of the appropriate range or exceeded the applicable limit contained in this permit;
 - b. any period of time (start time and date, and end time and date) when the emissions unit(s) was/were in operation and the process emissions were not vented to the scrubber;
 - c. each incident of deviation described in "a" or "b" (above) where a prompt investigation was not conducted;
 - d. each incident of deviation described in "a" or "b" where prompt corrective action, that would bring the pressure drop and/or liquid flow rate into compliance with the appropriate range or limit contained in this permit, was determined to be necessary and was not taken; and
 - e. each incident of deviation described in "a" or "b" where proper records were not maintained for the investigation and/or the corrective action(s), as identified in the monitoring and record keeping requirements of this permit.

[OAC rule 3745-15-03(B)(2) and OAC rule 3745-15-03(D)]

f) Testing Requirements

- (1) Compliance with the Emissions Limitations and/or Control Requirements specified in section b) of these terms and conditions shall be determined in accordance with the following methods:

a. Emission Limitation:

Nitrogen oxides (NO_x) emissions shall not exceed 0.045 pounds per ton of material processed.

Applicable Compliance Method:

Compliance with the allowable mass emission limit for NO_x may be determined by multiplying an emission factor of 100 pounds of NO_x per 1,000,000 standard cubic feet of natural gas combusted by the emissions unit's maximum hourly consumption rate (25.2 mmBtu/hr) and dividing by the emission unit's maximum hourly process rate (55 ton/hr). This emission factor is specified in U.S. EPA reference document AP-42, Fifth Edition, Compilation of Air Pollution Emission Factors, Section 1.4, Table 1.4-1 (7/98).

If required, the permittee shall demonstrate compliance with this emission limitation in accordance with 40 CFR Part 60, Appendix A, Methods 1-4 and 7E.

b. Emission Limitation:

Sulfur dioxide (SO₂) emissions shall not exceed 0.01 pound per hour and 0.06 ton per year (as applicable prior to U.S. EPA approving the December 1, 2006, version of OAC rule 3745-31-05 as part of the SIP).

Applicable Compliance Method:

Compliance with the hourly allowable mass emission rate for SO₂ may be determined by multiplying an emission factor of 0.6 pound of SO₂ per 1,000,000 standard cubic feet of natural gas combusted by the emissions unit's maximum hourly consumption rate (25.2 mmBtu/hr). This emission factor is specified in U.S. EPA reference document AP-42, Fifth Edition, Compilation of Air Pollution Emission Factors, Section 1.4, Table 1.4-2 (7/98). Compliance with the annual limitation shall be assumed as long as compliance with the hourly limitation is maintained. (The annual limitation was calculated by multiplying the hourly limitation by 8,760 hr/yr and then dividing by 2,000 lb/ton).

If required, the permittee shall demonstrate compliance with this emission limitation through emission tests performed in accordance with 40 CFR Part 60, Appendix A, Methods 1-4 and 6C.

c. Emission Limitation:

Volatile organic compound (VOC) emissions shall not exceed 0.14 pound per hour and 0.60 ton per year (as applicable prior to U.S. EPA approving the December 1, 2006, version of OAC rule 3745-31-05 as part of the SIP).

Applicable Compliance Method:

Compliance with the hourly allowable mass emission rate for VOC may be determined by multiplying an emission factor of 5.5 pounds of VOC per 1,000,000 standard cubic feet of natural gas combusted by the emissions unit's maximum hourly consumption rate (25.2 mmBtu/hr). This emission factor is specified in U.S. EPA reference document AP-42, Fifth Edition, Compilation of Air Pollution Emission Factors, Section 1.4, Table 1.4-2 (7/98). Compliance with the annual limitation shall be assumed as long as compliance with the hourly limitation is maintained. (The annual limitation was calculated by multiplying the hourly limitation by 8,760 hr/yr and then dividing by 2,000 lb/ton).

If required, the permittee shall demonstrate compliance with this emission limitation through emission tests performed in accordance with 40 CFR Part 60, Appendix A, Methods 1-4 and 18, 25 or 25A.

d. Emission Limitation:

Carbon monoxide (CO) emissions shall not exceed 2.08 pounds per hour and 9.09 tons per year (as applicable prior to U.S. EPA approving the December 1, 2006, version of OAC rule 3745-31-05 as part of the SIP).

Applicable Compliance Method:

Compliance with the hourly allowable mass emission rate for CO may be determined by multiplying an emission factor of 84 pounds of CO per 1,000,000 standard cubic feet of natural gas combusted by the emissions unit's maximum hourly consumption rate (25.2 mmBtu/hr). This emission factor is specified in U.S. EPA reference document AP-42, Fifth Edition, Compilation of Air Pollution Emission Factors, Section 1.4, Table 1.4-1 (7/98). Compliance with the annual limitation shall be assumed as long as compliance with the hourly limitation is maintained. (The annual limitation was calculated by multiplying the hourly limitation by 8,760 hr/yr and then dividing by 2,000 lb/ton).

If required, the permittee shall demonstrate compliance with this emission limitation through emission tests performed in accordance with 40 CFR Part 60, Appendix A, Methods 1-4 and 10.

e. Emission Limitation:

Visible particulate emissions from the stack shall not exceed 20 percent opacity as a six-minute average, except as specified by rule.

Applicable Compliance Method:

If required, compliance with the stack visible particulate emissions limitation shall be determined through visible emissions observations performed in accordance with U.S. EPA Method 9.

f. Emission Limitation:

Sulfur dioxide (SO₂) emissions shall not exceed 440 pounds per hour (as applicable after U.S. EPA approves the December 1, 2006, version of OAC rule 3745-31-05 as part of the SIP).

Applicable Compliance Method:

If required, the permittee shall demonstrate compliance with this emission limitation through emission tests performed in accordance with 40 CFR Part 60, Appendix A, Method 6. Alternative U.S. EPA-approved test methods may be used with prior approval from the Ohio EPA.

g. Emission Limitations:

Particulate emissions (PE) shall not exceed 0.057 gram per dry standard cubic meter, 0.81 pounds per hour (as applicable prior to U.S. EPA approving the December 1, 2006, version of OAC rule 3745-31-05 as part of the SIP) and 3.56 tons per rolling, 12-month period. Particulate emissions (PE) from the stack serving this emission unit shall not exceed 4.21 pounds per hour (as applicable after U.S. EPA approves the December 1, 2006, version of OAC rule 3745-31-05 as part of the SIP).

Applicable Compliance Method:

The permittee shall conduct, or have conducted, PE testing for this emissions unit to demonstrate compliance with the allowable mass emission limit for PE in accordance with the following requirements:

- i. The emission testing shall be conducted approximately 2.5 years after the effective date of this permit.
- ii. The following test methods shall be used to demonstrate compliance with the allowable mass emission limit: 40 CFR Part 60, Appendix A, Methods 1 through 5.
- iii. The test(s) shall be conducted while this emissions unit is operating at or near maximum capacity, unless otherwise specified or approved by Ohio EPA, Central District Office.
- iv. Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the Ohio EPA, Central District Office. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of the test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Ohio EPA, Central District Office's refusal to accept the results of the emission test(s).



- v. Personnel from the Ohio EPA, Central District Office shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the control equipment.
 - vi. A comprehensive written report on the results of the emissions test(s) shall be signed by the person or persons responsible for the tests and submitted to the Ohio EPA, Central District Office within 30 days following completion of the test(s). The permittee may request additional time for the submittal of the written report, where warranted, with prior approval from the Ohio EPA, Central District Office.
- g) Miscellaneous Requirements
- (1) None.

2. P014, Steel Sand Bulk Loadout

Operations, Property and/or Equipment Description:

Steel Sand Bulk Loadout

- a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).
 - (1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - a. None.
 - (2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - a. None.
- b) Applicable Emissions Limitations and/or Control Requirements
 - (1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3) June 30,2008	Particulate emissions (PE) shall not exceed 0.06 pound per hour and 0.24 ton per year. See b)(2)a. below.
b.	OAC rule 3745-31-05(A)(3)(a)(ii) June 30,2008	The Best Available Technology (BAT) requirements under OAC rule 3745-31-05(A)(3) do not apply to the PE emissions from this air contaminant source since the uncontrolled potential to emit is less than 10 tons/year. See b)(2)b. below.
c.	OAC rule 3745-17-07(A)(1)	Visible particulate emissions from the stack serving this emissions unit shall not exceed 20 percent opacity as a six-minute average, except as provided by rule.
d.	OAC rule 3745-17-11	Particulate emissions (PE) from the stack



	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
		serving this emissions unit shall not exceed 58.4 pounds per hour, based upon Table I.
e.	40 CFR Part 60, Subpart OOO	<p>Particulate emissions (PE) from the stack serving this emissions unit shall not exceed 0.032 gram per dry standard cubic meter (0.014 grain per dry standard cubic foot).</p> <p>Visible emissions of fugitive dust shall not exceed 7 percent opacity as an average of five six-minute averages.</p> <p>See d)(1), d)(2) and e)(2) below.</p>

(2) Additional Terms and Conditions

- a. These Best Available Technology (BAT) emissions limits apply until U.S. EPA approves Ohio Administrative Code (OAC) paragraph 3745-31-05(A)(3)(a)(ii) (the less than 10 tons per year BAT exemption) into the Ohio State Implementation Plan (SIP).

[OAC rule 3745-31-05(A)(3)]

- b. These requirements apply once U.S. EPA approves OAC paragraph 3745-31-05(A)(3)(a)(ii) (the less than 10 tons per year BAT exemption) as part of the Ohio SIP.

[OAC rule 3745-31-05(A)(3)(a)(ii)]

c) Operational Restrictions

- (1) None.

d) Monitoring and/or Recordkeeping Requirements

- (1) The permittee shall perform daily checks, when the emissions unit is in operation and when the weather conditions allow, for any visible particulate emissions from the stack and for any visible emissions of fugitive dust from the egress points (i.e., building windows, doors, roof monitors, etc.) serving this emissions unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:

- a. the location and color of the emissions;
- b. whether the emissions are representative of normal operations;

- c. if the emissions are not representative of normal operations, the cause of the abnormal emissions;
- d. the total duration of any visible emissions incident; and
- e. any corrective actions taken to minimize or eliminate the visible emissions.

If visible emissions are present, a visible emissions incident has occurred. The observer does not have to document the exact start and end times for the visible emissions incident under item (d) above or continue the daily check until the incident has ended. The observer may indicate that the visible emissions incident was continuous during the observation period (or, if known, continuous during the operation of the emissions unit). With respect to the documentation of corrective actions, the observer may indicate that no corrective actions were taken if the visible emissions were representative of normal operations, or specify the minor corrective actions that were taken to ensure that the emissions unit continued to operate under normal conditions, or specify the corrective actions that were taken to eliminate abnormal visible emissions.

[OAC rule 3745-17-07(A)] and [40 CFR Part 60, Subpart OOO]

- (2) At least once a quarter, the permittee shall conduct the visible emissions inspection under d)(1) on the stack serving this emissions unit for 30-minutes using EPA Method 22 (40 CFR part 60, Appendix A-7). As an alternative to this quarterly inspection, the permittee may use a bag leak detection system pursuant to 40 CFR 60.674(d).

e) Reporting Requirements

- (1) All applications, notifications or reports required by terms and conditions in this permit to be submitted or "reported in writing" are to be submitted to Ohio EPA through the Ohio EPA's eBusiness Center: Air Services web service ("Air Services"). Ohio EPA will accept hard copy submittals on an as-needed basis if the permittee cannot submit the required documents through the Ohio EPA eBusiness Center. In the event of an alternative hard copy submission in lieu of the eBusiness Center, the post-marked date or the date the document is delivered in person will be recognized as the date submitted. Electronic submission of applications, notifications, or reports required to be submitted to Ohio EPA fulfills the requirement to submit the required information to the Director, the District Office or Local Air Agency, and/or any other individual or organization specifically identified as an additional recipient identified in this permit unless otherwise specified. Consistent with OAC rule 3745-15-03, the required application, notification or report is considered to be "submitted" on the date the submission is successful using a valid electronic signature. Signature by the signatory authority may be represented as provided through procedures established in Air Services.
- (2) The permittee shall identify the following information in the annual PER in accordance with the monitoring requirements for visible emissions in term d)(1) above:
 - a. all days during which any visible particulate emissions were observed; and

- b. any corrective actions taken to minimize or eliminate the visible particulate emissions.

[OAC rule 3745-15-03(B)(2)] and [OAC rule 3745-15-03(D)]

f) Testing Requirements

- (1) Compliance with the Emissions Limitations and/or Control Requirements specified in section b) of these terms and conditions shall be determined in accordance with the following methods:

- a. Emission Limitations:

Particulate emissions (PE) shall not exceed 0.06 pound per hour and 0.24 ton per year.

Applicable Compliance Method:

Compliance with the hourly allowable mass emission rate for PE may be determined by multiplying a controlled emission factor of 0.00014 pound of PE per ton of material processed by the emissions unit's maximum hourly process rate (198 ton/hr x 2). This emission factor is specified in U.S. EPA reference document AP-42, Fifth Edition, Compilation of Air Pollution Emission Factors, Section 11.19, Table 11.19.2-2 (8/04). Compliance with the annual limitation shall be assumed as long as compliance with the hourly limitation is maintained. (The annual limitation was calculated by multiplying the hourly limitation by 8,760 hr/yr and then dividing by 2,000 lb/ton).

If required, the permittee shall demonstrate compliance with this emission limitation through emission tests performed in accordance with 40 CFR Part 60, Appendix A, Methods 1-5.

- b. Emission Limitation:

Visible particulate emissions from the stack shall not exceed 20 percent opacity as a six-minute average, except as specified by rule.

Applicable Compliance Method:

If required, compliance with the visible particulate emissions limitation shall be determined through visible emissions observations performed in accordance with U.S. EPA Method 9.

- c. Emission Limitations:

Particulate emissions (PE) shall not exceed 58.4 pounds per hour (as applicable after U.S. EPA approves the December 1, 2006, version of OAC rule 3745-31-05 as part of the SIP).

Applicable Compliance Method:

If required, the permittee shall demonstrate compliance with this emission limitation through emission tests performed in accordance with 40 CFR Part 60, Appendix A, Methods 1 through 5. Alternative U.S. EPA-approved test methods may be used with prior approval from the Ohio EPA.

d. Emission Limitation:

Particulate emissions (PE) from the stack serving this emissions unit shall not exceed 0.032 gram per dry standard cubic meter (0.014 grain per dry standard cubic foot).

Applicable Compliance Method:

The initial compliance demonstration, as required in final permit P0107107, issued on August 5, 2011, was granted a waiver from USEPA, Region V from performance testing. On November 3, 2011, USEPA, Region V granted a waiver, to the permittee, from the initial compliance demonstration testing requirements outlined in 40 CFR Part 60, Subpart OOO due to infrequent operation of P014. However, USEPA, Region V, noted in its November 3, 2011 letter that should operation of P014 occur with, "a frequency that allows for a meaningful Method 5 or 17 that meets the requirement this standard, this waiver shall become ineffective upon commencement of such change in operation."

Should operation of emissions unit P014 commence so that a performance test can be conducted, compliance shall be demonstrated based upon the testing requirements specified in section f)(2) below.

e. Emission Limitation:

Visible emissions of fugitive dust shall not exceed 7 percent opacity as an average of five six-minute averages.

Applicable Compliance Method:

The initial compliance demonstration was completed on June 11, 2012. If required, compliance with the visible particulate emissions limitation shall be determined through visible emissions observations performed in accordance with U.S. EPA Method 9 and 40 CFR 60.675(c).

(2) The permittee shall conduct, or have conducted, emission testing for this emissions unit in accordance with the following requirements:

- a. The emission testing shall be conducted within 3 months after P014 begins operating at a capacity that will allow performance testing as noted below in f)(2)b.
- b. The following test methods shall be used to demonstrate compliance with the allowable mass emission limit for particulates: 40 CFR Part 60, Appendix A,

Methods 1 through 5 or Method 17 pursuant to 40 CFR 60.675(b)(1). Or as an alternative, Method 5I may be used pursuant to 40 CFR 60.675(e)(3).

- c. The test(s) shall be conducted while this emissions unit is operating at or near maximum capacity, unless otherwise specified or approved by Ohio EPA, Central District Office.
 - d. Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the Ohio EPA, Central District Office. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of the test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Ohio EPA, Central District Office's refusal to accept the results of the emission test(s).
 - e. Personnel from the Ohio EPA, Central District Office shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the control equipment.
 - f. A comprehensive written report on the results of the emissions test(s) shall be signed by the person or persons responsible for the tests and submitted to the Ohio EPA, Central District Office within 30 days following completion of the test(s). The permittee may request additional time for the submittal of the written report, where warranted, with prior approval from the Ohio EPA, Central District Office.
- g) Miscellaneous Requirements
- (1) None.

3. P016, Sand Dryers Related Process Equipment

Operations, Property and/or Equipment Description:

Sand Dryer Related Process Equipment

a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

(1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

a. None.

(2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

a. None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-17-07(A)(1)	Visible particulate emissions from the stack serving this emissions unit shall not exceed 20 percent opacity as a six-minute average, except as provided by rule. See d)(1) and e)(2) below.
b.	OAC rule 3745-17-11	Particulate emissions (PE) shall not exceed 45.5 pounds per hour, based upon Table I.

(2) Additional Terms and Conditions

a. None.

c) Operational Restrictions

(1) None.

d) Monitoring and/or Recordkeeping Requirements

- (1) The permittee shall perform daily checks, when the emissions unit is in operation and when the weather conditions allow, for any visible particulate emissions from the stack and for any visible emissions of fugitive dust from the egress points (i.e., building windows, doors, roof monitors, etc.) serving this emissions unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:
 - a. the location and color of the emissions;
 - b. whether the emissions are representative of normal operations;
 - c. if the emissions are not representative of normal operations, the cause of the abnormal emissions;
 - d. the total duration of any visible emissions incident; and
 - e. any corrective actions taken to minimize or eliminate the visible emissions.

If visible emissions are present, a visible emissions incident has occurred. The observer does not have to document the exact start and end times for the visible emissions incident under item (d) above or continue the daily check until the incident has ended. The observer may indicate that the visible emissions incident was continuous during the observation period (or, if known, continuous during the operation of the emissions unit). With respect to the documentation of corrective actions, the observer may indicate that no corrective actions were taken if the visible emissions were representative of normal operations, or specify the minor corrective actions that were taken to ensure that the emissions unit continued to operate under normal conditions, or specify the corrective actions that were taken to eliminate abnormal visible emissions.

[OAC rule 3745-17-07(A)]

e) Reporting Requirements

- (1) All applications, notifications or reports required by terms and conditions in this permit to be submitted or "reported in writing" are to be submitted to Ohio EPA through the Ohio EPA's eBusiness Center: Air Services web service ("Air Services"). Ohio EPA will accept hard copy submittals on an as-needed basis if the permittee cannot submit the required documents through the Ohio EPA eBusiness Center. In the event of an alternative hard copy submission in lieu of the eBusiness Center, the post-marked date or the date the document is delivered in person will be recognized as the date submitted. Electronic submission of applications, notifications, or reports required to be submitted to Ohio EPA fulfills the requirement to submit the required information to the Director, the District Office or Local Air Agency, and/or any other individual or organization specifically identified as an additional recipient identified in this permit unless otherwise specified. Consistent with OAC rule 3745-15-03, the required application, notification or report is considered to be "submitted" on the date the submission is successful using a valid electronic signature. Signature by the signatory authority may be represented as provided through procedures established in Air Services.

- (2) The permittee shall submit an annual Permit Evaluation Report (PER) to the Ohio EPA. The PER must be completed electronically and submitted via the Ohio EPA eBusiness Center: Air Services by the due date identified in the Authorization section of this permit. The permit evaluation report shall cover a reporting period of no more than twelve-months for each air contaminant source identified in this permit.

[OAC rule 3745-15-03(B)(2)] and [OAC rule 3745-15-03(D)]

- (3) The permittee shall identify the following information in the annual PER in accordance with the monitoring requirements for visible emissions in term d)(1) above:
- all days during which any visible particulate emissions were observed from the stack serving this emissions unit; and
 - any corrective actions taken to minimize or eliminate the visible particulate emissions.

[OAC rule 3745-15-03(B)(2)] and [OAC rule 3745-15-03(D)]

f) Testing Requirements

- (1) Compliance with the Emissions Limitations and/or Control Requirements specified in section b) of these terms and conditions shall be determined in accordance with the following methods:

a. Emission Limitation:

Visible particulate emissions from the stack shall not exceed 20 percent opacity as a six-minute average, except as specified by rule.

Applicable Compliance Method:

If required, compliance with the stack visible particulate emissions limitation shall be determined through visible emissions observations performed in accordance with U.S. EPA Method 9.

b. Emission Limitations:

Particulate emissions (PE) shall not exceed 45.5 pounds per hour.

Applicable Compliance Method:

If required, the permittee shall demonstrate compliance with this emission limitation through emission tests performed in accordance with 40 CFR Part 60, Appendix A, Methods 1 through 5. Alternative U.S. EPA-approved test methods may be used with prior approval from the Ohio EPA.

g) Miscellaneous Requirements

- (1) None.

4. Emissions Unit Group -Silos: P018, P019, and P020: P018,P019,P020,

EU ID	Operations, Property and/or Equipment Description
P018	40/70 Steel Sand Storage Silo #1
P019	30/50 Steel Sand Storage Silo
P020	40/70 Steel Sand Storage Silo #2

a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

(1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

a. None.

(2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

a. None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3) June 30,2008	<u>For emissions units P018 and P020:</u> Particulate emissions (PE) shall not exceed 0.03 pound per hour and 0.14 ton per year. <u>For emissions unit P019:</u> PE shall not exceed 0.03 pound per hour and 0.12 ton per year. See b)(2)a. below.
b.	OAC rule 3745-31-05(A)(3)(a)(ii) June 30,2008	The Best Available Technology (BAT) requirements under OAC rule 3745-31-05(A)(3) do not apply to the PE emissions from these air contaminant sources since the uncontrolled potential to emit is less than 10 tons/year.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
c.	OAC rule 3745-17-07(A)(1)	Visible particulate emissions from the stacks serving these emissions units shall not exceed 20 percent opacity as a six-minute average, except as provided by rule. See d)(1) and e)(3) below.
e.	OAC rule 3745-17-11	Particulate emissions (PE) shall not exceed 58.8 pounds per hour, based upon Table I.

(2) Additional Terms and Conditions

- a. These Best Available Technology (BAT) emissions limits apply until U.S. EPA approves Ohio Administrative Code (OAC) paragraph 3745-31-05(A)(3)(a)(ii) (the less than 10 tons per year BAT exemption) into the Ohio State Implementation Plan (SIP).

[OAC rule 3745-31-05(A)(3)]

- b. These requirements apply once U.S. EPA approves OAC paragraph 3745-31-05(A)(3)(a)(ii) (the less than 10 tons per year BAT exemption) as part of the Ohio SIP.

[OAC rule 3745-31-05(A)(3)(a)(ii)]

c) Operational Restrictions

- (1) None.

d) Monitoring and/or Recordkeeping Requirements

- (1) The permittee shall perform daily checks, when the emissions unit is in operation and when the weather conditions allow, for any visible particulate emissions from the stack and for any visible emissions of fugitive dust from the egress points (i.e., building windows, doors, roof monitors, etc.) serving this emissions unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:

- a. the location and color of the emissions;
- b. whether the emissions are representative of normal operations;
- c. if the emissions are not representative of normal operations, the cause of the abnormal emissions;
- d. the total duration of any visible emissions incident; and

- e. any corrective actions taken to minimize or eliminate the visible emissions.

If visible emissions are present, a visible emissions incident has occurred. The observer does not have to document the exact start and end times for the visible emissions incident under item (d) above or continue the daily check until the incident has ended. The observer may indicate that the visible emissions incident was continuous during the observation period (or, if known, continuous during the operation of the emissions unit). With respect to the documentation of corrective actions, the observer may indicate that no corrective actions were taken if the visible emissions were representative of normal operations, or specify the minor corrective actions that were taken to ensure that the emissions unit continued to operate under normal conditions, or specify the corrective actions that were taken to eliminate abnormal visible emissions.

[OAC rule 3745-17-07(A)]

e) Reporting Requirements

- (1) All applications, notifications or reports required by terms and conditions in this permit to be submitted or "reported in writing" are to be submitted to Ohio EPA through the Ohio EPA's eBusiness Center: Air Services web service ("Air Services"). Ohio EPA will accept hard copy submittals on an as-needed basis if the permittee cannot submit the required documents through the Ohio EPA eBusiness Center. In the event of an alternative hard copy submission in lieu of the eBusiness Center, the post-marked date or the date the document is delivered in person will be recognized as the date submitted. Electronic submission of applications, notifications, or reports required to be submitted to Ohio EPA fulfills the requirement to submit the required information to the Director, the District Office or Local Air Agency, and/or any other individual or organization specifically identified as an additional recipient identified in this permit unless otherwise specified. Consistent with OAC rule 3745-15-03, the required application, notification or report is considered to be "submitted" on the date the submission is successful using a valid electronic signature. Signature by the signatory authority may be represented as provided through procedures established in Air Services.
- (2) The permittee shall submit an annual Permit Evaluation Report (PER) to the Ohio EPA. The PER must be completed electronically and submitted via the Ohio EPA eBusiness Center: Air Services by the due date identified in the Authorization section of this permit. The permit evaluation report shall cover a reporting period of no more than twelve-months for each air contaminant source identified in this permit.

[OAC rule 3745-15-03(B)(2)] and [OAC rule 3745-15-03(D)]

- (3) The permittee shall identify the following information in the annual PER in accordance with the monitoring requirements for visible emissions in term d)(1) above:
- a. all days during which any visible particulate emissions were observed from the stack serving this emissions unit; and

- b. any corrective actions taken to minimize or eliminate the visible particulate emissions.

[OAC rule 3745-15-03(B)(2)] and [OAC rule 3745-15-03(D)]

f) Testing Requirements

- (1) Compliance with the Emissions Limitations and/or Control Requirements specified in section b) of these terms and conditions shall be determined in accordance with the following methods:

- a. Emission Limitations:

For emissions units P018 and P020, PE emissions shall not exceed 0.03 pound per hour and 0.14 ton per year.

For emissions unit P019, PE emissions shall not exceed 0.03 pound per hour and 0.12 ton per year.

Applicable Compliance Method:

Compliance with the hourly allowable mass emission rate for PE may be determined by multiplying a controlled emission factor of 0.00014 pound of PE per ton of material processed by the emissions unit's maximum hourly process rates (23 ton/hr for load-in to P018 and P020, 5 ton/hr for load-in to P019 and 198 ton/hr for load-out to truck). This emission factor is specified in U.S. EPA reference document AP-42, Fifth Edition, Compilation of Air Pollution Emission Factors, Section 11.19, Table 11.19.2-2 (8/04). Compliance with the annual limitation shall be assumed as long as compliance with the hourly limitation is maintained. (The annual limitation was calculated by multiplying the hourly limitation by 8,760 hr/yr and then dividing by 2,000 lb/ton).

If required, the permittee shall demonstrate compliance with this emission limitation through emission tests performed in accordance with 40 CFR Part 60, Appendix A, Methods 1-5.

- b. Emission Limitation:

Visible particulate emissions from the stack shall not exceed 20 percent opacity as a six-minute average, except as specified by rule.

Applicable Compliance Method:

If required, compliance with the stack visible particulate emissions limitation shall be determined through visible emissions observations performed in accordance with U.S. EPA Method 9.

- c. Emission Limitations:

Particulate emissions (PE) shall not exceed 58.8 pounds per hour, based upon Table I.



Final Permit-to-Install and Operate
Premier Silica - Millwood Operation
Permit Number: P0121337
Facility ID: 0142000010
Effective Date: 8/15/2016

Applicable Compliance Method:

If required, the permittee shall demonstrate compliance with this emission limitation through emission tests performed in accordance with 40 CFR Part 60, Appendix A, Methods 1 through 5. Alternative U.S. EPA-approved test methods may be used with prior approval from the Ohio EPA.

g) Miscellaneous Requirements

- (1) None.

5. Emissions Unit Group -Various Emissions Units: F001,F004,F005,F006,

EU ID	Operations, Property and/or Equipment Description
F001	Plant and Quarry Haul Roads
F004	Quarry Material Handling, includes load-out from the shot rock pile, drop into haul truck, drop into the jaw crusher feed hopper and load in/out from dumped sand pile
F005	Jaw Crusher, includes drop onto surge pile
F006	Cone Crusher

a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

(1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

a. None.

(2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

a. None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-17-07(B)	See b)(2)a. below.
b.	OAC rule 3745-17-08(B)	See b)(2)b. below.

(2) Additional Terms and Conditions

a. Pursuant to paragraph (B)(11)(e) of OAC rule 3745-17-07, the requirements of OAC rule 3745-17-07(B) do not apply to these emissions units.

b. Since these emissions units are not located in an Appendix A area, pursuant to paragraph (A)(1) of OAC rule 3745-17-08, the requirements of OAC rule 3745-17-08(B) do not apply to these fugitive emissions units.

- c) Operational Restrictions
 - (1) None.
- d) Monitoring and/or Recordkeeping Requirements
 - (1) None.
- e) Reporting Requirements
 - (1) None.
- f) Testing Requirements
 - (1) Compliance with the Emissions Limitations and/or Control Requirements specified in section b) of these terms and conditions shall be determined in accordance with the following methods:
 - a. None.
- g) Miscellaneous Requirements
 - (1) None.