

Facility ID: 1409030600 Issuance type: Final State Permit To Operate

This version of facility specific terms and conditions was converted from a database format to an HTML file during an upgrade of the Ohio EPA, Division of Air Pollution Control's permitting software. Every attempt has been made to convert the terms and conditions to look and substantively conform to the permit issued or being drafted in STARS. However, the format of the terms may vary slightly from the original. In addition, although it is not expected, there is a slight possibility that a term and condition may have been inadvertently "left out" of this reproduction during the conversion process. Therefore, if this version is to be used as a starting point in drafting a new version of a permit, it is imperative that the entire set of terms and conditions be reviewed to ensure they substantively mimic the issued permit. The official version of any permit issued final by Ohio EPA is kept in the Agency's Legal section. The Legal section may be contacted at (614) 644-3037.

In addition to the terms and conditions, hyperlinks have been inserted into the document so you may more readily access the section of the document you wish to review.

Finally, the term language under "Part II" and before "A. Applicable Emissions Limitations..." has been added to aid in document conversion, and was not part of the original issued permit.

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 1409030600 Emissions Unit ID: K003 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

Part II - Special Terms and Conditions

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (a) None.
2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (a) None.

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Paint Spray Booth for Coating Armored Vehicles	OAC 3745-31-05 See F.	79.2 LBS VOC/DAY, 2.27 TPY VOC See A.2. below.
	OAC 3745-21-09(U)(2)(d) See F.	See B.1. below.

2. **Additional Terms and Conditions**
 - (b) The VOC content of all coatings and cleanup material employed shall not exceed 7.2 pounds per gallon (as applied).

B. Operational Restrictions

1. The permittee shall not apply a customized topcoat and any related customized single coat to more than 35 vehicles per day.
2. The maximum amount of coatings and cleanup material employed shall not exceed a total of 11 gallons per day and 629 gallons per year.

C. Monitoring and/or Record Keeping Requirements

1. The permittee shall maintain daily records of the following:
 - a. the company identification of each coating and cleanup material employed;
 - b. the number of gallons of each coating and cleanup material employed;
 - c. the VOC content of each coating and cleanup material employed, in lbs/gallon (as applied);
 - d. the total VOC emissions from this emissions unit, i.e., the sum of (b)(c) for all coatings and cleanup materials employed, in lbs;
 - e. the number of vehicles coated; and
 - f. the total number of gallons of all coatings and cleanup materials employed.

D. Reporting Requirements

1. The permittee shall notify the Director in writing of any exceedance of the VOC content limit, the daily VOC emission limit, the daily usage limit, or the daily vehicle coating limit. A copy of the daily record showing the exceedance shall be sent to the Director within 45 days after the exceedance occurs.
2. The permittee shall also submit an annual report which summarizes the total coating and cleanup material usage and the total VOC emissions. These reports shall be submitted by February 15 and shall cover the previous calendar year.

E. Testing Requirements

1. USEPA Methods 24 and 24A shall be used to determine the VOC content for (a) coatings and (b) flexographic and rotogravure printing lines and related coatings, respectively. If, pursuant to section 4.3 of Method 24,40 CFR Part 60, Appendix A, an owner or operator determines that Method 24 or 24A cannot be used for a particular coating or ink, the permittee shall so notify the Administrator of the USEPA and shall use formulation

data for that coating or ink to demonstrate compliance until the USEPA provides alternative analytical procedures or alternative precision statements for Method 24 or 24A.

2. Compliance with the VOC content limit, the daily usage limit, the daily vehicle coating limit, and the daily VOC emission limit shall be demonstrated by the record keeping requirements in section C.1. of this permit.
3. Compliance with the annual usage limit and the annual VOC emission limit shall be demonstrated by totalling the daily VOC emissions and usages for the previous calendar year.

F. **Miscellaneous Requirements**

1. The following terms and conditions shall supersede all the air pollution control requirements for this emissions unit contained in permit to install number 14-4037 as issued on 12-5-96:

Part II, Special Terms and Conditions: A-E.