

ADDITIONAL SPECIAL TERMS & CONDITIONS

A. Additional Terms and Conditions

1. The volatile organic compound (VOC) content of the coating(s) employed in this emissions unit shall comply with the VOC content limitation of 3.0 lbs VOC/gallon of coating, excluding water and exempt solvents, as applied.

B. Operational Restrictions

1. The maximum annual operating hours for this emissions unit shall not exceed 4,000.

C. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information each month for the line:
 - a. The name and identification number of each coating, as applied.
 - b. The VOC content of each coating (excluding water and exempt solvents), as applied.
 - c. The number of gallons (excluding water and exempt solvents) of each coating employed.
 - d. The total VOC emissions from all coatings employed, in pounds or tons.
2. The permittee shall maintain monthly records of the operating hours for this emissions unit.
3. Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by the permit. Such records may be maintained in computerized form.

D. Reporting Requirements

1. The permittee shall notify the Director (the appropriate Ohio EPA District Office or local air agency) in writing of any monthly record showing the use of noncomplying coatings. The notification shall include a copy of such

record and shall be sent to the Director (the appropriate Ohio EPA District Office or local air agency) within 30 days following the end of the calendar month.

2. The permittee shall also submit annual reports which specify the total VOC emissions from this emissions unit for the previous calendar year. These reports shall be submitted by January 31 of each year.
3. The permittee shall submit annual reports which identify any exceedances of the annual operating hours limitation, as well as the corrective actions that were taken to achieve compliance. These reports shall be submitted by January 31 of each year.

E. Testing Requirements

1. Compliance with the emission limitation(s) of these terms and conditions shall be determined in accordance with the following method(s):

- a. Emission Limitation-
0.61 ton/month VOC

Applicable Compliance Method-
Compliance shall be based upon the record keeping as required in Section C.1. of this permit.

- b. Emission Limitation-
7.38 TPY VOC

Applicable Compliance Method-
Compliance shall be based upon the record keeping as required in Section C.1. of this permit and shall be the sum of the twelve monthly VOC emission rates for the calendar year.

- c. Emission Limitation-
3.0 lbs VOC/gallon coating, excluding water and exempt solvents.

Applicable Compliance Method-
USEPA Method 24A shall be used to determine the VOC contents for the coating materials. If, pursuant to section 4.3 of method 24A, 40 CFR Part 60, Appendix A, an owner or operator determines that Method 24A cannot be used for a particular coating, the permittee shall so notify the Administrator of the USEPA and shall use formulation data for that coating to demonstrate compliance until the USEPA provides alternative

analytical procedures or alternative precision
statements for Method 24A.