

Facility ID: 1483140298 Issuance type: Final State Permit To Operate

This version of facility specific terms and conditions was converted from a database format to an HTML file during an upgrade of the Ohio EPA, Division of Air Pollution Control's permitting software. Every attempt has been made to convert the terms and conditions to look and substantively conform to the permit issued or being drafted in STARS. However, the format of the terms may vary slightly from the original. In addition, although it is not expected, there is a slight possibility that a term and condition may have been inadvertently "left out" of this reproduction during the conversion process. Therefore, if this version is to be used as a starting point in drafting a new version of a permit, it is imperative that the entire set of terms and conditions be reviewed to ensure they substantively mimic the issued permit. The official version of any permit issued final by Ohio EPA is kept in the Agency's Legal section. The Legal section may be contacted at (614) 644-3037.

In addition to the terms and conditions, hyperlinks have been inserted into the document so you may more readily access the section of the document you wish to review.

Finally, the term language under "Part II" and before "A. Applicable Emissions Limitations..." has been added to aid in document conversion, and was not part of the original issued permit.

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 1483140298 Emissions Unit ID: K001 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

Part II - Special Terms and Conditions

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (a) None.
2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (a) None.

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Misc. Metal Parts Paint Spray Booth	OAC rule 3745-31-05 (PTI 14-1598)	2.05 TPY VOC from coatings and 0.42 TPY VOC from cleanup
	OAC rule 3745-21-09(U)(2)	See A.2.a. and A.2.b. The maximum coating usage shall not exceed 10 gallons each day.

2. Additional Terms and Conditions

- (a) The VOC content (as applied) of each coating shall not exceed 4.41 pounds of VOC per gallon of coating, excluding water and exempt solvents (based upon a volume-weighted average).
The VOC content of each cleanup material shall not exceed 6.95 pounds of VOC per gallon of cleanup.

B. Operational Restrictions

1. The coating material usage shall not exceed 10 gallons per day and 930 gallons per year, as applied.
2. The cleanup material usage shall not exceed 120 gallons per year.

C. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information on a daily basis for the purpose of determining the daily volume-weighted average VOC content for all coatings employed in this emissions unit:
 - a. The name and identification number of each coating, as applied.
 - b. The VOC content (excluding water and exempt solvents) in pounds per gallon of coating for each coating employed.
 - c. The number of gallons (excluding water and exempt solvents) of each coating, as applied.
 - d. The daily volume-weighted average VOC content, as applied, for all coatings. The daily volume-weighted average shall be calculated by multiplying the VOC content in line (b) by the usage amount contained in line (c) for each coating employed during that day. The summation of these values for all coatings should then be divided by the total gallons of all coatings employed during that day.
2. The permittee shall collect and record the following information for the purpose of determining annual VOC emissions:
 - a. The name and identification of each cleanup material employed.
 - b. The number of gallons of each cleanup material employed.
 - c. The VOC content of each cleanup material, in pounds per gallon.
 - d. The total VOC emissions from all coatings and cleanup materials, in tons.

D. Reporting Requirements

1. The permittee shall notify the Hamilton County Department of Environmental Services in writing of any daily record showing that the coating line employs more than the applicable maximum daily coating usage limit. The

notification shall include a copy of such record and shall be sent to the Hamilton County Department of Environmental Services within 45 days after the exceedance occurs.

2. The permittee shall notify the Hamilton County Department of Environmental Services in writing of any daily record showing that the daily volume-weighted average VOC content of the coatings exceeds the applicable limitation. The notification shall include a copy of such record and shall be sent to the Hamilton County Department of Environmental Services within 45 days after the exceedance occurs.

E. Testing Requirements

1. USEPA methods 24 and 24A shall be used to determine the VOC content for (a) coatings and (b) flexographic and rotogravure printing lines and related coatings, respectively. If, pursuant to section 4.3 of Method 24, 40 CFR Part 60, Appendix A, an owner or operator determines that Method 24 or 24A cannot be used for a particular coating or ink, the permittee shall so notify the Administrator of the USEPA and shall use formulation data for that coating or ink to demonstrate compliance until the USEPA provides alternative analytical procedures or alternative precision statements for Method 24 or 24A.
2. Compliance with the emission and usage limitations as outlined shall be demonstrated by the record keeping in term C.1 and C.2.

F. Miscellaneous Requirements

None