

Facility ID: 1576001812 Issuance type: Final State Permit To Operate

This version of facility specific terms and conditions was converted from a database format to an HTML file during an upgrade of the Ohio EPA, Division of Air Pollution Control's permitting software. Every attempt has been made to convert the terms and conditions to look and substantively conform to the permit issued or being drafted in STARS. However, the format of the terms may vary slightly from the original. In addition, although it is not expected, there is a slight possibility that a term and condition may have been inadvertently "left out" of this reproduction during the conversion process. Therefore, if this version is to be used as a starting point in drafting a new version of a permit, it is imperative that the entire set of terms and conditions be reviewed to ensure they substantively mimic the issued permit. The official version of any permit issued final by Ohio EPA is kept in the Agency's Legal section. The Legal section may be contacted at (614) 644-3037.

In addition to the terms and conditions, hyperlinks have been inserted into the document so you may more readily access the section of the document you wish to review.

Finally, the term language under "Part II" and before "A. Applicable Emissions Limitations..." has been added to aid in document conversion, and was not part of the original issued permit.

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 1576001812 Emissions Unit ID: D001 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

Part II - Special Terms and Conditions

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (a) None.
2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (a) None.

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Permac Bowe R9-B -- Existing dry-to-dry Perchloroethylene (perc) dry cleaning machine installed as a used unit in 1989, 30 lb cap. w/ cooling water condenser and disposable cartridge filter.	40 CFR Part 63, Subparts A, M (NESHAP: General Provision & MACT Standard), see F.2. OAC 3745-21-09 (AA) - except OAC 3745-21-09 (AA)(1)(a), see F.2.	139 gallons per rolling 12-month period consumption limit of perchloroethylene. Maximum of 60,000 pounds of fabric cleaned annually.

2. **Additional Terms and Conditions**
 - (a) None

B. Operational Restrictions

1. OAC rule 3745-21-09(AA) operational restrictions:

The waste from any diatomaceous earth filter which has been used to filter perchloroethylene shall contain no more than 25 percent by weight VOC, as determined under paragraph (J) of OAC rule 3745-21-10.

The waste from any distillation operation (solvent still) which has been used to distill perchloroethylene shall contain no more than 60 percent by weight VOC, as determined under paragraph (J) of OAC rule 3745-21-10.

Any disposable filter cartridge which has been used to filter perchloroethylene shall be drained in the filter housing for at least 24 hours before being discarded.

All equipment must be maintained so as to prevent the leaking of perchloroethylene liquid and prevent perceptible vapor leaks from gaskets, seals, ducts, and related equipment. Any equipment which is leaking perchloroethylene liquid or has a perceptible vapor leak shall not be operated until the leak is repaired.
2. NESHAP operational restrictions:

The owner or operator shall store all perchloroethylene and wastes that contain perchloroethylene in solvent tanks or solvent containers with no perceptible leaks.

The door of each dry cleaning machine shall be closed at all times except to transfer articles to and from the machine.

The dry cleaning machine shall be operated and maintained according to manufacturer's specifications and recommendations.

C. Monitoring and/or Record Keeping Requirements

1. NESHAP visual leak monitoring requirements

A leak detection and repair program to inspect all dry cleaning equipment for leaks that are obvious from sight, smell, or touch shall be conducted. Pursuant to OAC rule 3745-21-09(AA)(1)(e), any equipment found to be leaking perchloroethylene liquid or vapor is not to be operated until the leak is repaired. Leaks are to be repaired within 24 hours after being found, or repair parts ordered within 2 working days after detecting a leak that needs repair parts. Repair parts shall be installed within 5 working days after they are received. In accordance with 40 CFR Part 63 Subpart M, compliance with this requirement shall be determined through biweekly visual inspection of the following components while the dry cleaning system is operating:

 - a. hose and pipe connections, fittings, coupling and valves;
 - b. machine door gaskets and seatings;
 - c. filter gaskets and seatings;
 - d. pumps;
 - e. solvent tanks and containers;

- f. water separators:
 - g. filter sludge recovery;
 - h. distillation valves
 - i. diverter valves;
 - j. saturated lint from the lint basket;
 - k. cartridge filters and housings;
 - l. muck cookers;
 - m. stills; and
 - n. exhaust dampers.
 - 2. The following records shall be kept on site in a log for a period of not less than 5 years, and shall be made available upon request:
 - a. Receipts of all perchloroethylene purchases.
 - b. The volume of perchloroethylene purchased each month as recorded from perchloroethylene purchases. If no perchloroethylene is purchased during a given month, then the entry into the log shall be zero gallons.
 - c. The calculation and result of the yearly perchloroethylene consumption (12-month rolling summation), to be determined on the first day of each month.
 - d. The results of all visual inspections, including the dates when the dry cleaning system components are inspected for leaks and the name or location of dry cleaning system components where leaks are detected.
 - e. The dates of repair and records of written or verbal orders for repair parts.
 - f. The results and dates of all equipment monitoring required by this permit.
 - 3. The following records shall be kept for a period of not less than three years:
 - a. Control equipment maintenance.
 - b. The amount of fabric dry cleaned with perchloroethylene, from January 1 to December 31 of each year, in pounds.
 - 4. A copy of the design specifications and the operating manuals for each dry-cleaning system and each emission control device located at the dry cleaning facility shall be retained onsite and be made available upon request.
- D. Reporting Requirements**
- 1. If the permit perchloroethylene solvent consumption limit of 139 gallons is exceeded by the rolling 12-month period perchloroethylene consumption calculation required by the recordkeeping requirements section of this permit, then the permittee shall submit a deviation report which identifies the exceedance of that limit. This report shall be submitted within thirty (30) days following the month during which the exceedance occurred.
 - 2. All required reports shall be submitted to the Canton City Health Department, Air Pollution Control Division, 420 Market Ave. N, Canton, Ohio 44702.
- E. Testing Requirements**
- 1. Compliance with the emission limitations in the air emission summary of this permit shall be determined in accord with the following methods:
 - Consumption limitation - 139 gallons of Perchloroethylene per rolling 12-month period
 - Applicable compliance method - shall be demonstrated by perchloroethylene purchase records as a rolling 12-month summation as required in the recordkeeping section of this permit.
 - Compliance with the 60,000 lbs/year fabric cleaning limit shall be determined using the recordkeeping provisions pursuant to C.3.
- F. Miscellaneous Requirements**
- 1. If the rolling 12-month consumption of perchloroethylene as calculated according to 40 CFR 63.323(d) exceeds 139 gallons per year, this facility becomes a large source and must comply with the requirements for a large source per 40 CFR 63, Subpart M, within 180 days of the exceedance determination and the permittee shall submit a signed statement as required by 40 CFR 63.324(c).
 - 2. The following terms and conditions shall supersede all of the air pollution control requirements for this emissions unit contained in Permit to Install number 15-1194 issued on September 27, 1995: A, C, D.