

Facility ID: 1652010036 Issuance type: Final State Permit To Operate

This version of facility specific terms and conditions was converted from a database format to an HTML file during an upgrade of the Ohio EPA, Division of Air Pollution Control's permitting software. Every attempt has been made to convert the terms and conditions to look and substantively conform to the permit issued or being drafted in STARS. However, the format of the terms may vary slightly from the original. In addition, although it is not expected, there is a slight possibility that a term and condition may have been inadvertently "left out" of this reproduction during the conversion process. Therefore, if this version is to be used as a starting point in drafting a new version of a permit, it is imperative that the entire set of terms and conditions be reviewed to ensure they substantively mimic the issued permit. The official version of any permit issued final by Ohio EPA is kept in the Agency's Legal section. The Legal section may be contacted at (614) 644-3037.

In addition to the terms and conditions, hyperlinks have been inserted into the document so you may more readily access the section of the document you wish to review.

Finally, the term language under "Part II" and before "A. Applicable Emissions Limitations..." has been added to aid in document conversion, and was not part of the original issued permit.

- [Go to Part II for Emissions Unit T001](#)
- [Go to Part II for Emissions Unit T002](#)
- [Go to Part II for Emissions Unit T006](#)
- [Go to Part II for Emissions Unit T007](#)
- [Go to Part II for Emissions Unit T008](#)
- [Go to Part II for Emissions Unit T009](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 1652010036 Emissions Unit ID: T001 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

Part II - Special Terms and Conditions

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (a) None.
2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (a) None.

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Mineral spirits 105 flash - 20,000 gal fixed roof storage tank	OAC rule 3745-31-05 (PTI 16-871)	2.0 TPY volatile organic compounds (VOC) from entire facility See A.2.a below.
	OAC rule 3745-21-09(L)	See A.2.b below.
	40 CFR 60, Subpart Kb	See C.1 and C.2 below.

2. Additional Terms and Conditions

- (a) The storage tank shall be equipped for submerged filling. In accordance with OAC rule 3745-21-09(L)(2), this storage tank is exempt from the requirements of OAC rule 3745-21-09(L)(1) because the tank has a capacity of less than 40,000 gallons.

B. Operational Restrictions

1. The maximum true vapor pressure of the stored liquid shall not exceed 4.00 psia.

C. Monitoring and/or Record Keeping Requirements

1. The permittee shall maintain a record showing the dimension of this vessel and an analysis showing the capacity. This record shall be kept for the life of the emissions unit.
2. The permittee shall maintain a record of the volatile organic liquid (VOL) stored, the period of storage, and the maximum true vapor pressure of the VOL during the respective storage period.

D. Reporting Requirements

1. The permittee shall notify the Director (the appropriate Ohio EPA District Office or local air agency) in writing of any record showing that the maximum true vapor pressure of the stored liquid exceeds 4.00 psia. The notification shall include a copy of such record and shall be sent to the Director (the appropriate Ohio EPA District Office or local air agency) within 30 days following the end of the calendar month.

E. Testing Requirements

1. None

F. Miscellaneous Requirements

1. None

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 1652010036 Emissions Unit ID: T002 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

Part II - Special Terms and Conditions

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (a) None.
2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (a) None.

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Mineral spirits 150 flash - 20,000 gal fixed roof storage tank	OAC rule 3745-31-05 (PTI 16-871)	2.0 TPY volatile organic compounds (VOC) from entire facility See A.2.a below.
	OAC rule 3745-21-09(L)	See A.2.b below.
	40 CFR 60, Subpart Kb	See C.1 and C.2 below.

2. **Additional Terms and Conditions**
 - (a) The storage tank shall be equipped for submerged filling.
In accordance with OAC rule 3745-21-09(L)(2), this storage tank is exempt from the requirements of OAC rule 3745-21-09(L)(1) because the tank has a capacity of less than 40,000 gallons.

B. Operational Restrictions

1. The maximum true vapor pressure of the stored liquid shall not exceed 4.00 psia.

C. Monitoring and/or Record Keeping Requirements

1. The permittee shall maintain a record showing the dimension of this vessel and an analysis showing the capacity. This record shall be kept for the life of the emissions unit.
2. The permittee shall maintain a record of the volatile organic liquid (VOL) stored, the period of storage, and the maximum true vapor pressure of the VOL during the respective storage period.

D. Reporting Requirements

1. The permittee shall notify the Director (the appropriate Ohio EPA District Office or local air agency) in writing of any record showing that the maximum true vapor pressure of the stored liquid exceeds 4.00 psia. The notification shall include a copy of such record and shall be sent to the Director (the appropriate Ohio EPA District Office or local air agency) within 30 days following the end of the calendar month.

E. Testing Requirements

1. None

F. Miscellaneous Requirements

1. None

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 1652010036 Emissions Unit ID: T006 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

Part II - Special Terms and Conditions

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (a) None.
2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law

only with the exception of those listed below which are federally enforceable.

- (a) None.

A. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Waste oil #2 - 20,000 gal fixed roof storage tank	OAC rule 3745-31-05 (PTI 16-871)	2.0 TPY volatile organic compounds (VOC) from entire facility See A.2.a below.
	OAC rule 3745-21-09(L)	See A.2.b below.
	40 CFR 60, Subpart Kb	See C.1 and C.2 below.

- 2. **Additional Terms and Conditions**

- (a) The storage tank shall be equipped for submerged filling. In accordance with OAC rule 3745-21-09(L)(2), this storage tank is exempt from the requirements of OAC rule 3745-21-09(L)(1) because the tank has a capacity of less than 40,000 gallons.

B. Operational Restrictions

- 1. The maximum true vapor pressure of the stored liquid shall not exceed 4.00 psia.

C. Monitoring and/or Record Keeping Requirements

- 1. The permittee shall maintain a record showing the dimension of this vessel and an analysis showing the capacity. This record shall be kept for the life of the emissions unit.
- 2. The permittee shall maintain a record of the volatile organic liquid (VOL) stored, the period of storage, and the maximum true vapor pressure of the VOL during the respective storage period.

D. Reporting Requirements

- 1. The permittee shall notify the Director (the appropriate Ohio EPA District Office or local air agency) in writing of any record showing that the maximum true vapor pressure of the stored liquid exceeds 4.00 psia. The notification shall include a copy of such record and shall be sent to the Director (the appropriate Ohio EPA District Office or local air agency) within 30 days following the end of the calendar month.

E. Testing Requirements

- 1. None

F. Miscellaneous Requirements

- 1. None

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 1652010036 Emissions Unit ID: T007 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

Part II - Special Terms and Conditions

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

- 1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

- (a) None.

- 2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

- (a) None.

A. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
---	--------------------------------------	--

- | | | |
|---|----------------------------------|---|
| Waste oil #3 - 20,000 gal fixed roof storage tank | OAC rule 3745-31-05 (PTI 16-871) | 2.0 TPY volatile organic compounds (VOC) from entire facility
See A.2.a below. |
| | OAC rule 3745-21-09(L) | See A.2.b below. |
| | 40 CFR 60, Subpart Kb | See C.1 and C.2 below. |
2. **Additional Terms and Conditions**
- (a) The storage tank shall be equipped for submerged filling.
In accordance with OAC rule 3745-21-09(L)(2), this storage tank is exempt from the requirements of OAC rule 3745-21-09(L)(1) because the tank has a capacity of less than 40,000 gallons.
- B. **Operational Restrictions**
1. The maximum true vapor pressure of the stored liquid shall not exceed 4.00 psia.
- C. **Monitoring and/or Record Keeping Requirements**
1. The permittee shall maintain a record showing the dimension of this vessel and an analysis showing the capacity. This record shall be kept for the life of the emissions unit.
2. The permittee shall maintain a record of the volatile organic liquid (VOL) stored, the period of storage, and the maximum true vapor pressure of the VOL during the respective storage period.
- D. **Reporting Requirements**
1. The permittee shall notify the Director (the appropriate Ohio EPA District Office or local air agency) in writing of any record showing that the maximum true vapor pressure of the stored liquid exceeds 4.00 psia. The notification shall include a copy of such record and shall be sent to the Director (the appropriate Ohio EPA District Office or local air agency) within 30 days following the end of the calendar month.
- E. **Testing Requirements**
1. None
- F. **Miscellaneous Requirements**
1. None

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 1652010036 Emissions Unit ID: T008 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

Part II - Special Terms and Conditions

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
- (a) None.
2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
- (a) None.

A. **Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Waste oil #4 - 20,000 gal fixed roof storage tank	OAC rule 3745-31-05 (PTI 16-871)	2.0 TPY volatile organic compounds (VOC) from entire facility See A.2.a below.
	OAC rule 3745-21-09(L)	See A.2.b below.
	40 CFR 60, Subpart Kb	See C.1 and C.2 below.

2. **Additional Terms and Conditions**
- (a) The storage tank shall be equipped for submerged filling.
In accordance with OAC rule 3745-21-09(L)(2), this storage tank is exempt from the requirements of OAC rule 3745-21-09(L)(1) because the tank has a capacity of less than 40,000 gallons.
- B. **Operational Restrictions**

- 1. The maximum true vapor pressure of the stored liquid shall not exceed 4.00 psia.
- C. **Monitoring and/or Record Keeping Requirements**
 - 1. The permittee shall maintain a record showing the dimension of this vessel and an analysis showing the capacity. This record shall be kept for the life of the emissions unit.
 - 2. The permittee shall maintain a record of the volatile organic liquid (VOL) stored, the period of storage, and the maximum true vapor pressure of the VOL during the respective storage period.
- D. **Reporting Requirements**
 - 1. The permittee shall notify the Director (the appropriate Ohio EPA District Office or local air agency) in writing of any record showing that the maximum true vapor pressure of the stored liquid exceeds 4.00 psia. The notification shall include a copy of such record and shall be sent to the Director (the appropriate Ohio EPA District Office or local air agency) within 30 days following the end of the calendar month.
- E. **Testing Requirements**
 - 1. None
- F. **Miscellaneous Requirements**
 - 1. None

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 1652010036 Emissions Unit ID: T009 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

Part II - Special Terms and Conditions

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

- 1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (a) None.
- 2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (a) None.

A. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Waste coolant - 20,000 gal fixed roof storage tank	OAC rule 3745-31-05 (PTI 16-871)	2.0 TPY volatile organic compounds (VOC) from entire facility See A.2.a below.
	OAC rule 3745-21-09(L)	See A.2.b below.
	40 CFR 60, Subpart Kb	See C.1 and C.2 below.

- 2. **Additional Terms and Conditions**
 - (a) The storage tank shall be equipped for submerged filling.
In accordance with OAC rule 3745-21-09(L)(2), this storage tank is exempt from the requirements of OAC rule 3745-21-09(L)(1) because the tank has a capacity of less than 40,000 gallons.

B. Operational Restrictions

- 1. The maximum true vapor pressure of the stored liquid shall not exceed 4.00 psia.

C. Monitoring and/or Record Keeping Requirements

- 1. The permittee shall maintain a record showing the dimension of this vessel and an analysis showing the capacity. This record shall be kept for the life of the emissions unit.
- 2. The permittee shall maintain a record of the volatile organic liquid (VOL) stored, the period of storage, and the maximum true vapor pressure of the VOL during the respective storage period.

D. Reporting Requirements

- 1. The permittee shall notify the Director (the appropriate Ohio EPA District Office or local air agency) in writing of any record showing that the maximum true vapor pressure of the stored liquid exceeds 4.00 psia. The notification shall include a copy of such record and shall be sent to the Director (the appropriate Ohio EPA District Office or local air agency) within 30 days following the end of the calendar month.

E. **Testing Requirements**

1. None

F. **Miscellaneous Requirements**

1. None