

Facility ID: 1677010451 Issuance type: Final State Permit To Operate

This version of facility specific terms and conditions was converted from a database format to an HTML file during an upgrade of the Ohio EPA, Division of Air Pollution Control's permitting software. Every attempt has been made to convert the terms and conditions to look and substantively conform to the permit issued or being drafted in STARS. However, the format of the terms may vary slightly from the original. In addition, although it is not expected, there is a slight possibility that a term and condition may have been inadvertently "left out" of this reproduction during the conversion process. Therefore, if this version is to be used as a starting point in drafting a new version of a permit, it is imperative that the entire set of terms and conditions be reviewed to ensure they substantively mimic the issued permit. The official version of any permit issued final by Ohio EPA is kept in the Agency's Legal section. The Legal section may be contacted at (614) 644-3037.

In addition to the terms and conditions, hyperlinks have been inserted into the document so you may more readily access the section of the document you wish to review.

Finally, the term language under "Part II" and before "A. Applicable Emissions Limitations..." has been added to aid in document conversion, and was not part of the original issued permit.

\*\*\*THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION\*\*\*

Facility ID: 1677010451 Emissions Unit ID: L001 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

**Part II - Special Terms and Conditions**

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
  - (a) None.
2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
  - (a) None.

**A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
in-line vapor degreaser	OAC rule 3745-21-09(O)(6)(b)	After the effective date of this rule, sections (O)(2) through (O)(5) of OAC rule 3745-21-09 shall not apply to any solvent metal cleaning machine which is subject to 40 CFR Part 63, Subpart T.
	40 CFR Part 63, Subpart T	The permittee shall ensure that the trichloroethylene monthly emissions from the solvent cleaning machine do not exceed 153 kilograms/square meter/month as a rolling, 3-month average (1066 pounds/month based on a solvent/air interface area of 34 square feet).

2. **Additional Terms and Conditions**
  - (a) None

**B. Operational Restrictions**

1. None

**C. Monitoring and/or Record Keeping Requirements**

1. The permittee shall maintain a log of solvent additions and removals for the solvent cleaning machine.
2. The permittee shall, on the first operating day of every month, ensure that the solvent cleaning machine system contains only clean liquid solvent. This includes, but is not limited to, fresh unused solvent, recycled solvent and used solvent that has been cleaned of soils. A fill line must be indicated during the first month the measurements are made. The solvent level within the machine must be returned to the same fill-line each month, immediately prior to calculating monthly emissions as specified in section E.1.a below. The solvent cleaning machine does not have to be emptied and filled with fresh unused solvent prior to the calculations.
3. The permittee shall on the first operating day of the month comply with the following:
  - a. using the records of solvent additions and removals for the previous monthly reporting period, determine trichloroethylene emissions using the appropriate equation specified in section E.1.a of this permit;
  - b. determine the total amount of trichloroethylene removed from the solvent cleaning machine in solid waste during the most recent monthly reporting period (kilograms of solvent per month) as specified in section E.1.b of this permit; and
  - c. determine the monthly, rolling average for the 3-month period ending with the most recent reporting period using the appropriate equation specified in section E.1.c of this permit.
4. The permittee shall maintain the following records either in electronic or written form for a period of 5 years:
  - a. the dates and amounts of trichloroethylene that are added to the solvent cleaning machine;
  - b. the trichloroethylene composition of wastes removed from the cleaning machines using the procedures described in section E.1.b of this permit; and
  - c. calculation sheets showing how the monthly emissions and the rolling, 3-month average emissions of

trichloroethylene from the solvent cleaning machine were determined, and the results of all calculations.

5. The permittee shall maintain records of all control equipment maintenance in a readily accessible location for at least 5 years and shall make these records available to the director upon verbal or written request.

**D. Reporting Requirements**

1. The permittee shall submit an annual solvent emission report by February 1 of each year. The report shall cover the previous calendar year and shall contain the following information:
- the size (solvent/air interface area) and type of the solvent cleaning machine;
  - the average monthly trichloroethylene consumption for the solvent cleaning machine, in kilograms per month; and
  - the rolling, 3-month average of trichloroethylene emissions estimates, calculated each month using the method as described in section E.1.a of this permit.
2. The permittee shall submit an exceedance report on a semiannual basis. If the trichloroethylene rolling, 3-month average of 153 kilograms/square meter/month is exceeded, the permittee shall begin to submit a quarterly report until such time that the permittee requests and receives approval of a less frequent reporting frequency from the Director (appropriate District Office or local air agency). The permittee may receive approval of less frequent reporting if the following conditions are met:
- the emissions unit has demonstrated a full year of compliance without an exceedance;
  - the permittee continues to comply with all relevant record keeping and monitoring requirements specified in 40 CFR 63.1, General Provisions; and
  - the Director (appropriate District Office or local air agency) does not object to a reduced frequency of reporting for the affected emissions unit as provided in the General Provisions of 40 CFR 63.1(e)(3)(iii), Subpart A.

Each exceedance report shall be delivered or post marked by the 30th day following the reporting period and shall contain the following information:

- the reason and a description of the exceedance and action(s) taken to comply with 40 CFR 63.463(e) and (f), including written or verbal orders for replacement parts, a description of the repairs made, and additional monitoring conducted to demonstrate that monitored parameters have returned to acceptable levels; and
- if no exceedance has occurred, a statement to that effect shall be submitted.

**E. Testing Requirements**

1. The permittee shall, on the first operating day of every month, comply with the following requirements:
- Using the records of all solvent additions and removals for the 3 previous monthly reporting periods required in section C.1 of this permit, determine solvent emissions (E<sub>i</sub>) using the equation below for cleaning machines with a solvent/air interface:

$$E_i = (SA_i - LSR_i - SSR_i) / AREA_i$$

Where:

E<sub>i</sub> = the total halogenated HAP solvent emissions from the solvent cleaning machine during the most recent monthly reporting period i (kilograms of solvent per square meter of solvent/air interface area per month).

SA<sub>i</sub> = the total amount of halogenated HAP liquid solvent added to the solvent cleaning machine during the most recent monthly reporting period i (kilograms of solvent per month).

LSR<sub>i</sub> = the total amount of halogenated HAP liquid solvent removed the solvent cleaning machine during the most recent monthly reporting period i (kilograms of solvent per month).

SSR<sub>i</sub> = the total amount of halogenated HAP liquid solvent removed from the solvent cleaning machine in solid waste, obtained as described below in section E.1.b of this section, during the most recent monthly reporting period i (kilograms of solvent per month); and

AREA<sub>i</sub> = the solvent /air interface area of the solvent cleaning machine (square meters).

b. Determine SSR<sub>i</sub> from tests conducted using reference method 25d or from engineering calculations included in the compliance report.

c. Determine the monthly, rolling average (EA) for the 3-month period ending with the most recent reporting period using equation below for cleaning machines with a solvent/air interface:

$$EA_i = (\sum E_j) / 3, \text{ where the summation is from } j = 1 \text{ to } j = 3$$

Where:

EA<sub>i</sub> = the average halogenated HAP solvent emissions over the preceding 3 monthly reporting periods (kilograms of solvent per square meter of solvent/air interface area per month).

E<sub>i</sub> = halogenated HAP solvent emissions for each month (j) for the most recent 3 monthly reporting periods (kilograms of solvent per square meter of solvent/air interface area per month).

j = 1 = the most recent monthly reporting period.

j = 2 = the monthly reporting period immediately prior to j = 1.

j = 3 = the monthly reporting period immediately prior to j = 2.

2. Compliance with the emission limitation in section A.1 of these terms and conditions shall be determined in accordance with the following method:  
Emission Limitation:

153 kilograms/square meter/month as a rolling, 3-month average

Applicable Compliance Method:

Compliance with the emission limitation shall be demonstrated through monthly record keeping of solvent usage in section C and through the calculation methods provided in section E.1.

**F. Miscellaneous Requirements**

1. The permittee shall determine the facility's potential to emit (PTE) from all solvent cleaning operations. A facility's total PTE is the sum of the HAP emissions from all solvent cleaning operations plus all HAP emissions from other emissions units from within the facility. The potential to emit shall be determined in accordance with the following procedures:

- a. Determine the potential to emit for each individual solvent cleaning machine using the following equation:

$$PTE_i = H_i \times W_i \times SAI_i$$

Where:

PTE<sub>i</sub> = the potential to emit for the solvent cleaning machine i (kilograms solvent per year);

H<sub>i</sub> = hours of operation for solvent cleaning machine i (hours per year) = 8760 hours per year, unless otherwise restricted by a federally enforceable requirement;

W<sub>i</sub> = the working mode uncontrolled emission rate (kilograms per square meter per hour)

W<sub>i</sub> = 1.95 kilograms per square meter per hour for batch vapor and cold cleaning machines

W<sub>i</sub> = 1.12 kilograms per square meter per hour for in-line cleaning machines; and

SAI<sub>i</sub> = solvent/air interface area of solvent cleaning machine i (square meters). 40 CFR 63.461 defines the solvent/air interface area for those machines that have a solvent /air interface. Cleaning machines that do not have a solvent area interface shall calculate a solvent/air interface area using the procedure in paragraph (b) below.

- b. Cleaning machines that do not have a solvent/air interface shall calculate a solvent/air interface area using the following equation:

$$SAI = 2.2 * (Vol)^{0.6}$$

Where:

SAI = the solvent/air interface area (square meters); and

Vol = the cleaning capacity of the solvent cleaning machine (cubic meters).

- c. Sum the PTE<sub>i</sub> for all solvent cleaning operations to obtain the total potential to emit for solvent cleaning operations at the facility.