

Facility ID: 1677130074 Issuance type: Final State Permit To Operate

This version of facility specific terms and conditions was converted from a database format to an HTML file during an upgrade of the Ohio EPA, Division of Air Pollution Control's permitting software. Every attempt has been made to convert the terms and conditions to look and substantively conform to the permit issued or being drafted in STARS. However, the format of the terms may vary slightly from the original. In addition, although it is not expected, there is a slight possibility that a term and condition may have been inadvertently "left out" of this reproduction during the conversion process. Therefore, if this version is to be used as a starting point in drafting a new version of a permit, it is imperative that the entire set of terms and conditions be reviewed to ensure they substantively mimic the issued permit. The official version of any permit issued final by Ohio EPA is kept in the Agency's Legal section. The Legal section may be contacted at (614) 644-3037.

In addition to the terms and conditions, hyperlinks have been inserted into the document so you may more readily access the section of the document you wish to review.

Finally, the term language under "Part II" and before "A. Applicable Emissions Limitations..." has been added to aid in document conversion, and was not part of the original issued permit.

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 1677130074 Emissions Unit ID: P001 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

Part II - Special Terms and Conditions

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (a) None.
2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (a) None.

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Arc spray remetalizing of welded coated steel tubing on the weld seam. Particulate emissions (PE) hooded and vented to fabric filter (baghouse).	OAC rule 3745-31-05(A)(3) (PTI 16-02077)	Visible PE from any stack serving this emissions unit shall not exceed 10% opacity, as a 6-minute average. Stack PE shall not exceed 0.551 pound per hour and 2.41 tons per year. The permittee shall properly adjust, operate, and maintain the emissions unit and the dust collector system serving this emissions unit (i.e., baghouse, or comparable control device, hood, ductwork, fan, and any other equipment necessary to capture, contain, and vent PE to the applicable air pollution control device), in accordance with the manufacturer's recommendations, instructions, and operating manuals, to the extent possible with good engineering design.
	OAC rule 3745-17-07(B)(11)(e) OAC rule 3745-17-08(A)	This facility is not located within an "Appendix A" area, as identified in OAC rule 3745-17-08. Therefore, pursuant to OAC rule 3745-17-08(A) and OAC rule 3745-17-07(B)(11)(e), this emissions unit is exempt from the requirements of OAC rule 3745-17-08(B) and OAC rule 3745-17-07(B).
	OAC rule 3745-17-07(A) OAC rule 3745-17-11(B)	The emissions limitations specified by these rules are less stringent than the emissions limitations established pursuant to OAC rule 3745-31-05(A)(3).

2. Additional Terms and Conditions

- (a) The stack PE limits of 0.551 pound per hour and 2.41 tons per year established pursuant to OAC rule 3745-31-05(A)(3) are greater than the potential to emit of this emissions unit, as reported in the application. Therefore, no monitoring, record keeping, or reporting requirements are necessary to ensure ongoing compliance with this emissions limit.

However, the permittee shall apply for and, if required, obtain a final permit to install prior to equipment replacement or any proposed modification of equipment or production procedures, or any other change that would increase the potential emissions of any air pollutant.

B. Operational Restrictions

1. The permittee shall employ the baghouse and associated equipment serving this emissions unit at all times the emissions unit is in operation.

C. Monitoring and/or Record Keeping Requirements

1. The permittee shall document when the baghouse and/or associated equipment serving this emissions unit were/was not in service when the emissions unit was in operation.
2. The permittee shall perform daily checks, when the emissions unit is in operation and when weather conditions allow, for any visible PE from the baghouse serving this emissions unit. The presence or absence of any visible

PE from the baghouse serving this emissions unit shall be noted daily in an operations log. If visible PE are observed, the permittee shall also note the following in the operations log:

- a. the color of the emissions;
- b. whether the emissions are representative of normal operations;
- c. if the emissions are not representative of normal operations, the determined cause of the abnormal emissions if a cause can be determined upon investigation;
- d. the total duration of the visible emissions incident; and
- e. any corrective actions taken to eliminate the visible emissions.

D. Reporting Requirements

1. The permittee shall notify the Director (the appropriate District Office or local air agency) in writing of any record showing the baghouse and/or associated equipment serving this emissions unit not in service when the emissions unit was in operation. The notification shall include a copy of such record and shall be sent to the Director (the appropriate District Office or local air agency) within 30 days after the event occurs.
2. The permittee shall submit on a semiannual basis a report which (a) identifies all days during which any visible PE were observed from the baghouse serving this emissions unit and (b) describes the corrective actions taken to minimize or eliminate the visible PE. These reports shall be submitted by January 31 and July 31 of each year to the Director (District Office or local air agency).

E. Testing Requirements

1. Compliance with the emission limitations in section A.1 of these terms and conditions shall be determined in accordance with the following methods:
Emission Limitation: Visible PE from any stack serving this emissions unit shall not exceed 10% opacity, as a 6-minute average.

Applicable Compliance Method: If required, compliance shall be determined by visible emission evaluations performed in accordance with the requirements in 40 CFR Part 60, Appendix A, Method 9 and the methods and procedures specified in OAC rule 3745-17-03(B)(1).

Emission Limitation: Stack PE shall not exceed 0.551 pound per hour and 2.41 tons per year.

Applicable Compliance Method: If required, compliance shall be determined in accordance with the requirements in 40 CFR Part 60, Appendix A, Method 5 and the methods and procedures specified in OAC rule 3745-17-03(B)(10).

F. Miscellaneous Requirements

1. Modeling to demonstrate compliance with ORC 3704.03(F)(4)(b) ["Review of New Sources of Air Toxics Emissions, Option A."] was not necessary because the emissions unit's maximum annual emissions for each toxic air contaminant, as defined in OAC rule 3745-114-01, will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any toxic air contaminant to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.