



State of Ohio Environmental Protection Agency

STREET ADDRESS:

Lazarus Government Center
50 W. Town St., Suite 700
Columbus, Ohio 43215

TELE: (614) 644-3020 FAX: (614) 644-3184
www.epa.state.oh.us

MAILING ADDRESS:

P.O. Box 1049
Columbus, OH 43216-1049

8/18/2008

Certified Mail

Mark Tufts
Honda of America Mfg., Inc. Anna Engine Plant
12500 Meranda Road
Anna, OH 45302-9699

RE: FINAL AIR POLLUTION PERMIT-TO-INSTALL
Facility ID: 0575000174
Permit Number: 05-13642
Permit Type: Initial Installation
County: Shelby

| | |
|-----|----------------------|
| No | TOXIC REVIEW |
| No | PSD |
| Yes | SYNTHETIC MINOR |
| No | CEMS |
| Yes | MACT |
| No | NSPS |
| No | NESHAPS |
| No | NETTING |
| No | MAJOR NON-ATTAINMENT |
| No | MODELING SUBMITTED |

Dear Permit Holder:

Enclosed please find a final Air Pollution Permit-to-Install (PTI) which will allow you to install or modify the described emissions unit(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, we urge you to read it carefully.

The issuance of this PTI is a final action of the Director and may be appealed to the Environmental Review Appeals Commission ("ERAC") under Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and describe the action complained of and the grounds for the appeal. The appeal must be filed with the ERAC within thirty (30) days after notice of the Director's action. A filing fee of \$70.00 must be submitted to the ERAC with the appeal, although the ERAC, has discretion to reduce the amount of the filing fee if you can demonstrate (by affidavit) that payment of the full amount of the fee would cause extreme hardship. If you file an appeal of this action, you must notify Ohio EPA of the filing of the appeal (by providing a copy to the Director) within three (3) days of filing your appeal with the ERAC. Ohio EPA requests that a copy of the appeal also be provided to the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the ERAC at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, OH 43215

The Ohio EPA is encouraging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Compliance Assistance and Pollution Prevention at (614) 644-3469. If you have any questions regarding this permit, please contact the Ohio EPA DAPC, Southwest District Office. This permit has been posted to the Division of Air Pollution Control (DAPC) Web page <http://www.epa.state.oh.us/dapc>.

Sincerely,

Michael W. Ahern, Manager
Permit Issuance and Data Management Section, DAPC

Cc: U.S. EPA Region 5 *Via E-Mail Notification*
Ohio EPA DAPC, Southwest District Office

Ted Strickland, Governor
Lee Fisher, Lieutenant Governor
Chris Korleski, Director



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

FINAL

Air Pollution Permit-to-Install

for

Honda of America Mfg., Inc. Anna Engine Plant

Facility ID: 0575000174
Permit Number: 05-13642
Permit Type: Initial Installation
Issued: 8/18/2008
Effective: 8/18/2008



State of Ohio Environmental Protection Agency
 Division of Air Pollution Control

Air Pollution Permit-to-Install
 for
 Honda of America Mfg., Inc. Anna Engine Plant

Table of Contents

Authorization 1

A. Standard Terms and Conditions 3

 1. Federally Enforceable Standard Terms and Conditions 4

 2. Severability Clause 4

 3. General Requirements 4

 4. Monitoring and Related Record Keeping and Reporting Requirements 5

 5. Scheduled Maintenance/Malfunction Reporting 6

 6. Compliance Requirements 6

 7. Best Available Technology 7

 8. Air Pollution Nuisance 7

 9. Reporting Requirements 7

 10. Applicability 8

 11. Construction of New Sources(s) and Authorization to Install 8

 12. Permit-To-Operate Application 9

 13. Construction Compliance Certification 9

 14. Public Disclosure 9

 15. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations 9

 16. Fees 9

 17. Permit Transfers 10

 18. Risk Management Plans 10

 19. Title IV Provisions 10

B. Facility-Wide Terms and Conditions 11

C. Emissions Unit Terms and Conditions 13

 1. P076, Sand Recycling and Preparation System 14

 2. P919, Cupola Material Preparation and Handling 22



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Final Permit-to-Install
Permit Number: 05-13642
Facility ID: 0575000174
Effective Date: 8/18/2008

Authorization

Facility ID: 0575000174
Facility Description: Automobile manufacturing.
Application Number(s): A0006019
Permit Number: 05-13642
Permit Description: Modification of sleeve core machine, sand plant, ferrous casting line no. 3, waste storage, ingot casting, and charging.
Permit Type: Initial Installation
Permit Fee: \$2,250.00
Issue Date: 8/18/2008
Effective Date: 8/18/2008

This document constitutes issuance to:

Honda of America Mfg., Inc. Anna Engine Plant
12500 Meranda Road
Anna, OH 45302-9699

Of a Permit-to-Install for the emissions unit(s) identified on the following page.

Ohio EPA District Office or local air agency responsible for processing and administering your permit:

Ohio EPA DAPC, Southwest District Office
401 East Fifth Street
Dayton, OH 45402
(937)285-6357

The above named entity is hereby granted a Permit-to-Install for the emissions unit(s) listed in this section pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Chris Korleski
Director



State of Ohio Environmental Protection Agency
 Division of Air Pollution Control

Final Permit-to-Install
Permit Number: 05-13642
Facility ID: 0575000174
Effective Date: 8/18/2008

Authorization (continued)

Permit Number: 05-13642
 Permit Description: Modification of sleeve core machine, sand plant, ferrous casting line no. 3, waste storage, ingot casting, and charging.

Permits for the following Emissions Unit(s) or groups of Emissions Units are in this document as indicated below:

| | |
|-----------------------------------|--|
| Emissions Unit ID: | P076 |
| Company Equipment ID: | Sand Recycling and Preparation System |
| Superseded Permit Number: | |
| General Permit Category and Type: | Not Applicable |
| Emissions Unit ID: | P919 |
| Company Equipment ID: | Cupola Material Preparation and Handling |
| Superseded Permit Number: | |
| General Permit Category and Type: | Not Applicable |



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Final Permit-to-Install
Permit Number: 05-13642
Facility ID: 0575000174
Effective Date: 8/18/2008

A. Standard Terms and Conditions



1. Federally Enforceable Standard Terms and Conditions

- a) All Standard Terms and Conditions are federally enforceable, with the exception of those listed below which are enforceable under State law only:
 - (1) Standard Term and Condition A. 2.a), Severability Clause
 - (2) Standard Term and Condition A. 3.c) through A. 3.e) General Requirements
 - (3) Standard Term and Condition A. 6.c) and A. 6.d), Compliance Requirements
 - (4) Standard Term and Condition A. 9., Reporting Requirements
 - (5) Standard Term and Condition A. 10., Applicability
 - (6) Standard Term and Condition A. 11.b) through A. 11.e), Construction of New Source(s) and Authorization to Install
 - (7) Standard Term and Condition A. 14., Public Disclosure
 - (8) Standard Term and Condition A. 15., Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations
 - (9) Standard Term and Condition A. 16., Fees
 - (10) Standard Term and Condition A. 17., Permit Transfers

2. Severability Clause

- a) A determination that any term or condition of this permit is invalid shall not invalidate the force or effect of any other term or condition thereof, except to the extent that any other term or condition depends in whole or in part for its operation or implementation upon the term or condition declared invalid.
- b) All terms and conditions designated in parts B and C of this permit are federally enforceable as a practical matter, if they are required under the Act, or any its applicable requirements, including relevant provisions designed to limit the potential to emit of a source, are enforceable by the Administrator of the U.S. EPA and the State and by citizens (to the extent allowed by section 304 of the Act) under the Act. Terms and conditions in parts B and C of this permit shall not be federally enforceable and shall be enforceable under State law only, only if specifically identified in this permit as such.

3. General Requirements

- a) The permittee must comply with all terms and conditions of this permit. Any noncompliance with the federally enforceable terms and conditions of this permit constitutes a violation of the Act, and is grounds for enforcement action or for permit revocation, revocation and re-issuance, or modification.



- b) It shall not be a defense for the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the federally enforceable terms and conditions of this permit.
- c) This permit may be modified, revoked, or revoked and reissued, for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or revocation, or of a notification of planned changes or anticipated noncompliance does not stay any term and condition of this permit.
- d) This permit does not convey any property rights of any sort, or any exclusive privilege.
- e) The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying or revoking this permit or to determine compliance with this permit. Upon request, the permittee shall also furnish to the Director or an authorized representative of the Director, copies of records required to be kept by this permit. For information claimed to be confidential in the submittal to the Director, if the Administrator of the U.S. EPA requests such information, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality.

4. Monitoring and Related Record Keeping and Reporting Requirements

- a) Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall maintain records that include the following, where applicable, for any required monitoring under this permit:
 - (1) The date, place (as defined in the permit), and time of sampling or measurements.
 - (2) The date(s) analyses were performed.
 - (3) The company or entity that performed the analyses.
 - (4) The analytical techniques or methods used.
 - (5) The results of such analyses.
 - (6) The operating conditions existing at the time of sampling or measurement.
- b) Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.
- c) Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall submit required reports in the following manner:
 - (1) Reports of any required monitoring and/or recordkeeping of federally enforceable information shall be submitted to the Ohio EPA DAPC, Southwest District Office.



(2) Quarterly written reports of (i) any deviations from federally enforceable emission limitations, operational restrictions, and control device operating parameter limitations, excluding deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06, that have been detected by the testing, monitoring and recordkeeping requirements specified in this permit, (ii) the probable cause of such deviations, and (iii) any corrective actions or preventive measures taken, shall be made to the Ohio EPA DAPC, Southwest District Office. The written reports shall be submitted (i.e., postmarked) quarterly, by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. See A.15. below if no deviations occurred during the quarter.

(3) Written reports, which identify any deviations from the federally enforceable monitoring, recordkeeping, and reporting requirements contained in this permit shall be submitted (i.e., postmarked) to the Ohio EPA DAPC, Southwest District Office every six months, by January 31 and July 31 of each year for the previous six calendar months. If no deviations occurred during a six-month period, the permittee shall submit a semi-annual report, which states that no deviations occurred during that period.

(4) This permit is for an emissions unit located at a Title V facility. Each written report shall be signed by a responsible official certifying that, based on information and belief formed after reasonable inquiry, the statements and information in the report are true, accurate, and complete.

d) The permittee shall report actual emissions pursuant to OAC Chapter 3745-78 for the purpose of collecting Air Pollution Control Fees.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction, i.e., upset, of any emissions units or any associated air pollution control system(s) shall be reported to the Ohio EPA DAPC, Southwest District Office in accordance with paragraph (B) of OAC rule 3745-15-06. (The definition of an upset condition shall be the same as that used in OAC rule 3745-15-06(B)(1) for a malfunction.) The verbal and written reports shall be submitted pursuant to OAC rule 3745-15-06.

Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emission unit(s) that is (are) served by such control system(s).

6. Compliance Requirements

a) The emissions unit(s) identified in this Permit shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

b) Any document (including reports) required to be submitted and required by a federally applicable requirement in this permit shall include a certification by a responsible official that, based on information and belief formed after reasonable inquiry, the statements in the document are true, accurate, and complete.

c) Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Director of the Ohio EPA or an authorized representative of the Director to:



- (1) At reasonable times, enter upon the permittee's premises where a source is located or the emissions-related activity is conducted, or where records must be kept under the conditions of this permit.
 - (2) Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit, subject to the protection from disclosure to the public of confidential information consistent with ORC section 3704.08.
 - (3) Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.
 - (4) As authorized by the Act, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit and applicable requirements.
- d) The permittee shall submit progress reports to the Ohio EPA DAPC, Southwest District Office concerning any schedule of compliance for meeting an applicable requirement. Progress reports shall be submitted semiannually or more frequently if specified in the applicable requirement or by the Director of the Ohio EPA. Progress reports shall contain the following:
- (1) Dates for achieving the activities, milestones, or compliance required in any schedule of compliance, and dates when such activities, milestones, or compliance were achieved.
 - (2) An explanation of why any dates in any schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.

7. Best Available Technology

As specified in OAC Rule 3745-31-05, new sources that must employ Best Available Technology (BAT) shall comply with the Applicable Emission Limitations/Control Measures identified as BAT for each subject emissions unit.

8. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

9. Reporting Requirements

The permittee shall submit required reports in the following manner:

- a) Reports of any required monitoring and/or recordkeeping of state-only enforceable information shall be submitted to the Ohio EPA DAPC, Southwest District Office.
- b) Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from state-only required emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the Ohio EPA DAPC, Southwest District Office. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted



(i.e., postmarked) quarterly, by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

10. Applicability

This Permit-to-Install is applicable only to the emissions unit(s) identified in the Permit-to-Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

11. Construction of New Sources(s) and Authorization to Install

- a) This permit does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. This permit does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the application and terms and conditions of this permit. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of this permit does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Issuance of this permit is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.
- b) If applicable, authorization to install any new emissions unit included in this permit shall terminate within eighteen months of the effective date of the permit if the owner or operator has not undertaken a continuing program of installation or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.
- c) The permittee may notify Ohio EPA of any emissions unit that is permanently shut down (i.e., the emissions unit has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent "modification" or "installation" as defined in OAC Chapter 3745-31) by submitting a certification from the authorized official that identifies the date on which the emissions unit was permanently shut down. Authorization to operate the affected emissions unit shall cease upon the date certified by the authorized official that the emissions unit was permanently shut down. At a minimum, notification of permanent shut down shall be made or confirmed through completion of the annual PER covering the last period of operation of the affected emissions unit(s).
- d) The provisions of this permit shall cease to be enforceable for each affected emissions unit after the date on which an emissions unit is permanently shut down (i.e., emissions unit has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent "modification" or "installation" as defined in OAC Chapter 3745-31). All records relating to any permanently shutdown emissions unit, generated while the emissions unit was in operation, must be maintained in accordance with law. All reports required by this permit must be submitted for any period an affected emissions unit operated prior to permanent shut down. At a minimum, the permit requirements must be evaluated as part of the PER covering the last period the emissions unit operated.



No emissions unit certified by the authorized official as being permanently shut down may resume operation without first applying for and obtaining a permit pursuant to OAC Chapter 3745-31.

- e) The permittee shall comply with any residual requirements related to this permit, such as the requirement to submit a PER, air fee emission report, or other any reporting required by this permit for the period the operating provisions of this permit were enforceable, or as required by regulation or law. All reports shall be submitted in a form and manner prescribed by the Director. All records relating to this permit must be maintained in accordance with law.

12. Permit-To-Operate Application

The permittee is required to apply for a Title V permit pursuant to OAC Chapter 3745-77. The permittee shall submit a complete Title V permit application or a complete Title V permit modification application within twelve (12) months after commencing operation of the emissions units covered by this permit. However, if the proposed new or modified source(s) would be prohibited by the terms and conditions of an existing Title V permit, a Title V permit modification must be obtained before the operation of such new or modified source(s) pursuant to OAC rule 3745-77-04(D) and OAC rule 3745-77-08(C)(3)(d).

13. Construction Compliance Certification

The applicant shall identify the following dates in the online facility profile for each new emissions unit identified in this permit.

- a) Completion of initial installation date shall be entered upon completion of construction and prior to start-up.
- b) Commence operation after installation or latest modification date shall be entered within 90 days after commencing operation of the applicable emissions unit.

14. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

15. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations

If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly (i.e., postmarked), by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters.

16. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable permit-to-install fees within 30 days after the issuance of any permit-to-install. The permittee shall pay all applicable permit-to-operate fees within thirty days of the issuance of the invoice.



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Final Permit-to-Install
Permit Number: 05-13642
Facility ID: 0575000174
Effective Date: 8/18/2008

17. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The Ohio EPA DAPC, Southwest District Office must be notified in writing of any transfer of this permit.

18. Risk Management Plans

If the permittee is required to develop and register a risk management plan pursuant to section 112(r) of the Clean Air Act, as amended, 42 U.S.C. 7401 et seq. ("Act"), the permittee shall comply with the requirement to register such a plan.

19. Title IV Provisions

If the permittee is subject to the requirements of 40 CFR Part 72 concerning acid rain, the permittee shall ensure that any affected emissions unit complies with those requirements. Emissions exceeding any allowances that are lawfully held under Title IV of the Act, or any regulations adopted thereunder, are prohibited.



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Final Permit-to-Install
Permit Number: 05-13642
Facility ID: 0575000174
Effective Date: 8/18/2008

B. Facility-Wide Terms and Conditions



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Final Permit-to-Install
Permit Number: 05-13642
Facility ID: 0575000174
Effective Date: 8/18/2008

1. All the following facility-wide terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only:
 - a) None.



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Final Permit-to-Install
Permit Number: 05-13642
Facility ID: 0575000174
Effective Date: 8/18/2008

C. Emissions Unit Terms and Conditions



1. P076, Sand Recycling and Preparation System

Operations, Property and/or Equipment Description:

Sand Recycling and Preparation System

- a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (1) None.
- b) Applicable Emissions Limitations and/or Control Requirements
 - (1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| | Applicable Rules/Requirements | Applicable Emissions Limitations/Control Measures |
|----|--|--|
| a. | OAC rule 3745-31-05(D) (Synthetic minor to avoid PSD) | The particulate emissions (PE) from baghouse # 7, which controls emissions from emissions units P908, P910, P901, P076, P911 & P919 shall not exceed 13.83 tons (PE)/rolling 12-month period. The fugitive emissions from P076 shall not exceed 0.35 tons of PE/rolling 12-month period. The Volatile Organic Compound (VOC) emissions shall not exceed 3.83 tons/ 12-month period, based on a rolling, 12-month summation. This is the sources potential to emit. b)(2)b., below |
| b. | OAC rule 3745-17-11(B)(1) Table I | The hourly particulate emissions (PE) shall not exceed 29.28 lbs per hour |
| c. | OAC rule 3745-17-10 (from the combustion of natural gas) | Particulate emissions (PE) shall not exceed 0.020 pounds per million BTU of actual heat input. |
| d. | OAC rule 3745-17-07(A)(1) | Visible PE emissions from any baghouse vent that this emission unit is controlled by shall not exceed 20% opacity, as a 6-minute average. |
| e. | OAC rule 3745-31-05(A)(3)(a)(ii) | b)(2)a., below. |



(2) Additional Terms and Conditions

- a. The Best Available Technology (BAT) requirements under OAC rule 3745-31-05(A)(3) do not apply to the particulate emissions (PE) and organic compound (OC) emissions from this emissions unit since the federally enforceable potential emissions are less than ten tons per year.
- b. This emissions unit shall be controlled by venting the emissions to a baghouse that will minimize the release of particulate emissions (PE).

c) Operational Restrictions

- (1) Fuel usage in this emission unit shall be only natural gas.
- (2) The maximum amount of sand processed through this emissions unit shall not exceed 657,000 tons per rolling 12-month period.

The permittee has existing records of the 12-month rolling on the amount of metal processed through Ferrous Line #1; therefore, there is no need for first 12 calendar months accumulating limitations to ensure the enforceability.

- (3) The maximum operating hours for this emissions unit shall not exceed 7200, based upon a rolling, 12 month summation of the operating hours.

The permittee has existing records of the 12-month rolling operating hours; therefore, there is no need for first 12 calendar months accumulating limitations to ensure the enforceability.

d) Monitoring and/or Recordkeeping Requirements

- (1) For each day during which the permittee burns a fuel other than a gaseous fuel (i.e., natural gas), the permittee shall maintain a record of the type and quantity of fuel burned in this emissions unit.

- (2) The pressure drop across the baghouse shall be maintained within the range of 1 to 15 inches of water while any emission unit controlled by the baghouse is in operation. The exception is for the first 45 days following a change of at least 50% of the fabric bags. During that time, the pressure drop shall be maintained below 15 inches of water while any emission unit controlled by the baghouse is in operation.

The permittee shall properly operate, and maintain equipment to monitor the pressure drop across the baghouse(s) while the emissions unit is in operation. The monitoring equipment shall be calibrated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the baghouse once each operating day.

- (3) The permittee shall perform weekly checks, when the emissions unit is in operation and when the weather conditions allow, for any visible PE from the stack and for any visible fugitive PE from the egress points (i.e., building windows, doors, roof monitors, etc.) serving this emissions unit. The presence or absence of any visible emissions shall be noted in an operational log. If visible emissions are observed, the permittee shall also note the following in the operational log;



- a. the color of the emissions;
- b. the total duration of any visible emission incident; and
- c. any corrective actions taken to eliminate the visible emissions.

The permittee may, upon receipt of written approval from the appropriate Ohio EPA District Office or local air agency, modify the above-mentioned frequencies for performing the visible emissions checks if operating experience indicates that less frequent visible emissions checks would be sufficient to ensure compliance with the above-mentioned applicable requirements.

- (4) The permittee shall maintain monthly records of the following information:
 - a. the hours that baghouse #7 was operated;
 - b. the particulate emissions (PE) rate from baghouse # 7, in grains per dry standard cubic feet (g/dscf), 0.005 g/dscf or result from most recent stack test;
 - c. the monthly PE from baghouse #7, in tons, (the summation of: $\{[("b" \times 89,655 \text{ acfm}) \times 60 \text{ mins/hr} \times (1\text{lb}/7,000)] \times "a" \} / 2,000 \text{ lbs/ton}$); and
 - d. the rolling, 12-month total PE from baghouse #7. The rolling, 12-month summation of the total amount of PE (the total amount of PE for the current month (c) plus the total amount of PE for the 11 previous calendar months).
- (5) The permittee shall maintain monthly records of the following information:
 - a. the amount of sand employed in this emissions unit, in tons;
 - b. the rolling, 12-month total sand usage in this emissions unit. The rolling, 12-month summation of the total sand employed (the total amount of sand employed for the current month ("a") plus the total amount of sand employed for the 11 previous calendar months);
 - c. the monthly fugitive PE emissions, in tons, (the summation of: $\{[(\text{sand usage "a"} \times 3.6 \text{ lbs of PE/ton of sand employed, from Fire SCC 304000350,}) \times (1 - \text{hooding capture efficiency (99.9\%), best engineering assumption})] / 2000 \text{ lbs/ton}$); and
 - d. the rolling, 12-month total fugitive PE from this emissions unit. The rolling, 12-month summation of the total fugitive PE (the total amount of fugitive PE for the current month (c) plus the total amount of fugitive PE for the 11 previous calendar months).
- (6) The permittee shall maintain monthly records of the following information:
 - a. the total operating hours; and
 - b. the rolling, 12-month total operating hours for this emissions units. The rolling, 12-month summation of the total operating hours for this emissions unit (the total operating hours for the current month ("a") plus the total operating hours for the 11 previous calendar months).



e) Reporting Requirements

- (1) The permittee shall submit quarterly deviation (excursion) reports that identify the following:
 - a. The particulate emissions (PE) from baghouse # 7, which controls emissions from emissions unit P908, emissions unit P910, Holding Furnaces, and charging and tapping of emissions unit P901, Cupola, P076 Sand Plant, P911 Transfer Ladles & P919, Cupola Material Preparation and Handling exceeds 13.83 tons (PE)/ rolling 12-month period;
 - b. all exceedances of the rolling 12-month period sand usage of 657,000 tons per rolling 12-month period in this emissions unit;
 - c. all exceedances of the rolling 12-month period fugitive PE limitation of 0.35 tons per rolling 12-month period from this emissions unit;
 - d. all exceedances of the rolling, 12-month period 7,200 operation hour limitation.
 - e. all periods of time in which this emissions unit was in operation and the pressure drop across the baghouse did not comply with the allowable range.

The quarterly deviation (excursion) reports shall be submitted in accordance with the reporting requirements of the Standard Terms and Conditions of this permit.

[OAC rule 3745-15-03(B)(1)(a)] and [OAC rule 3745-15-03(C)] and [OAC rule 3745-77-07(C)(1)]

- (2) The permittee shall submit semiannual written reports that:
 - a. identify all days during which any visible PE were observed from any stack serving this emissions unit;
 - b. identify all days during which any visible fugitive PE were observed from any egress point (i.e., building windows, doors, roof monitors, etc...) serving this emissions unit; and
 - c. describe the corrective actions taken to eliminate the visible PE.

These reports shall be submitted to the Ohio EPA, Southwest District Office by January 31 and July 31 of each year and shall cover the previous 6-month period.

- (3) The permittee shall submit deviation (excursion) reports that identify each day when a fuel other than natural gas was burned in this emissions unit. Each report shall be submitted within 30 days after the deviation occurs..

f) Testing Requirements

- (1) Compliance with the emission limitations specified in Section A.I.1 shall be determined in accordance with the following methods:



a. Emission Limitation:

The particulate emissions (PE) from baghouse # 7, which controls emissions from emissions units P908, P910, P901, P076, P911 & P919 shall not exceed 13.83 tons (PE)/rolling 12-month period.

The combined rolling 12-month emission limitation is the total sum of the following equation for all of the above listed emissions units:

$$AER = [(Af \times Ef \times 60 \text{ mins/hr} \times Cf) \times Ho] / 2000$$

Where:

AER = Particulate emissions, in tons per rolling 12 month period;

Af = Maximum Air Flow from Baghouse # 7, in acfm, (89,655, specific acfm rates are from the data provide by Honda);

Ef = Emission factor of the control device, grains of PE per dscf, (0.005 grains/dscf, data from Honda and represents a voluntary restriction that Honda has requested to be limited to);

Cf = Conversion factor, (1 lbs/7,000 grains); and

Ho = Allowable rolling 12-month hours of operation limitation, (7,200 hrs, Honda's requested voluntary limitation).

Applicable Compliance Method:

The permittee shall demonstrate compliance with the above limits based upon the record keeping requirements of Sections d)(3)., of this permit.

b. The fugitive particulate emissions (PE) from emissions unit P076, shall not exceed 0.35 tons (PE)/ rolling 12-month period.

The fugitive PE rolling 12-month emission limitation is the total sum of the following equation:

$$FER = [(MSP \times Ef) \times (1-CAP) \times (1-Cb)] / 2000 \text{ lbs/ton}$$

Where:

FER = Fugitive Particulate emissions, in tons per rolling 12 month period;

MSP = Maximum sand processed rate, in tons, (657,000 tons, from the data provide by Honda);

Ef = Emission factor, in lbs of PE/ton of sand, (3.6 lbs/ton of sand, Fire SCC 30400350); and



CAP = Assumed capture efficiency, in %, (99.9), from data provided by Honda).

Cb%= Capture/Control of Building (70% from Honda Calculation sheets and best engineering estimate)(Reference: April 10, 1998 Letter to Iron ton Iron, Inc from Stephen Giles, Director of Portsmouth Local Air Agency).

Applicable Compliance Method:

The permittee shall demonstrate compliance with the above limits based upon the record keeping requirements of d)(5), of this permit.

c. Potential Organic Compound (OC) Emission:

3.83 tons/yr

$AER = (0.88 \text{ lbs of OC/hr} \times 8760 \text{ hr/yr}) / 2000 \text{ lbs/ton}$

The above calculation is based on Honda's information and constitutes the best available estimate at this time. If in the future if more accurate data becomes available the regulatory requirements from OC (VOC) emission from this emission unit may need to be reevaluated.

When requested, The permittee shall demonstrate compliance with the OC limitations based upon the results of emission testing conducted in accordance with OC: Methods 1-4, and 25 of 40 CFR Part 60, Appendix A. Alternative U.S. EPA approved test methods may be used with prior approval from the Ohio EPA.

d. Burner Emissions:

Emissions from the use of natural gas:

0.008 lbs/hr and 0.03 tons/yr PE and PM10;

0.084 lbs/hr and 0.37 tons/yr CO;

0.1 lbs/hr and 0.44 tons/yr NOx;

0.006 lbs/hr and 0.03 tons/yr OC (VOC); and

0.001 lbs/hr and 0.004 tons/yr SO2.

Emission determined by multiplying the AP-42 emission factors of 100 lb/mmcf for NOx, 84 lb/mmcf for CO, 7.6 lb/mmcf for PE, 0.6 lb/mmcf for SO2, and 5.5 lb/mmcf for VOC (Tables 1.4-1 and 1.4-2 (8/98)) by the hourly gas usage (100 cf/hr), and multiplying by 8760 hrs/yr and multiplying by a conversion factor of 1 ton/2000 lbs.

e. Emission Limitation:

29.28 lbs of PE/hr



$$AMR = 0.5782 \times U \text{ (U to the power of 0.6456)}$$

Where:

AMR = Allowable Mass Emission Rate, in lbs/hr;

U = Uncontrolled particulate emissions, in lbs/hr (Fire, SCC 304000350, emission factor of , 3.6 lbs emitted/ton of metal processed multiplied by 121.3 tons of metal processed /hr maximum).

Emission calculation is based on the requirements of OAC rule 3745-17-11(B)(1) Figure II, curve P-1.

Applicable Compliance Method:

Compliance with the above limitations is based on the 121.3 tons of sand/hr processed being the maximum potential process rate for this emissions unit.

f. Emission Limitation:

Visible PE shall not exceed 20% opacity as a 6-minute average.

Applicable Compliance Method:

If required, compliance shall be determined in accordance with Test Method 9 as set forth in 40 CFR Part 60 (Appendix on Test Methods).

(2) The permittee shall conduct, or have conducted, emission testing for any baghouse that controls this emission unit to demonstrate compliance with the allowable PE limitations and to verify Honda's estimated emission rate of 0.005 grain /dscf.

- a. The emission testing shall be conducted within 1 year prior to the expiration of this facility's Title V permit.
- b. The emission testing shall be conducted to demonstrate compliance with the allowable PE limitations and to verify Honda's estimate emission rates being emitted from the baghouse(s) that are controlling or may be used to control this emissions unit.
- c. The following test methods shall be employed to demonstrate compliance with the allowable mass emission limitations and to verify Honda's estimated emission rate of 0.005 grain /dscf.

PE: Methods 1-5 of 40 CFR Part 60, Appendix A

Alternative U.S. EPA approved test methods may be used with prior approval from the Ohio EPA.

- d. The test(s) shall be conducted while the emission units being controlled by the baghouse(s) are being operated at or near their maximum capacities, unless otherwise specified or approved by the Ohio EPA, Southwest District Office.



Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the Ohio EPA, Southwest District Office. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of the test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Ohio EPA, Southwest District Office's refusal to accept the results of the emission test(s).

Personnel from the Ohio EPA shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the control equipment.

A comprehensive written report on the results of the emission test(s) shall be signed by the person or persons responsible for the tests and submitted to the Ohio EPA, Southwest District Office within 30 days following completion of the test(s). The permittee may request additional time for the submittal of the written report, where warranted, with prior approval from the Ohio EPA, Southwest District Office

- g) Miscellaneous Requirements
 - (1) None.



2. P919, Cupola Material Preparation and Handling

Operations, Property and/or Equipment Description:

Cupola Material Preparation and Handling

- a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (1) None.
- b) Applicable Emissions Limitations and/or Control Requirements
 - (1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| | Applicable Rules/Requirements | Applicable Emissions Limitations/Control Measures |
|----|---|--|
| a. | OAC rule 3745-31-05(D) (Synthetic minor to avoid PSD) | The particulate emissions (PE) from baghouse # 4, which controls emissions from emissions units P020, P902, P087, & P919, shall not exceed 11.53 tons (PE)/rolling 12-month period. The particulate emissions (PE) from baghouse # 7, which controls emissions from emissions units P908, P910, P901, P076, P911 & P919 shall not exceed 13.83 tons (PE)/rolling 12-month period. The fugitive emissions from P919 shall not exceed 0.25 tons of PE/rolling 12-month period. b)(2)b and c)(1), below. |
| b. | OAC rule 3745-17-08 | The permittee is not located within an "Appendix A" area as identified in OAC rule 3745-17-08. Therefore, pursuant to OAC rule 3745-17-08 (A), this emission unit is exempt from the requirements of OAC rule 3745-17-08(B). |
| c. | OAC rule 3745-17-11(B)(1) Figure II curve P-1 | The hourly particulate emissions (PE) shall not exceed 2.92 lbs per hour |
| d. | OAC rule 3745-17-07(A)(1) | Visible fugitive PE shall not exceed 20% opacity as a 6-minute average. |
| e. | OAC rule 3745-31-05(A)(3)(a)(ii) | b)(2)a, below. |



(2) Additional Terms and Conditions

- a. The Best Available Technology (BAT) requirements under OAC rule 3745-31-05(A)(3) do not apply to the particulate emissions (PE) from this emissions unit since the restricted potential emissions are less than ten tons per year.
- b. The PE from this emissions unit shall be controlled by of hooding and a baghouse filter system that will minimize particulate emissions (PE).

c) Operational Restrictions

- (1) The amount of metal processed through this emission unit shall not exceed 110,230 tons per rolling 12-month period.
- (2) The maximum operating hours for this emissions unit shall not exceed 7200, based upon a rolling, 12 month summation of the operating hours.

The permittee has existing records of the 12-month rolling operating hours; therefore, there is no need for first 12 calendar months accumulating limitations to ensure the enforceability.

d) Monitoring and/or Recordkeeping Requirements

- (1) The permittee shall maintain monthly records of the following:
 - a. the amount of metal processed through this emission unit, in tons; and
 - b. the updated rolling, 12-month summation of the amount of metal processed through this emission unit. This shall include the information for the current month and the preceding eleven calendar months.

- (2) The pressure drop across the baghouse(s) shall be maintained within the range of 1 to 15 inches of water while any emission unit controlled by the baghouse(s) is in operation. The exception is for the first 45 days following a change of at least 50% of the fabric bags. During that time, the pressure drop shall be maintained below 15 inches of water while any emission unit controlled by the baghouse is in operation.

The permittee shall properly operate, and maintain equipment to monitor the pressure drop across the baghouse(s) while the emissions unit is in operation. The monitoring equipment shall be calibrated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the baghouse once each operating day.

- (3) The permittee shall perform weekly checks, when the emissions unit is in operation and when the weather conditions allow, for any visible PE from the stack and for any visible fugitive PE from the egress points (ie., building windows, doors, roof monitors, etc.) serving this emissions unit. The presence or absence of any visible emissions shall be noted in an operational log. If visible emissions are observed, the permittee shall also note the following in the operational log;
 - a. the color of the emissions;
 - b. the total duration of any visible emission incident; and



- c. any corrective actions taken to eliminate the visible emissions.

The permittee may, upon receipt of written approval from the appropriate Ohio EPA District Office or local air agency, modify the above-mentioned frequencies for performing the visible emissions checks if operating experience indicates that less frequent visible emissions checks would be sufficient to ensure compliance with the above-mentioned applicable requirements.

- (4) The permittee shall maintain monthly records of the following information:
 - a. the hours that baghouse #4 was operated;
 - b. the particulate emissions (PE) rate from baghouse # 4, in grains per dry standard cubic feet (g/dscf), 0.005 g/dscf or result from most recent stack test;
 - c. the monthly PE from baghouse #4 in tons, (the summation of: $\{[("b" \times 74,731 \times 60 \text{ mins/hr} \times (1\text{lb}/7,000)] \times "a" \} / 2,000 \text{ lbs/ton}$); and
 - d. the rolling, 12-month total PE from baghouse #4 The rolling, 12-month summation of the total amount of PE (the total amount of PE for the current month (c) plus the total amount of PE for the 11 previous calendar months).
- (5) The permittee shall maintain monthly records of the following information:
 - a. the hours that baghouse #7 was operated;
 - b. the particulate emissions (PE) rate from baghouse # 7, in grains per dry standard cubic feet (g/dscf), 0.005 g/dscf or result from most recent stack test;
 - c. the monthly PE from baghouse #7, in tons, (the summation of: $\{[("b" \times 89,655 \text{ acfm}) \times 60 \text{ mins/hr} \times (1\text{lb}/7,000)] \times "a" \} / 2,000 \text{ lbs/ton}$); and
 - d. the rolling, 12-month total PE from baghouse #7. The rolling, 12-month summation of the total amount of PE (the total amount of PE for the current month (c) plus the total amount of PE for the 11 previous calendar months).
- (6) The permittee shall maintain monthly records of the following information:
 - a. the amount of metal employed in this emissions unit, in tons;
 - b. the rolling, 12-month total metal usage in this emissions unit. The rolling, 12-month summation of the total metal employed (the total amount of metal employed for the current month ("a") plus the total amount of metal employed for the 11 previous calendar months);
 - c. the monthly fugitive PE emissions, in tons, (the summation of: $\{[(\text{metal usage "a"} \times 0.6 \text{ lbs of PE/ton of metal employed, from Fire SCC 304000315,}) \times (1 - \text{hooding capture efficiency (97.5 \%), best engineering assumption})] / 2000 \text{ lbs/ton}$); and
 - d. the rolling, 12-month total fugitive PE from this emissions unit. The rolling, 12-month summation of the total fugitive PE (the total amount of fugitive PE for the current month (c) plus the total amount of fugitive PE for the 11 previous calendar months).



- (7) The permittee shall maintain monthly records of the following information:
- a. the total operating hours; and
 - b. the rolling, 12-month total operating hours for this emissions units. The rolling, 12-month summation of the total operating hours for this emissions unit (the total operating hours for the current month ("a") plus the total operating hours for the 11 previous calendar months).

e) Reporting Requirements

- (1) The permittee shall submit quarterly deviation (excursion) reports that identify the following:
- a. The particulate emissions (PE) from baghouse # 4, which controls emissions from emissions unit P020, emissions unit P902, Autopour I Furnace, and emissions unit P087, Disc M/C & P919, Cupola Charge Material Handling and storage exceeds 11.53 tons (PE)/ rolling 12-month period. ;
 - b. The particulate emissions (PE) from baghouse # 7, which controls emissions from emissions unit P908, emissions unit P910, Holding Furnaces, and charging and tapping of emissions unit P901, Cupola, P076 Sand Plant, P911 Transfer Ladles & P919, scrap handling, exceeds 13.83 tons (PE)/ rolling 12-month period;
 - c. all exceedances of the rolling 12-month period metal usage of 110,230 tons of metal per rolling 12-month period in this emissions unit;
 - d. all exceedances of the rolling 12-month period fugitive PE limitation of 0.25 tons per rolling 12-month period from this emissions unit;
 - e. all exceedances of the rolling, 12-month period 7,200 operation hour limitation.
 - f. all periods of time in which this emissions unit was in operation and the pressure drop across the baghouse(s) did not comply with the allowable range.

The quarterly deviation (excursion) reports shall be submitted in accordance with the reporting requirements of the Standard Terms and Conditions of this permit.

[OAC rule 3745-15-03(B)(1)(a)] and [OAC rule 3745-15-03(C)] and [OAC rule 3745-77-07(C)(1)]

- (2) The permittee shall submit semiannual written reports that:
- a. identify all days during which any visible PE were observed from any stack serving this emissions unit;
 - b. identify all days during which any visible fugitive PE were observed from any egress point (i.e., building windows, doors, roof monitors, etc...) serving this emissions unit; and
 - c. describe the corrective actions taken to eliminate the visible PE.



These reports shall be submitted to the Ohio EPA, Southwest District Office by January 31 and July 31 of each year and shall cover the previous 6-month period.

f) Testing Requirements

(1) Compliance with the emission limitation specified in Section A.I.1 shall be determined in accordance with the following methods:

a. Emission Limitations: 2.92 lb of PE/hr

The hourly PE limitation represents the emissions unit's potential to emit and was established by the following methodology:

$$UHER = (Eb \times Pr)$$

$$AMRE = 0.2 \times UHER$$

Where:

UMRE = Uncontrolled Mass Rate Emission, lbs/hr (14.58);

AMRE = Allowable Mass Rate of Emission, lbs/hr;

Eb= Emission factor from dust storage bins, lbs/ton (0.6, Fire 3-04-003-15); and

Pr= Production rate (24.3 tons/hr, Honda's Emission Activity Category Form).

The permittee shall demonstrate compliance with the PE limitations based upon the results of emissions testing conducted in accordance with Methods 1-5 of 40 CFR Part 60, Appendix A.

Compliance with the above limitation is based on the 24.3 tons of metal employed being maximum potential metal usage for this emissions unit.

b. Emission Limitation:

The particulate emissions (PE) from baghouse # 4, which controls emissions from emissions units P020, P902, P087, & P919, shall not exceed 11.53 tons (PE)/rolling 12-month period.

The combined rolling 12-month emission limitation is the total sum of the following equation for all of the above listed emissions units:

$$AER = [(Af \times Ef \times 60 \text{ mins/hr} \times Cf) \times Ho] / 2000$$

Where:

AER = Particulate emissions, in tons per rolling 12 month period;

Af = Maximum Air Flow from Baghouse #4, in acfm, (74,731, specific acfm rates are from the data provide by Honda);



Ef = Emission factor of the control device, grains of PE per dscf, (0.005 grains/dscf, data from Honda and represents a voluntary restriction that Honda has requested to be limited to);

Cf = Conversion factor, (1 lbs/7,000 grains); and

Ho = Allowable rolling 12-month hours of operation limitation, (7,200 hrs, Honda's requested voluntary limitation).

Applicable Compliance Method:

The permittee shall demonstrate compliance with the above limits based upon the record keeping requirements of d)(4), of this permit.

c. Emission Limitation:

The particulate emissions (PE) from baghouse # 7, which controls emissions from emissions units P908, P910, P901, P076, P911 & P919 shall not exceed 13.83 tons (PE)/rolling 12-month period.

The combined rolling 12-month emission limitation is the total sum of the following equation for all of the above listed emissions units:

$$AER = [(Af \times Ef \times 60 \text{ mins/hr} \times Cf) \times Ho] / 2000$$

Where:

AER = Particulate emissions, in tons per rolling 12 month period;

Af = Maximum Air Flow from Baghouse # 7, in acfm, (89,655, specific acfm rates are from the data provide by Honda);

Ef = Emission factor of the control device, grains of PE per dscf, (0.005 grains/dscf, data from Honda and represents a voluntary restriction that Honda has requested to be limited to);

Cf = Conversion factor, (1 lbs/7,000 grains); and

Ho = Allowable rolling 12-month hours of operation limitation, (7,200 hrs, Honda's requested voluntary limitation).

Applicable Compliance Method:

The permittee shall demonstrate compliance with the above limits based upon the record keeping requirements of d)(5), of this permit.

d. The fugitive particulate emissions (PE) from emissions unit P919, shall not exceed 0.25 tons (PE)/ rolling 12-month period.

The fugitive PE rolling 12-month emission limitation is the total sum of the following equation:

$$FER = [(MMP \times Ef) \times (1-CAP) \times (1-Cb)] / 2000\text{lbs/ton}$$



Where:

FER = Fugitive Particulate emissions, in tons per rolling 12 month period;

MMP = Maximum metal processed rate, in tons, (110,230 tons, from the data provide by Honda);

Ef = Emission factor, in lbs of PE/ton of metal, (0.6 lbs/ton of metal, Fire SCC 30400315); and

CAP = Assumed capture efficiency, in %, (97.5), from data provided by Honda).

Cb%= Capture/Control of Building (70% from Honda Calculation sheets and best engineering estimate)(Reference: April 10, 1998 Letter to Ironton Iron, Inc from Stephen Giles, Director of Portsmouth Local Air Agency)

Applicable Compliance Method:

The permittee shall demonstrate compliance with the above limits based upon the record keeping requirements of d)(6), of this permit.

- e. Visible PE emissions from any baghouse vent that this emission unit is controlled by shall not exceed 20% opacity, as a 6-minute average.

Applicable Compliance Method:

If required, compliance shall be determined in accordance with Test Method 9 as set forth in 40 CFR Part 60 (Appendix on Test Methods).

- (2) The permittee shall conduct, or have conducted, emission testing for any baghouse that controls this emission unit to demonstrate compliance with the allowable PE limitations and to verify Honda's estimated emission rate of 0.005 grain /dscf..

- a. The emission testing shall be conducted within 1 year prior to the expiration of this facility's Title V permit.
- b. The emission testing shall be conducted to demonstrate compliance with the allowable PE limitations and to verify Honda's estimate emission rates being emitted from the baghouse(s) that are controlling or may be used to control this emissions unit.
- c. The following test methods shall be employed to demonstrate compliance with the allowable mass emission limitations and to verify Honda's estimated emission rate of 0.005 grain /dscf.
 - i. PE: Methods 1-5 of 40 CFR Part 60, Appendix A

Alternative U.S. EPA approved test methods may be used with prior approval from the Ohio EPA.

- d. The test(s) shall be conducted while the emission units being controlled by the baghouse(s) are being operated at or near their maximum capacities, unless otherwise specified or approved by the Ohio EPA, Southwest District Office.



Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the Ohio EPA, Southwest District Office. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of the test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Ohio EPA, Southwest District Office's refusal to accept the results of the emission test(s).

Personnel from the Ohio EPA shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the control equipment.

A comprehensive written report on the results of the emission test(s) shall be signed by the person or persons responsible for the tests and submitted to the Ohio EPA, Southwest District Office within 30 days following completion of the test(s). The permittee may request additional time for the submittal of the written report, where warranted, with prior approval from the Ohio EPA, Southwest District Office.

- g) Miscellaneous Requirements
 - (1) None.