

1

Facility Name: **Flint Ink North America Corp**

Application Number: **14-4620**

Date: **December 8, 1999**

### **GENERAL PERMIT CONDITIONS**

#### **TERMINATION OF PERMIT TO INSTALL**

Substantial construction for installation must take place within 18 months of the effective date of this permit. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

#### **NOTICE OF INSPECTION**

The Director of the Ohio Environmental Protection Agency, or his authorized representatives, may enter upon the premises of the above-named applicant during construction and operation at any reasonable time for the purpose of making inspections, conducting tests, or to examine records or reports pertaining to the construction, modification or installation of the source(s) of environmental pollutants identified within this permit.

#### **CONSTRUCTION OF NEW SOURCES**

The proposed source(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources are inadequate or cannot meet applicable standards.

If the construction of the proposed source(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of Ohio Administrative Code (OAC) Rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as

2

Facility Name: **Flint Ink North America Corp**

Application Number: **14-4620**

Date: **December 8, 1999**

an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet applicable standards.

### **PERMIT TO INSTALL FEE**

In accordance with Ohio Revised Code 3745.11, the specified Permit to Install fee must be remitted within 30 days of the effective date of this permit to install.

### **PUBLIC DISCLOSURE**

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC Rule 3745-49-03.

### **APPLICABILITY**

This Permit to Install is applicable only to the contaminant sources identified. Separate application must be made to the Director for the installation or modification of any other contaminant sources.

3

Facility Name: **Flint Ink North America Corp**

Application Number: **14-4620**

Date: **December 8, 1999**

### **BEST AVAILABLE TECHNOLOGY**

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

### **PERMIT TO OPERATE APPLICATION**

A Permit to Operate application must be submitted to the appropriate field office for each air contaminant source in this Permit to Install. In accordance with OAC Rule 3745-35-02, the application shall be filed no later than thirty days after commencement of operation.

### **SOURCE OPERATION AFTER COMPLETION OF CONSTRUCTION**

This facility is permitted to operate each source described by this permit to install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws and regulations.

4

Facility Name: **Flint Ink North America Corp**

Application Number: **14-4620**

Date: **December 8, 1999**

5

Facility Name: **Flint Ink North America Corp**

Application Number: **14-4620**

Date: **December 8, 1999**

| <u>Ohio<br/>EPA<br/>Source<br/>Number</u> | <u>Source<br/>Identification<br/>Number</u> | <u>BAT<br/>Determination</u> | <u>Applicable Federal<br/>&amp; OAC Rules</u> | <u>Permit Allowable Mass<br/>Emissions and/or<br/>Control/Usage<br/>Requirements</u> |
|---|---|------------------------------|---|--|
|---|---|------------------------------|---|--|

AIR EMISSION SUMMARY

The air contaminant emissions units listed below comprise the Permit to Install for **Flint Ink North America Corp** located in **Warren** County. The emissions units listed below shall not exceed the emission limits/control requirements contained in the table. This condition in no way limits the applicability of any other state or federal regulations. Additionally, this condition does not limit the applicability of additional special terms and conditions of this permit.

P002

P006

Ohio  
EPA  
Source  
Number

P001

P005

P002  
Cont'd

P006  
Cont'd

P004

P003

P007

P004  
Cont'd

Facility Name: **Flint Ink North America Corp**  
Application Number: **14-4620**  
Date: **December 8, 1999**

| <u>Ohio EPA Source Number</u> | <u>Source Identification Number</u> | <u>BAT Determination</u> | <u>Applicable Federal &amp; OAC Rules</u> | <u>Permit Allowable Mass Emissions and/or Control/Usage Requirements</u> |
|-------------------------------|-------------------------------------|--------------------------|---|--|
|                               |                                     | P011                     |   | Cont'd   |
|                               |                                     |                          | P013                                      |  |
|                               |                                     |                          |   | P015   |
| P008                          |                                     |                          |   |  |
|                               | P010                                |                          |   |  |
|                               |                                     | P012                     |   |  |
| P008<br>Cont'd                |                                     |                          | P014                                      |  |
|                               | P010<br>Cont'd                      |                          |   |  |
|                               |                                     | P012<br>Cont'd           |   | P016   |
| P009                          |                                     |                          | P014                                      |  |

Facility Name: **Flint Ink North America Corp**

Application Number: **14-4620**

Date: **December 8, 1999**

| <u>Ohio<br/>EPA<br/>Source<br/>Number</u> | <u>Source<br/>Identification<br/>Number</u> | <u>BAT<br/>Determination</u> | <u>Applicable Federal<br/>&amp; OAC Rules</u> | <u>Permit Allowable Mass<br/>Emissions and/or<br/>Control/Usage<br/>Requirements</u> |
|---|---|------------------------------|---|--|
| P016<br>Cont'd                            |   | P020                         |   |  |
|   | P018<br>Cont'd                              |                              | P022  |  |
|   |   | P020<br>Cont'd               |   | P024   |
| P017                                      |   |                              | P022<br>Cont'd                                |  |
|   | P019  |                              |   | P024<br>Cont'd   |
|   |   | P021                         |   |  |
|   |   |                              |   | P025   |
|   |   |                              | P023  |  |
| P018                                      |   |                              |   |  |

Facility Name: **Flint Ink North America Corp**

Application Number: **14-4620**

Date: **December 8, 1999**

| <u>Ohio EPA Source Number</u> | <u>Source Identification Number</u> | <u>BAT Determination</u>                  | <u>Applicable Federal &amp; OAC Rules</u> | <u>Permit Allowable Mass Emissions and/or Control/Usage Requirements</u> |
|-------------------------------|-------------------------------------|---|---|--|
| P026                          |                                     |   |   |  |
|                               |                                     | <u>Source Identification Description</u>  |   |  |
|                               | T005                                | 2,000 gallon ink mixer with fabric filter |   |  |
| T001                          | T006                                |   | 1,000 gallon ink mixer with fabric filter |  |
|                               | T007                                |   |   | HM 60 mill/blender with fabric filter                                    |
| T002                          |                                     |   |   |  |
|                               | T008                                |   |   |  |
| T003                          |                                     | 2,000 gallon ink mixer with fabric filter |   |  |
|                               | T009                                |   | 1,000 gallon ink mixer with fabric filter |  |
| T004                          |                                     |   |   |  |

Facility Name: **Flint Ink North America Corp**  
 Application Number: **14-4620**  
 Date: **December 8, 1999**

| Ohio<br>EPA<br>Source<br><u>Number</u>                | Source<br>Identification<br><u>Number</u>          | <u>BAT</u><br><u>Determination</u>              | <u>Applicable Federal</u><br><u>&amp; OAC Rules</u> | <u>Permit Allowable Mass</u><br><u>Emissions and/or</u><br><u>Control/Usage</u><br><u>Requirements</u> |
|---|--|---|---|--|
| HM 60<br>mill/bl<br>ender<br>with<br>fabric<br>filter |  |   |   | 30 hp mixer/<br>disperser<br>with fabric<br>filter   |
|   | HM 40<br>mill/blender<br>with fabric<br>filter     | 50 hp mixer/<br>disperser<br>with fabric filter | 50 hp mixer/<br>disperser<br>with fabric<br>filter  |  |
| HM 40<br>mill/bl<br>ender<br>with<br>fabric<br>filter |  |   |   | 30 hp mixer/<br>disperser<br>with fabric<br>filter   |
|   | 50 hp mixer/<br>disperser<br>with fabric<br>filter | 50 hp mixer/<br>disperser<br>with fabric filter |   |  |

Facility Name: **Flint Ink North America Corp**

Application Number: **14-4620**

Date: **December 8, 1999**

| <u>Ohio EPA Source Number</u>            | <u>Source Identification Number</u>      | <u>BAT Determination</u>                               | <u>Applicable Federal &amp; OAC Rules</u>              | <u>Permit Allowable Mass Emissions and/or Control/Usage Requirements</u> |
|--|--|--|--|--|
| 30 hp mixer/disperser with fabric filter | 20 hp mixer/disperser with fabric filter | HM 10 mill/blender and support mill with fabric filter | HM 20 mill/blender and support mill with fabric filter | HM 40 mill/blender and support mill with fabric filter                   |
| 30 hp mixer/disperser with fabric filter | 20 hp mixer/disperser with fabric filter | HM 10 mill/blender and support mill with fabric filter | HM 20 mill/blender and support mill with fabric filter | Horizontal tandem mill   |

Facility Name: **Flint Ink North America Corp**

Application Number: **14-4620**

Date: **December 8, 1999**

| <u>Ohio EPA Source Number</u>               | <u>Source Identification Number</u>                             | <u>BAT Determination</u>   | <u>Applicable Federal &amp; OAC Rules</u>   | <u>Permit Allowable Mass Emissions and/or Control/Usage Requirements</u>   |
|---|---|--|---|--|
|   | 16600 gallon vertical fixed roof ethyl acetate storage tank     | storage tank<br>16,600 gallon vertical fixed roof nitrocell-ulose storage tank   |   | compliance with OC and PM/PM <sub>10</sub> emission limitations, and compliance with the Ohio EPA Air Toxics Policy  |
| Horizonta<br>l<br>tandem<br>mill            | 16,600 gallon vertical fixed roof ethyl alcohol storage tank    | 16,600 gallon vertical fixed roof polyamide varnish storage tank<br>17,000 gallon vertical fixed roof toluene storage tank | BAT<br><u>Determination</u><br><br>Use of tight-fitting covers, use of a fabric filter, compliance with OC and PM/PM <sub>10</sub> emission limitations, and compliance with the Ohio EPA Air Toxics Policy |  |
| Portabl<br>e<br>mixing<br>vessel<br>washing | 16,600 gallon vertical fixed roof n-propyl acetate storage tank | 17,000 gallon vertical fixed roof gravure wax storage tank   |   | Use of tight-fitting covers, use of a fabric filter, compliance with OC and PM/PM <sub>10</sub> emission limitations, and compliance with the Ohio EPA Air Toxics Policy |
|   | 16,600 gallon vertical fixed roof n-propyl alcohol              |  | Use of tight-fitting covers, use of a fabric filter,  |  |

Facility Name: **Flint Ink North America Corp**

Application Number: **14-4620**

Date: **December 8, 1999**

| <u>Ohio EPA Source Number</u>  | <u>Source Identification Number</u>  | <u>BAT Determination</u>   | <u>Applicable Federal &amp; OAC Rules</u>   | <u>Permit Allowable Mass Emissions and/or Control/Usage Requirements</u>  |
|--|--|--|---|---|
| <p>Use of tight-fitting covers, use of a fabric filter, compliance with OC and PM/PM<sub>10</sub> emission limitations, and compliance with the Ohio EPA Air Toxics Policy</p> | <p>Use of tight-fitting covers, use of a fabric filter, compliance with OC and PM/PM<sub>10</sub> emission limitations, and compliance with the Ohio EPA Air Toxics Policy</p> | <p>compliance with OC and PM/PM<sub>10</sub> emission limitations, and compliance with the Ohio EPA Air Toxics Policy</p> <p>Use of tight-fitting covers, use of a fabric filter, compliance with OC and PM/PM<sub>10</sub> emission limitations, and compliance with the Ohio EPA Air Toxics Policy</p> | <p>Use of tight-fitting covers, use of a fabric filter, compliance with OC and PM/PM<sub>10</sub> emission limitations, and compliance with the Ohio EPA Air Toxics Policy</p> <p>Use of tight-fitting covers, use of a fabric filter, compliance with OC and PM/PM<sub>10</sub> emission limitations, and compliance with the Ohio EPA Air Toxics Policy</p> | <p>EPA Air Toxics Policy</p> <p>Use of tight-fitting covers, use of a fabric filter, compliance with OC and PM/PM<sub>10</sub> emission limitations, and compliance with the Ohio EPA Air Toxics Policy</p> |
|  | <p>Use of tight-fitting covers, use of a fabric filter,</p>  |  |   |   |

Facility Name: **Flint Ink North America Corp**

Application Number: **14-4620**

Date: **December 8, 1999**

| <u>Ohio EPA Source Number</u>  | <u>Source Identification Number</u>  | <u>BAT Determination</u>   | <u>Applicable Federal &amp; OAC Rules</u>  | <u>Permit Allowable Mass Emissions and/or Control/Usage Requirements</u>   |
|--|--|--|--|--|
| Use of tight-fitting covers, use of a fabric filter, compliance with OC and PM/PM <sub>10</sub> emission limitations, and compliance with the Ohio EPA Air Toxics Policy | Use of tight-fitting covers, use of a fabric filter, compliance with OC and PM/PM <sub>10</sub> emission limitations, and compliance with the Ohio EPA Air Toxics Policy | compliance with the Ohio EPA Air Toxics Policy   | covers, use of a fabric filter, compliance with OC and PM/PM <sub>10</sub> emission limitations, and compliance with the Ohio EPA Air Toxics Policy                      | Use of tight-fitting covers, use of a fabric filter, compliance with OC and PM/PM <sub>10</sub> emission limitations, and compliance with the Ohio EPA Air Toxics Policy |
|  | Use of tight-fitting covers, use of a fabric filter, compliance with OC and PM/PM <sub>10</sub> emission limitations, and  | Use of tight-fitting covers, use of a fabric filter, compliance with OC and PM/PM <sub>10</sub> emission limitations, and compliance with the Ohio EPA Air Toxics Policy | Use of tight-fitting covers, use of a fabric filter, compliance with OC and PM/PM <sub>10</sub> emission limitations, and compliance with the Ohio EPA Air Toxics Policy | Use of tight-fitting covers, use of a fabric filter,   |

Facility Name: **Flint Ink North America Corp**  
 Application Number: **14-4620**  
 Date: **December 8, 1999**

| <u>Ohio EPA Source Number</u>  | <u>Source Identification Number</u>  | <u>BAT Determination</u>   | <u>Applicable Federal &amp; OAC Rules</u>  | <u>Permit Allowable Mass Emissions and/or Control/Usage Requirements</u>   |
|--|--|--|--|--|
| <p>compliance with OC and PM/PM<sub>10</sub> emissions, and compliance with the Ohio EPA Air Toxics Policy</p> | <p>and PM/PM<sub>10</sub> emission limitations, and compliance with the Ohio EPA Air Toxics Policy</p>   | <p>Use of tight-fitting covers, use of a fabric filter, compliance with OC and PM/PM<sub>10</sub> emission limitations, and compliance with the Ohio EPA Air Toxics Policy</p> | <p>Use of tight-fitting covers, use of a fabric filter, compliance with OC and PM/PM<sub>10</sub> emission limitations, and compliance with the Ohio EPA Air Toxics Policy</p> | <p>with the Ohio EPA Air Toxics Policy</p>   |
| <p>Use of tight-fitting covers, use of a fabric filter, compliance with OC</p>                                 | <p>Use of tight-fitting covers, use of a fabric filter, compliance with OC and PM/PM<sub>10</sub> emission limitations, and compliance with the Ohio EPA Air Toxics Policy</p> | <p>Use of tight-fitting covers, use of a fabric filter, compliance with OC and PM/PM<sub>10</sub> emission limitations, and compliance with the Ohio EPA Air Toxics Policy</p> | <p>Use of tight-fitting covers, compliance with OC emission limitations, and compliance</p>  | <p>Use of hoods to capture OC emissions, reclaim spent cleaning solvent, compliance with OC emission limitations, and compliance with the Ohio EPA Air Toxics Policy<br/><br/>Use of submerged</p> |

Facility Name: **Flint Ink North America Corp**

Application Number: **14-4620**

Date: **December 8, 1999**

| <u>Ohio EPA Source Number</u>  | <u>Source Identification Number</u>  | <u>BAT Determination</u>   | <u>Applicable Federal &amp; OAC Rules</u>                            | <u>Permit Allowable Mass Emissions and/or Control/Usage Requirements</u> |
|--|--|--|--|--|
| fill and compliance with recordkeeping requirements in Subpart Kb                  | compliance with recordkeeping requirements in Subpart Kb                           | fill and compliance with recordkeeping requirements in Subpart Kb                  |  | 3745-31-05 (BAT)   |
| requirements in Subpart Kb   | Use of submerged fill and compliance with recordkeeping requirements in Subpart Kb | Use of submerged fill and compliance with recordkeeping requirements in Subpart Kb | Applicable Federal & OAC Rules<br>3745-17-07 (A)<br>3745-17-11 (B) * | 3745-17-07 (A)   |
| Use of submerged fill and compliance with recordkeeping requirements in Subpart Kb | Use of submerged fill and compliance with recordkeeping requirements in Subpart Kb | Use of submerged fill and compliance with recordkeeping requirements in Subpart Kb | 3745-21-07 (G) *   | 3745-17-11 (B) *   |
| Use of submerged fill and compliance with recordkeeping requirements in Subpart Kb | Use of submerged fill and compliance with recordkeeping requirements in Subpart Kb | Use of submerged fill and compliance with recordkeeping requirements in Subpart Kb | 3745-31-05 (BAT)   | 3745-21-07 (G) *   |
| Use of submerged fill and compliance with recordkeeping requirements in Subpart Kb | Use of submerged fill and compliance with recordkeeping requirements in Subpart Kb | Use of submerged fill and compliance with recordkeeping requirements in Subpart Kb | 3745-17-07 (A)   | 3745-31-05 (BAT)   |
| Use of submerged fill and compliance with recordkeeping requirements in Subpart Kb | Use of submerged fill and compliance with recordkeeping requirements in Subpart Kb | Use of submerged fill and compliance with recordkeeping requirements in Subpart Kb | 3745-17-11 (B) *   | 3745-17-07 (A)   |
| Use of submerged fill and compliance with recordkeeping requirements in Subpart Kb | Use of submerged fill and compliance with recordkeeping requirements in Subpart Kb | Use of submerged fill and compliance with recordkeeping requirements in Subpart Kb | 3745-21-07 (G) *   |  |

Facility Name: **Flint Ink North America Corp**

Application Number: **14-4620**

Date: **December 8, 1999**

| <u>Ohio EPA Source Number</u> | <u>Source Identification Number</u> | <u>BAT Determination</u> | <u>Applicable Federal &amp; OAC Rules</u> | <u>Permit Allowable Mass Emissions and/or Control/Usage Requirements</u> |
|-------------------------------|-------------------------------------|--------------------------|---|--|
| 3745-17-11 (B) *              |                                     | 3745-21-07 (G) *         | 3745-17-07 (A) (1)                        |  |
| 3745-21-07 (G) *              |                                     | 3745-31-05 (BAT)         | 3745-17-11 (B) *                          | 3745-17-07 (A) (1)   |
| 3745-31-05 (BAT)              | 3745-17-07 (A)                      |                          | 3745-21-07 (G) *                          | 3745-17-11 (B) *   |
|                               | 3745-17-11 (B) *                    |                          | 3745-31-05 (BAT)                          | 3745-21-07 (G) *   |
|                               | 3745-21-07 (G) *                    | 3745-17-07 (A) (1)       |   | 3745-31-05 (BAT)   |
| 3745-17-07 (A)                | 3745-31-05 (BA)                     | 3745-17-11 (B) *         | 3745-17-07 (A) (1)                        |  |
|                               |                                     | 3745-21-07 (G) *         |   |  |
| 3745-17-11 (B) *              |                                     | 3745-31-05 (BAT)         | 3745-17-11 (B) *                          | 3745-17-07 (A) (1)   |
| 3745-21-07 (G) *              |                                     |                          | 3745-21-07 (G) *                          | 3745-17-11 (B) *   |
|                               | 3745-17-07 (A) (1)                  |                          | 3745-31-05 (BAT)                          | 3745-21-07 (G) *   |
| 3745-31-05 (BAT)              | 3745-17-11 (B) *                    |                          |   | 3745-31-05 (BAT)   |

Facility Name: **Flint Ink North America Corp**

Application Number: **14-4620**

Date: **December 8, 1999**

| <u>Ohio EPA Source Number</u> | <u>Source Identification Number</u> | <u>BAT Determination</u> | <u>Applicable Federal &amp; OAC Rules</u> | <u>Permit Allowable Mass Emissions and/or Control/Usage Requirements</u> |
|-------------------------------|-------------------------------------|--------------------------|---|--|
|                               | (A) (1)                             |                          | 3745-21-07 (G) *                          |  |
|                               | 3745-17-11 (B)<br>*                 |                          | 3745-31-05 (BAT)                          | 3745-17-11 (B) *   |
|                               | 3745-21-07 (G)<br>*                 |                          |   | 3745-21-07 (G) *   |
|                               |                                     |                          |   | 3745-31-05 (BAT)   |
| 3745-17-07<br>(A) (1)         | 3745-31-05 (BAT)                    | 3745-17-07<br>(A) (1)    |   |  |
|                               |                                     | 3745-17-11 (B) *         |   |  |
| 3745-17-11 (B) *              |                                     |                          | 3745-17-07<br>(A) (1)                     |  |
|                               |                                     | 3745-21-07 (G) *         |   |  |
| 3745-21-07 (G) *              |                                     | 3745-31-05 (BAT)         | 3745-17-11 (B) *                          | 3745-17-07<br>(A) (1)  |
|                               |                                     |                          | 3745-21-07 (G) *                          |  |
| 3745-31-05 (BAT)              | 3745-17-07<br>(A) (1)               |                          |   | 3745-17-11 (B) *   |
|                               |                                     |                          | 3745-31-05 (BAT)                          |  |
|                               |                                     |                          |   | 3745-21-07 (G) *   |
|                               | 3745-17-11 (B)<br>*                 |                          |   |  |
|                               |                                     |                          |   | 3745-31-05 (BAT)   |
|                               | 3745-21-07 (G)<br>*                 | 3745-17-07<br>(A) (1)    |   |  |
|                               |                                     |                          |   |  |
| 3745-17-07<br>(A) (1)         | 3745-31-05 (BAT)                    | 3745-17-11 (B) *         | 3745-17-07<br>(A) (1)                     |  |

Facility Name: **Flint Ink North America Corp**

Application Number: **14-4620**

Date: **December 8, 1999**

| <u>Ohio EPA Source Number</u> | <u>Source Identification Number</u> | <u>BAT Determination</u> | <u>Applicable Federal &amp; OAC Rules</u> | <u>Permit Allowable Mass Emissions and/or Control/Usage Requirements</u> |
|-------------------------------|-------------------------------------|--------------------------|---|--|
|                               |                                     |                          | 3745-31-05 (BAT)                          | 3745-21-07 (D)   |
| 3745-17-07                    | 3745-31-05 (BA                      | 3745-31-05 (BAT)         | 3745-21-07 (D)                            | 40 CFR 60 Subpart Kb   |
| (A) (1)                       |                                     |                          |   | 3745-31-05 (BAT)   |
|                               |                                     |                          |   | 3745-21-07 (D)   |
| 3745-17-11 (B) *              |                                     |                          | 40 CFR 60 Subpart Kb                      | 40 CFR 60 Subpart Kb   |
|                               |                                     |                          | 3745-31-05 (BAT)                          |  |
| 3745-21-07 (G) *              |                                     |                          | 3745-21-07 (D)                            | 3745-31-05 (BAT)   |
|                               | 3745-17-07 (A) (1)                  | 3745-21-07 (G) *         | 40 CFR 60 Subpart Kb                      | 3745-21-07 (D)   |
| 3745-31-05 (BAT)              |                                     | 3745-31-05 (BAT)         | 40 CFR 60 Subpart Kb                      | 40 CFR 60 Subpart Kb   |
|                               | 3745-17-11 (B) *                    |                          | 3745-31-05 (BAT)                          | 3745-31-05 (BAT)   |
|                               |                                     |                          | 3745-21-07 (D)                            |  |
|                               | 3745-21-07 (G) *                    |                          | 40 CFR 60 Subpart Kb                      | 3745-21-07 (D)   |
|                               |                                     |                          | 3745-31-05 (BAT)                          |  |
|                               | 3745-31-05 (BA T)                   | 3745-21-07 (G) *         | 3745-21-07 (D)                            |  |
| 3745-17-07                    |                                     | 3745-31-05 (BAT)         | 40 CFR 60 Subpart Kb                      |  |
| (A) (1)                       |                                     |                          | 3745-31-05 (BAT)                          |  |
|                               |                                     |                          | 3745-21-07 (D)                            |  |
| 3745-17-11 (B) *              |                                     |                          | 40 CFR 60 Subpart Kb                      |  |
| 3745-21-07 (G) *              | 3745-21-07 (G) *                    |                          | 40 CFR 60 Subpart Kb                      | 3745-31-05 (BAT)   |

Facility Name: **Flint Ink North America Corp**

Application Number: **14-4620**

Date: **December 8, 1999**

| <u>Ohio EPA Source Number</u>  | <u>Source Identification Number</u>  | <u>BAT Determination</u>   | <u>Applicable Federal &amp; OAC Rules</u>   | <u>Permit Allowable Mass Emissions and/or Control/Usage Requirements</u>   |
|--|--|--|---|--|
| Permit Allowable Emissions and/or Control/Usage Requirements   | ons A.2. and A.3. for the OC and PM/PM <sub>10</sub> mass emissions limitations.   | mixer  | limitations.  | and Conditions A.2. and A.3. for the OC and PM/PM <sub>10</sub> mass emissions limitations.                              |
| See Additional Special Term and Condition A.1.   | 29.9 TPY OC per mixer  | See Additional Special Term and Condition A.1.<br>Less stringent than BAT  | 27.2 TPY OC per mixer<br>See Additional Special Term and Condition A.1.   | 4.2 TPY OC per blender   |
| See Additional Special Term and Condition A.1.   | Less stringent than BAT  | Less stringent than BAT  | Less stringent than BAT   | See Additional Special Term and Condition A.1.   |
| Less stringent than BAT  | See Additional Special Term and Condition A.1.   | See Additional Special Terms and Conditions A.2. and A.3. for the OC and PM/PM <sub>10</sub> mass emissions limitations. | Less stringent than BAT<br>See Additional Special Terms and Conditions A.2. and A.3. for the OC and PM/PM <sub>10</sub> mass emissions limitations. | Less stringent than BAT  |
| Less stringent than BAT  | Less stringent than BAT  | 27.2 TPY OC per mixer  | PM/PM <sub>10</sub> mass emissions limitations.   | See Additional Special Terms and Conditions A.2. and A.3. for the OC and PM/PM <sub>10</sub> mass emissions limitations. |
| See Additional Special Terms and Conditions A.2. and A.3. for the OC and PM/PM <sub>10</sub> mass emissions limitations. | See Additional Special Terms and Conditions A.2. and A.3. for the OC and PM/PM <sub>10</sub> mass emissions limitations. | See Additional Special Term and Condition A.1.   | 4.2 TPY OC per blender  | 1.4 TPY OC per blender   |
| See Additional Special Terms and Conditions A.2. and A.3. for the OC and PM/PM <sub>10</sub> mass emissions limitations. | See Additional Special Terms and Conditions A.2. and A.3. for the OC and PM/PM <sub>10</sub> mass emissions limitations. | Less stringent than BAT  | See Additional Special Term and Condition A.1.<br>Less stringent than BAT   | See Additional Special Term and Condition A.1.   |
| See Additional Special Terms and Conditions A.2. and A.3. for the OC and PM/PM <sub>10</sub> mass emissions limitations. | 29.9 TPY OC per  | See Additional Special Terms and Conditions A.2. and A.3. for the OC and PM/PM <sub>10</sub> mass emissions              | Less stringent than BAT<br>See Additional Special Terms   | Less stringent than BAT  |





Facility Name: **Flint Ink North America Corp**

Application Number: **14-4620**

Date: **December 8, 1999**

| <u>Ohio EPA Source Number</u>   | <u>Source Identification Number</u>  | <u>BAT Determination</u>   | <u>Applicable Federal &amp; OAC Rules</u>               | <u>Permit Allowable Mass Emissions and/or Control/Usage Requirements</u> |
|---|--|--|---|--|
| See Additio<br>nal<br>Special<br>Terms<br>and<br>Conditio<br>ns<br>A.2.<br>and<br>A.3.<br>for the<br>OC mass<br>emissio<br>ns<br>limits.<br>6.7 TPY<br>OC per<br>mill | for the OC<br>mass emission<br>limits.<br>6.7 TPY OC<br>per<br>mill<br>Less<br>stringent<br>than BAT<br>See<br>Additional<br>Special Terms<br>and<br>Conditions<br>A.2. and A.3.<br>for the OC<br>mass emission<br>limits.<br>2.6 TPY OC | 0.39 TPY OC<br>Exempt<br>See General Terms<br>0.08 TPY OC<br>Exempt<br>See General Terms<br>0.25 TPY OC<br>Exempt<br>See General Terms<br>0.07 TPY OC<br>Exempt<br>See General Terms | Exempt<br>See General<br>Terms<br>0.61 TPY OC<br>Exempt |  |
| Less<br>stringe<br>nt than<br>BAT<br>See<br>Additio<br>nal<br>Special<br>Terms<br>and<br>Conditio<br>ns<br>A.2.<br>and<br>A.3.  | See General<br>Terms<br>0.54 TPY OC<br>Exempt<br>See General<br>Terms<br>0.15 TPY OC   | 0.25 TPY OC<br>Exempt<br>See General Terms<br>0.82 TPY OC<br>Exempt<br>See General Terms   |   |  |

Facility Name: **Flint Ink North America Corp**

Application Number: **14-4620**

Date: **December 8, 1999**

| <u>Ohio<br/>EPA<br/>Source<br/>Number</u> | <u>Source<br/>Identification<br/>Number</u> | <u>BAT<br/>Determination</u> | <u>Applicable Federal<br/>&amp; OAC Rules</u> | <u>Permit Allowable Mass<br/>Emissions and/or<br/>Control/Usage<br/>Requirements</u> |
|---|---|------------------------------|---|--|
|---|---|------------------------------|---|--|

\* The emission limitations established by these rules are less stringent than the requirements of OAC rule 3745-31-05 (BAT).

#### SUMMARY

#### TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

| <u>Pollutant</u> | <u>Tons/Year</u> |
|------------------|------------------|
| Organic Compound | 65.3             |
| PM               | 1.0              |
| PM <sub>10</sub> | 1.0              |

#### NSPS REQUIREMENTS

The following sources are subject to the applicable provisions of the New Source Performance Standards (NSPS) as promulgated by the United States Environmental Protection Agency, 40 CFR Part 60.

Facility Name: **Flint Ink North America Corp**

Application Number: **14-4620**

Date: **December 8, 1999**

| <u>Source<br/>Number</u> | <u>Source<br/>Description</u>             | <u>NSPS Regulation (Subpart)</u> |
|--------------------------|---|----------------------------------|
| T001-T007                | 16,600 gallon fixed roof<br>storage tanks | Kb                               |
| T008                     | 17,000 gallon fixed roof<br>storage tank  | Kb                               |
| T009                     | 17,000 gallon fixed roof<br>storage tank  | Kb                               |

The application and enforcement of these standards are delegated to the Ohio EPA. The requirements of 40 CFR Part 60 are also federally enforceable.

Pursuant to the NSPS, the source owner/operator is hereby advised of the requirement to report the following at the appropriate times:

- a. construction date (no later than 30 days after such date);
- b. anticipated start-up date (not more than 60 days or less than 30 days prior to such date);
- c. actual start-up date (within 15 days after such date); and
- d. date of performance testing (If required, at least 30 days prior to testing).

Reports are to be sent to:

Ohio Environmental Protection Agency  
 DAPC - Permit Management Unit  
 P.O. Box 163669  
 Columbus, OH 43216-3669

and **Hamilton County Dept. of Env. Services**  
**1632 Central Parkway**  
**Cincinnati, OH 45210**

25

Facility Name: **Flint Ink North America Corp**

Application Number: **14-4620**

Date: **December 8, 1999**

**REPORTING REQUIREMENTS**

Unless otherwise specified, reports required by the Permit to Install need only be submitted to **Hamilton County Dept. of Env. Services, 1632 Central Parkway, Cincinnati, OH 45210.**

26

Facility Name: **Flint Ink North America Corp**

Application Number: **14-4620**

Date: **December 8, 1999**

**WASTE DISPOSAL**

The owner/operator shall comply with any applicable state and federal requirements governing the storage, treatment, transport and disposal of any waste material generated by the operation of the sources.

**MAINTENANCE OF EQUIPMENT**

This source and its associated air pollution control system(s) shall be maintained regularly in accordance with good engineering practices and the recommendations of the respective manufacturers in order to minimize air contaminant emissions.

**MALFUNCTION/ABATEMENT**

In accordance with OAC RULE 3745-15-06, any malfunction of the source(s) or associated air pollution control system(s) shall be reported immediately to the **Hamilton County Dept. of Env. Services, 1632 Central Parkway, Cincinnati, OH 45210.**

Except as provided by OAC Rule 3745-15-06(A)(3), scheduled maintenance of air pollution control equipment that requires the shutdown or bypassing of air pollution control system(s) must be accompanied by the shutdown of the associated air pollution sources.

**AIR POLLUTION NUISANCES PROHIBITED**

The air contaminant source(s) identified in this permit may not cause a public nuisance in violation of OAC Rule 3745-15-07.

**MISCELLANEOUS STORAGE TANKS**

Unless otherwise indicated, BAT for any miscellaneous storage tanks identified within this permit consists of the use of submerged fill into the storage tanks. The submerged fill pipe(s) are to be installed within six (6) inches of the bottom of the storage tank.

27

Facility Name: **Flint Ink North America Corp**

Application Number: **14-4620**

Date: **December 8, 1999**

**NEW SOURCE PERFORMANCE STANDARD SUBPART Kb**

The application and enforcement of the provisions of the New Source Performance Standards (NSPS), as promulgated by the United States

Environmental Protection Agency, 40 CFR Part 60, are delegated to the Ohio Environmental Protection Agency. The requirements of 40 CFR Part 60 are also federally enforceable.

In accordance with 40 CFR 60.116b(a) and (b), the owner and operator of the following storage vessel(s) shall keep readily accessible records showing the dimension of each storage vessel and an analysis showing the capacity of each storage vessel for the life of each source.

Source Number(s)

Tank Size

T001 through T009

16,600 gallon - 17,000 gallon

**CONSTRUCTION COMPLIANCE CERTIFICATION**

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

**ADDITIONAL SPECIAL TERMS AND CONDITIONS**

**A. Applicable Emissions Limitations and/or Control Requirements**

1. Visible particulate emissions from the fabric filter exhaust stack shall not exceed 20 percent opacity, as a six-minute average, except as specified by rule.
2. The emissions of organic compounds (OC) for the ink mixing operations and associated cleanup operation (emissions units P001 through P026) shall not exceed 62.1 tons per year (TPY) combined, based upon a rolling, 12-month summation of the OC emissions.

Facility Name: **Flint Ink North America Corp**

Application Number: **14-4620**

Date: **December 8, 1999**

After the first 12 calendar months of operation following issuance of this permit, compliance with the annual OC emissions limitation shall be based upon a rolling, 12-month summation of the monthly emissions.

3. The maximum annual production rate for emissions unit P001 and P002 combined shall not exceed 22,817,000 pounds of ink per year, based upon a rolling, 12-month summation of the production rates.

To ensure enforceability during the first 12 calendar months of operation following the issuance of this permit, the permittee shall not exceed the production levels specified in the following table:

| <u>Month</u> | <u>Maximum Allowable<br/>Cumulative Production (pounds)</u> |
|--------------|---|
| 1            | 1,901,417   |
| 1-2          | 3,802,833   |
| 1-3          | 5,704,250   |
| 1-4          | 7,605,667   |
| 1-5          | 9,507,083   |
| 1-6          | 11,408,500  |
| 1-7          | 13,309,917  |
| 1-8          | 15,211,333  |
| 1-9          | 17,112,750  |
| 1-10         | 19,014,167  |
| 1-11         | 20,915,558  |
| 1-12         | 22,817,000  |

After the first 12 calendar months of operation following the issuance of this permit, compliance with the annual production rate limitation shall be based upon a rolling, 12-month summation of the production rates.

4. The maximum annual production rate for emissions unit P003 and P004 combined shall not exceed 9,822,400 pounds of ink per year, based upon a rolling, 12-month summation of the production rates.

To ensure enforceability during the first 12 calendar

Facility Name: **Flint Ink North America Corp**

Application Number: **14-4620**

Date: **December 8, 1999**

months of operation following the issuance of this permit, the permittee shall not exceed the production levels specified in the following table:

| <u>Month</u> | <u>Maximum Allowable<br/>Cumulative Production (pounds)</u> |
|--------------|---|
| 1            | 818,533   |
| 1-2          | 1,637,067   |
| 1-3          | 2,455,600   |
| 1-4          | 3,274,413   |
| 1-5          | 4,092,667   |
| 1-6          | 4,911,200   |
| 1-7          | 5,729,733   |
| 1-8          | 6,548,267   |
| 1-9          | 7,366,800   |
| 1-10         | 8,185,333   |
| 1-11         | 9,003,867   |
| 1-12         | 9,822,400   |

After the first 12 calendar months of operation following the issuance of this permit, compliance with the annual production rate limitation shall be based upon a rolling, 12-month summation of the production rates.

5. The maximum annual production rate for emissions unit P005 and P006 combined shall not exceed 5,688,920 pounds of ink per year, based upon a rolling, 12-month summation of the production rates.

To ensure enforceability during the first 12 calendar months of operation following the issuance of this permit, the permittee shall not exceed the production levels specified in the following table:

| <u>Month</u> | <u>Maximum Allowable<br/>Cumulative Production (pounds)</u> |
|--------------|---|
| 1            | 474,077   |
| 1-2          | 948,153   |
| 1-3          | 1,422,230   |
| 1-4          | 1,896,307   |
| 1-5          | 2,370,383   |
| 1-6          | 2,844,460   |
| 1-7          | 3,318,537   |
| 1-8          | 3,792,613   |
| 1-9          | 4,266,690   |
| 1-10         | 4,740,767   |
| 1-11         | 5,214,843   |

Facility Name: **Flint Ink North America Corp**

Application Number: **14-4620**

Date: **December 8, 1999**

1-12 5,688,920

After the first 12 calendar months of operation following the issuance of this permit, compliance with the annual production rate limitation shall be based upon a rolling, 12-month summation of the production rates.

6. The maximum annual production rate for emissions unit P007 and P008 combined shall not exceed 4,086,720 pounds of ink per year, based upon a rolling, 12-month summation of the production rates.

To ensure enforceability during the first 12 calendar months of operation following the issuance of this permit, the permittee shall not exceed the production levels specified in the following table:

| <u>Month</u> | <u>Maximum Allowable<br/>Cumulative Production (pounds)</u> |
|--------------|---|
| 1            | 340,560   |
| 1-2          | 681,120   |
| 1-3          | 1,021,680   |
| 1-4          | 1,362,240   |
| 1-5          | 1,702,800   |
| 1-6          | 2,043,360   |
| 1-7          | 2,383,920   |
| 1-8          | 2,724,480   |
| 1-9          | 3,065,040   |
| 1-10         | 3,405,600   |
| 1-11         | 3,746,160   |
| 1-12         | 4,086,720   |

After the first 12 calendar months of operation following the issuance of this permit, compliance with the annual production rate limitation shall be based upon a rolling, 12-month summation of the production rates.

7. The maximum annual production rate for emissions unit P009 through P016 combined shall not exceed 9,175,402 pounds of ink per year, based upon a rolling, 12-month summation of the production rates.

Facility Name: **Flint Ink North America Corp**

Application Number: **14-4620**

Date: **December 8, 1999**

To ensure enforceability during the first 12 calendar months of operation following the issuance of this permit, the permittee shall not exceed the production levels specified in the following table:

| <u>Month</u> | <u>Maximum Allowable<br/>Cumulative Production (pounds)</u> |
|--------------|---|
| 1            | 764,617   |
| 1-2          | 1,529,234   |
| 1-3          | 2,293,851   |
| 1-4          | 3,058,467   |
| 1-5          | 3,823,084   |
| 1-6          | 4,587,701   |
| 1-7          | 5,352,318   |
| 1-8          | 6,116,935   |
| 1-9          | 6,881,552   |
| 1-10         | 7,646,168   |
| 1-11         | 8,410,785   |
| 1-12         | 9,175,402   |

After the first 12 calendar months of operation following the issuance of this permit, compliance with the annual

production rate limitation shall be based upon a rolling, 12-month summation of the production rates.

8. The maximum annual production rate for emissions unit P017 and P018 combined shall not exceed 4,065,420 pounds of ink per year, based upon a rolling, 12-month summation of the production rates.

To ensure enforceability during the first 12 calendar months of operation following the issuance of this permit, the permittee shall not exceed the production levels specified in the following table:

| <u>Month</u> | <u>Maximum Allowable<br/>Cumulative Production (pounds)</u> |
|--------------|---|
| 1            | 338,785   |
| 1-2          | 677,570   |
| 1-3          | 1,016,355   |
| 1-4          | 1,355,140   |
| 1-5          | 1,693,925   |
| 1-6          | 2,032,710   |
| 1-7          | 2,371,495   |
| 1-8          | 2,710,280   |
| 1-9          | 3,049,065   |

Facility Name: **Flint Ink North America Corp**

Application Number: **14-4620**

Date: **December 8, 1999**

|      |           |
|------|-----------|
| 1-10 | 3,387,850 |
| 1-11 | 3,726,635 |
| 1-12 | 4,065,420 |

After the first 12 calendar months of operation following the issuance of this permit, compliance with the annual production rate limitation shall be based upon a rolling, 12-month summation of the production rates.

9. The maximum annual production rate for emissions unit P019 and P020 combined shall not exceed 579,120 pounds of ink per year, based upon a rolling, 12-month summation of the production rates.

To ensure enforceability during the first 12 calendar months of operation following the issuance of this permit, the permittee shall not exceed the production levels specified in the following table:

| <u>Month</u> | <u>Maximum Allowable<br/>Cumulative Production (pounds)</u> |
|--------------|---|
| 1            | 48,260  |
| 1-2          | 96,520  |
| 1-3          | 144,780   |
| 1-4          | 193,040   |
| 1-5          | 241,300   |
| 1-6          | 289,560   |
| 1-7          | 337,820   |
| 1-8          | 386,080   |
| 1-9          | 434,340   |
| 1-10         | 482,600   |
| 1-11         | 530,860   |
| 1-12         | 579,120   |

After the first 12 calendar months of operation following the issuance of this permit, compliance with the annual production rate limitation shall be based upon a rolling, 12-month summation of the production rates.

10. The maximum annual production rate for emissions unit P021 and P022 combined shall not exceed 579,120 pounds of ink per year, based upon a rolling, 12-month

Facility Name: **Flint Ink North America Corp**

Application Number: **14-4620**

Date: **December 8, 1999**

summation of the production rates.

To ensure enforceability during the first 12 calendar months of operation following the issuance of this permit, the permittee shall not exceed the production levels specified in the following table:

| <u>Month</u> | <u>Maximum Allowable<br/>Cumulative Production (pounds)</u> |
|--------------|---|
| 1            | 162,529   |
| 1-2          | 325,058   |
| 1-3          | 487,588   |
| 1-4          | 650,117   |
| 1-5          | 812,646   |
| 1-6          | 975,175   |
| 1-7          | 1,137,704   |
| 1-8          | 1,300,233   |
| 1-9          | 1,462,763   |
| 1-10         | 1,625,292   |
| 1-11         | 1,787,821   |
| 1-12         | 1,950,350   |

After the first 12 calendar months of operation following the issuance of this permit, compliance with the annual production rate limitation shall be based upon a rolling, 12-month summation of the production rates.

11. The maximum annual production rate for emissions unit P023 shall not exceed 1,814,880 pounds of ink per year, based upon a rolling, 12-month summation of the production rates.

To ensure enforceability during the first 12 calendar months of operation following the issuance of this permit, the permittee shall not exceed the production levels specified in the following table:

| <u>Month</u> | <u>Maximum Allowable<br/>Cumulative Production (pounds)</u> |
|--------------|---|
| 1            | 151,240   |
| 1-2          | 302,480   |
| 1-3          | 453,720   |

Facility Name: **Flint Ink North America Corp**

Application Number: **14-4620**

Date: **December 8, 1999**

|      |           |
|------|-----------|
| 1-4  | 604,960   |
| 1-5  | 756,200   |
| 1-6  | 907,440   |
| 1-7  | 1,058,680 |
| 1-8  | 1,209,920 |
| 1-9  | 1,361,160 |
| 1-10 | 1,512,400 |
| 1-11 | 1,663,640 |
| 1-12 | 1,814,880 |

After the first 12 calendar months of operation following the issuance of this permit, compliance with the annual production rate limitation shall be based upon a rolling, 12-month summation of the production rates.

12. The maximum annual production rate for emissions unit P024 and P025 combined shall not exceed 1,282,100 pounds of ink per year, based upon a rolling, 12-month summation of the production rates.

To ensure enforceability during the first 12 calendar months of operation following the issuance of this permit, the permittee shall not exceed the production levels specified in the following table:

| <u>Month</u> | <u>Maximum Allowable<br/>Cumulative Production (pounds)</u> |
|--------------|---|
| 1            | 106,842   |
| 1-2          | 213,683   |
| 1-3          | 320,525   |
| 1-4          | 427,337   |
| 1-5          | 534,208   |
| 1-6          | 641,050   |
| 1-7          | 747,892   |
| 1-8          | 854,733   |
| 1-9          | 961,575   |
| 1-10         | 1,068,417   |
| 1-11         | 1,175,258   |
| 1-12         | 1,282,100   |

After the first 12 calendar months of operation following the issuance of this permit, compliance with the annual production rate limitation shall be based upon a rolling, 12-month summation of the production rates.

13. The emissions of OC and PM/PM<sub>10</sub> for emissions units

Facility Name: **Flint Ink North America Corp**

Application Number: **14-4620**

Date: **December 8, 1999**

P001 through P026 shall not exceed the following:

| <u>Emissions Unit(s)</u> | <u>Allowable OC<br/>Emissions (lbs/hr)</u> | <u>Allowable PM/PM<sub>10</sub><br/>Emissions (lbs/hr)</u> |
|--------------------------|--|--|
| P001                     | 6.82                                       | 0.15   |
| P002                     | 6.82                                       | 0.15   |
| P003                     | 6.21                                       | 0.08   |
| P004                     | 6.21                                       | 0.08   |
| P005                     | 0.95                                       | 0.01   |
| P006                     | 0.95                                       | 0.01   |
| P007                     | 0.33                                       | 0.01   |
| P008                     | 0.33                                       | 0.01   |
| P009                     | 1.67                                       | 0.09   |
| P010                     | 1.67                                       | 0.09   |
| P011                     | 1.67                                       | 0.09   |
| P012                     | 1.67                                       | 0.09   |
| P013                     | 1.67                                       | 0.09   |
| P014                     | 1.67                                       | 0.09   |
| P015                     | 1.67                                       | 0.09   |
| P016                     | 1.67                                       | 0.09   |
| P017                     | 1.82                                       | 0.05   |
| P018                     | 1.82                                       | 0.05   |
| P019                     | 1.40                                       | 0.002  |
| P020                     | 1.40                                       | 0.002  |
| P021                     | 1.48                                       | 0.004  |
| P022                     | 1.48                                       | 0.004  |
| P023                     | 1.53                                       | 0.01   |
| P024*                    | 1.52                                       | ---  |
| P025*                    | 1.52                                       | ---  |
| P026*                    | 0.6  | ---  |

\*There are no PM/PM<sub>10</sub> emissions associated with emissions units P024 through P026.

14. The emissions of PM/PM<sub>10</sub> from emissions units P001 through P023 shall not exceed 1.0 tons per year (TPY) combined.

#### **B. Operational Restrictions**

1. The pressure drop across the fabric filter shall be maintained within the range of 2 to 5 inches of water while the emissions units are in operation based on the

Facility Name: **Flint Ink North America Corp**

Application Number: **14-4620**

Date: **December 8, 1999**

current manufacturers written recommendation.

2. The use of photochemically reactive materials (PRMs) as defined in OAC rule 3745-21-01(C)(5) is prohibited in every ink mixing operation contained within this permit, except emissions unit P007 and P008, where the use of PRM materials shall be allowed.

**C. Monitoring and/or Recordkeeping Requirements**

1. The permittee shall maintain the following daily records separately for each emissions unit P001 through P026:
  - a. the name and identification of the product(s) manufactured or used in each emissions unit;
  - b. the amount of solids used, in pounds, in each emissions unit;
  - c. the amount of solvent used, in pounds, in each emissions unit;
  - d. the actual hours of operation of each emissions unit;
  - e. the actual OC emissions, in pounds, for each emissions unit;
  - f. the actual PM/PM<sub>10</sub> emissions, in pounds, for each emissions unit;
  - g. the actual hourly (average) OC emissions [(e)/(d)] for each emissions unit; and,
  - h. the actual hourly (average) PM/PM<sub>10</sub> emissions [(f)/(d)] for each emissions unit.
2. The permittee shall collect and record the following information each month for emissions unit P001 through P026:
  - a. the company identification of each liquid organic material manufactured in each emissions unit; and,
  - b. a record of each liquid organic material manufactured in each emissions unit indicating, whether or not the liquid organic material is photochemically reactive as identified in OAC rule 3745-21-01(C)(5).

Facility Name: **Flint Ink North America Corp**

Application Number: **14-4620**

Date: **December 8, 1999**

3. The permittee shall maintain monthly records of the OC emissions, in tons, for emissions units P001 through P026 combined.

The permittee shall maintain monthly records of the updated rolling, 12-month summation of OC emissions, in tons, for emissions units P001 through P026 combined. During the first twelve calendar months of operation, the permittee shall maintain monthly records of the actual cumulative OC emissions, in tons, for emissions units P001 through P026 combined.

4. The permittee shall maintain monthly records of the following information for emissions units P001 through P026:
  - a. the ink production rate, in pounds, for the emissions units, as combined, in section A.3. through A.12; and,
  - b. during the first 12 calendar months of operation, the permittee shall maintain monthly records of the actual cumulative ink production for emissions units P001 through P026. Beginning after the first 12 calendar months of operation, the permittee shall maintain records of the rolling, 12-month summations of the ink production rates.
5. The permittee shall properly install, operate, and maintain equipment to monitor the pressure drop across the fabric filter while the emissions unit is in operation. The monitoring equipment shall be installed, calibrated, operated and maintained in accordance with the manufacturer's recommendations, instructions and operating manual(s). The permittee shall record the pressure drop across the fabric filter on a daily basis.
6. Each record of any monitoring data, testing data and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not limited to, all calibration and maintenance records and all original strip-chart

Facility Name: **Flint Ink North America Corp**

Application Number: **14-4620**

Date: **December 8, 1999**

recordings for continuous monitoring instrumentation and copies of all reports required by this permit. Such records may be maintained in computerized form.

**D. Reporting Requirements**

1. The permittee shall submit deviation (excursion) reports which identify all exceedances of the annual PM/PM<sub>10</sub> emission limit and the rolling, 12-month OC emission limitation and, for the first 12 months of operation following the issuance of this permit, all exceedances of the maximum allowable cumulative emissions levels, for emissions units P001 through P026 combined.
2. The permittee shall submit deviation (excursion) reports which identify all exceedances of the rolling, 12-month combined ink production limitations and, for the first 12 months of operation following the issuance of this permit, all exceedances of the maximum allowable cumulative production levels for emissions units P001 through P025, as outlined in section A.3. through A.12. of these terms and conditions.
3. The permittee shall submit pressure drop deviation (excursion) reports that identify all periods of time during which the pressure drop across the baghouse did not comply with the allowable range specified in Additional Special Term and Condition B.1.
4. The permittee shall submit an annual report which identifies each day during which any photochemically reactive material was employed in any ink mixing operation other than emissions units P007 and P008. This report shall identify the cause for the use of the photochemically reactive material(s) and the estimated total quantity of material(s) emitted each such day. This report shall be submitted by February 15 of each year and shall cover the previous 12 calendar months.
5. The permittee shall submit annual reports which specify the total OC emissions from emissions units P001-P026. These reports shall be submitted by January 31 of each year.

Facility Name: **Flint Ink North America Corp**

Application Number: **14-4620**

Date: **December 8, 1999**

6. The permittee shall submit required reports in the following manner:
  - a. reports of any required monitoring and/or recordkeeping information shall be submitted to the Hamilton County Dept. of Env. Services; and,
  - b. except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the Hamilton County Dept. of Env. Services.

If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 30, April 30, July 30, and October 30 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06).

#### **E. Testing Requirements**

1. Compliance with the visible emissions limitation in Section A.1. of these Additional Special Terms and Conditions shall be demonstrated by the methods outlined in OAC rule 3745-17-03(B)(1).
2. Compliance with the combined TPY OC emissions limitations in section A.2. of these Additional Special Terms and Conditions shall be demonstrated by the recordkeeping requirements in section C.3. of these Additional Special Terms and Conditions. The permittee shall use the calculation methods outlined in EPA document EPA-450/R-94-020, February 1994, "Control of Volatile Organic Compound Emissions from Batch Processes" to calculate the actual OC emissions.
3. Compliance with the annual combined ink production limitations for emissions units P001 through P025, as

Facility Name: **Flint Ink North America Corp**

Application Number: **14-4620**

Date: **December 8, 1999**

outlined in section A.3. through A.12. of these Additional Special Terms and Conditions, shall be demonstrated by the recordkeeping requirements in section C.4. of these Additional Special Terms and Conditions.

4. Compliance with the lbs/hr OC emissions limitations in section A.13. of these Additional Special Terms and Conditions shall be demonstrated by the recordkeeping requirements in section C.1. of these Additional Special Terms and Conditions.

The permittee shall use the calculation methods outlined in EPA document EPA-450/R-94-020, February 1994, "Control of Volatile Organic Compound Emissions from Batch Processes" to calculate the actual OC emissions.

5. Compliance with the PM/PM<sub>10</sub> emissions limitations in Section A.13. of these Additional Special Terms and Conditions shall be demonstrated by applying the AP-42 emission factor for Paint and Varnish Mixing in the following equation:

- a. 
$$\text{solids [lbs/hr (average)]} \times \text{EF (20 lbs PM/ton)} \times \text{control efficiency (1-0.99)} \times \text{ton/2000 lbs} = \text{lbs PM/PM}_{10}\text{/hr.}$$

6. Compliance with the OC emissions limitation on the Air Emissions Summary page of this permit for T001 through T009 shall be demonstrated by methods outlined in AP-42, Storage of Organic Liquids.
7. Compliance with the operational restrictions in Section B.1. of these Additional Special Terms and Conditions shall be demonstrated by the recordkeeping requirement in Section C.5. of these Additional Special Terms and Conditions.
8. Compliance with the operational restriction in Section B.2. of these Additional Special Terms and Conditions shall be demonstrated by the recordkeeping requirement in Section C.2. of these Additional Special Terms and Conditions.

Facility Name: **Flint Ink North America Corp**

Application Number: **14-4620**

Date: **December 8, 1999**

**F. Miscellaneous Requirements**

1. This permit allows the use of the coatings and cleanup materials specified by the permittee in the application for PTI number 14-4620. In conjunction with the best available technology requirements of OAC rule 3745-31-05, the OC emission limitation(s) specified in this permit was (were) established in accordance with the Ohio EPA's "Air Toxics Policy" and is (are) based on both the coating and cleanup material formulation data and the design parameters of the emissions unit's exhaust system, as specified in the application. Compliance with the Ohio EPA's "Air Toxics Policy" was demonstrated for each pollutant based on the Screen 3 model and a comparison of the predicted 1 hour maximum ground-level concentration to the MAGLC.

The following summarizes the results of the modeling for each pollutant:

**Pollutant: ethyl alcohol (\*highest emission rate)**

**TLV (ug/m3): 1880000**

**Maximum Hourly Emission Rate (lbs/hr): 221.7**

**Predicted 1 Hour Maximum Ground-Level Concentration at the Fenceline (ug/m3): 32765**

**Maximum Acceptable Ground-Level Concentration (MAGLC) (ug/m3): 44762**

**Pollutant: dibutyl phthalate (\*lowest TLV)**

**TLV (ug/m3): 5000**

**Maximum Hourly Emission Rate (lbs/hr): 3.8 EE -6**

**Predicted 1 Hour Maximum Ground-Level Concentration at the Fenceline (ug/m3): 0.00077**

**Maximum Acceptable Ground-Level Concentration (MAGLC) (ug/m3): 119**

**Pollutant: toluene (\*HAP)**

**TLV (ug/m3): 188000**

**Maximum Hourly Emission Rate (lbs/hr): 25.23**

**Predicted 1 Hour Maximum Ground-Level Concentration at the Fenceline (ug/m3): 3236**

**Maximum Acceptable Ground-Level Concentration (MAGLC) (ug/m3): 4476**

Any of the following changes may be deemed a "modification" to the emissions unit and, as such,

Facility Name: **Flint Ink North America Corp**

Application Number: **14-4620**

Date: **December 8, 1999**

prior notification to and approval from the Hamilton County Dept. of Env. Services are required, including the possible issuance of modifications to PTI number 14-4620 and the operating permit:

- a. any changes in the composition of the inks/coatings or cleanup materials, or the manufacture of new inks/coatings, that would result in the emission of a compound with a lower Threshold Limit Value (TLV), as indicated in the most recent version of the handbook entitled "American Conference of Governmental Industrial Hygienists (ACGIH)," than the lowest TLV value specified in the above table;
- b. any change to the emissions unit or its exhaust parameters (e.g., increased emission rate, reduction of exhaust gas flow rate, and decreased stack height) that would result in an exceedance of any MAGLC specified in the above table; and,
- c. any change to the emissions unit or its method of operation that would either require an increase in the emission limitation(s) established by this permit or would otherwise be considered a "modification" as defined in OAC rule 3745-31-01.