

1

Facility Name: **United Waste Water Services Inc**

Application Number: **14-4649**

Date: **November 12, 1998**

**GENERAL PERMIT CONDITIONS**

**TERMINATION OF PERMIT TO INSTALL**

Substantial construction for installation must take place within 18 months of the effective date of this permit. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

**NOTICE OF INSPECTION**

The Director of the Ohio Environmental Protection Agency, or his authorized representatives, may enter upon the premises of the above-named applicant during construction and operation at any reasonable time for the purpose of making inspections, conducting tests, or to examine records or reports pertaining to the construction, modification or installation of the source(s) of environmental pollutants identified within this permit.

**CONSTRUCTION OF NEW SOURCES**

The proposed source(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources are inadequate or cannot meet applicable standards.

If the construction of the proposed source(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of Ohio Administrative Code (OAC) Rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as

2

Facility Name: **United Waste Water Services Inc**

Application Number: **14-4649**

Date: **November 12, 1998**

an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet applicable standards.

### **PERMIT TO INSTALL FEE**

In accordance with Ohio Revised Code 3745.11, the specified Permit to Install fee must be remitted within 30 days of the effective date of this permit to install.

### **PUBLIC DISCLOSURE**

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC Rule 3745-49-03.

### **APPLICABILITY**

This Permit to Install is applicable only to the contaminant sources identified. Separate application must be made to the Director for the installation or modification of any other contaminant sources.

### **BEST AVAILABLE TECHNOLOGY**

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

### **PERMIT TO OPERATE APPLICATION**

A Permit to Operate application must be submitted to the appropriate field office for each air contaminant source in this Permit to Install. In accordance with OAC Rule 3745-35-02, the application shall be filed no later than thirty days after commencement

3

Facility Name: **United Waste Water Services Inc**

Application Number: **14-4649**

Date: **November 12, 1998**

of operation.

### **SOURCE OPERATION AFTER COMPLETION OF CONSTRUCTION**

This facility is permitted to operate each source described by this permit to install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws and regulations.

4

Facility Name: **United Waste Water Services Inc**

Application Number: **14-4649**

Date: **November 12, 1998**

Facility Name: **United Waste Water Services Inc**

Application Number: **14-4649**

Date: **November 12, 1998**

<u>Ohio EPA Source Number</u>	<u>Source Identification Number</u>	<u>BAT Determination</u>	<u>Applicable Federal &amp; OAC Rules</u>	<u>Permit Allowable Mass Emissions and/or Control/Usage Requirements</u>
-------------------------------	-------------------------------------	--------------------------	---	--

AIR EMISSION SUMMARY

The air contaminant emissions units listed below comprise the Permit to Install for **United Waste Water Services Inc** located in **Hamilton** County. The emissions units listed below shall not exceed the emission limits/control requirements contained in the table. This condition in no way limits the applicability of any other state or federal regulations. Additionally, this condition does not limit the applicability of additional special terms and conditions of this permit.

<u>Ohio EPA Source Number</u>	<u>Source Identification Description</u>	<u>BAT Determination</u>
T006	Mobile 20,000 gallon used waste oil tank with submerged fill. T-201	15,000 gallon used waste oil tank with submerged fill. T-105
T009		Compliance with 40 CFR Part 60 Subpart Kb, minimal emission and utilization of submerged fill.
T007	Mobile 20,000 gallon used waste oil tank with submerged fill. T-202	15,000 gallon used waste oil tank with submerged fill. T-106
T010		Compliance with 40 CFR Part 60 Subpart Kb, minimal emission and utilization of submerged fill.
T008	15,000 gallon used waste oil tank with submerged fill. T-104	

Facility Name: **United Waste Water Services Inc**  
 Application Number: **14-4649**  
 Date: **November 12, 1998**

<u>Ohio EPA Source Number</u>	<u>Source Identification Number</u>	<u>BAT Determination</u>	<u>Applicable Federal &amp; OAC Rules</u>	<u>Permit Allowable Mass Emissions and/or Control/Usage Requirements</u>
	ed fill.			
Compliance with 40 CFR Part 60 Subpart Kb, minimal emission and utilization of submerged fill.	Compliance with 40 CFR Part 60 Subpart Kb, minimal emission and utilization of submerged fill.	Applicable Federal & OAC Rules	3745-31-05 40 CFR 60 Subpart Kb 3745-15-07 3745-31-05 40 CFR 60 Subpart Kb 3745-21-07 (D) 3745-15-07 3745-21-07 (D) 3745-31-05 40 CFR 60 Subpart Kb 3745-21-07 (D) 3745-15-07 3745-31-05 40 CFR 60 Subpart Kb 3745-21-07 (D) 3745-15-07 3745-31-05 40 CFR 60 Subpart Kb 3745-21-07 (D) 3745-15-07	Permit Allowable Mass Emissions and/or Control/Usage Requirements  See General Terms 0.09 TPY OC See General Terms Exempt See General Terms 0.09 TPY OC See General Terms Exempt See General Terms 0.004 TPY OC See General Terms Exempt

Facility Name: **United Waste Water Services Inc**  
 Application Number: **14-4649**  
 Date: **November 12, 1998**

<u>Ohio EPA Source Number</u>	<u>Source Identification Number</u>	<u>BAT Determination</u>	<u>Applicable Federal &amp; OAC Rules</u>	<u>Permit Allowable Mass Emissions and/or Control/Usage Requirements</u>
See General Terms				
0.004 TPY OC				
See General Terms				
Exempt				
See General Terms				
0.004 TPY OC				
See General Terms				
Exempt				

SUMMARY  
 TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons/Year</u>
Organic Compound	0.19

8

Facility Name: **United Waste Water Services Inc**

Application Number: **14-4649**

Date: **November 12, 1998**

<u>Ohio EPA Source Number</u>	<u>Source Identification Number</u>	<u>BAT Determination</u>	<u>Applicable Federal &amp; OAC Rules</u>	<u>Permit Allowable Mass Emissions and/or Control/Usage Requirements</u>
---	---	------------------------------	---	--

**NSPS REQUIREMENTS**

The following sources are subject to the applicable provisions of the New Source Performance Standards (NSPS) as promulgated by the United States Environmental Protection Agency, 40 CFR Part 60.

Facility Name: **United Waste Water Services Inc**

Application Number: **14-4649**

Date: **November 12, 1998**

<u>Source Number</u>	<u>Source Description</u>	<u>NSPS Regulation (Subpart)</u>
T006,	20,000 Gallons	
T007,	Storage Tanks,	Kb
T008-T010	15,000 gallons Storage Tanks	Kb

The application and enforcement of these standards are delegated to the Ohio EPA. The requirements of 40 CFR Part 60 are also federally enforceable.

Pursuant to the NSPS, the source owner/operator is hereby advised of the requirement to report the following at the appropriate times:

- a. construction date (no later than 30 days after such date);
- b. anticipated start-up date (not more than 60 days or less than 30 days prior to such date);
- c. actual start-up date (within 15 days after such date); and,
- d. date of performance testing (If required, at least 30 days prior to testing).

Reports are to be sent to:

Ohio Environmental Protection Agency  
 DAPC - Permit Management Unit  
 P.O. Box 163669  
 Columbus, OH 43216-3669

and **Hamilton County Dept. of Env. Services**  
**1632 Central Parkway**  
**Cincinnati, Ohio 45210**

**REPORTING REQUIREMENTS**

Facility Name: **United Waste Water Services Inc**

Application Number: **14-4649**

Date: **November 12, 1998**

Unless otherwise specified, reports required by the Permit to Install need only be submitted to **Hamilton County Dept. of Env. Services, 1632 Central Parkway, Cincinnati, Ohio 45210.**

#### **WASTE DISPOSAL**

The owner/operator shall comply with any applicable state and federal requirements governing the storage, treatment, transport and disposal of any waste material generated by the operation of the sources.

#### **MAINTENANCE OF EQUIPMENT**

This source and its associated air pollution control system(s) shall be maintained regularly in accordance with good engineering practices and the recommendations of the respective manufacturers in order to minimize air contaminant emissions.

#### **MALFUNCTION/ABATEMENT**

In accordance with OAC RULE 3745-15-06, any malfunction of the source(s) or associated air pollution control system(s) shall be reported immediately to the **Hamilton County Dept. of Env. Services, 1632 Central Parkway, Cincinnati, Ohio 45210.**

Except as provided by OAC Rule 3745-15-06(A)(3), scheduled maintenance of air pollution control equipment that requires the shutdown or bypassing of air pollution control system(s) must be accompanied by the shutdown of the associated air pollution sources.

#### **AIR POLLUTION NUISANCES PROHIBITED**

The air contaminant source(s) identified in this permit may not cause a public nuisance in violation of OAC Rule 3745-15-07.

#### **MISCELLANEOUS STORAGE TANKS**

Unless otherwise indicated, BAT for any miscellaneous storage tanks identified within this permit consists of the use of submerged fill into the storage tanks. The submerged fill pipe(s) are to be installed within six (6) inches of the bottom of the storage tank.

Facility Name: **United Waste Water Services Inc**

Application Number: **14-4649**

Date: **November 12, 1998**

**NEW SOURCE PERFORMANCE STANDARD SUBPART Kb**

The application and enforcement of the provisions of the New Source Performance Standards (NSPS), as promulgated by the United States Environmental Protection Agency, 40 CFR Part 60, are delegated to the Ohio Environmental Protection Agency. The requirements of 40 CFR Part 60 are also federally enforceable.

In accordance with 40 CFR 60.116b(a) and (b), the owner and operator of the following storage vessel(s) shall keep readily accessible records showing the dimension of each storage vessel and an analysis showing the capacity of each storage vessel for the life of each source.

<u>Source Number(s)</u>	<u>Tank Size Pressure</u>	<u>Maximum Vapor</u>
T006, T007, T008, T009, T010	20,000 gallons 15,000 gallons	0.022

**Additional Special Terms and Conditions**

**A. Applicable Emission Limitations and/or Control Requirements**

1. Emissions units T006, T007, T008, T009 and T010 shall be equipped with submerged fill.

**B. Operational Restrictions**

None

**C. Monitoring and Recordkeeping Requirements**

1. The permittee shall keep readily accessible records showing the dimension and the capacity of the storage tank.

**D. Reporting Requirements**

12

Facility Name: **United Waste Water Services Inc**

Application Number: **14-4649**

Date: **November 12, 1998**

None

**E. Compliance Methods/Testing Requirements**

None

**F. Miscellaneous**

1. If probable cause exist indicating that emissions unit T006, T007, T008, T009 or T010 is causing or contributing to a nuisance in violation of Ohio Administrative Code rule 3745-15-07, the owner or operator of these emissions units shall be required to submit and implement a control program which will bring this emissions unit into compliance.