



State of Ohio Environmental Protection Agency

STREET ADDRESS:

Lazarus Government Center  
50 W. Town St., Suite 700  
Columbus, Ohio 43215

TELE: (614) 644-3020 FAX: (614) 644-3184  
www.epa.state.oh.us

MAILING ADDRESS:

P.O. Box 1049  
Columbus, OH 43216-1049

12/8/2008

John Grisham  
Buckeye Industrial Mining Co.  
4719 Industrial Road  
Lisbon, OH 44432

RE: FINAL AIR POLLUTION PERMIT-TO-INSTALL AND OPERATE  
Facility ID: 0641035001  
Permit Number: P0103860  
Permit Type: Initial Installation  
County: Jefferson

Certified Mail

No	TOXIC REVIEW
No	PSD
No	SYNTHETIC MINOR
No	CEMS
No	MACT
Yes	NSPS
No	NESHAPS
No	NETTING
No	MAJOR NON-ATTAINMENT
No	MODELING SUBMITTED

Dear Permit Holder:

Enclosed please find a final Air Pollution Permit-to-Install and Operate ("PTIO") which will allow you to install, modify, and/or operate the described emissions unit(s) in the manner indicated in the permit. Because this permit contains conditions and restrictions, please read it very carefully.

Ohio EPA maintains a document entitled "Frequently Asked Questions about the PTIO". The document can be downloaded from the DAPC Web page, [www.epa.state.oh.us/dapc](http://www.epa.state.oh.us/dapc), from the "Permits" link. This document contains additional information related to your permit, such as what activities are covered under the PTIO, who has enforcement authority over the permit and Ohio EPA's authorization to inspect your facility and records. Please contact the Office of Compliance Assistance and Pollution Prevention at (614) 644-3469 if you need assistance.

The issuance of this PTIO is a final action of the Director and may be appealed to the Environmental Review Appeals Commission ("ERAC") under Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and describe the action complained of and the grounds for the appeal. The appeal must be filed with the ERAC within thirty (30) days after notice of the Director's action. A filing fee of \$70.00 must be submitted to the ERAC with the appeal, although the ERAC, has discretion to reduce the amount of the filing fee if you can demonstrate (by affidavit) that payment of the full amount of the fee would cause extreme hardship. If you file an appeal of this action, you must notify Ohio EPA of the filing of the appeal (by providing a copy to the Director) within three (3) days of filing your appeal with the ERAC. Ohio EPA requests that a copy of the appeal also be provided to the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the ERAC at the following address:

Environmental Review Appeals Commission  
309 South Fourth Street, Room 222  
Columbus, OH 43215

If you have any questions regarding this permit, please contact the Ohio EPA DAPC, Southeast District Office. This permit has been posted to the Division of Air Pollution Control (DAPC) Web page [www.epa.state.oh.us/dapc](http://www.epa.state.oh.us/dapc).

Sincerely,

*Michael W. Ahern*  
Michael W. Ahern, Manager  
Permit Issuance and Data Management Section, DAPC

Cc: Ohio EPA-SEDO

Ted Strickland, Governor  
Lee Fisher, Lieutenant Governor  
Chris Korleski, Director





**State of Ohio Environmental Protection Agency  
Division of Air Pollution Control**

**FINAL**

**Air Pollution Permit-to-Install and Operate  
for  
Buckeye Industrial Mining Co.**

Facility ID: 0641035001  
Permit Number: P0103860  
Permit Type: Initial Installation  
Issued: 12/8/2008  
Effective: 12/8/2008  
Expiration: 12/8/2018





**Air Pollution Permit-to-Install and Operate**  
for  
Buckeye Industrial Mining Co.

**Table of Contents**

Authorization ..... 1

A. Standard Terms and Conditions ..... 3

    1. What does this permit-to-install and operate ("PTIO") allow me to do?..... 4

    2. Who is responsible for complying with this permit? ..... 4

    3. What records must I keep under this permit? ..... 4

    4. What are my permit fees and when do I pay them?..... 4

    5. When does my PTIO expire, and when do I need to submit my renewal application? ..... 4

    6. What happens to this permit if my project is delayed or I do not install or modify my source? ..... 5

    7. What reports must I submit under this permit? ..... 5

    8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit? ..... 5

    9. What are my obligations when I perform scheduled maintenance on air pollution control equipment?... 5

    10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report? ..... 6

    11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located? ..... 6

    12. What happens if one or more emissions units operated under this permit is/are shut down permanently? ..... 6

    13. Can I transfer this permit to a new owner or operator?..... 6

    14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"? ..... 7

    15. What happens if a portion of this permit is determined to be invalid? ..... 7

B. Facility-Wide Terms and Conditions..... 8

C. Emissions Unit Terms and Conditions ..... 10

    1. F001, Roadway and Parking Areas.....11

    2. F002, Storage Piles.....16

    3. F003, Coal Processing Plant.....23





State of Ohio Environmental Protection Agency  
Division of Air Pollution Control

**Final Permit-to-Install and Operate**  
**Permit Number:** P0103860  
**Facility ID:** 0641035001  
**Effective Date:** 12/8/2008

## Authorization

Facility ID: 0641035001  
Application Number(s): A0035856  
Permit Number: P0103860  
Permit Description: 500 TPH coal prep plant with roadways and parking areas, storage piles, and the coal prep plant in Jefferson County. NSPS Subpart Y applies to the coal prep plant. Their home office is located in Coumbiana County.  
Permit Type: Initial Installation  
Permit Fee: \$750.00  
Issue Date: 12/8/2008  
Effective Date: 12/8/2008  
Expiration Date: 12/8/2018  
Permit Evaluation Report (PER) Annual Date: Jan 1 - Dec 31, Due Feb 15

This document constitutes issuance to:

Buckeye Industrial Mining Co.  
Township Highway 67  
Bergholz, OH 43908

of a Permit-to-Install and Operate for the emissions unit(s) identified on the following page.

Ohio EPA District Office or local air agency responsible for processing and administering your permit:

Ohio EPA DAPC, Southeast District Office  
2195 Front Street  
Logan, OH 43138  
(740)385-8501

The above named entity is hereby granted this Permit-to-Install and Operate for the air contaminant source(s) (emissions unit(s)) listed in this section pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the described emissions unit(s) will operate in compliance with applicable State and federal laws and regulations.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Chris Korleski  
Director



## Authorization (continued)

Permit Number: P0103860  
Permit Description: 500 TPH coal prep plant with roadways and parking areas, storage piles, and the coal prep plant in Jefferson County. NSPS Subpart Y applies to the coal prep plant. Their home office is located in Coumbiana County.

Permits for the following emissions unit(s) or groups of emissions units are in this document as indicated below:

- Emissions Unit ID:** F001  
Company Equipment ID: F001  
Superseded Permit Number:  
General Permit Category and Type: Not Applicable
- Emissions Unit ID:** F002  
Company Equipment ID: F002  
Superseded Permit Number:  
General Permit Category and Type: Not Applicable
- Emissions Unit ID:** F003  
Company Equipment ID: Coal Processing Plan  
Superseded Permit Number:  
General Permit Category and Type: Not Applicable



State of Ohio Environmental Protection Agency  
Division of Air Pollution Control

**Final Permit-to-Install and Operate**

**Permit Number:** P0103860

**Facility ID:** 0641035001

**Effective Date:** 12/8/2008

## **A. Standard Terms and Conditions**



**1. What does this permit-to-install and operate ("PTIO") allow me to do?**

This permit allows you to install and operate the emissions unit(s) identified in this PTIO. You must install and operate the unit(s) in accordance with the application you submitted and all the terms and conditions contained in this PTIO, including emission limits and those terms that ensure compliance with the emission limits (for example, operating, recordkeeping and monitoring requirements).

**2. Who is responsible for complying with this permit?**

The person identified on the "Authorization" page, above, is responsible for complying with this permit until the permit is revoked, terminated, or transferred. "Person" means a person, firm, corporation, association, or partnership. The words "you," "your," or "permittee" refer to the "person" identified on the "Authorization" page above.

The permit applies only to the emissions unit(s) identified in the permit. If you install or modify any other equipment that requires an air permit, you must apply for an additional PTIO(s) for these sources.

**3. What records must I keep under this permit?**

You must keep all records required by this permit, including monitoring data, test results, strip-chart recordings, calibration data, maintenance records, and any other record required by this permit for five years from the date the record was created. You can keep these records electronically, provided they can be made available to Ohio EPA during an inspection at the facility. Failure to make requested records available to Ohio EPA upon request is a violation of this permit requirement.

**4. What are my permit fees and when do I pay them?**

There are two fees associated with permitted air contaminant sources in Ohio:

- PTIO fee. This one-time fee is based on a fee schedule in accordance with Ohio Revised Code (ORC) section 3745.11, or based on a time and materials charge for permit application review and permit processing if required by the Director.

You will be sent an invoice for this fee after you receive this PTIO and payment is due within 30 days of the invoice date. You are required to pay the fee for this PTIO even if you do not install or modify your operations as authorized by this permit.

- Annual emissions fee. Ohio EPA will assess a separate fee based on the total annual emissions from your facility. You self-report your emissions in accordance with Ohio Administrative Code (OAC) Chapter 3745-78. This fee assessed is based on a fee schedule in ORC section 3745.11 and funds Ohio EPA's permit compliance oversight activities. For facilities that are permitted as synthetic minor sources, the fee schedule is adjusted annually for inflation. Ohio EPA will notify you when it is time to report your emissions and to pay your annual emission fees.

**5. When does my PTIO expire, and when do I need to submit my renewal application?**

This permit expires on the date identified at the beginning of this permit document (see "Authorization" page above) and you must submit a renewal application to renew the permit. Ohio EPA will send a renewal notice to you approximately six months prior to the expiration date of this permit. However, it is very important that you submit a complete renewal permit application (postmarked prior to expiration of this permit) even if you do not receive the renewal notice.



If a complete renewal application is submitted before the expiration date, Ohio EPA considers this a timely application for purposes of ORC section 119.06, and you are authorized to continue operating the emissions unit(s) covered by this permit beyond the expiration date of this permit until final action is taken by Ohio EPA on the renewal application.

**6. What happens to this permit if my project is delayed or I do not install or modify my source?**

This PTIO expires 18 months after the issue date identified on the "Authorization" page above unless otherwise specified if you have not (1) started constructing the new or modified emission sources identified in this permit, or (2) entered into a binding contract to undertake such construction. This deadline can be extended by up to 12 months, provided you apply to Ohio EPA for this extension within a reasonable time before the 18-month period has ended and you can show good cause for any such extension.

**7. What reports must I submit under this permit?**

An annual permit evaluation report (PER) is required in addition to any malfunction reporting required by OAC rule 3745-15-06 or other specific rule-based reporting requirement identified in this permit. Your PER due date is identified in the Authorization section of this permit.

**8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit?**

If you are required to obtain a Title V permit under OAC Chapter 3745-77 in the future, the permit-to-operate portion of this permit will be superseded by the issued Title V permit. From the effective date of the Title V permit forward, this PTIO will effectively become a PTI (permit-to-install) in accordance with OAC rule 3745-31-02(B). The following terms and conditions will no longer be applicable after issuance of the Title V permit: Section B, Term 1.b) and Section C, for each emissions unit, Term a)(2).

The PER requirements in this permit remain effective until the date the Title V permit is issued and is effective, and cease to apply after the effective date of the Title V permit. The final PER obligation will cover operations up to the effective date of the Title V permit and must be submitted on or before the submission deadline identified in this permit on the last day prior to the effective date of the Title V permit.

**9. What are my obligations when I perform scheduled maintenance on air pollution control equipment?**

You must perform scheduled maintenance of air pollution control equipment in accordance with OAC rule 3745-15-06(A). If scheduled maintenance requires shutting down or bypassing any air pollution control equipment, you must also shut down the emissions unit(s) served by the air pollution control equipment during maintenance, unless the conditions of OAC rule 3745-15-06(A)(3) are met. Any emissions that exceed permitted amount(s) under this permit (unless specifically exempted by rule) must be reported as deviations in the annual permit evaluation report (PER), including nonexempt excess emissions that occur during approved scheduled maintenance.



**10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report?**

If you have a reportable malfunction of any emissions unit(s) or any associated air pollution control system, you must report this to the Ohio EPA DAPC, Southeast District Office in accordance with OAC rule 3745-15-06(B). Malfunctions that must be reported are those that result in emissions that exceed permitted emission levels. It is your responsibility to evaluate control equipment breakdowns and operational upsets to determine if a reportable malfunction has occurred.

If you have a malfunction, but determine that it is not a reportable malfunction under OAC rule 3745-15-06(B), it is recommended that you maintain records associated with control equipment breakdown or process upsets. Although it is not a requirement of this permit, Ohio EPA recommends that you maintain records for non-reportable malfunctions.

**11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located?**

Yes. Under Ohio law, the Director or his authorized representative may inspect the facility, conduct tests, examine records or reports to determine compliance with air pollution laws and regulations and the terms and conditions of this permit. You must provide, within a reasonable time, any information Ohio EPA requests either verbally or in writing.

**12. What happens if one or more emissions units operated under this permit is/are shut down permanently?**

Ohio EPA can terminate the permit terms associated with any permanently shut down emissions unit. "Shut down" means the emissions unit has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent "modification" or "installation" as defined in OAC Chapter 3745-31.

You should notify Ohio EPA of any emissions unit that is permanently shut down by submitting a certification that identifies the date on which the emissions unit was permanently shut down. The certification must be submitted by an authorized official from the facility. You cannot continue to operate an emission unit once the certification has been submitted to Ohio EPA by the authorized official.

You must comply with all recordkeeping and reporting for any permanently shut down emissions unit in accordance with the provisions of the permit, regulations or laws that were enforceable during the period of operation, such as the requirement to submit a PER, air fee emission report, or malfunction report. You must also keep all records relating to any permanently shutdown emissions unit, generated while the emissions unit was in operation, for at least five years from the date the record was generated.

Again, you cannot resume operation of any emissions unit certified by the authorized official as being permanently shut down without first applying for and obtaining a permit pursuant to OAC Chapter 3745-31.

**13. Can I transfer this permit to a new owner or operator?**

You can transfer this permit to a new owner or operator. If you transfer the permit, you must follow the procedures in OAC Chapter 3745-31, including notifying Ohio EPA or the local air agency of the



State of Ohio Environmental Protection Agency  
Division of Air Pollution Control

**Final Permit-to-Install and Operate**

**Permit Number:** P0103860

**Facility ID:** 0641035001

**Effective Date:** 12/8/2008

change in ownership or operator. Any transferee of this permit must assume the responsibilities of the transferor permit holder.

**14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"?**

This permit and OAC rule 3745-15-07 prohibit operation of the air contaminant source(s) regulated under this permit in a manner that causes a nuisance. Ohio EPA can require additional controls or modification of the requirements of this permit through enforcement orders or judicial enforcement action if, upon investigation, Ohio EPA determines existing operations are causing a nuisance.

**15. What happens if a portion of this permit is determined to be invalid?**

If a portion of this permit is determined to be invalid, the remainder of the terms and conditions remain valid and enforceable. The exception is where the enforceability of terms and conditions are dependent on the term or condition that was declared invalid.



State of Ohio Environmental Protection Agency  
Division of Air Pollution Control

**Final Permit-to-Install and Operate**

**Permit Number:** P0103860

**Facility ID:** 0641035001

**Effective Date:** 12/8/2008

## **B. Facility-Wide Terms and Conditions**



State of Ohio Environmental Protection Agency  
Division of Air Pollution Control

**Final Permit-to-Install and Operate**

**Permit Number:** P0103860

**Facility ID:** 0641035001

**Effective Date:** 12/8/2008

1. This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).
  - a) For the purpose of a permit-to-install document, the facility-wide terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
    - (1) None.
  - b) For the purpose of a permit-to-operate document, the facility-wide terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
    - (1) None.



State of Ohio Environmental Protection Agency  
Division of Air Pollution Control

**Final Permit-to-Install and Operate**

**Permit Number:** P0103860

**Facility ID:** 0641035001

**Effective Date:** 12/8/2008

## **C. Emissions Unit Terms and Conditions**



**1. F001, Roadway and Parking Areas**

**Operations, Property and/or Equipment Description:**

Paved roadways and parking areas (99,450 vehicle miles traveled per year) and unpaved roadways and parking areas (79,636 vehicle miles traveled per year)

a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

(1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

a. None.

(2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

a. None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3)	<p>Fugitive particulate emissions (PE) shall not exceed 22.51 tons per year.</p> <p>There shall be no visible PE except for one minute during any sixty minute period for paved roads and parking areas.</p> <p>There shall be no visible PE except for three minutes during any sixty minute period for unpaved roads and parking areas.</p> <p>Best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust</p> <p>See b)(2)b. through b)(2)f. below.</p>
b.	OAC rule 3745-17-07(B)	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC



	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
		rule 3745-31-05(A)(3).
c.	OAC rule 3745-17-08(B)	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

(2) Additional Terms and Conditions

- a. The paved and unpaved roadways and parking areas that are covered by this permit and subject to the above mentioned requirements are listed below:

paved roadways and parking areas:

Truck loop  
 Parking lot

unpaved roadways and parking areas:

Coal yard

- b. The permittee shall employ best available control measures on all paved and unpaved roadways and parking areas for the purpose of ensuring compliance with the above mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to treat the paved roadways and parking areas with water at sufficient treatment frequencies to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.
- c. The needed frequencies of implementation of the control measures shall be determined by the permittee's inspections pursuant to the monitoring section of this permit. Implementation of the control measures shall not be necessary for a paved or unpaved roadway or parking area that is covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above mentioned applicable requirements. Implementation of any control measures may be suspended if unsafe or hazardous driving conditions would be created by its use.
- d. Any unpaved roadways takes on the characteristics of a paved surface due to the application of dust suppressants shall remain subject to the visible emission limitation for unpaved roadways. Any unpaved roadway or parking area that is paved shall be subject to the visible emission limitation for paved roadways or parking areas.
- e. The permittee shall promptly remove, in such a manner as to minimize or prevent resuspension, earth and/or other material from paved streets onto which such material has been deposited by trucking or earth moving equipment or erosion by water or other means.



- f. Open-bodied vehicles transporting materials likely to become airborne shall have such materials covered at all time if the control measure is necessary for the materials being transported.
- g. Implementation of the above mentioned control measures in accordance with the terms and conditions of this permit is appropriate and sufficient to satisfy the reasonably available control measures of OAC rule 3745-17-07(B) and 3745-17-08(B).

c) Operational Restrictions

- (1) None.

d) Monitoring and/or Recordkeeping Requirements

- (1) Except as otherwise provided in this section, the permittee shall perform inspections of the roadways and parking areas in accordance with the following frequencies:

<u>paved roadways and parking areas</u>	<u>minimum inspection frequency</u>
---	-------------------------------------

All	Daily
-----	-------

<u>unpaved roadways and parking areas</u>	<u>minimum inspection frequency</u>
---	-------------------------------------

All	Daily
-----	-------

- (2) The purpose of this inspection is to determine the need from implementing the above mentioned control measures. The inspections shall be performed during representative, normal traffic conditions. No inspection shall be necessary for a roadway or parking area that is covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above mention applicable requirements. Any required inspection that is not performed due to any of the above mentioned events shall be performed as soon as such event(s) has (have) ended, except if the next required inspection is within one week.

- (3) The permittee shall maintain records of the following information:

- a. the date and reason any required inspection was not performed, including those inspections that were not performed due to snow and/or ice cover or precipitation;
- b. the date of each inspection where it was determined by the permittee that it was necessary to implement the control measures;
- c. the dates the control measures were implemented; and
- d. on a calendar quarter basis, the total number of days the control measures were implemented and the total number of days where snow and/or ice cover or precipitation were sufficient to not require the control measures.

The information required in d)(3)d. shall be kept separately for (i) the paved roadways and parking areas and (ii) the unpaved roadways and parking areas, and shall be



updated on a calendar quarter basis within 30 days after the end of each calendar quarter.

e) Reporting Requirements

- (1) Annual Permit Evaluation Report (PER) forms will be mailed to the permittee at the end of the reporting period specified in the Authorization section of this permit. The permittee shall submit the PER in the form and manner provided by the director by the due date identified in the Authorization section of this permit. The permit evaluation report shall cover a reporting period of no more than twelve-months for each air contaminant source identified in this permit.

f) Testing Requirements

- (1) Compliance with the emission limitation in b)(1) of these terms and conditions of this permit shall be determined in accordance with the following methods:

a. Emission Limitation:

Fugitive particulate emissions (PE) shall not exceed 22.51 tons per year.

Applicable Compliance Method:

Compliance shall be determined based on the emission factor calculation from AP-42, Chapter 13.2.1 (11/06) [paved] and Chapter 13.2.2 (11/06) [unpaved]. Initial compliance has been determined utilizing inputs representing current conditions as follows:

Paved Roadways and Parking Areas:

$$EF = ((k*(sL/2)^{0.65}*(W/3)^{1.5}-C)*(1-P/(4*365)))$$

Where:

- EF= size-specific emission factor (lb/VMT)
- k= particle size multiplier (dimensionless)= 0.082
- sL= road surface silt loading= 2.4
- W= mean vehicle weight (tons)= 27
- C= constant (dimensionless)= 0.00047
- p= number of rain days per year >0.01 in.= 150

Therefore, EF= 2.24 lbs/VMT

Maximum travel= 99,450 VMT/year

$$(99,450 \text{ VMT/year})(2.24 \text{ lbs/VMT})(1 \text{ ton}/2,000\text{lbs})= 111.19 \text{ TPY uncontrolled}$$

Assume 90% control efficiency for roadway watering (RACM)

$$(111.19 \text{ TPY})(0.10)= 11.12 \text{ TPY controlled PE}$$

Unpaved Roadways and Parking Areas:

$$EF= [k(s/12)^a(W/3)^b[365-p]/365]$$

Where:



EF= size-specific emission factor (lb/VMT)  
s= silt content of road surface material (%)= 6.2%  
W= mean vehicle weight (tons)= 38.3  
a= constant (dimensionless)= 0.7  
b= constant (dimensionless)= 0.45  
k= particle size multiplier (dimensionless)= 4.9  
p= number of rain days per year >0.01 in.= 150

Therefore, EF= 5.72 lbs/VMT

Maximum travel= 79,636 VMT/year

$(79,636 \text{ VMT/year})(5.72 \text{ lbs/VMT})(1 \text{ ton}/2,000 \text{ lbs})= 227.72 \text{ TPY uncontrolled}$

Assume 95% control efficiency for roadway watering (RACM)  
 $(227.72 \text{ TPY})(0.05)= 11.39 \text{ TPY controlled PE}$

**TOTAL EMISSION SUMMARY**

Paved roadways and parking areas= 11.39 TPY  
Unpaved roadways and parking areas= 11.12 TPY

Total emissions= 22.51 TPY

b. Emission Limitation:

There shall be no visible PE except for one minute during any sixty minute period for paved roads and parking areas.

Applicable Compliance Method:

If required, compliance shall be determined through visible emission observations performed in accordance with USEPA Method 22.

c. Emission Limitation:

There shall be no visible PE except for three minutes during any sixty minute period for unpaved roads and parking areas.

Applicable Compliance Method:

If required, compliance shall be determined through visible emission observations performed in accordance with USEPA Method 22.

g) Miscellaneous Requirements

(1) None.



**2. F002, Storage Piles**

**Operations, Property and/or Equipment Description:**

Load-in, load-out, and wind erosion from storage piles; maximum annual throughput of 4,380,000 tons per year and surface area of 3.90 acres

a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

(1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

a. None.

(2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

a. None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(E)	Fugitive particulate emissions (PE) shall not exceed 4.96 tons per year.  See b)(2)a. below
b.	OAC rule 3745-17-07(B)	There shall be no visible particulate emissions except for thirteen minutes during any 60-minute observation period.
c.	OAC rule 3745-17-08(B)	Use of reasonably available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust.  See b)(2)d. through b)(2)h. below.

(2) Additional Terms and Conditions

a. Permit to Install P0103860 for this air contaminant source takes into account the following voluntary restrictions (including the use of any applicable air pollution



control equipment) as proposed by the permittee for the purpose of avoiding Best Available Technology (BAT) requirements under OAC rule 3745-31-05(A)(3):

- i. application of a chemical dust suppressant
- b. The storage piles that are covered by this permit and subject to the above-mentioned requirements are listed below:  
  
Raw Coal  
Fine Coal  
Stoker Coal  
Ultrafine Coal
- c. The load-in and load-out operations covered by this permit and subject to the requirements of OAC rule 3745-31-05 are listed below:  
  
Load-in to raw coal pile from conveyor and truck  
Load-out of raw coal pile by front end loader  
Load-in to fine coal pile from conveyor  
Load-out of fine coal pile by front end loader  
Load-in to stoker coal pile from conveyor  
Load-out of stoker coal pile by front end loader  
Load-in to ultrafine coal pile from conveyor  
Load-out of ultrafine coal pile by front end loader
- d. The permittee shall employ reasonably available control measures on all load-in and load-out operations associated with the storage piles for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's application, the permittee has committed to control fugitive emissions by reducing the drop height from the equipment to the piles and applying a chemical dust suppressant to the piles to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.
- e. The operator shall avoid dragging any front-end loader bucket along the ground. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.
- f. The above-mentioned control measure(s) shall be employed for each load-in and load-out operation of each storage pile if the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measure(s) are necessary to ensure compliance with the above-mentioned applicable requirements. Any required implementation of the control measure(s) shall continue during any such operation until further observation confirms that use of the measure(s) is unnecessary.
- g. The permittee shall employ reasonably available control measures for wind erosion from the surfaces of all storage piles for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the application, the permittee shall apply a chemical dust suppressant to the storage piles to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.



h. The above-mentioned control measure(s) shall be employed for wind erosion from each pile if the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measure(s) are necessary to ensure compliance with the above-mentioned applicable requirements. Implementation of the control measure(s) shall not be necessary for a storage pile that is covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements.

c) Operational Restrictions

(1) None.

d) Monitoring and/or Recordkeeping Requirements

(1) The permittee shall perform inspections of each load-in operation at each storage pile in accordance with the following frequencies:

<u>Storage pile identification</u>	<u>Minimum load-in frequency</u>
All	Daily

(2) The permittee shall perform inspections of each load-out operation at each storage pile in accordance with the following frequencies:

<u>Storage pile identification</u>	<u>Minimum load-out inspection frequency</u>
All	Daily

(3) The permittee shall perform inspections of the wind erosion from pile surfaces associated with each storage pile in accordance with the following frequencies:

<u>Storage pile identification</u>	<u>Minimum wind erosion inspection frequency</u>
All	Daily

(4) No inspection shall be necessary for wind erosion from the surface of a storage pile when the pile is covered with snow and/or ice and for any storage pile activity if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements. Any required inspection that is not performed due to any of the above identified events shall be performed as soon as such event(s) has (have) ended, except if the next required inspection is within one week.

(5) The purpose of the inspections is to determine the need for implementing the control measures specified in this permit for load-in and load-out of a storage pile, and wind erosion from the surface of a storage pile. The inspections shall be performed during representative, normal storage pile operating conditions.

(6) The permittee shall maintain records of the following information:



- a. the date and reason any required inspection was not performed, including those inspections that were not performed due to snow and/or ice cover or precipitation;
- b. the date of each inspection where it was determined by the permittee that it was necessary to implement the control measures;
- c. the dates the control measures were implemented; and
- d. On a calendar quarter basis, the total number of days the control measures were implemented and, for wind erosion from pile surfaces, the total number of days where snow and/or ice cover or precipitation were sufficient to not require the control measure(s).

The information required in d)(6)d. shall be kept separately for (i) the load-in operations, (ii) the load-out operations, and (iii) the pile surfaces (wind erosion), and shall be updated on a calendar quarter basis within 30 days after the end of each calendar quarter.

e) Reporting Requirements

- (1) Annual Permit Evaluation Report (PER) forms will be mailed to the permittee at the end of the reporting period specified in the Authorization section of this permit. The permittee shall submit the PER in the form and manner provided by the director by the due date identified in the Authorization section of this permit. The permit evaluation report shall cover a reporting period of no more than twelve-months for each air contaminant source identified in this permit.

f) Testing Requirements

- (1) Compliance with the emission limitation in b)(1) of these terms and conditions of this permit shall be determined in accordance with the following methods:

- a. Emission Limitations:  
Total particulate emissions (PE) shall not exceed 4.96 tons per year.
- b. Applicable Compliance Method:  
Compliance shall be determined based on the emission factor calculation for drop operations associated with storage piles in AP-42 section 13.2.4 (11/06).

Initial compliance has been determined using inputs representing current conditions as follows:

For Raw Coal Pile:

$$EF=k(0.0032)[(U/5)^{1.3}/(M/2)^{1.4}]$$

Where:

- EF= emission factor expressed in pounds per ton (lbs/ton)
- k= particle size multiplier for TSP (dimensionless) = 0.74
- U= mean wind speed expressed in miles per hour (MPH) = 10
- M= material moisture content (%) = 5.0%



Therefore, EF = 0.001617 lbs/ton

maximum annual load-in throughput = 13,140,000 tons/year (as submitted in PTIO application)

$$[(1)(13,140,000 \text{ tons/year})(0.0016 \text{ lbs PE/ton})] / 2,000 \text{ lbs/ton} = 10.62 \text{ TPY of uncontrolled PE from load-in}$$

Assume 75% control for reduced drop height and maintaining sufficient moisture of piles (RACM Table 2.19-3)

$$(10.62 \text{ TPY})(0.25) = 2.66 \text{ TPY of controlled PE and;}$$

Maximum annual load-out throughput= 4,380,000 tons/year (As submitted in PTIO application)

$$[(1)(4,380,000 \text{ tons/year})(0.0016 \text{ lbs PE/ton})] / 2,000 \text{ lbs/ton} = 3.54 \text{ TPY uncontrolled PE from load-out}$$

Assume 75% control for reduced drop height and maintaining sufficient moisture of piles (RACM Table 2.19-3)

$$(3.54 \text{ TPY})(0.25) = 0.89 \text{ TPY of controlled PE}$$

For Fine Clean Coal Pile:

$$EF=k(0.0032)[(U/5)^{1.3}/(M/2)^{1.4}]$$

Where:

- EF= emission factor expressed in pounds per ton (lbs/ton)
- k= particle size multiplier for TSP (dimensionless) = 0.74
- U= mean wind speed expressed in miles per hour (MPH) = 10
- M= material moisture content (%) = 5.0%

Therefore, EF = 0.001617 lbs/ton

maximum annual load-in throughput = 1,548,700 tons/year (as submitted in PTIO application)

maximum annual load-out throughput = 1,548,700 tons/year (as submitted in PTIO application)

$$[(1)(1,548,700 \text{ tons/year})(0.0016 \text{ lbs PE/ton}) + (1)(1,548,700 \text{ tons/year})(0.0016 \text{ lbs PE/ton})] / 2,000 \text{ lbs/ton} = 2.50 \text{ TPY of uncontrolled PE from load-in and load-out}$$

Assume 75% control for reduced drop height and maintaining sufficient moisture of piles (RACM Table 2.19-3)

$$(2.50 \text{ TPY})(0.25) = 0.63 \text{ TPY of controlled PE}$$



For Stoker Coal Pile:

$$EF = k(0.0032)[(U/5)^{1.3}/(M/2)^{1.4}]$$

Where:

EF= emission factor expressed in pounds per ton (lbs/ton)  
 k= particle size multiplier for TSP (dimensionless) = 0.74  
 U= mean wind speed expressed in miles per hour (MPH) = 10  
 M= material moisture content (%) = 5.0%

Therefore, EF = 0.001617 lbs/ton

maximum annual load-in throughput = 1,548,700 tons/year (as submitted in PTIO application)

maximum annual load-out throughput = 1,548,700 tons/year (as submitted in PTIO application)

$$[(1)(1,548,700 \text{ tons/year})(0.0016 \text{ lbs PE/ton}) + (1)(1,548,700 \text{ tons/year})(0.0016 \text{ lbs PE/ton})] / 2,000 \text{ lbs/ton} \\ = 2.50 \text{ TPY of uncontrolled PE from load-in and load-out}$$

Assume 75% control for reduced drop height and maintaining sufficient moisture of piles (RACM Table 2.19-3)

$$(2.50 \text{ TPY})(0.25) = 0.63 \text{ TPY of controlled PE}$$

For Ultrafine Coal Pile:

$$EF = [k(0.0032)[(U/5)^{1.3}/(M/2)^{1.4}]$$

Where:

EF= emission factor expressed in pounds per ton (lbs/ton)  
 k= particle size multiplier for TSP (dimensionless) = 0.74  
 U= mean wind speed expressed in miles per hour (MPH) = 10  
 M= material moisture content (%) = 5.0%

Therefore, EF = 0.001617 lbs/ton

maximum annual load-in throughput = 175,200 tons/year (as submitted in PTIO application)

maximum annual load-out throughput = 175,200 tons/year (as submitted in PTIO application)

$$[(1)(175,200 \text{ tons/year})(0.0016 \text{ lbs PE/ton}) + (1)(175,200 \text{ tons/year})(0.0016 \text{ lbs PE/ton})] / 2,000 \text{ lbs/ton} \\ = 0.28 \text{ TPY of uncontrolled PE from load-in and load-out}$$



Assume 75% control for reduced drop height and maintaining sufficient moisture of piles (RACM Table 2.19-3)

$$(0.28 \text{ TPY})(0.25) = 0.070 \text{ TPY of controlled PE}$$

The emission factor calculation for wind erosion from storage piles is found in USEPA's Control of Open Fugitive Dust Sources (9/88). Initial compliance has been determined using inputs representing current conditions as follows:

$$EF = (1.7)(s/1.5)((365-p/235))(f/15)$$

Where:

- E= emission factor in pounds (lbs)/day/acre)
- s= silt content of material (%)= 6.2%
- p= number of rain days per year >0.01 in.= 150
- f= percentage of time that wind speed exceeds 12 mph (%)= 28%
- A= total surface area of storage piles (acres)= 3.90

Therefore, EF= 12.0 lbs/day/acre

$$[(12.0 \text{ lbs/day/acre})(365 \text{ days/yr})(3.90 \text{ acres})] / 2,000 \text{ lbs/ton} = 8.54 \text{ TPY uncontrolled PE}$$

Assume 99% control for applying a chemical suppressant (RACM Table 2.19-3)

$$(8.54 \text{ TPY})(0.01) = 0.085 \text{ TPY controlled PE}$$

**TOTAL EMISSION SUMMARY**

- Load-in raw coal pile= 2.66 TPY
- Load-out raw coal pile= 0.89 TPY
- Load-in and load-out fine clean coal pile= 0.63 TPY
- Load-in and load-out stoker coal pile= 0.63 TPY
- Load-in and load-out ultrafine coal pile= 0.070 TPY

Wind erosion= 0.085 TPY

Total emissions= 4.96 TPY

- c. Emission Limitation:  
There shall be no visible particulate emissions except for thirteen minutes during any 60-minute observation period.
- d. Applicable Compliance Method:  
If required, compliance shall be determined through visible emission observations performed in accordance with USEPA Method 22.



**3. F003, Coal Processing Plant**

**Operations, Property and/or Equipment Description:**

500 TPH coal processing plant consisting of a Ludowici 16'x16' double deck screen, McLanahan single roll crusher, and material handling operations; maximum annual throughput of 4,380,000 tons per year

a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

(1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

a. None.

(2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

a. None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3)	Fugitive particulate emissions (PE) shall not exceed 16.63 tons per year.  There shall be no visible PE except for one minute during any 60-minute period.  Best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust.  See b)(2)b. through b)(2)c. below.
b.	OAC rule 3745-17-07(B)	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
c.	OAC rule 3745-17-08(B)	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
d.	40 CFR Part 60, Subpart Y	The emission limitation specified by this



	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
	(40 CFR 60.250-254) [In accordance with 40 CFR 60.250, this emissions unit contains affected facilities in a coal preparation plant which processes more than 200 tons of coal per day.]	rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

(2) Additional Terms and Conditions

- a. The coal processing plant operations that are covered by this permit and subject to the requirements of OAC rules 3745-31-05 are listed below:

Material Handling/Transfer Points

- TP1--load-in to hopper
- TP2--hopper to enclosed conveyor
- TP3--enclosed conveyor to screen
- TP4--screen to crusher (inside shaker house)
- TP5--screen to conveyor (inside shaker house)
- TP6--crusher to conveyor (inside shaker house)
- TP7--enclosed conveyor to prep plant
- TP8--prep plant to fine clean coal conveyor
- TP9--prep plant to stoker clean coal conveyor
- TP10--prep plant to ultrafine coal pile conveyor
- TP11--raw coal conveyor to raw coal stacker
- TP12--fine clean coal conveyor to fine clean coal stacker
- TP13--stoker clean coal conveyor to stoker clean coal stacker
- TP14--ultrafine coal conveyor to ultrafine coal stacker

Equipment

- Ludowici 16'x16' double deck screen
- McLanahan single roll crusher
- 42" conveyor belts (4)

- b. The permittee shall employ best available control measures for the coal processing plant operations listed above, for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee shall perform the following control measures to ensure compliance: maintain sufficient moisture to prevent fugitive dust, treat the coal with chemical stabilization/dust suppressants at sufficient frequencies, and maintain enclosures. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.
- c. For each coal processing plant operation that is not adequately enclosed, the above-identified control measures shall be implemented if the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measures are necessary to ensure compliance with the above-mentioned applicable requirements. Any required implementation of the control measures shall continue during the operation of the



coal processing plant operations until further observation confirms that use of the control measures is unnecessary.

- d. Implementation of the above-mentioned control measure(s) in accordance with the terms and conditions of this permit is appropriate and sufficient to satisfy the reasonably available control measures of OAC rule 3745-17-07(B) and 3745-17-08(B).

c) Operational Restrictions

- (1) See 40 CFR Part 60, Subpart Y (40 CFR 60.250-254).

d) Monitoring and/or Recordkeeping Requirements

- (1) The permittee shall perform inspections for coal processing plant operations that are not adequately enclosed in accordance with the following minimum frequencies:

<u>Coal processing plant operations</u>	<u>Minimum inspection frequency</u>
All	Daily

- (2) The above-mentioned inspections shall be performed during representative, normal operating conditions.

- (3) The permittee shall maintain records of the following information:

- a. the date and reason any required inspection was not performed;
- b. the date of each inspection where it was determined by the permittee that it was necessary to implement the control measure(s);
- c. the dates the control measures(s) was (were) implemented; and
- d. on a calendar quarter basis, the total number of days the control measure(s) was (were) implemented.

The information in d)(3)d. shall be kept separately for the coal processing plant operations identified above, and shall be updated on a calendar quarter basis within 30 days after the end of each calendar quarter.

e) Reporting Requirements

- (1) Annual Permit Evaluation Report (PER) forms will be mailed to the permittee at the end of the reporting period specified in the Authorization section of this permit. The permittee shall submit the PER in the form and manner provided by the director by the due date identified in the Authorization section of this permit. The permit evaluation report shall cover a reporting period of no more than twelve-months for each air contaminant source identified in this permit.

- (2) Pursuant to the NSPS, the source owner/operator is hereby advised of the requirement to report the following at the appropriate times:

- a. construction date (no later than 30 days after such date);



- b. anticipated start-up date (not more than 60 days or less than 30 days prior to such date);
- c. actual start-up date (within 15 days after such date); and
- d. date of performance testing (if required, at least 30 days prior to testing).

Reports are to be sent to:

Ohio Environmental Protection Agency  
DAPC- Permit Management Unit  
50 West Town Street, Suite 700  
P.O. Box 1049  
Columbus, Ohio 43216-1049

and

Ohio EPA Southeast District Office  
Division of Air Pollution Control  
2195 Front Street  
Logan, Ohio 43138

f) Testing Requirements

- (1) Compliance with the emission limitation in b)(1) of these terms and conditions of this permit shall be determined in accordance with the following methods:

- a. Emission Limitations:  
Fugitive particulate emissions (PE) shall not exceed 16.63 tons per year.

Applicable Compliance Method:

Transfer Points:

Compliance shall be determined based on the emission factor calculation for drop operations associated with storage piles in AP-42 Section 13.2.4 (11/06). For the following transfer points initial compliance has been determined using inputs representing current conditions as follows:

$$EF = k(0.0032)[(U/5)^{1.3}/(M/2)^{1.4}] = \text{lbs PE/ton}$$

Where:

k=0.74

U= 10 mph, mean wind speed, (as submitted in PTIO application)

M= 5% moisture content, (as submitted in PTIO application)

Therefore, EF= 0.0016 lb PE/ton

$$[(\text{transfer points})(\text{maximum annual throughput})(0.0016 \text{ lb PE/ton})] / 2,000 \text{ lbs/ton}$$

TP1, TP2, TP3 and TP7:

$$[(4 \text{ transfer points})(4,380,000 \text{ tons/year})(0.0016 \text{ lb PE/ton})] / 2,000 \text{ lbs/ton} \\ = 14.02 \text{ TPY of uncontrolled PE}$$



Assume 70% control for moisture content (RACM Table 2.19-3)  
 $(14.02 \text{ TPY})(0.3) = 4.20 \text{ TPY}$  of controlled PE

TP4, TP5, and TP6:

$[(3 \text{ transfer points})(4,380,000 \text{ tons/year})(0.0016 \text{ lb PE/ton})] / 2,000 \text{ lbs/ton}$   
= 10.51 TPY of uncontrolled PE

Assume 70% control for full enclosure (RACM Table 2.19-3)  
 $(10.51 \text{ TPY})(0.3) = 3.15 \text{ TPY}$  of controlled PE

TP8, TP9, TP12, and TP13:

$[(4 \text{ transfer points})(1,598,700 \text{ tons/year})(0.0016 \text{ lb PE/ton})] / 2,000 \text{ lbs/ton}$   
= 5.12 TPY of uncontrolled PE

Assume 70% control for moisture content (RACM Table 2.19-3)  
 $(5.12 \text{ TPY})(0.3) = 1.53 \text{ TPY}$  of controlled PE

TP10 and TP14:

$[(2 \text{ transfer points})(175,200 \text{ tons/year})(0.0016 \text{ lb PE/ton})] / 2,000 \text{ lbs/ton}$   
= 0.28 TPY of uncontrolled PE

Assume 70% control for moisture content (RACM Table 2.19-3)  
 $(0.28 \text{ TPY})(0.3) = 0.084 \text{ TPY}$  of controlled PE

TP11:

$[(1 \text{ transfer points})(12,264,000 \text{ tons/year})(0.0016 \text{ lb PE/ton})] / 2,000 \text{ lbs/ton}$   
= 9.81 TPY of uncontrolled PE

Assume 70% control for moisture content (RACM Table 2.19-3)  
 $(9.81 \text{ TPY})(0.3) = 2.94 \text{ TPY}$  of controlled PE

Crushing and Screening:

Compliance with the emission limitation shall be based on the following calculations based on the emission factor of 0.02 lb PE/ton for crushing (FIRE database (9/04), Source Classification Code (SCC) 30501010); and 0.0016 lb PE/ton for the screener (AP-42 sections 13.2.4 (11/06)); and the maximum throughput of 4,380,000 tons per year.

$[(1 \text{ crusher})(4,380,000 \text{ tons/year})(0.02 \text{ lb PE/ton}) + (1 \text{ screener})(4,380,000 \text{ tons/year})(0.0016 \text{ lb PE/ton})] / 2,000 \text{ lbs PE/ton}$   
= 47.3 TPY uncontrolled PE

Assume 90% control for full enclosure and chemical suppressant (Engineering estimate of permittee)  
 $= (47.3 \text{ TPY})(0.10) = 4.73 \text{ TPY}$  controlled PE

Total Emissions= Transfer Points + Crusher and Screener  
= 4.20 TPY + 3.15 TPY + 1.53 TPY + 0.084 TPY + 2.94 TPY + 4.73 TPY  
= 16.63 TPY controlled PE emission

Emission Limitation:

There shall be no visible PE except for one minute during any 60-minute period.



Applicable Compliance Method:

If required, compliance shall be determined through visible emission observations performed in accordance with USEPA Method 22.

- (2) The permittee shall conduct, or have conducted, emission testing in accordance with the following requirements:
- a. The emission testing shall be conducted within 60 days after achieving the maximum production rate at which the emissions unit will be operated, but not later than 180 days after initial startup of the emissions unit.
  - b. The emission testing shall be conducted to demonstrate compliance with the allowable visible PE limitation.
  - c. The following test method(s) shall be employed to demonstrate compliance with the allowable emission rate(s):

Compliance with the visible PE limitation specified by OAC rule 3745-31-05(A)(3) shall be determined in accordance with Test Method 22 as set forth in "Appendix on Test Methods" in 40 CFR, Part 60 ("Standards of Performance for New Stationary Sources").

Alternative U.S. EPA approved test methods may be used with prior approval from the Ohio EPA.

- d. The test(s) shall be conducted while the emissions unit is operating at or near its maximum capacity, unless otherwise specified or approved by the appropriate Ohio EPA District Office or local air agency.
- e. Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the appropriate Ohio EPA District Office or local air agency. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of the test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Ohio EOA District Office's or local air agency's refusal to accept the results of the emission test(s).
- f. Personnel from the appropriate Ohio EPA District Office or local air agency shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedure provide a valid characterization of the emissions from the emissions unit and /or the performance of the control equipment.
- g. A comprehensive written report on the results of the emissions test(s) shall be signed by the person or persons responsible for the tests and submitted to the appropriate Ohio EPA District Office or local air agency within 30 days following the completion of the tests(s). The permittee may request additional time for the submittal of the written report, where warranted, with prior approval from the appropriate Ohio EPA District Office or local air agency.



State of Ohio Environmental Protection Agency  
Division of Air Pollution Control

**Final Permit-to-Install and Operate**

**Permit Number:** P0103860

**Facility ID:** 0641035001

**Effective Date:** 12/8/2008

g) Miscellaneous Requirements

(1) None.