



State of Ohio Environmental Protection Agency

STREET ADDRESS:

Lazarus Government Center  
50 W. Town St., Suite 700  
Columbus, Ohio 43215

TELE: (614) 644-3020 FAX: (614) 644-3184  
www.epa.state.oh.us

MAILING ADDRESS:

P.O. Box 1049  
Columbus, OH 43216-1049

12/15/2008

Daniel Crago  
Melvin Stone Company  
11641 Mosteller Road  
Sharonville, OH 45241

RE: FINAL AIR POLLUTION PERMIT-TO-INSTALL AND OPERATE  
Facility ID: 1431954306  
Permit Number: P0103982  
Permit Type: Initial Installation  
County: Hamilton

Certified Mail

No	TOXIC REVIEW
No	PSD
No	SYNTHETIC MINOR
No	CEMS
No	MACT
Yes	NSPS
No	NESHAPS
No	NETTING
No	MAJOR NON-ATTAINMENT
No	MODELING SUBMITTED

Dear Permit Holder:

Enclosed please find a final Air Pollution Permit-to-Install and Operate ("PTIO") which will allow you to install, modify, and/or operate the described emissions unit(s) in the manner indicated in the permit. Because this permit contains conditions and restrictions, please read it very carefully.

Ohio EPA maintains a document entitled "Frequently Asked Questions about the PTIO". The document can be downloaded from the DAPC Web page, [www.epa.state.oh.us/dapc](http://www.epa.state.oh.us/dapc), from the "Permits" link. This document contains additional information related to your permit, such as what activities are covered under the PTIO, who has enforcement authority over the permit and Ohio EPA's authorization to inspect your facility and records. Please contact the Office of Compliance Assistance and Pollution Prevention at (614) 644-3469 if you need assistance.

The issuance of this PTIO is a final action of the Director and may be appealed to the Environmental Review Appeals Commission ("ERAC") under Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and describe the action complained of and the grounds for the appeal. The appeal must be filed with the ERAC within thirty (30) days after notice of the Director's action. A filing fee of \$70.00 must be submitted to the ERAC with the appeal, although the ERAC, has discretion to reduce the amount of the filing fee if you can demonstrate (by affidavit) that payment of the full amount of the fee would cause extreme hardship. If you file an appeal of this action, you must notify Ohio EPA of the filing of the appeal (by providing a copy to the Director) within three (3) days of filing your appeal with the ERAC. Ohio EPA requests that a copy of the appeal also be provided to the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the ERAC at the following address:

Environmental Review Appeals Commission  
309 South Fourth Street, Room 222  
Columbus, OH 43215

If you have any questions regarding this permit, please contact the Hamilton County Dept. of Environmental Services. This permit has been posted to the Division of Air Pollution Control (DAPC) Web page [www.epa.state.oh.us/dapc](http://www.epa.state.oh.us/dapc).

Sincerely,

*Michael W. Ahern*  
Michael W. Ahern, Manager  
Permit Issuance and Data Management Section, DAPC

Cc: HCDOES

Ted Strickland, Governor  
Lee Fisher, Lieutenant Governor  
Chris Korleski, Director





**State of Ohio Environmental Protection Agency  
Division of Air Pollution Control**

**FINAL**

**Air Pollution Permit-to-Install and Operate  
for  
Melvin Stone Company**

Facility ID: 1431954306  
Permit Number: P0103982  
Permit Type: Initial Installation  
Issued: 12/15/2008  
Effective: 12/15/2008  
Expiration: 11/14/2018





**Air Pollution Permit-to-Install and Operate**  
for  
Melvin Stone Company

**Table of Contents**

Authorization ..... 1

A. Standard Terms and Conditions ..... 3

    1. What does this permit-to-install and operate ("PTIO") allow me to do?..... 4

    2. Who is responsible for complying with this permit? ..... 4

    3. What records must I keep under this permit? ..... 4

    4. What are my permit fees and when do I pay them?..... 4

    5. When does my PTIO expire, and when do I need to submit my renewal application? ..... 4

    6. What happens to this permit if my project is delayed or I do not install or modify my source? ..... 5

    7. What reports must I submit under this permit? ..... 5

    8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit? ..... 5

    9. What are my obligations when I perform scheduled maintenance on air pollution control equipment?... 5

    10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report? ..... 6

    11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located? ..... 6

    12. What happens if one or more emissions units operated under this permit is/are shut down permanently? ..... 6

    13. Can I transfer this permit to a new owner or operator? ..... 6

    14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"? ..... 7

    15. What happens if a portion of this permit is determined to be invalid? ..... 7

B. Facility-Wide Terms and Conditions ..... 8

C. Emissions Unit Terms and Conditions ..... 10

    1. F001, Portable Screening Plant with Diesel Engine..... 11

    2. F002, Aggregate Storage Piles for Portable Screening Plant..... 19

    3. F003, Unpaved Roadways for Portable Screening Plant..... 25





State of Ohio Environmental Protection Agency  
Division of Air Pollution Control

**Final Permit-to-Install and Operate**  
**Permit Number:** P0103982  
**Facility ID:** 1431954306  
**Effective Date:** 12/15/2008

# Authorization

Facility ID: 1431954306  
Application Number(s): A0036167  
Permit Number: P0103982  
Permit Description: Initial PTIO for portable screening plant, storage piles and unpaved roadways  
Permit Type: Initial Installation  
Permit Fee: \$1,300.00  
Issue Date: 12/15/2008  
Effective Date: 12/15/2008  
Expiration Date: 11/14/2018  
Permit Evaluation Report (PER) Annual Date: Jan 1 - Dec 31, Due Feb 15

This document constitutes issuance to:

Melvin Stone Company  
11641 Mosteller Road  
Sharonville, OH 45241

of a Permit-to-Install and Operate for the emissions unit(s) identified on the following page.

Ohio EPA District Office or local air agency responsible for processing and administering your permit:

Hamilton County Dept. of Environmental Services  
250 William Howard Taft Pkwy.  
Cincinnati, OH 45219-2660  
(513)946-7777

The above named entity is hereby granted this Permit-to-Install and Operate for the air contaminant source(s) (emissions unit(s)) listed in this section pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the described emissions unit(s) will operate in compliance with applicable State and federal laws and regulations.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Chris Korleski  
Director



## Authorization (continued)

Permit Number: P0103982  
Permit Description: Initial PTIO for portable screening plant, storage piles and unpaved roadways

Permits for the following emissions unit(s) or groups of emissions units are in this document as indicated below:

<b>Emissions Unit ID:</b>	<b>F001</b>
Company Equipment ID:	Screening Plant
Superseded Permit Number:	
General Permit Category and Type:	Not Applicable
<b>Emissions Unit ID:</b>	<b>F002</b>
Company Equipment ID:	Storage Piles
Superseded Permit Number:	
General Permit Category and Type:	Not Applicable
<b>Emissions Unit ID:</b>	<b>F003</b>
Company Equipment ID:	Portable Screening
Superseded Permit Number:	
General Permit Category and Type:	Not Applicable



State of Ohio Environmental Protection Agency  
Division of Air Pollution Control

**Final Permit-to-Install and Operate**

**Permit Number:** P0103982

**Facility ID:** 1431954306

**Effective Date:** 12/15/2008

## **A. Standard Terms and Conditions**



**1. What does this permit-to-install and operate ("PTIO") allow me to do?**

This permit allows you to install and operate the emissions unit(s) identified in this PTIO. You must install and operate the unit(s) in accordance with the application you submitted and all the terms and conditions contained in this PTIO, including emission limits and those terms that ensure compliance with the emission limits (for example, operating, recordkeeping and monitoring requirements).

**2. Who is responsible for complying with this permit?**

The person identified on the "Authorization" page, above, is responsible for complying with this permit until the permit is revoked, terminated, or transferred. "Person" means a person, firm, corporation, association, or partnership. The words "you," "your," or "permittee" refer to the "person" identified on the "Authorization" page above.

The permit applies only to the emissions unit(s) identified in the permit. If you install or modify any other equipment that requires an air permit, you must apply for an additional PTIO(s) for these sources.

**3. What records must I keep under this permit?**

You must keep all records required by this permit, including monitoring data, test results, strip-chart recordings, calibration data, maintenance records, and any other record required by this permit for five years from the date the record was created. You can keep these records electronically, provided they can be made available to Ohio EPA during an inspection at the facility. Failure to make requested records available to Ohio EPA upon request is a violation of this permit requirement.

**4. What are my permit fees and when do I pay them?**

There are two fees associated with permitted air contaminant sources in Ohio:

- PTIO fee. This one-time fee is based on a fee schedule in accordance with Ohio Revised Code (ORC) section 3745.11, or based on a time and materials charge for permit application review and permit processing if required by the Director.

You will be sent an invoice for this fee after you receive this PTIO and payment is due within 30 days of the invoice date. You are required to pay the fee for this PTIO even if you do not install or modify your operations as authorized by this permit.

- Annual emissions fee. Ohio EPA will assess a separate fee based on the total annual emissions from your facility. You self-report your emissions in accordance with Ohio Administrative Code (OAC) Chapter 3745-78. This fee assessed is based on a fee schedule in ORC section 3745.11 and funds Ohio EPA's permit compliance oversight activities. For facilities that are permitted as synthetic minor sources, the fee schedule is adjusted annually for inflation. Ohio EPA will notify you when it is time to report your emissions and to pay your annual emission fees.

**5. When does my PTIO expire, and when do I need to submit my renewal application?**

This permit expires on the date identified at the beginning of this permit document (see "Authorization" page above) and you must submit a renewal application to renew the permit. Ohio EPA will send a renewal notice to you approximately six months prior to the expiration date of this permit. However, it is very important that you submit a complete renewal permit application (postmarked prior to expiration of this permit) even if you do not receive the renewal notice.



If a complete renewal application is submitted before the expiration date, Ohio EPA considers this a timely application for purposes of ORC section 119.06, and you are authorized to continue operating the emissions unit(s) covered by this permit beyond the expiration date of this permit until final action is taken by Ohio EPA on the renewal application.

**6. What happens to this permit if my project is delayed or I do not install or modify my source?**

This PTIO expires 18 months after the issue date identified on the "Authorization" page above unless otherwise specified if you have not (1) started constructing the new or modified emission sources identified in this permit, or (2) entered into a binding contract to undertake such construction. This deadline can be extended by up to 12 months, provided you apply to Ohio EPA for this extension within a reasonable time before the 18-month period has ended and you can show good cause for any such extension.

**7. What reports must I submit under this permit?**

An annual permit evaluation report (PER) is required in addition to any malfunction reporting required by OAC rule 3745-15-06 or other specific rule-based reporting requirement identified in this permit. Your PER due date is identified in the Authorization section of this permit.

**8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit?**

If you are required to obtain a Title V permit under OAC Chapter 3745-77 in the future, the permit-to-operate portion of this permit will be superseded by the issued Title V permit. From the effective date of the Title V permit forward, this PTIO will effectively become a PTI (permit-to-install) in accordance with OAC rule 3745-31-02(B). The following terms and conditions will no longer be applicable after issuance of the Title V permit: Section B, Term 1.b) and Section C, for each emissions unit, Term a)(2).

The PER requirements in this permit remain effective until the date the Title V permit is issued and is effective, and cease to apply after the effective date of the Title V permit. The final PER obligation will cover operations up to the effective date of the Title V permit and must be submitted on or before the submission deadline identified in this permit on the last day prior to the effective date of the Title V permit.

**9. What are my obligations when I perform scheduled maintenance on air pollution control equipment?**

You must perform scheduled maintenance of air pollution control equipment in accordance with OAC rule 3745-15-06(A). If scheduled maintenance requires shutting down or bypassing any air pollution control equipment, you must also shut down the emissions unit(s) served by the air pollution control equipment during maintenance, unless the conditions of OAC rule 3745-15-06(A)(3) are met. Any emissions that exceed permitted amount(s) under this permit (unless specifically exempted by rule) must be reported as deviations in the annual permit evaluation report (PER), including nonexempt excess emissions that occur during approved scheduled maintenance.



**10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report?**

If you have a reportable malfunction of any emissions unit(s) or any associated air pollution control system, you must report this to the Hamilton County Dept. of Environmental Services in accordance with OAC rule 3745-15-06(B). Malfunctions that must be reported are those that result in emissions that exceed permitted emission levels. It is your responsibility to evaluate control equipment breakdowns and operational upsets to determine if a reportable malfunction has occurred.

If you have a malfunction, but determine that it is not a reportable malfunction under OAC rule 3745-15-06(B), it is recommended that you maintain records associated with control equipment breakdown or process upsets. Although it is not a requirement of this permit, Ohio EPA recommends that you maintain records for non-reportable malfunctions.

**11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located?**

Yes. Under Ohio law, the Director or his authorized representative may inspect the facility, conduct tests, examine records or reports to determine compliance with air pollution laws and regulations and the terms and conditions of this permit. You must provide, within a reasonable time, any information Ohio EPA requests either verbally or in writing.

**12. What happens if one or more emissions units operated under this permit is/are shut down permanently?**

Ohio EPA can terminate the permit terms associated with any permanently shut down emissions unit. "Shut down" means the emissions unit has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent "modification" or "installation" as defined in OAC Chapter 3745-31.

You should notify Ohio EPA of any emissions unit that is permanently shut down by submitting a certification that identifies the date on which the emissions unit was permanently shut down. The certification must be submitted by an authorized official from the facility. You cannot continue to operate an emission unit once the certification has been submitted to Ohio EPA by the authorized official.

You must comply with all recordkeeping and reporting for any permanently shut down emissions unit in accordance with the provisions of the permit, regulations or laws that were enforceable during the period of operation, such as the requirement to submit a PER, air fee emission report, or malfunction report. You must also keep all records relating to any permanently shutdown emissions unit, generated while the emissions unit was in operation, for at least five years from the date the record was generated.

Again, you cannot resume operation of any emissions unit certified by the authorized official as being permanently shut down without first applying for and obtaining a permit pursuant to OAC Chapter 3745-31.

**13. Can I transfer this permit to a new owner or operator?**

You can transfer this permit to a new owner or operator. If you transfer the permit, you must follow the procedures in OAC Chapter 3745-31, including notifying Ohio EPA or the local air agency of the



State of Ohio Environmental Protection Agency  
Division of Air Pollution Control

**Final Permit-to-Install and Operate**  
**Permit Number:** P0103982  
**Facility ID:** 1431954306  
**Effective Date:** 12/15/2008

change in ownership or operator. Any transferee of this permit must assume the responsibilities of the transferor permit holder.

**14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"?**

This permit and OAC rule 3745-15-07 prohibit operation of the air contaminant source(s) regulated under this permit in a manner that causes a nuisance. Ohio EPA can require additional controls or modification of the requirements of this permit through enforcement orders or judicial enforcement action if, upon investigation, Ohio EPA determines existing operations are causing a nuisance.

**15. What happens if a portion of this permit is determined to be invalid?**

If a portion of this permit is determined to be invalid, the remainder of the terms and conditions remain valid and enforceable. The exception is where the enforceability of terms and conditions are dependent on the term or condition that was declared invalid.



State of Ohio Environmental Protection Agency  
Division of Air Pollution Control

**Final Permit-to-Install and Operate**

**Permit Number:** P0103982

**Facility ID:** 1431954306

**Effective Date:** 12/15/2008

## **B. Facility-Wide Terms and Conditions**



State of Ohio Environmental Protection Agency  
Division of Air Pollution Control

**Final Permit-to-Install and Operate**

**Permit Number:** P0103982

**Facility ID:** 1431954306

**Effective Date:** 12/15/2008

1. This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).
  - a) For the purpose of a permit-to-install document, the facility-wide terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
    - (1) None.
  - b) For the purpose of a permit-to-operate document, the facility-wide terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
    - (1) None.



State of Ohio Environmental Protection Agency  
Division of Air Pollution Control

**Final Permit-to-Install and Operate**

**Permit Number:** P0103982

**Facility ID:** 1431954306

**Effective Date:** 12/15/2008

## **C. Emissions Unit Terms and Conditions**



**1. F001, Portable Screening Plant with Diesel Engine**

**Operations, Property and/or Equipment Description:**

Nordberg TK11-42-2V grizzly feeder and conveyor with Cat C-6.6 174.3 HP Diesel Engine

- a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).
  - (1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
    - a. None.
  - (2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
    - a. None.
- b) Applicable Emissions Limitations and/or Control Requirements
  - (1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(E) Voluntary Restriction to Avoid BAT	See b)(2)a.
b.	OAC rule 3745-31-05(A)(3)(a)(ii)	See b) (2)f.
c.	40 CFR Part 60, Subpart OOO	See b)(2)b and b)(2)c.
d.	OAC rule 3745-17-07(B)(1)	The emission limitations specified by this rule are less stringent than the emission limitations established pursuant to 40 CFR Part 60, Subpart OOO, for applicable facilities within emission unit F001 as defined by this Subpart. See b)(2)b and b)(2)c.
e.	OAC rule 3745-17-08(B)(1) (applicable only if this emission unit is located in an area identified in Appendix A of OAC rule 3745-17-08)	The emission limitations specified by this rule are less stringent than the emission limitations established pursuant to 40 CFR Part 60, Subpart OOO, for applicable facilities within emission unit F001 as defined by this Subpart. See b)(2)b and b)(2)c.
f.	OAC rule 3745-17-07(A)	Visible particulate emissions from the diesel engine exhaust stack shall not exceed 20 percent opacity as a six



	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
		minute average, except as specified by rule.
g.	OAC rule 3745-17-11(B)(5)(a)	Particulate emissions (PE) shall not exceed 0.310 pound per mmBtu of actual heat input.
h.	OAC rule 3745-31-03(A)(1)(p)(i)	See b)(2)g and b)(2)h.
i.	OAC rule 3745-18-06(B)	Exempt
j.	OAC rule 3745-21-08(B)	See b)(2)i.

(2) Additional Terms and Conditions

- a. Permit to Install and operate (PTIO) 14-06048 for this air contaminant source takes into account the following voluntary restrictions as proposed by the permittee for the purpose of avoiding Best Available Technology (BAT) requirements for fugitive PE and fugitive particulate matter 10 microns or less in diameter (PM10) under OAC rule 3745-31-05(A)(3):
  - i. Operating water sprays as necessary at material transfer points to ensure controlled potential PE and PM10 emissions shall not exceed 9.9 tons per year (TPY).
- b. Fugitive particulate emissions from any transfer point on belt conveyors and from any other emissions point (excluding crushers and truck dumping) where process materials are not saturated, shall not exceed 10 percent opacity, except as provided by rule 40 CFR 60.672.
- c. Fugitive particulate emissions from wet screening operations and subsequent screening operations, bucket elevators, and belt conveyors that process saturated material in the production line up to the next crusher, grinding mill or storage bin shall not exceed 0 percent opacity.
- d. The application and enforcement of the provisions of the New Source Performance Standards (NSPS), as promulgated by the United States Environmental Protection Agency, 40 CFR Part 60, are delegated to the Ohio Environmental Protection Agency. The requirements of 40 CFR Part 60 are also federally enforceable.
- e. For facilities within emissions unit F001 that are not affected facilities as defined by 40 CFR Part 60, Subpart OOO, visible particulate emissions from fugitive dust shall not exceed 20 percent opacity as a three-minute average.
- f. The BAT requirements, under OAC rule 3745-31-05(A)(3) do not apply to the nitrogen oxide (NOx), carbon monoxide (CO), organic compounds (OC) and sulfur dioxide (SO2) stack emissions from this air contaminant source since the uncontrolled potential to emit for NOx, CO, OC and SO2 shall not exceed 9.9 TPY.
- g. The permittee may relocate the portable source within the State of Ohio without first obtaining a PTIO providing the appropriate exemption requirements have



been met and following the approval of the director. The director may issue a "Notice of Site Approval" if the portable source meets the following criteria pursuant to OAC rule 3745-31-03(A)(1)(p)(i):

- i. the portable source has been issued a PTIO and the permittee continues to comply with any applicable BAT determination and state and/or federal rules;
- ii. the portable source is operating pursuant to a currently effective PTIO and continues to comply with the requirements of the permit;
- iii. the permittee has provided a minimum of 30 days notice of the intent to relocate the portable source to the permitting authority (the Ohio EPA District Office or local air agency that has issued the effective current permit) prior to the scheduled relocation;
- iv. the Ohio EPA district office or local air agency having jurisdiction over the new site has determined that the permitted emissions would not cause a nuisance in violation of OAC rule 3745-15-07; and the relocation of the portable source, along with any supporting permitted emissions (e.g. roadways or storage piles), would not result in the installation of a major stationary source or a modification of an existing major stationary source at the new site; and
- v. the director has issued a "Notice of Site Approval", stating that the proposed site is acceptable under OAC rule 3745-15-07 and the relocation will not result in the installation of a major stationary source or a modification of an existing major stationary source.

The portable source can be relocated upon receipt of the director's "Notice of Site Approval" for the site.

- h. If the relocation of the portable source would result in the installation of a major source or the modification of a major source, as defined in OAC rule 3745-31-01, the permittee shall submit an application and obtain a PTIO for the new location prior to moving the portable source.

When a portable source is located at a stationary source or at a site with multiple portable sources, the potential emissions of the portable source may be required to be added to that of the facility, in order to determine the potential to emit for Title V and PSD applicability. Relocation of any portable source that results in the creation of a major source, as defined in OAC rule 3745- 77-01, must also meet all applicable requirements under the Title V program contained in OAC rule 3745-77, which may include the requirement to apply for a Title V permit.

- i. The permittee satisfies the "best available control techniques and operating practices" required pursuant to OAC rule 3745-21-08(B) since the design of the emissions unit and the technology associated with the current operating practices ensures the uncontrolled potential to emit of CO is less than 10 tons/yr.

On November 5, 2002, OAC rule 3745-21-08 was revised to delete paragraph (B); therefore, paragraph (B) is no longer part of the State regulations. On June



24, 2003, the rule revision was submitted to the U.S. EPA as a revision to Ohio's State Implementation Plan (SIP); however, until the U.S. EPA approves the revision to OAC rule 3745-21-08, the requirement to satisfy the "best available control techniques and operating practices" still exists as part of the federally-approved SIP for Ohio.

c) Operational Restrictions

(1) None.

d) Monitoring and/or Recordkeeping Requirements

(1) None.

e) Reporting Requirements

(1) A screening operation, bucket elevator, or belt conveyor that processes saturated material and is subject to 40 CFR 60.672(h) and subsequently processes unsaturated material shall submit a report of this change within 30 days following such change to the Hamilton County Department of Environmental Services. This screening operation, bucket elevator, or belt conveyor is then subject to the 10 percent opacity limitation in 40 CFR 60.672(b) and the emission test requirements of 40 CFR 60.11 and 60.675. A screening operation, bucket elevator, or belt conveyor that processes unsaturated material but subsequently processes saturated material shall submit a report of this change within 30 days following such change. This screening operation, bucket elevator, or belt conveyor is then subject to the no visible emission limitation in 40 CFR 60.672(h).

(2) The permittee shall notify Hamilton County Department of Environmental Services in writing prior to re-configuration of any aggregate processing and material handling equipment that will increase the maximum hourly production rate contained in the PTI application 14-06048, received May 19, 2008, for this emissions unit. This notification shall include information sufficient to determine if the proposed re-configuration will comply with the existing permit to install limitations. If the proposed re-configuration will not comply with the existing permit to install limitations, the permittee shall not commence the re-configuration until a permit to install modification is issued.

(3) Pursuant to the NSPS, the source owner/operator is hereby advised of the requirement to report the following at the appropriate times:

a. construction date (no later than 30 days after such date);

b. actual start-up date (within 15 days after such date), including a description of each affected emissions unit, equipment manufacturer, and serial number of the equipment if available; and

c. date of performance testing (if required, at least 30 days prior to testing).

Reports are to be sent to:



Hamilton County Department of Environmental Services  
250 William Howard Taft Road  
Cincinnati, Ohio 45219

- (4) The permittee shall submit written reports of the results of all performance tests conducted to demonstrate initial compliance with the standards in 40 CFR 60.672 of Subpart OOO, including reports of observations using Method 9 to demonstrate compliance with b)(1) and b)(2) of this permit.

A comprehensive written report on the results of the emissions test(s) shall be signed by the person or persons responsible for the tests and submitted to the appropriate Ohio EPA District Office or local air agency within 30 days following completion of the test(s).

- (5) The permittee shall notify Hamilton County Department of Environmental Services in writing prior to the replacement of any existing aggregate processing and material handling equipment of equal or smaller size subject to the requirements of 40 CFR Part 60.670(d). The notification shall include the equipment-specific design and capacity information required in 60.676(a).
- (6) Annual Permit Evaluation Report (PER) forms will be mailed to the permittee at the end of the reporting period specified in the Authorization section of this permit. The permittee shall submit the PER in the form and manner provided by the director by the due date identified in the Authorization section of this permit. The permit evaluation report shall cover a reporting period of no more than twelve months for each air contaminant source identified in this permit.

f) Testing Requirements

- (1) Compliance with the emission limitation(s) in b)(1) and b)(2) of these terms and conditions shall be determined in accordance with the following method(s):

a. Emission Limitation:

Fugitive PE and PM10 emissions shall not exceed 9.9 TPY.

Applicable Compliance Method:

Compliance with the fugitive PE and PM10 emissions limitation shall be demonstrated by calculations using the emission factors from US EPA AP-42 Fifth Edition, Table 11.19.2-2, dated 8/2004, the permittee-supplied plant configuration drawing contained in PTI application 14-06048, received May 19, 2008, and aggregate processing records. Should further updates in AP-42 occur, the most current emission factors for aggregate processing shall be used.

b. Emission Limitations:

Opacity limitations for fugitive visible particle emissions pursuant to 40 CFR Part 60, Subpart OOO (see b)(2)b. and b)(2)c).



Applicable Compliance Method:

The permittee shall conduct, or have conducted, fugitive visible particulate emission testing for emissions unit F001 in accordance with the following requirements:

- i. The emission testing shall be conducted within 60 days after achieving maximum production but no later than 180 days after initial startup.
- ii. Compliance with the opacity limits as specified in b)(1) and b)(2) of this permit shall be determined by using US EPA Reference Test Method 9 (40 CFR Part 60). The minimum distance between the observer and the emission source shall be 4.57 meters (15 feet). Wet mining operations - terms A.2.d and A.2.e - are exempt from initial compliance tests per 40 CFR 675(h).
- iii. The observer shall, when possible, select a position that minimizes interference from other fugitive emission sources (e.g., road dust). The required observer position relative to the sun (Method 9, Section 2.1) must be followed.
- iv. For affected facilities using wet dust suppression for particulate matter control, a visible mist is sometimes generated by the spray. The water mist must not be confused with particulate matter emissions and is not to be considered a visible emission. When a water mist of this nature is present, the observation of emissions is to be made at a point in the plume where the mist is no longer visible.

The test(s) shall be conducted while the emissions unit is operating at or near its maximum capacity, unless otherwise specified or approved by the appropriate Ohio EPA District Office or local air agency.

Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the appropriate Ohio EPA District Office or local air agency.

The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of the test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Ohio EPA District Office's or local air agency's refusal to accept the results of the emission test(s).

Personnel from the appropriate Ohio EPA District Office or local air agency shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the control equipment.



c. Emission Limitation:

For facilities within emissions unit F001 that are not affected facilities as defined by 40 CFR Part 60, Subpart OOO, visible particulate emissions from fugitive dust shall not exceed twenty percent opacity as a three-minute average.

Applicable Compliance Method:

If required, compliance shall be determined in accordance with U.S. EPA Method 9, with the following modifications:

- i. the data reduction and average opacity calculation shall be based upon sets of twelve consecutive visible emission observations recorded at 15-second intervals;
- ii. opacity observations shall be made from a position that provides the observer a clear view of the emissions unit and the fugitive dust, with the sun behind the observer;
- iii. where possible, visible opacity observations shall be conducted at a position of at least fifteen feet from the source of emissions; and
- iv. the visible opacity observations shall be made for the point of highest opacity within the fugitive dust emitted from the source.

d. Emission Limitation:

PE shall not exceed 0.310 pound per mmBtu of actual heat input.

Applicable Compliance Method:

For the use of diesel fuel, compliance shall be determined by multiplying the hourly fuel oil burning capacity of the emissions unit (in 1000 gallons/hr) by the AP-42, Fifth Edition, Section 1.3, Table 1.3-1 (revised 9/98) emission factor of 2 lbs of PM/1000 gallons, and then dividing by the maximum hourly heat input of the emissions unit (mmBtu/hr).

If required, the permittee shall demonstrate compliance with the lb/mmBtu emission limitation through emission tests performed in accordance with 40 CFR Part 60, Appendix A, Methods 1- 5.

e. Emission Limitation:

The uncontrolled potential to emit for NO<sub>x</sub>, CO, OC, PM<sub>10</sub>, and SO<sub>2</sub> shall not exceed 9.9 TPY

Applicable Compliance Method:

Compliance with the NO<sub>x</sub>, CO, OC, PM<sub>10</sub>, and SO<sub>2</sub> emissions limitations shall be demonstrated by calculations using the emission factors from US EPA AP-42 Fifth Edition, Section 1.3 (revised 9/98) emission factors, the permittee-supplied data contained in PTI application 14-06048, received May 19, 2008, and



State of Ohio Environmental Protection Agency  
Division of Air Pollution Control

**Final Permit-to-Install and Operate**

**Permit Number:** P0103982

**Facility ID:** 1431954306

**Effective Date:** 12/15/2008

maximum fuel use. Should further updates in AP-42 occur, the most current emission factors shall be used.

g) Miscellaneous Requirements

(1) None.



**2. F002, Aggregate Storage Piles for Portable Screening Plant**

**Operations, Property and/or Equipment Description:**

Aggregate Storage Piles for Portable Screening Plant

- a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).
  - (1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
    - a. None.
  - (2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
    - a. None.
- b) Applicable Emissions Limitations and/or Control Requirements
  - (1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3)	<p>Particulate emissions (PE) shall not exceed 21.87 tons per year (TPY).</p> <p>Particulate matter emissions 10 microns and less in diameter (PM10) shall not exceed 10.63 tons per year (TPY).</p> <p>No visible particulate emissions except for a total of 1 minute during any 60 minute observation period.</p> <p>Best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust (see b)(2)a through b)(2)d).</p>
b.	OAC rule 3745-17-07(B)(6)	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
c.	OAC rule 3745-17-08(B)	The emission limitation specified by this rule is less stringent than the emission



	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
		limitation established pursuant to OAC rule 3745-31-05(A)(3).
d.	OAC rule 3745-31-03(A)(1)(p)(i)	See b)(2)f and b)(2)g.

(2) Additional Terms and Conditions

- a. The permittee shall employ best available control measures on all load-in and load-out operations associated with the storage piles for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee=s application, the permittee has committed to maintain minimal drop heights for and watering/sprinkling systems at sufficient treatment frequencies to ensure compliance. The operator shall avoid dragging any front-end loader bucket along the ground. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.
- b. The above-mentioned control measure(s) shall be employed for each load-in and load-out operation of each storage pile if the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measure(s) are necessary to ensure compliance with the above-mentioned applicable requirements. Any required implementation of the control measure(s) shall continue during any such operation until further observation confirms that use of the measure(s) is unnecessary.
- c. The permittee shall employ best available control measures for wind erosion from the surfaces of all storage piles for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the application, the permittee has committed to perform one or more of the following: (chemical stabilization, watering/sprinkling systems/hoses, covering the storage piles) to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.
- d. The above-mentioned control measure(s) shall be employed for wind erosion from each pile if the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measure(s) are necessary to ensure compliance with the above-mentioned applicable requirements. Implementation of the control measure(s) shall not be necessary for a storage pile that is covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements.
- e. Implementation of the above-mentioned control measures in accordance with the terms and conditions of this permit, visible emissions limitations and compliance with specified emission limits is appropriate and sufficient to satisfy the best available technology requirements of OAC rule 3745-31-05.
- f. The permittee may relocate the portable source within the State of Ohio without first obtaining a permit to install and operate (PTIO) providing the appropriate exemption requirements have been met and following the approval of the



director. The director may issue a [Notice of Site Approval](#) if the portable source meets the following criteria pursuant to OAC rule 3745-31-03(A)(1)(p)(i):

- i. the portable source has been issued a (PTIO) and the permittee continues to comply with any applicable best available technology (BAT) determination and state and/or federal rules;
- ii. the portable source is operating pursuant to a currently effective PTIO and continues to comply with the requirements of the permit;
- iii. the permittee has provided a minimum of 30 days notice of the intent to relocate the portable source to the permitting authority (the Ohio EPA District Office or local air agency that has issued the effective current permit) prior to the scheduled relocation;
- iv. the Ohio EPA district office or local air agency having jurisdiction over the new site has determined that the permitted emissions would not cause a nuisance in violation of OAC rule 3745-15-07; and the relocation of the portable source, along with any supporting permitted emissions (e.g. roadways or storage piles), would not result in the installation of a major stationary source or a modification of an existing major stationary source at the new site; and
- v. the director has issued a [Notice of Site Approval](#), stating that the proposed site is acceptable under OAC rule 3745-15-07 and the relocation will not result in the installation of a major stationary source or a modification of an existing major stationary source.

The portable source can be relocated upon receipt of the director's [Notice of Site Approval](#) for the site.

- g. If the relocation of the portable source would result in the installation of a major source or the modification of a major source, as defined in OAC rule 3745-31-01, the permittee shall submit an application and obtain a PTIO for the new location prior to moving the portable source.

When a portable source is located at a stationary source or at a site with multiple portable sources, the potential emissions of the portable source may be required to be added to that of the facility, in order to determine the potential to emit for Title V and PSD applicability. Relocation of any portable source that results in the creation of a major source, as defined in OAC rule 3745- 77-01, must also meet all applicable requirements under the Title V program contained in OAC rule 3745-77, which may include the requirement to apply for a Title V permit.

The "Notice of Intent to Relocate" shall be submitted to the Ohio EPA District Office or local air agency responsible for issuing the permits for the portable source. Upon receipt of the notice, the permitting office shall notify the appropriate Ohio EPA District Office or local air agency having jurisdiction over the new site. Failure to submit said notification or failure to receive Ohio EPA approval prior to relocation of the portable source may result in fines and civil penalties.



c) Operational Restrictions

- (1) None.

d) Monitoring and/or Recordkeeping Requirements

- (1) Except as otherwise provided in this section, the permittee shall perform inspections of each load-in operation at each storage pile in accordance with the following frequencies:

<u>storage pile identification</u>	<u>minimum load-in inspection frequency</u>
all	weekly

- (2) Except as otherwise provided in this section, the permittee shall perform inspections of each load-out operation at each storage pile in accordance with the following frequencies:

<u>storage pile identification</u>	<u>minimum load-out inspection frequency</u>
all	weekly

- (3) Except as otherwise provided in this section, the permittee shall perform inspections of the wind erosion from pile surfaces associated with each storage pile in accordance with the following frequencies:

<u>storage pile identification</u>	<u>minimum wind erosion inspection frequency</u>
all	weekly

- (4) No inspection shall be necessary for wind erosion from the surface of a storage pile when the pile is covered with snow and/or ice and for any storage pile activity if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements. Any required inspection that is not performed due to any of the above identified events shall be performed as soon as such event(s) has (have) ended, except if the next required inspection is within one week.

- (5) The purpose of the inspections is to determine the need for implementing the control measures specified in this permit for load-in and load-out of a storage pile, and wind erosion from the surface of a storage pile. The inspections shall be performed during representative, normal storage pile operating conditions.

- (6) The permittee may, upon receipt of written approval from the Hamilton County Department of Environmental Services, modify the above-mentioned inspection frequencies if operating experience indicates that less frequent inspections would be sufficient to ensure compliance with the above-mentioned applicable requirements.

- (7) The permittee shall maintain records of the following information:

- a. the date and reason any required inspection was not performed, including those inspections that were not performed due to snow and/or ice cover or precipitation;



- b. the date of each inspection where it was determined by the permittee that it was necessary to implement the control measures;
- c. the dates the control measures were implemented; and
- d. on a calendar quarter basis, the total number of days the control measures were implemented and, for wind erosion from pile surfaces, the total number of days where snow and/or ice cover or precipitation were sufficient to not require the control measure(s).

The information required in d)(7)d. shall be kept separately for (i) the load-in operations, (ii) the load-out operations, and (iii) the pile surfaces (wind erosion), and shall be updated on a calendar quarter basis within 30 days after the end of each calendar quarter.

e) Reporting Requirements

- (1) Annual Permit Evaluation Report (PER) forms will be mailed to the permittee at the end of the reporting period specified in the Authorization section of this permit. The permittee shall submit the PER in the form and manner provided by the director by the due date identified in the Authorization section of this permit. The permit evaluation report shall cover a reporting period of no more than twelve months for each air contaminant source identified in this permit.

f) Testing Requirements

- (1) Compliance with the emission limitation(s) in b(1) and b(2) of these terms and conditions shall be determined in accordance with the following method(s):

a. Emission Limitations:

PE shall not exceed 21.87 TPY.  
PM10 shall not exceed 10.63 TPY

Applicable Compliance Method:

Compliance with the fugitive PE and PM10 emission limitations shall be determined by using the emission factor equations in Section 13.2.4 in Compilation of Air Pollutant Emission Factors, AP-42, Fifth Edition, Volume 1 (revised 1/95) for aggregate handling and storage piles and the permittee-supplied control efficiencies and operational parameters as submitted in PTI application 14-06048, received May 19, 2008. Should further updates in AP-42 occur, the most current equations for aggregate handling and storage piles shall be used

b. Emission Limitation:

No visible particulate emissions except for a total of 1 minute during any 60 minute observation period.



State of Ohio Environmental Protection Agency  
Division of Air Pollution Control

**Final Permit-to-Install and Operate**

**Permit Number:** P0103982

**Facility ID:** 1431954306

**Effective Date:** 12/15/2008

Applicable Compliance Method:

If required, compliance with the visible PE limitation listed above shall be determined in accordance with Test Method 22 as set forth in "Appendix on Test Methods" in 40 CFR, Part 60 ("Standards of Performance for New Stationary Sources"), as such Appendix existed on July 1, 2003, and the modifications listed in paragraphs (B)(4)(a) through (B)(4)(c) of OAC rule 3745-17-03.

g) Miscellaneous Requirements

- (1) None.



**3. F003, Unpaved Roadways for Portable Screening Plant**

**Operations, Property and/or Equipment Description:**

Unpaved Roadways for Portable Screening Plant

- a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).
  - (1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
    - a. None.
  - (2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
    - a. None.
- b) Applicable Emissions Limitations and/or Control Requirements
  - (1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3)	<p>Particulate emissions (PE) shall not exceed 50.57 tons per year (TPY).</p> <p>Particulate matter emissions 10 microns and less in diameter (PM10) shall not exceed 12.85 tons per year (TPY).</p> <p>There shall be no visible particulate emissions from any unpaved roadway or parking area except for 3 minutes during any 60-minute observation period.</p> <p>Best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust (See b)(2)a through b)(2)d).</p>
b.	OAC rule 3745-31-03(A)(1)(p)(i)	See b)(2)f and b)(2)g.



(2) Additional Terms and Conditions

- a. The permittee shall employ best available control measures on all unpaved roadways and parking areas for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with permittee's permit application, the permittee has committed to treat the unpaved roadways and parking areas with chemical stabilization/dust suppressants and/or water at sufficient treatment frequencies to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.
- b. The needed frequencies of implementation of the control measures shall be determined by the permittee's inspections pursuant to the monitoring section of this permit. Implementation of the control measures shall not be necessary for a unpaved roadway or parking area that is covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements. Implementation of any control measure may be suspended if unsafe or hazardous driving conditions would be created by its use.
- c. The permittee shall promptly remove, in such a manner as to minimize or prevent resuspension, earth and/or other material from paved streets onto which such material has been deposited by trucking or earth moving equipment or erosion by water or other means.
- d. Open-bodied vehicles transporting materials likely to become airborne shall have such materials covered at all times if the control measure is necessary for the materials being transported.
- e. Implementation of the above-mentioned control measures in accordance with the terms and conditions of this permit, compliance with specified emission limits and visible emission limitations is appropriate and sufficient to satisfy the best available technology requirements of OAC rule 3745-31-05.
- f. The permittee may relocate the portable source within the State of Ohio without first obtaining a permit to install and operate (PTIO) providing the appropriate exemption requirements have been met and following the approval of the director. The director may issue a Notice of Site Approval if the portable source meets the following criteria pursuant to OAC rule 3745-31-03(A)(1)(p)(i):
  - i. the portable source has been issued a PTIO and the permittee continues to comply with any applicable best available technology (BAT) determination and state and/or federal rules;
  - ii. the portable source is operating pursuant to a currently effective PTIO and continues to comply with the requirements of the permit;
  - iii. the permittee has provided a minimum of 30 days notice of the intent to relocate the portable source to the permitting authority (the Ohio EPA District Office or local air agency that has issued the effective current permit) prior to the scheduled relocation;



- iv. the Ohio EPA district office or local air agency having jurisdiction over the new site has determined that the permitted emissions would not cause a nuisance in violation of OAC rule 3745-15-07; and the relocation of the portable source, along with any supporting permitted emissions (e.g. roadways or storage piles), would not result in the installation of a major stationary source or a modification of an existing major stationary source at the new site; and
- v. the director has issued a Notice of Site Approval, stating that the proposed site is acceptable under OAC rule 3745-15-07 and the relocation will not result in the installation of a major stationary source or a modification of an existing major stationary source.

The portable source can be relocated upon receipt of the director's Notice of Site Approval for the site.

- g. If the relocation of the portable source would result in the installation of a major source or the modification of a major source, as defined in OAC rule 3745-31-01, the permittee shall submit an application and obtain a PTIO for the new location prior to moving the portable source.

When a portable source is located at a stationary source or at a site with multiple portable sources, the potential emissions of the portable source may be required to be added to that of the facility, in order to determine the potential to emit for Title V and PSD applicability. Relocation of any portable source that results in the creation of a major source, as defined in OAC rule 3745- 77-01, must also meet all applicable requirements under the Title V program contained in OAC rule 3745-77, which may include the requirement to apply for a Title V permit.

The "Notice of Intent to Relocate" shall be submitted to the Ohio EPA District Office or local air agency responsible for issuing the permits for the portable source. Upon receipt of the notice, the permitting office shall notify the appropriate Ohio EPA District Office or local air agency having jurisdiction over the new site. Failure to submit said notification or failure to receive Ohio EPA approval prior to relocation of the portable source may result in fines and civil penalties.

c) Operational Restrictions

- (1) None.

d) Monitoring and/or Recordkeeping Requirements

- (1) Except as otherwise provided in this section, the permittee shall perform inspections of the roadways and parking areas in accordance with the following frequencies:

<u>unpaved roadways and parking areas</u>	<u>minimum inspection frequency</u>
all	once daily, during operation

- (2) The purpose of the inspections is to determine the need for implementing the above-mentioned control measures. The inspections shall be performed during representative,



normal traffic conditions. No inspection shall be necessary for a roadway or parking area that is covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements. Any required inspection that is not performed due to any of the above-identified events shall be performed as soon as such event(s) has (have) ended, except if the next required inspection is within one week.

- (3) The permittee may, upon receipt of written approval from the Hamilton County Department of Environmental Services, modify the above-mentioned inspection frequencies if operating experience indicates that less frequent inspections would be sufficient to ensure compliance with the above-mentioned applicable requirements.
- (4) The permittee shall maintain records of the following information:
  - a. the date and reason any required inspection was not performed, including those inspections that were not performed due to snow and/or ice cover or precipitation;
  - b. the date of each inspection where it was determined by the permittee that it was necessary to implement the control measures;
  - c. the dates the control measures were implemented; and
  - d. on a calendar quarter basis, the total number of days the control measures were implemented and the total number of days where snow and/or ice cover or precipitation were sufficient to not require the control measures.

The information required in d)(4).d. shall be updated on a calendar quarter basis within 30 days after the end of each calendar quarter.

e) Reporting Requirements

- (1) Annual Permit Evaluation Report (PER) forms will be mailed to the permittee at the end of the reporting period specified in the Authorization section of this permit. The permittee shall submit the PER in the form and manner provided by the director by the due date identified in the Authorization section of this permit. The permit evaluation report shall cover a reporting period of no more than twelve months for each air contaminant source identified in this permit.

f) Testing Requirements

- (1) Compliance with the emission limitation(s) in b(1) and b(2) of these terms and conditions shall be determined in accordance with the following method(s):
  - a. Emission Limitations:

PE shall not exceed 50.57 TPY.  
PM10 shall not exceed 12.85 TPY

Applicable Compliance Method:

Compliance with the fugitive PE and PM10 emissions limitations shall be determined by using the emission factor equations in Section 13.2.1 and 13.2.2,



in Compilation of Air Pollutant Emission Factors, AP-42, Fifth Edition, Volume 1 (revised 12/03) for unpaved roadways and the permittee-supplied control efficiencies and operational parameters as submitted in PTI application 14-06022, received February 8, 2008. Should further updates in AP-42 occur, the most current equations for paved and unpaved roads shall be used.

b. Emission Limitations:

There shall be no visible particulate emissions from any unpaved roadway or parking area except for 3 minutes during any 60-minute observation period.

Applicable Compliance Method:

If required, compliance with the visible PE limitations listed above shall be determined in accordance with Test Method 22 as set forth in "Appendix on Test Methods" in 40 CFR, Part 60 ("Standards of Performance for New Stationary Sources"), as such Appendix existed on July 1, 2003, and the modifications listed in paragraphs (B)(4)(a) through (B)(4)(c) of OAC rule 3745-17-03.

g) Miscellaneous Requirements

- (1) None.