



State of Ohio Environmental Protection Agency

Street Address:

Mailing Address:

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Lazarus Gov.
Center

**RE: DRAFT PERMIT TO INSTALL
SUMMIT COUNTY
Application No: 16-1840**

CERTIFIED MAIL

DATE: August 11, 1999

Ashland Chemical Company
Tod Harris
5200 Blazer Parkway
Dublin, OH 43017

You are hereby notified that the Ohio Environmental Protection Agency has made a draft action recommending that the Director issue a Permit to Install for the air contaminant source(s) [emissions unit(s)] shown on the enclosed draft permit. This draft action is not an authorization to begin construction or modification of your emissions unit(s). The purpose of this draft is to solicit public comments on the proposed installation. A public notice concerning the draft permit will appear in the Ohio EPA Weekly Review and the newspaper in the county where the facility will be located. Public comments will be accepted by the field office within 30 days of the date of publication in the newspaper. Any comments you have on the draft permit should be directed to the appropriate field office within the comment period. A copy of your comments should also be mailed to Robert Hodanbosi, Division of Air Pollution Control, Ohio EPA, P.O. Box 1049, Columbus, OH, 43266-0149.

A Permit to Install may be issued in proposed or final form based on the draft action, any written public comments received within 30 days of the public notice, or record of a public meeting if one is held. You will be notified in writing of a scheduled public meeting. Upon issuance of a final Permit to Install a fee of **\$7900** will be due. Please do not submit any payment now.

"On June 24, 1999, in the case of Ashland Chemical Co. v. Schregardus (ERAC Case No. 253853), the Environmental Review Appeals Commission ruled that OAC 3745-21-07(G)(2) is not an applicable requirement for container filling lines. Ohio EPA is therefore deleting this rule from the list of applicable requirements for emissions units P001, P004 and P005. However, Ohio EPA is appealing the Ashland decision to the Court of Appeals, and we reserve the right to modify this permit if the Ashland decision is reversed on appeal."

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469. If you have any questions about this draft permit, please contact the field office where you submitted your application, or Mike Ahern, Field Operations & Permit Section at (614) 644-3631.

Very truly yours,



Thomas G. Rigo, Manager
Field Operations and Permit Section
Division of Air Pollution Control

cc: USEPA
AKRON REGIONAL AIR QUALITY MANAGEMENT
West Virginia Division of Environmental Protection
Pennsylvania Department of Environmental Resources

Akron Metropolitan Area Transportation Study



**Permit To Install
Terms and
Conditions**

**Issue Date: To be entered upon final issuance
Effective Date: To be entered upon final issuance**

DRAFT PERMIT TO INSTALL 16-1840

Application Number: 16-1840
APS Premise Number: 1677130036
Permit Fee: **To be entered upon final issuance**
Name of Facility: Ashland Chemical Company
Person to Contact: Tod Harris
Address: 5200 Blazer Parkway
Dublin, OH 43017

Location of proposed air contaminant source(s) [emissions unit(s)]:
**1610 Highland Road
Twinsburg, Ohio**

Description of proposed emissions unit(s):
**CHEMICAL DISTRIBUTION FACILITY INCLUDING STORAGE TANKS, LOADING RACKS, AND A
CONTAINER FILLING LINE.**

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon

Ashland Chemical Company

Facility ID: 1677130036

PTI Application: 16-1840

Date: To be entered upon final issuance

the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is

made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources are inadequate or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities prove to be inadequate or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit to Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

12. Best Available Technology

Ashland Chemical Company

Facility ID: **1677130036**

PTI Application: **16-1840**

Date: To be entered upon final issuance

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within thirty (30) days after commencing operation of the emissions unit(s) covered by this permit.

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)

TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
Organic Compounds	49.9
Total Hazardous Air Pollutants	24.9
Individual Hazardous Air Pollutants	9.9

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

- The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Loading and unloading rack for bulk liquid chemicals.	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit and with the Ohio Air Toxics Policy.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(E)(1)	Daily throughput shall not exceed 40,000 gallons per day of volatile photochemically reactive material.

- The Permittee shall not emit or allow the escape into the open air any smoke, ashes, dust, dirt, grime, acids, fumes, gases, vapors, odors, or any other substance or combination of substances in such a manner or in such amounts as to endanger the health, safety or welfare of the public, or cause unreasonable injury or damage to property.

B. Operational Restrictions

- The emissions of organic compounds (VOCs) shall not exceed 49.9 tons per year for the entire facility as a rolling 12-month summation.
- The emissions of all hazardous air pollutants (HAPs) combined shall not exceed 24.9 tons per year for the entire facility as a rolling 12-month summation.
- The emissions of any one HAP shall not exceed 9.9 tons for the entire facility as a rolling 12-month summation.
- The permittee has sufficient records to demonstrate compliance with the rolling summation for the previous 12-months.

Date: To be entered upon final issuance

5. The following operational and physical restrictions at the facility were used in establishing the Realistic Worst Case Scenario for modeling and demonstrating compliance with the Ohio Air Toxics Policy.
 - a. The maximum pump rate permitted is 220 gallons per minute (because the pipe diameter is 3 inches).
 - b. Even if multiple pumps are pumping material from different places into branches of the same line, the maximum rated throughput for that line shall be limited to 220 gallons per minute. And, conversely if two pumps are pumping material from two branches of the same line the total flow shall not exceed 220 gallons per minute.

6. The total usage in mixing tanks (P004, P005, P006), combined, of the below listed eight(8) chemicals, shall not exceed 1,788,750 gallons per calendar month for each of the chemicals listed below.
 - a. hydrogen peroxide
 - b. 2-methoxyethanol
 - c. acetic acid
 - d. n,n-dimethylformamide
 - e. furfural
 - f. 2-ethoxyethanol
 - g. n-pentane
 - h. n-hexane

7. Operations involving the use of methylene chloride shall be restricted as follows:
 - a. No more than 573,750 gallons per month of methylene chloride shall be mixed in emissions unit P004 (Inside mixing Tank) to form blends.
 - b. There shall be no blends containing methylene chloride made in either of the outside mixing tanks (P005 & P006).
 - c. The permittee shall include these restrictions, and the restrictions in B.6. above in the

Emissions Unit ID: **J001**

Standard Operating Procedures(SOP) for the facility. A copy of the SOP shall be submitted to The Akron Regional Air Quality Management District within 90 days of the issuance of this permit for Akron Regional Air Quality Management District Approval.

Date: To be entered upon final issuance

8. All loading operations done at emissions units J001 & J002 (Z001) shall be performed using submerged or bottom fill.

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall maintain monthly and rolling 12-month records demonstrating compliance with the facility-wide emissions of volatile organic compounds, combined HAPs and individual HAPs from the entire facility (including fugitive emissions from pumps, valves and connectors).
2. These records and all supporting data shall be retained in the company's files for a period of not less than five years and shall be made available to the Director or any authorized representative of the Director during normal business hours.
3. The permittee shall collect and record the following information for each change where air toxic modeling was required pursuant to the Air Toxic Policy:
 - a. background data that describes the parameters changed (composition of materials, new pollutants emitted, change in stack/exhaust parameters, etc.);
 - b. documentation of its evaluation and determination that the changed emissions unit still satisfies the Air Toxic Policy; and
 - c. where computer modeling is performed, a copy of the resulting computer model runs that show the results of the application of the Air Toxic Policy for the change.
4. The permittee shall collect and maintain records to demonstrate that the facility-wide mixing tank throughput of the inside and outside mixing tanks (P004, P005, P006) does not exceed 1,788,750 gallons per month for combined usage of the chemicals listed in II.6. above.
5. The permittee shall collect and maintain records to demonstrate that the throughput of methylene chloride through the inside mixing tank (P004) does not exceed 573,750 gallons per month.
6. The permittee shall collect and maintain records to demonstrate compliance with the throughput restriction of 40,000 gallons per day of volatile photochemically reactive material. These records shall be clearly discernable on the monthly recordkeeping data report.

D. Reporting Requirements

1. The permittee shall notify the Director within sixty days of any daily record showing an exceedance of any emissions limitation or operating restriction. A copy of such record shall be

Date: To be entered upon final issuance

sent to the Director within 60 days following the end of the calendar month.

2. The permittee shall notify the Director within sixty days of any monthly record showing an exceedance of the facility-wide emissions limitation of volatile organic compounds, combined HAPs or any single HAP, as set forth in B.1-3. A copy of such record shall be sent to the Director within 60 days following the end of the calendar month.
3. The permittee shall submit annual reports to the Akron Regional Air Quality Management District which summarizes the total facility emissions of organic materials, combined HAPs, and single HAPs. The report will also include a summary of any exceedances which occurred during the previous year. The reports shall be submitted by June 15 of each year and shall cover the previous calendar year's activities.
4. The deviation reports shall be submitted in accordance with, and as required by the reporting requirements of the General Terms and Conditions of this permit.

E. Testing Requirements

1. Compliance with the emission limitations in PTI #16-1840 shall be determined in accordance with the following methods:
 - a. Emission Limitation:

The total facility-wide emissions of organic materials, and Hazardous Air Pollutants.

Applicable Compliance Method:

Monthly and rolling 12-month records demonstrating compliance with the facility wide emissions of volatile organic compounds, combined HAPs and individual HAPs from the entire facility (including fugitive emissions from pumps, valves and connectors).
2. Compliance with the emission limitations in PTI #16-1840 shall be determined in accordance with the following methods:
 - a. Operational Restrictions

Throughput, and usage restrictions for Toxic Air Pollutants as a result of the OEPA Air Toxics Policy.

Applicable Compliance Method:

Records shall be maintained demonstrating compliance with the throughput and usage limitations, along with the ISCST3 Modeling results that indicate the operational restrictions are sufficient to meet the requirements of the Ohio EPA Air Toxics Policy.

F. Miscellaneous Requirements

1. The terms and conditions of this permit to install (PTI) supersede the terms and conditions of all previously issued permits to install for this facility.
2. The permittee shall not engage in cleaning tankers, storage tanks, railcars or drums unless emissions from such cleaning operations are included against the facility wide emissions limits established.
3. This permit allows the use of materials (typically coatings and cleanup materials) specified by the permittee in the permit to install application for this emissions unit. To fulfill the best available technology requirements of (OAC) rule 3745-31-05 and to ensure compliance with OAC rule 3745-15-07 (Air Pollution Nuisances Prohibited), the emission limitation(s) specified in this permit was (were) established using the Ohio EPA's "Review of New Sources of Air Toxic Emissions" policy ("Air Toxic Policy") and is (are) based on both the materials used and the design parameters of the emissions unit's exhaust system, as specified in the application. The Ohio EPA's "Air Toxic Policy" was applied for each pollutant using the SCREEN 3.0 (or an equivalent OEPA-approved) model and comparing the predicted 1-hour maximum ground-level concentration to the Maximum Acceptable Ground-Level Concentration (MAGLC). The following summarizes the results of the modeling for the "worse case" pollutant(s):

Emission unit number:	P001	P004	P005	P006
Pollutant:	Methylene Chloride	Methylene Chloride	n-Hexane	n-Hexane
TLV (ug/m3):	174	174	176	176
Maximum Hourly Emission Rate (lbs/hr):	23.41	54.62	18.05	18.05
Predicted 1-Hour Maximum Ground-Level Concentration (mg/m3):	15.91	11.17	6.10	1.65
MAGLC (mg/m3):	17.4	17.4	17.6	17.6

Physical changes or changes in the method of operation of the emissions unit that result in changes to the factors affecting the air toxic analysis could result in noncompliance with this permit to install. In order to avoid this noncompliance situation, prior to initiating any changes, permittees are required to conduct an evaluation to determine that the "Air Toxic Policy" is still satisfied. Changes that can affect the "Air Toxic Policy" include, but are not limited to, the following:

- a. changes in the composition of the materials used (typically for coatings or cleanup materials), or the use of new materials, that would result in the emission of a compound with a lower Threshold Limit Value (TLV), as indicated in the most recent version of the handbook entitled "American Conference of Governmental Industrial Hygienists

Date: To be entered upon final issuance

(ACGIH)," than the lowest TLV value previously modeled;

- b. changes in the composition of the materials, or use of new materials, that would result in an increase in emissions of any pollutant with a listed TLV that was proposed in the application and modeled; and,
- c. physical changes to the emissions unit or its exhaust parameters (e.g., increased/decreased exhaust flow, changes in stack height, changes in stack diameter, etc.).

The Ohio EPA will not consider any of the above-mentioned as a "modification" requiring a permit to install, if the following conditions are met:

- a. the change is not otherwise considered a "modification" under OAC Chapter 3745-31;
- b. the permittee can continue to comply with the allowable emission limitations specified in its permit to install; and,
- c. prior to the change, the applicant conducts an evaluation pursuant to the Air Toxic Policy, determines that the changed emissions unit still satisfies the Air Toxic Policy, and the permittee maintains documentation that identifies the change and the results of the application of the Air Toxic Policy for the change.

For any change to the emissions unit or its method of operation that either would require an increase in the emission limitation(s) established by this permit or would otherwise be considered a "modification" as defined in OAC rule 3745-31-01, the permittee shall obtain a final permit to install prior to the change.

4. The following thirteen(13) line items in the facility-wide section of these Terms and Conditions shall be considered federally enforceable:

B.1	B.2	B.3	C.1	C.2	D.1	D.2
D.3	D.4	E.1	F.1	F.2	F.5	

5. If the Environmental Review Appeals Commission (ERAC) decision that this emissions unit is not subject to OAC rule 3745-21-07(G)(2) is overturned, emissions units P001, P004, P005, and P006 shall comply with the requirements of OAC rule 3745-21-07(G)(2). Appropriate recordkeeping and reporting requirements to demonstrate compliance with OAC rule 3745-21-07(G)(2) shall be developed for these emissions units at that time.

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Loading and unloading rack for bulk liquid chemicals.	OAC 3745-31-05(A)(3)	Rule Compliance with the special terms and conditions of this permit and with the Ohio Air Toxics Policy.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC 3745-21-07(E)(1)	Rule Daily throughput shall not exceed 40,000 gallons per day of volatile photochemically reactive material.

2. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Emissions Unit ID: **J002**

Date: To be entered upon final issuance

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Ashland

PTI A1

Emissions Unit ID: P001

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Chemical material filling line for drums, totes, and pails.	OAC Rule 3745-31-05(A)(3) OAC rule 3745-15-07 OAC Rule 3745-35-07	Compliance with the special terms and conditions of this permit and with the Ohio Air Toxics Policy. The Permittee shall use submerged filling for all low viscosity materials and splash filling for small containers and high viscosity material (like polymeric Resins) See 2.a Below Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.

2. Additional Terms and Conditions

- 2.a Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

1. All filling operations done at emissions unit P001 will be performed using submerged or bottom fill except for small containers and high viscosity materials.
2. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Ashland Chemical Company

PTI Application: **16-1840**

Date:

Facility ID: **1677130036**

Emissions Unit ID: **P001**

C. Monitoring and/or Recordkeeping Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

- The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
8,500 gallon vertical, fixed-roof, cone bottom mixing tank. (Inside drum warehouse)	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit and with the Ohio Air Toxics Policy.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

- Additional Terms and Conditions**

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

- All blending operations done at emissions units P004 shall be performed using submerged or bottom fill.
- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Emissions Unit ID: **P004**

Date: To be entered upon final issuance

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
8,000 gallon vertical, fixed-roof, cone bottom mixing tank. (Outside)	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit and with the Ohio Air Toxics Policy.
	OAC Rule 3745-35-07(D)	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

2. Additional Terms and Conditions

- 2.a Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

1. All blending operations done at emissions unit P005 shall be performed using submerged or bottom fill.
2. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C.. Monitoring and/or Recordkeeping Requirements

Emissions Unit ID: **P005**

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Ashland Chemical Company
 PTI Application: **16-1840**
Date: To be entered upon final issuance

Facility ID: **1677130036**
 Emissions Unit ID: **P006**

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
10,000 gallon vertical, fixed-roof, cone bottom mixing tank. (Outside)	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit, and with the Ohio Air Toxics Policy.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

2. Additional Terms and Conditions

- 2.a Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

1. All blending operations done at emissions units P006 shall be performed using submerged or bottom fill.
2. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

Ashland Chemical Company
PTI Application: **16-1840**
Date: To be entered upon final issuance

Facility ID: **1677130036**
Emissions Unit ID: **P006**

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

- The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary vertical storage tank (29,600 gallon with fixed roofs)	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

- Additional Terms and Conditions**

- 2.a** Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

- All filling operations shall be performed using submerged or bottom fill only.
- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

- The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary vertical storage tank (29,600 gallon with fixed roofs)	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

- Additional Terms and Conditions**

- 2.a** Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

- All filling operations shall be performed using submerged or bottom fill only.
- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Emissions Unit ID: **T002**

Date: To be entered upon final issuance

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

- The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary vertical storage tank (29,600 gallon with fixed roofs)	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

2. Additional Terms and Conditions

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

- All filling operations shall be performed using submerged or bottom fill only.
- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment

SELECT

Applicable Rules/Requirements

SELECT

Applicable Emissions Limitations/Control Measures

SELECT

2. Additional Terms and Conditions

2.a SELECT

II. Operational Restrictions

SELECT

III. Monitoring and/or Recordkeeping Requirements

SELECT

IV. Reporting Requirements

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are

Date: To be entered upon final issuance

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment

SELECT

Applicable Rules/Requirements

SELECT

Applicable Emissions Limitations/Control Measures

SELECT

2. Additional Terms and Conditions

2.a SELECT

II. Operational Restrictions

SELECT

III. Monitoring and/or Recordkeeping Requirements

SELECT

IV. Reporting Requirements

listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Date: To be entered upon final issuance

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment

SELECT

Applicable Rules/Requirements

SELECT

Applicable Emissions Limitations/Control Measures

SELECT

2. Additional Terms and Conditions

2.a SELECT

II. Operational Restrictions

SELECT

III. Monitoring and/or Recordkeeping Requirements

SELECT

IV. Reporting Requirements

Operations, Property, and/or Equipment

Stationary vertical storage tank (29,600 gallon with fixed roofs)

Applicable Rules/Requirements

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment

SELECT

Applicable Rules/Requirements

SELECT

Applicable Emissions Limitations/Control Measures

SELECT

2. Additional Terms and Conditions

2.a SELECT

II. Operational Restrictions

SELECT

III. Monitoring and/or Recordkeeping Requirements

SELECT

IV. Reporting Requirements

SELECT

V. Testing Requirements

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment

SELECT

Applicable Rules/Requirements

SELECT

Applicable Emissions Limitations/Control Measures

SELECT

2. Additional Terms and Conditions

2.a SELECT

II. Operational Restrictions

SELECT

III. Monitoring and/or Recordkeeping Requirements

SELECT

IV. Reporting Requirements

SELECT

V. Testing Requirements

Date: To be entered upon final issuance

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment

SELECT

Applicable Rules/Requirements

SELECT

Applicable Emissions Limitations/Control Measures

SELECT

2. Additional Terms and Conditions

2.a SELECT

II. Operational Restrictions

SELECT

III. Monitoring and/or Recordkeeping Requirements

SELECT

IV. Reporting Requirements

OAC Rule 3745-21-07(D)(2)

Applicable Emissions Limitations/Control Measures

Compliance with the special terms and conditions of this permit.

Date: To be entered upon final issuance

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment

SELECT

Applicable Rules/Requirements

SELECT

Applicable Emissions Limitations/Control Measures

SELECT

2. Additional Terms and Conditions

2.a SELECT

II. Operational Restrictions

SELECT

III. Monitoring and/or Recordkeeping Requirements

SELECT

IV. Reporting Requirements

Facility-wide emissions shall be limited to:

49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.

Date: To be entered upon final issuance

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment

SELECT

Applicable Rules/Requirements

SELECT

Applicable Emissions Limitations/Control Measures

SELECT

2. Additional Terms and Conditions

2.a SELECT

II. Operational Restrictions

SELECT

III. Monitoring and/or Recordkeeping Requirements

SELECT

IV. Reporting Requirements

See 2.a Below

The Permittee shall use submerged filling only.

2. Additional Terms and Conditions

Date: To be entered upon final issuance

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment

SELECT

Applicable Rules/Requirements

SELECT

Applicable Emissions Limitations/Control Measures

SELECT

2. Additional Terms and Conditions

2.a SELECT

II. Operational Restrictions

SELECT

III. Monitoring and/or Recordkeeping Requirements

SELECT

IV. Reporting Requirements

- 2.a Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

Date: To be entered upon final issuance

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment

SELECT

Applicable Rules/Requirements

SELECT

Applicable Emissions Limitations/Control Measures

SELECT

2. Additional Terms and Conditions

2.a SELECT

II. Operational Restrictions

SELECT

III. Monitoring and/or Recordkeeping Requirements

SELECT

IV. Reporting Requirements

1. All filling operations shall be performed using submerged or bottom fill only.
2. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

Date: To be entered upon final issuance

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment

SELECT

Applicable Rules/Requirements

SELECT

Applicable Emissions Limitations/Control Measures

SELECT

2. Additional Terms and Conditions

2.a SELECT

II. Operational Restrictions

SELECT

III. Monitoring and/or Recordkeeping Requirements

SELECT

IV. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

D. Reporting Requirements

Date: To be entered upon final issuance

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment

SELECT

Applicable Rules/Requirements

SELECT

Applicable Emissions Limitations/Control Measures

SELECT

2. Additional Terms and Conditions

2.a SELECT

II. Operational Restrictions

SELECT

III. Monitoring and/or Recordkeeping Requirements

SELECT

IV. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment

SELECT

Applicable Rules/Requirements

SELECT

Applicable Emissions Limitations/Control Measures

SELECT

2. Additional Terms and Conditions

2.a SELECT

II. Operational Restrictions

SELECT

III. Monitoring and/or Recordkeeping Requirements

SELECT

IV. Reporting Requirements

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

Date: To be entered upon final issuance

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment

SELECT

Applicable Rules/Requirements

SELECT

Applicable Emissions Limitations/Control Measures

SELECT

2. Additional Terms and Conditions

2.a SELECT

II. Operational Restrictions

SELECT

III. Monitoring and/or Recordkeeping Requirements

SELECT

IV. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary vertical storage tank (29,600 gallon with fixed roofs)	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

2. Additional Terms and Conditions

- 2.a Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

- All filling operations shall be performed using submerged or bottom fill only.
- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Emissions Unit ID: **T005**

Date: To be entered upon final issuance

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary vertical storage tank (29,600 gallon with fixed roofs)	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

2. Additional Terms and Conditions

- 2.a Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

- All filling operations shall be performed using submerged or bottom fill only.
- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary vertical storage tank (29,600 gallon with fixed roofs)	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

2. Additional Terms and Conditions

- 2.a Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

- All filling operations shall be performed using submerged or bottom fill only.
- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Emissions Unit ID: **T007**

Date: To be entered upon final issuance

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary vertical storage tank (29,600 gallon with fixed roofs)	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

2. Additional Terms and Conditions

- 2.a Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

- All filling operations shall be performed using submerged or bottom fill only.
- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary vertical storage tank (29,600 gallon with fixed roofs)	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

2. Additional Terms and Conditions

- 2.a Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

- All filling operations shall be performed using submerged or bottom fill only.
- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Emissions Unit ID: **T009**

Date: To be entered upon final issuance

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary vertical storage tank (29,600 gallon with fixed roofs)	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

2. Additional Terms and Conditions

- 2.a Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

- All filling operations shall be performed using submerged or bottom fill only.
- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

- The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary fixed roof vertical storage tank (11,900 gallons)	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

- Additional Terms and Conditions**

- 2.a** Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

- All filling operations shall be performed using submerged or bottom fill only.
- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Emissions Unit ID: **T011**

Date: To be entered upon final issuance

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary fixed roof vertical storage tank (11,900 gallons)	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

2. **Additional Terms and Conditions**

- 2.a Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

1. All filling operations shall be performed using submerged or bottom fill only.
2. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary fixed roof vertical storage tank (11,900 gallons)	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

2. Additional Terms and Conditions

- 2.a Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

- All filling operations shall be performed using submerged or bottom fill only.
- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Emissions Unit ID: **T013**

Date: To be entered upon final issuance

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary fixed roof vertical storage tank (11,900 gallons)	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

2. **Additional Terms and Conditions**

- 2.a Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

1. All filling operations shall be performed using submerged or bottom fill only.
2. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

- The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary fixed roof vertical storage tank (11,900 gallons)	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

- Additional Terms and Conditions**

- 2.a** Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

- All filling operations shall be performed using submerged or bottom fill only.
- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Emissions Unit ID: **T015**

Date: To be entered upon final issuance

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

- The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary fixed roof vertical storage tank (11,900 gallons)	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

- Additional Terms and Conditions**

- 2.a** Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

- All filling operations shall be performed using submerged or bottom fill only.
- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

- The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary fixed roof vertical storage tank (11,900 gallons)	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

2. Additional Terms and Conditions

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

- All filling operations shall be performed using submerged or bottom fill only.
- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary fixed roof vertical storage tank (11,900 gallons)	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

2. Additional Terms and Conditions

- 2.a Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

- All filling operations shall be performed using submerged or bottom fill only.
- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary fixed roof vertical storage tank (11,900 gallons)	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

2. Additional Terms and Conditions

- 2.a Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

- All filling operations shall be performed using submerged or bottom fill only.
- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

- The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary fixed roof vertical storage tank (11,900 gallons)	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

- Additional Terms and Conditions**

- 2.a** Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

- All filling operations shall be performed using submerged or bottom fill only.
- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary fixed roof vertical storage tank (11,900 gallons)	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

2. Additional Terms and Conditions

- 2.a Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

- All filling operations shall be performed using submerged or bottom fill only.
- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Emissions Unit ID: **T021**

Date: To be entered upon final issuance

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

- The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary fixed roof vertical storage tank (11,900 gallons)	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

- Additional Terms and Conditions**

- 2.a** Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

- All filling operations shall be performed using submerged or bottom fill only.
- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

- The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary fixed roof vertical storage tank (11,900 gallons)	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

- Additional Terms and Conditions**

- 2.a** Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

- All filling operations shall be performed using submerged or bottom fill only.
- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Emissions Unit ID: **T023**

Date: To be entered upon final issuance

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary fixed roof vertical storage tank (11,900 gallons)	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

2. Additional Terms and Conditions

- 2.a Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

- All filling operations shall be performed using submerged or bottom fill only.
- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

- The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary fixed roof vertical storage tank (11,900 gallons)	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

2. Additional Terms and Conditions

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

- All filling operations shall be performed using submerged or bottom fill only.
- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Emissions Unit ID: **T025**

Date: To be entered upon final issuance

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II- SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

- The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary fixed roof vertical storage tank (11,900 gallons)	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

- Additional Terms and Conditions**

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

- All filling operations shall be performed using submerged or bottom fill only.
- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary fixed roof vertical storage tank (11,900 gallons)	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

2. **Additional Terms and Conditions**

- 2.a Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

1. All filling operations shall be performed using submerged or bottom fill only.
2. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

- The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary fixed roof vertical storage tank (11,900 gallons)	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

- Additional Terms and Conditions**

- 2.a** Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

- All filling operations shall be performed using submerged or bottom fill only.
- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

- The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary fixed roof vertical storage tank (11,900 gallons)	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

- Additional Terms and Conditions**

- 2.a** Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

- All filling operations shall be performed using submerged or bottom fill only.
- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

- The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary fixed roof vertical storage tank (11,900 gallons)	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

- Additional Terms and Conditions**

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

- All filling operations shall be performed using submerged or bottom fill only.
- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

- The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary fixed roof vertical storage tank (11,900 gallons)	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

- Additional Terms and Conditions**

- 2.a** Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

- All filling operations shall be performed using submerged or bottom fill only.
- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Emissions Unit ID: **T031**

Date: To be entered upon final issuance

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

- The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary fixed roof vertical storage tank (11,900 gallons)	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

- Additional Terms and Conditions**

- 2.a** Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

- All filling operations shall be performed using submerged or bottom fill only.
- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

- The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary fixed roof vertical storage tank (11,900 gallons)	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

- Additional Terms and Conditions**

- 2.a** Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

- All filling operations shall be performed using submerged or bottom fill only.
- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

- The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary fixed roof vertical storage tank (11,900 gallons)	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

- Additional Terms and Conditions**

- 2.a** Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

- All filling operations shall be performed using submerged or bottom fill only.
- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary fixed roof vertical storage tank (11,900 gallons)	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

2. **Additional Terms and Conditions**

- 2.a Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

1. All filling operations shall be performed using submerged or bottom fill only.
2. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Emissions Unit ID: **T035**

Date: To be entered upon final issuance

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

- The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary fixed roof vertical storage tank (11,900 gallons)	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

- Additional Terms and Conditions**

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

- All filling operations shall be performed using submerged or bottom fill only.
- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

- The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary fixed roof vertical storage tank (11,900 gallons)	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

- Additional Terms and Conditions**

- 2.a** Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

- All filling operations shall be performed using submerged or bottom fill only.
- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Emissions Unit ID: **T037**

Date: To be entered upon final issuance

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

- The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary fixed roof vertical storage tank (11,900 gallons)	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

- Additional Terms and Conditions**

- 2.a** Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

- All filling operations shall be performed using submerged or bottom fill only.
- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

- The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary fixed roof vertical storage tank (11,900 gallons)	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

- Additional Terms and Conditions**

- 2.a** Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

- All filling operations shall be performed using submerged or bottom fill only.
- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

- The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary fixed roof vertical storage tank (11,900 gallons)	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

- Additional Terms and Conditions**

- 2.a** Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

- All filling operations shall be performed using submerged or bottom fill only.
- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary fixed roof horizontal storage tank divided into five 5,100 gallon compartments.	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

2. Additional Terms and Conditions

- 2.a Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

- All filling operations shall be performed using submerged or bottom fill only.
- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Emissions Unit ID: **T041**

Date: To be entered upon final issuance

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

- The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary fixed roof horizontal storage tank divided into five 5,100 gallon compartments.	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

- Additional Terms and Conditions**

- 2.a** Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

- All filling operations shall be performed using submerged or bottom fill only.
- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary fixed roof horizontal storage tank divided into five 5,100 gallon compartments.	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

2. **Additional Terms and Conditions**

- 2.a Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

1. All filling operations shall be performed using submerged or bottom fill only.
2. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Emissions Unit ID: **T043**

Date: To be entered upon final issuance

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary fixed roof horizontal storage tank divided into five 5,100 gallon compartments.	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

2. Additional Terms and Conditions

- 2.a Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

- All filling operations shall be performed using submerged or bottom fill only.
- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary fixed roof horizontal storage tank divided into five 5,100 gallon compartments.	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

2. Additional Terms and Conditions

- 2.a Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

- All filling operations shall be performed using submerged or bottom fill only.
- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Emissions Unit ID: **T045**

Date: To be entered upon final issuance

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

- The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary fixed roof horizontal storage tank divided into five 5,100 gallon compartments.	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

- Additional Terms and Conditions**

- 2.a** Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

- All filling operations shall be performed using submerged or bottom fill only.
- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

- The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary fixed roof horizontal storage tank divided into five 5,100 gallon compartments.	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

- Additional Terms and Conditions**

- 2.a** Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

- All filling operations shall be performed using submerged or bottom fill only.
- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Emissions Unit ID: **T047**

Date: To be entered upon final issuance

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary fixed roof horizontal storage tank divided into five 5,100 gallon compartments.	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

2. Additional Terms and Conditions

- 2.a Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

- All filling operations shall be performed using submerged or bottom fill only.
- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

- The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary fixed roof horizontal storage tank divided into five 5,100 gallon compartments.	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

- Additional Terms and Conditions**

- 2.a** Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

- All filling operations shall be performed using submerged or bottom fill only.
- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Stationary fixed roof horizontal storage tank divided into five 5,100 gallon compartments.	OAC Rule 3745-31-05(A)(3)	Compliance with the special terms and conditions of this permit.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(D)(2)	The Permittee shall use submerged filling only.

2. Additional Terms and Conditions

- 2.a Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

- All filling operations shall be performed using submerged or bottom fill only.
- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

C. Monitoring and/or Recordkeeping Requirements

- Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Date: To be entered upon final issuance

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Ashland Chemical Company
 PTI Application: **16-1840**
Date: To be entered upon final issuance

Facility ID: **1677130036**
 Emissions Unit ID: **P007**

Part II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S) [Continued]

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Temporary Operations using the existing rail car unloading station to directly load tanker trucks from railcars.	OAC Rule 3745-31-05	Compliance with the special terms and conditions of this permit, and with the Ohio Air Toxics policy.
	OAC Rule 3745-35-07	Facility-wide emissions shall be limited to: 49.9 TPY organic materials, 24.9 TPY hazardous air pollutants, and 9.9 TPY any single HAP, Based on a rolling 12-month summation.
	OAC rule 3745-15-07	See 2.a Below
	OAC Rule 3745-21-07(E)(1)	See Section B. Below

2. **Additional Terms and Conditions**

- 2.a Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

B. Operational Restrictions

1. All loading operations done at this emissions unit shall be performed using submerged or bottom fill.
2. No more than 40,000 gallons of volatile photochemically reactive material shall be transferred in any one day.
3. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

Ashland Chemical Company
PTI Application: **16-1840**
Date: To be entered upon final issuance

Facility ID: **1677130036**
Emissions Unit ID: **P007**

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and maintain records to demonstrate compliance with the throughput restriction of 40,000 gallons per day of volatile photochemically reactive material. These records shall be clearly discernable on the monthly record keeping data report.
2. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

D. Reporting Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

E. Testing Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.

F. Miscellaneous Requirements

1. Compliance shall be demonstrated by meeting the terms of emissions unit J001 of this permit.
2. The terms and conditions for this temporary operation shall be good for 18 months from the date of issuance of this permit, or until such time as the facility is ready to resume normal operations after the construction has been completed, which ever comes earlier.