

1

Facility Name: **Amweld Building Products Inc**

Application Number: **16-1864**

Date: **February 18, 1999**

GENERAL PERMIT CONDITIONS

TERMINATION OF PERMIT TO INSTALL

Substantial construction for installation must take place within 18 months of the effective date of this permit. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

NOTICE OF INSPECTION

The Director of the Ohio Environmental Protection Agency, or his authorized representatives, may enter upon the premises of the above-named applicant during construction and operation at any reasonable time for the purpose of making inspections, conducting tests, or to examine records or reports pertaining to the construction, modification or installation of the source(s) of environmental pollutants identified within this permit.

CONSTRUCTION OF NEW SOURCES

The proposed source(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources are inadequate or cannot meet applicable standards.

If the construction of the proposed source(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of Ohio Administrative Code (OAC) Rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as

2

Facility Name: **Amweld Building Products Inc**

Application Number: **16-1864**

Date: **February 18, 1999**

an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet applicable standards.

PERMIT TO INSTALL FEE

In accordance with Ohio Revised Code 3745.11, the specified Permit to Install fee must be remitted within 30 days of the effective date of this permit to install.

PUBLIC DISCLOSURE

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC Rule 3745-49-03.

APPLICABILITY

This Permit to Install is applicable only to the contaminant sources identified. Separate application must be made to the Director for the installation or modification of any other contaminant sources.

3

Facility Name: **Amweld Building Products Inc**

Application Number: **16-1864**

Date: **February 18, 1999**

BEST AVAILABLE TECHNOLOGY

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

PERMIT TO OPERATE APPLICATION

A Permit to Operate application must be submitted to the appropriate field office for each air contaminant source in this Permit to Install. In accordance with OAC Rule 3745-35-02, the application shall be filed no later than thirty days after commencement of operation.

SOURCE OPERATION AFTER COMPLETION OF CONSTRUCTION

This facility is permitted to operate each source described by this permit to install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws and regulations.

4

Facility Name: **Amweld Building Products Inc**

Application Number: **16-1864**

Date: **February 18, 1999**

5

Facility Name: **Amweld Building Products Inc**

Application Number: **16-1864**

Date: **February 18, 1999**

<u>Ohio EPA Source Number</u>	<u>Source Identification Number</u>	<u>BAT Determination</u>	<u>Applicable Federal & OAC Rules</u>	<u>Permit Allowable Mass Emissions and/or Control/Usage Requirements</u>
-------------------------------	-------------------------------------	--------------------------	---	--

AIR EMISSION SUMMARY

The air contaminant emissions units listed below comprise the Permit to Install for **Amweld Building Products Inc** located in **Portage** County. The emissions units listed below shall not exceed the emission limits/control requirements contained in the table. This condition in no way limits the applicability of any other state or federal regulations. Additionally, this condition does not limit the applicability of additional special terms and conditions of this permit.

for commercial buildings.

<u>Ohio EPA Source Number</u>	<u>Source Identification Description</u>
K001 (mod)	(2) Spray booths with rotary spray equipment,
K002 (mod cont'd)	and (1) flash-off oven for coating steel doors for commercial buildings.
K002 (mod)	(1) Flow coat paint system with (1) flash-off oven for coating steel door frames

Facility Name: **Amweld Building Products Inc**

Application Number: **16-1864**

Date: **February 18, 1999**

<u>Ohio EPA Source Number</u>	<u>Source Identification Number</u>	<u>BAT Determination</u>	<u>Applicable Federal & OAC Rules</u>	<u>Permit Allowable Mass Emissions and/or Control/Usage Requirements</u>
---	---	------------------------------	---	--

BAT
Determination

air atomized
electrostatic
spray painting
and water
borne coating,
compliance
with air
toxics policy.

water borne
flow coating,
compliance
with
air toxics
policy.

Facility Name: **Amweld Building Products Inc**

Application Number: **16-1864**

Date: **February 18, 1999**

<u>Ohio EPA Source Number</u>	<u>Source Identification Number</u>	<u>BAT Determination</u>	<u>Applicable Federal & OAC Rules</u>	<u>Permit Allowable Mass Emissions and/or Control/Usage Requirements</u>
		3745-21-09 (B)		See Additional Special Term and Condition C.1 below
	Applicable Federal & OAC Rules		Permit Allowable Mass Emissions and/or Control/Usage Requirements	
3745-31-05			26.88 pounds per hour and 60.48 TPY VOC, with limit of 3.0 pounds VOC per gallon, except water.	
3745-21-09 (U)			See Additional Special Term and Condition A.1 below	
3745-21-09 (B)			See Additional Special Term and Condition C.1 below	
3745-31-05			25.5 pounds per hour and 57.38 TPY VOC, with limit of 3.0 pounds VOC per gallon, except water.	
3745-21-09 (U)			See Additional Special Term and Condition A.1 below	

Facility Name: **Amweld Building Products Inc**
Application Number: **16-1864**
Date: **February 18, 1999**

SUMMARY
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons/Year</u>
Volatile Organic Compound (VOC)	117.86 (Increase of 69.74 TPY)

RECORD(S) RETENTION AND AVAILABILITY

All records required by this Permit to Install shall be retained on file for a period of not less than three years unless otherwise indicated by Ohio Environmental Protection Agency. All records shall be made available to the Director, or any representative of the Director, for review during normal business hours.

REPORTING REQUIREMENTS

Unless otherwise specified, reports required by the Permit to Install need only be submitted to **Akron Air Pollution Control, 146 South High Street, Room 904, Akron, Ohio 44308.**

WASTE DISPOSAL

9

Facility Name: **Amweld Building Products Inc**

Application Number: **16-1864**

Date: **February 18, 1999**

The owner/operator shall comply with any applicable state and federal requirements governing the storage, treatment, transport and disposal of any waste material generated by the operation of the sources.

MAINTENANCE OF EQUIPMENT

This source and its associated air pollution control system(s) shall be maintained regularly in accordance with good engineering practices and the recommendations of the respective manufacturers in order to minimize air contaminant emissions.

MALFUNCTION/ABATEMENT

In accordance with OAC RULE 3745-15-06, any malfunction of the source(s) or associated air pollution control system(s) shall be reported immediately to the **Akron Air Pollution Control, 146 South High Street, Room 904, Akron, Ohio 44308.**

Except as provided by OAC Rule 3745-15-06(A)(3), scheduled maintenance of air pollution control equipment that requires the shutdown or bypassing of air pollution control system(s) must be accompanied by the shutdown of the associated air pollution sources.

AIR POLLUTION NUISANCES PROHIBITED

The air contaminant source(s) identified in this permit may not cause a public nuisance in violation of OAC Rule 3745-15-07.

ADDITIONAL SPECIAL TERMS AND CONDITIONS

A. Additional Terms and Conditions

1. The limits established in accordance with OAC rule 3745-31-05 (BAT) are more stringent or equal to this rule.
2. Annual hours of operation shall not exceed 4500.

B. Operational Restrictions

Facility Name: **Amweld Building Products Inc**

Application Number: **16-1864**

Date: **February 18, 1999**

1. None

C. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the hours of operation each day for each line.
2. The permittee shall collect and record the following information each month for the line:
 - a. the name and identification number of each coating, as applied; and,
 - b. the VOC content of each coating (excluding water and exempt solvents), as applied.
3. The permittee shall collect and record the following information for the purpose of determining annual VOC emissions:
 - a. the name and identification of each cleanup material employed;
 - b. the VOC content of each cleanup material, in pounds per gallon;
 - c. the number of gallons of each cleanup material employed;
 - d. the number of gallons (excluding water and exempt solvents) of each coating employed; and,
 - e. the total VOC emissions from all coatings and cleanup materials employed, in pounds or tons.

(The information in C.1. and C.2. does not have to be kept on a line-by-line basis, unless one or more of the lines is a new emissions unit and subject to specific "gallons/year" and "tons/year" limitations, or just a "tons/year" limitation in a Permit to Install. In such cases, for each such new emissions unit only, the above-mentioned information must be maintained separately for that line. Also, if the permittee mixes complying

Facility Name: **Amweld Building Products Inc**

Application Number: **16-1864**

Date: **February 18, 1999**

coatings at a line, it is not necessary to record the VOC content of the resulting mixture.)

4. The permittee shall collect and record the following information for each change where the air toxic modeling was required pursuant to the Air Toxic Policy:
 - a. background data that describes the parameters changed (composition of materials, new pollutants emitted, change in stack/exhaust parameters, etc.); and,
 - b. a copy of the resulting computer model runs that show the results of the application of the Air Toxic Policy for the change.

D. Reporting Requirements

1. The permittee shall notify the Director (Akron Air Pollution Control) in writing of any monthly record showing the use of noncomplying coatings. The notification shall include a copy of such record and shall be sent to the Director (Akron Air Pollution Control) within 30 days following the end of the calendar month.
2. The permittee shall also submit annual reports which specify the total VOC emissions from this emissions unit for the previous calendar year. These reports shall be submitted by January 31 of each year.
3. The permittee shall submit annual reports which identify any exceedances of the 4500 operating hours limitation, as well as the corrective actions that were taken to achieve compliance. These reports shall be submitted by January 31 of each year.
4. The permittee shall collect and record the following information for each change where the air toxic modeling was required pursuant to the Air Toxic Policy:
 - a. background data that describes the parameters changed (composition of materials, new pollutants emitted, change in stack/exhaust parameters,

Facility Name: **Amweld Building Products Inc**

Application Number: **16-1864**

Date: **February 18, 1999**

etc.); and,

- b. a copy of the resulting computer model runs that show the results of the application of the Air Toxic Policy for the change.

E. Testing Requirements

1. None

F. Miscellaneous Requirements

1. The permittee shall comply with any applicable State and federal requirements governing the storage, treatment, transport, and disposal of any waste material generated by the operation of the emissions unit.
2. The permittee is hereby notified that this permit, and all agency records concerning the operation of this permitted emissions unit are subject to public disclosure in accordance with OAC rule 3745-49-03.
3. This permit allows the use of materials (typically coatings and cleanup materials) specified by the permittee in the permit to install application for this emissions unit. To fulfill the best available technology requirements of (OAC) rule 3745-31-05 and to ensure compliance with OAC rule 3745-15-07 (Air Pollution Nuisances Prohibited), the emission limitation(s) specified in this permit was (were) established using the Ohio EPA's "Air Toxic Policy" and is (are) based on both the materials used and the design parameters of the emissions unit's exhaust system, as specified in the application. The Ohio EPA's "Air Toxic Policy" was applied for each pollutant using the SCREEN 3.0 model and comparing the predicted 1-hour maximum ground-level concentration to the Maximum Acceptable Ground-Level Concentration (MAGLC). The following summarizes the results of the modeling for each pollutant:

Pollutant: 2-butoxyethanol

TLV (ug/m3): 2881

Facility Name: **Amweld Building Products Inc**

Application Number: **16-1864**

Date: **February 18, 1999**

Maximum Hourly Emission Rate (lbs/hr): 52.38
Predicted 1 Hour Maximum Ground-Level
Concentration at the Fenceline (ug/m3): 99.42
Maximum Acceptable Ground-Level Concentration
(MAGLC) (ug/m3): 2881

OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by the OAC rule 3745-31-01. The permittee is hereby advised that the following changes to the process may be determined to be a "modification":

- a. changes in the composition of the materials used (typically for coatings or cleanup materials), or the use of new materials, that would result in the emission of a compound with a lower Threshold Limit Value (TLV), as indicated in the most recent version of the handbook entitled "American Conference of Governmental Industrial Hygienists (ACGIH)," than the lowest TLV value specified in the above table;
- b. changes to the emissions unit or its exhaust parameters (e.g., increased emission rate [not including an increase in an "allowable" emission limitation specified in the terms and conditions of this permit], reduced exhaust gas flow rate, and decreased stack height);
- c. changes in the composition of the materials used, or use of new materials, that would result in the emission of an air contaminant not previously permitted; and,
- d. changes in the composition of the materials, or use of new materials, that would result in an increase in emissions of any pollutant that has a listed TLV.

The Ohio EPA will not consider any of the above-mentioned as a "modification" requiring a permit to install, if the following conditions are met:

Facility Name: **Amweld Building Products Inc**

Application Number: **16-1864**

Date: **February 18, 1999**

- a. the change is not otherwise considered a "modification" under OAC Chapter 3745-31;
- b. the permittee can continue to comply with the allowable emission limitations specified in its permit to install; and,
- c. prior to the change, the applicant conducts an evaluation pursuant to the Air Toxic Policy, determines that the changed emissions unit still satisfies the Air Toxic Policy, and the permittee maintains documentation that identifies the change and the results of the application of the Air Toxic Policy for the change.

For any change to the emissions unit or its method of operation that either would require an increase in the emission limitation(s) established by this permit or would otherwise be considered a "modification" as defined in OAC rule 3745-31-01, the permittee shall obtain a final permit to install prior to the change.