State of Ohio Environmental Protection Agency

STREET ADDRESS:
Lazarus Government Center
50 W. Town St., Suite 700
Columbus, Ohio 43215

TELE: (614) 644-3020 FAX: (614) 644-3184
www.epa.state.oh.us

MAILING ADDRESS:
P.O. Box 1049
Columbus, OH 43216-1049

Certified Mail

2/26/2009

No	TOXIC REVIEW
No	PSD
No	SYNTHETIC MINOR
No	CEMS
No	MACT
No	NSPS
No	NESHAPS
No	NETTING
No	MAJOR NON-ATTAINMENT
No	MODELING SUBMITTED

DAN CRAGO
PIQUA MATERIALS INC./PIQUA MINERALS DIVI
11641 MOSTELLER RD
CINCINNATI, OH 45241

RE: FINAL AIR POLLUTION PERMIT-TO-INSTALL AND OPERATE
Facility ID: 0855780013
Permit Number: P0092505
Permit Type: Renewal
County: Miami

Dear Permit Holder:

Enclosed please find a final Air Pollution Permit-to-Install and Operate ("PTIO") which will allow you to install, modify, and/or operate the described emissions unit(s) in the manner indicated in the permit. Because this permit contains conditions and restrictions, please read it very carefully.

Ohio EPA maintains a document entitled "Frequently Asked Questions about the PTIO". The document can be downloaded from the DAPC Web page, www.epa.state.oh.us/dapc, from the "Permits" link. This document contains additional information related to your permit, such as what activities are covered under the PTIO, who has enforcement authority over the permit and Ohio EPA's authorization to inspect your facility and records. Please contact the Office of Compliance Assistance and Pollution Prevention at (614) 644-3469 if you need assistance.

The issuance of this PTIO is a final action of the Director and may be appealed to the Environmental Review Appeals Commission ("ERAC") under Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and describe the action complained of and the grounds for the appeal. The appeal must be filed with the ERAC within thirty (30) days after notice of the Director's action. A filing fee of $70.00 must be submitted to the ERAC with the appeal, although the ERAC, has discretion to reduce the amount of the filing fee if you can demonstrate (by affidavit) that payment of the full amount of the fee would cause extreme hardship. If you file an appeal of this action, you must notify Ohio EPA of the filing of the appeal (by providing a copy to the Director) within three (3) days of filing your appeal with the ERAC. Ohio EPA requests that a copy of the appeal also be provided to the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the ERAC at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, OH 43215

If you have any questions regarding this permit, please contact the Regional Air Pollution Control Agency. This permit has been posted to the Division of Air Pollution Control (DAPC) Web page www.epa.state.oh.us/dapc.

Sincerely,

Michael W. Ahern

Michael W. Ahern, Manager
Permit Issuance and Data Management Section, DAPC

Cc: RAPCA

State of Ohio Environmental Protection Agency
Division of Air Pollution Control

FINAL

Air Pollution Permit-to-Install and Operate
for
PIQUA MATERIALS INC./PIQUA MINERALS DIVI

Facility ID:	0855780013
Permit Number:	P0092505
Permit Type:	Renewal
Issued:	2/26/2009
Effective:	2/26/2009
Expiration:	2/26/2019

State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Air Pollution Permit-to-Install and Operate
for
PIQUA MATERIALS INC./PIQUA MINERALS DIVI

Table of Contents

Authorization 1

A. Standard Terms and Conditions 3

1. What does this permit-to-install and operate ("PTIO") allow me to do? 4
2. Who is responsible for complying with this permit? 4
3. What records must I keep under this permit? 4
4. What are my permit fees and when do I pay them? 4
5. When does my PTIO expire, and when do I need to submit my renewal application? 4
6. What happens to this permit if my project is delayed or I do not install or modify my source? 5
7. What reports must I submit under this permit? 5
8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit? 5
9. What are my obligations when I perform scheduled maintenance on air pollution control equipment? 5
10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report? 6
11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located? 6
12. What happens if one or more emissions units operated under this permit is/are shut down permanently? 6
13. Can I transfer this permit to a new owner or operator? 6
14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"? 7
15. What happens if a portion of this permit is determined to be invalid? 7

B. Facility-Wide Terms and Conditions 8

C. Emissions Unit Terms and Conditions 10

1. F003, Primary vibrating screen 11
2. F004, Secondary vibrating screen 15
3. F005, Wash screens 19
4. F006, Materials handling 23

Authorization

Facility ID: 0855780013
Application Number(s): A0023938
Permit Number: P0092505
Permit Description: PTIO renewal for 600 tons per hour aggregate processing plant, screens and material transfer points.
Permit Type: Renewal
Permit Fee: $0.00
Issue Date: 2/26/2009
Effective Date: 2/26/2009
Expiration Date: 2/26/2019
Permit Evaluation Report (PER) Annual Date: Jan 1 - Dec 31, Due Feb 15
This document constitutes issuance to:

PIQUA MATERIALS INC./PIQUA MINERALS DIVI
1750 WEST STATLER ROAD
PIQUA, OH 45356

of a Permit-to-Install and Operate for the emissions unit(s) identified on the following page.

Ohio EPA District Office or local air agency responsible for processing and administering your permit:

Regional Air Pollution Control Agency
117 South Main Street
Dayton, OH 45422-1280
(937)225-4435

The above named entity is hereby granted this Permit-to-Install and Operate for the air contaminant source(s) (emissions unit(s)) listed in this section pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the described emissions unit(s) will operate in compliance with applicable State and federal laws and regulations.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Chris Korleski
Director

Authorization (continued)

Permit Number: P0092505
Permit Description: PTIO renewal for 600 tons per hour aggregate processing plant, screens and material transfer points.

Permits for the following emissions unit(s) or groups of emissions units are in this document as indicated below:

Emissions Unit ID:	**F003**
Company Equipment ID:	Primary vibrating screen
Superseded Permit Number:	P0092499
General Permit Category and Type:	Not Applicable
Emissions Unit ID:	**F004**
Company Equipment ID:	Secondary vibrating screen
Superseded Permit Number:	P0092499
General Permit Category and Type:	Not Applicable
Emissions Unit ID:	**F005**
Company Equipment ID:	Wash screens
Superseded Permit Number:	P0092499
General Permit Category and Type:	Not Applicable
Emissions Unit ID:	**F006**
Company Equipment ID:	Materials handling
Superseded Permit Number:	P0092499
General Permit Category and Type:	Not Applicable

A. Standard Terms and Conditions

1. **What does this permit-to-install and operate ("PTIO") allow me to do?**

   This permit allows you to install and operate the emissions unit(s) identified in this PTIO. You must install and operate the unit(s) in accordance with the application you submitted and all the terms and conditions contained in this PTIO, including emission limits and those terms that ensure compliance with the emission limits (for example, operating, recordkeeping and monitoring requirements).

2. **Who is responsible for complying with this permit?**

   The person identified on the "Authorization" page, above, is responsible for complying with this permit until the permit is revoked, terminated, or transferred. "Person" means a person, firm, corporation, association, or partnership. The words "you," "your," or "permittee" refer to the "person" identified on the "Authorization" page above.

   The permit applies only to the emissions unit(s) identified in the permit. If you install or modify any other equipment that requires an air permit, you must apply for an additional PTIO(s) for these sources.

3. **What records must I keep under this permit?**

   You must keep all records required by this permit, including monitoring data, test results, strip-chart recordings, calibration data, maintenance records, and any other record required by this permit for five years from the date the record was created. You can keep these records electronically, provided they can be made available to Ohio EPA during an inspection at the facility. Failure to make requested records available to Ohio EPA upon request is a violation of this permit requirement.

4. **What are my permit fees and when do I pay them?**

   There are two fees associated with permitted air contaminant sources in Ohio:

   - PTIO fee. This one-time fee is based on a fee schedule in accordance with Ohio Revised Code (ORC) section 3745.11, or based on a time and materials charge for permit application review and permit processing if required by the Director.

     You will be sent an invoice for this fee after you receive this PTIO and payment is due within 30 days of the invoice date. You are required to pay the fee for this PTIO even if you do not install or modify your operations as authorized by this permit.

   - Annual emissions fee. Ohio EPA will assess a separate fee based on the total annual emissions from your facility. You self-report your emissions in accordance with Ohio Administrative Code (OAC) Chapter 3745-78. This fee assessed is based on a fee schedule in ORC section 3745.11 and funds Ohio EPA's permit compliance oversight activities. For facilities that are permitted as synthetic minor sources, the fee schedule is adjusted annually for inflation. Ohio EPA will notify you when it is time to report your emissions and to pay your annual emission fees.

5. **When does my PTIO expire, and when do I need to submit my renewal application?**

   This permit expires on the date identified at the beginning of this permit document (see "Authorization" page above) and you must submit a renewal application to renew the permit. Ohio EPA will send a renewal notice to you approximately six months prior to the expiration date of this permit. However, it is very important that you submit a complete renewal permit application (postmarked prior to expiration of this permit) even if you do not receive the renewal notice.

If a complete renewal application is submitted before the expiration date, Ohio EPA considers this a timely application for purposes of ORC section 119.06, and you are authorized to continue operating the emissions unit(s) covered by this permit beyond the expiration date of this permit until final action is taken by Ohio EPA on the renewal application.

6. What happens to this permit if my project is delayed or I do not install or modify my source?

This PTIO expires 18 months after the issue date identified on the "Authorization" page above unless otherwise specified if you have not (1) started constructing the new or modified emission sources identified in this permit, or (2) entered into a binding contract to undertake such construction. This deadline can be extended by up to 12 months, provided you apply to Ohio EPA for this extension within a reasonable time before the 18-month period has ended and you can show good cause for any such extension.

7. What reports must I submit under this permit?

An annual permit evaluation report (PER) is required in addition to any malfunction reporting required by OAC rule 3745-15-06 or other specific rule-based reporting requirement identified in this permit. Your PER due date is identified in the Authorization section of this permit.

8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit?

If you are required to obtain a Title V permit under OAC Chapter 3745-77 in the future, the permit-to-operate portion of this permit will be superseded by the issued Title V permit. From the effective date of the Title V permit forward, this PTIO will effectively become a PTI (permit-to-install) in accordance with OAC rule 3745-31-02(B). The following terms and conditions will no longer be applicable after issuance of the Title V permit: Section B, Term 1.b) and Section C, for each emissions unit, Term a)(2).

The PER requirements in this permit remain effective until the date the Title V permit is issued and is effective, and cease to apply after the effective date of the Title V permit. The final PER obligation will cover operations up to the effective date of the Title V permit and must be submitted on or before the submission deadline identified in this permit on the last day prior to the effective date of the Title V permit.

9. What are my obligations when I perform scheduled maintenance on air pollution control equipment?

You must perform scheduled maintenance of air pollution control equipment in accordance with OAC rule 3745-15-06(A). If scheduled maintenance requires shutting down or bypassing any air pollution control equipment, you must also shut down the emissions unit(s) served by the air pollution control equipment during maintenance, unless the conditions of OAC rule 3745-15-06(A)(3) are met. Any emissions that exceed permitted amount(s) under this permit (unless specifically exempted by rule) must be reported as deviations in the annual permit evaluation report (PER), including nonexempt excess emissions that occur during approved scheduled maintenance.

10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report?

If you have a reportable malfunction of any emissions unit(s) or any associated air pollution control system, you must report this to the Regional Air Pollution Control Agency in accordance with OAC rule 3745-15-06(B). Malfunctions that must be reported are those that result in emissions that exceed permitted emission levels. It is your responsibility to evaluate control equipment breakdowns and operational upsets to determine if a reportable malfunction has occurred.

If you have a malfunction, but determine that it is not a reportable malfunction under OAC rule 3745-15-06(B), it is recommended that you maintain records associated with control equipment breakdown or process upsets. Although it is not a requirement of this permit, Ohio EPA recommends that you maintain records for non-reportable malfunctions.

11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located?

Yes. Under Ohio law, the Director or his authorized representative may inspect the facility, conduct tests, examine records or reports to determine compliance with air pollution laws and regulations and the terms and conditions of this permit. You must provide, within a reasonable time, any information Ohio EPA requests either verbally or in writing.

12. What happens if one or more emissions units operated under this permit is/are shut down permanently?

Ohio EPA can terminate the permit terms associated with any permanently shut down emissions unit. "Shut down" means the emissions unit has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent "modification" or "installation" as defined in OAC Chapter 3745-31.

You should notify Ohio EPA of any emissions unit that is permanently shut down by submitting a certification that identifies the date on which the emissions unit was permanently shut down. The certification must be submitted by an authorized official from the facility. You cannot continue to operate an emission unit once the certification has been submitted to Ohio EPA by the authorized official.

You must comply with all recordkeeping and reporting for any permanently shut down emissions unit in accordance with the provisions of the permit, regulations or laws that were enforceable during the period of operation, such as the requirement to submit a PER, air fee emission report, or malfunction report. You must also keep all records relating to any permanently shutdown emissions unit, generated while the emissions unit was in operation, for at least five years from the date the record was generated.

Again, you cannot resume operation of any emissions unit certified by the authorized official as being permanently shut down without first applying for and obtaining a permit pursuant to OAC Chapter 3745-31.

13. Can I transfer this permit to a new owner or operator?

You can transfer this permit to a new owner or operator. If you transfer the permit, you must follow the procedures in OAC Chapter 3745-31, including notifying Ohio EPA or the local air agency of the

change in ownership or operator. Any transferee of this permit must assume the responsibilities of the transferor permit holder.

14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"?

This permit and OAC rule 3745-15-07 prohibit operation of the air contaminant source(s) regulated under this permit in a manner that causes a nuisance. Ohio EPA can require additional controls or modification of the requirements of this permit through enforcement orders or judicial enforcement action if, upon investigation, Ohio EPA determines existing operations are causing a nuisance.

15. What happens if a portion of this permit is determined to be invalid?

If a portion of this permit is determined to be invalid, the remainder of the terms and conditions remain valid and enforceable. The exception is where the enforceability of terms and conditions are dependent on the term or condition that was declared invalid.

B. Facility-Wide Terms and Conditions

1. This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

   a) For the purpose of a permit-to-install document, the facility-wide terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

      (1) None.

   b) For the purpose of a permit-to-operate document, the facility-wide terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

      (1) None.

C. Emissions Unit Terms and Conditions

1. F003, Primary vibrating screen

Operations, Property and/or Equipment Description:

600 tons per hour vibrating screeen with water spray

a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

(1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

a. None.

(2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

a. None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3)	The fugitive particulate emissions (PE) from this emissions unit shall not exceed 1.32 pounds per hour and 5.78 tons per year (TPY). See b)(2)a. The requirements of this rule also include compliance with the requirements of 40 CFR Part 60, Subpart OOO and OAC rules 3745-17-07(B) and 3745-17-08(B).
b.	40 CFR Part 60, Subpart OOO	The visible particulate emissions from any unsaturated screening operation shall not exceed 10% opacity as a 6-minute average.
c.	OAC rule 3745-17-07(B)(1)	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
d.	OAC rule 3745-17-08(B)	See b)(2)b.

(2) Additional Terms and Conditions

a. The short-term mass emission limitation for particulates was developed for PTIO purposes to reflect the potential to emit for this emissions unit. Therefore, it is not necessary to develop record keeping and/or reporting requirements to ensure compliance with this limit.

b. The aggregate materials processed through the equipment identified under this emissions unit shall have a moisture content sufficient to minimize or eliminate visible emissions of fugitive dust from the screen, so that compliance with the opacity requirements specified above is continuously maintained. If the inherent moisture in the aggregate is not sufficient to comply with the opacity restrictions of this permit, the permittee shall apply water or other suitable dust suppressant, at appropriate locations in the production line.

c) Operational Restrictions

(1) None.

d) Monitoring and/or Recordkeeping Requirements

(1) The permittee shall perform daily checks, when the emissions unit is in operation and when the weather conditions allow, for any visible fugitive particulate emissions from this emissions unit. The presence or absence of any visible fugitive emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:

a. the location and color of the emissions;

b. whether the emissions are representative of normal operations;

c. if the emissions are not representative of normal operations, the cause of the abnormal emissions;

d. the total duration of any visible emission incident; and

e. any corrective actions taken to minimize or eliminate the visible emissions.

If visible emissions are present, a visible emission incident has occurred. The observer does not have to document the exact start and end times for the visible emission incident under item (d) above or continue the daily check until the incident has ended. The observer may indicate that the visible emission incident was continuous during the observation period (or, if known, continuous during the operation of the emissions unit). With respect to the documentation of corrective actions, the observer may indicate that no corrective actions were taken if the visible emissions were representative of normal operations, or specify the minor corrective actions that were taken to ensure that the emissions unit continued to operate under normal conditions, or specify the corrective actions that were taken to eliminate abnormal visible emissions.

(2) No inspections shall be necessary when precipitation has occurred that is sufficient for that day to ensure compliance with the applicable requirements in b)(1) and b)(2).

e) Reporting Requirements

(1) The permittee shall identify the following information in the Annual Permit Evaluation Report (PER) in accordance with the monitoring requirements for visible emissions in term number d)(1) above:

a. all days during which any visible fugitive particulate emissions were observed from this emissions unit; and

b. any corrective actions taken to minimize or eliminate the visible fugitive particulate emissions.

PER forms will be mailed to the permittee at the end of the reporting period specified in the Authorization section of this permit. The permittee shall submit the PER in the form and manner provided by the Director by the due date identified in the Authorization section of this permit. The permit evaluation report shall cover a reporting period of no more than twelve-months for each air contaminant source identified in this permit.

(2) The permittee shall submit the following information for each piece of equipment that is replaced having the same function as the existing screen:

a. the rated capacity in tons or tons per hour of the existing screen being replaced, and

b. the rated capacity in tons or tons per hour of the replacement screen.

c. the date of manufacture of each existing screen being replaced and the date of manufacture of the replacement equipment.

(3) The notification shall be submitted 30 days (or as soon as practicable) before installation of the replacement equipment is commenced.

f) Testing Requirements

(1) Compliance with the emission limitations in b)(1) shall be determined in accordance with the following method(s):

a. Emission Limitation -

The PE from this emissions unit shall not exceed 1.32 pounds per hour.

Applicable Compliance Method -

This emissions limitation is based upon the emission factor of 0.0022 lb PE per ton of material screened (AP-42, Table 11.9.2-2, August 2004) multiplied by the maximum process rate of 600 tons per hour.

b. Emission Limitation -

The particulate emissions from this emissions unit shall not exceed 5.78 TPY.

Applicable Compliance Method -

This emission limitation was developed by multiplying the 1.32 pounds per hour limit by 8,760 hours/year, divided by 2,000 pounds per ton. Therefore, provided compliance is shown with the hourly emissions limitation, compliance is also shown with the annual allowable mass emission rate.

c. Emission Limitation -

Visible particulate emissions shall not exceed 10 percent opacity as a six-minute average.

Applicable Compliance Method -

When requested, compliance shall be determined through visible emission observations performed in accordance U.S. EPA Method 9 and the procedures specified in OAC rule 3745-17-03(B)(3) and 40 CFR Part 60, Subpart OOO.

g) Miscellaneous Requirements

(1) The terms and conditions of this PTIO supersede those identified in PTI 08-3082 issued April 14, 1999.

2. F004, Secondary vibrating screen

Operations, Property and/or Equipment Description:

350 tons per hour two deck vibrating screen with water sprays

a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

(1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

a. None.

(2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

a. None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3)	The fugitive particulate emissions (PE) from this emissions unit shall not exceed 0.77 pounds per hour and 3.37 tons per year (TPY). See b)(2)a. The requirements of this rule also include compliance with the requirements of 40 CFR Part 60, Subpart OOO and OAC rules 3745-17-07(B) and 3745-17-08(B).
b.	40 CFR Part 60, Subpart OOO	The visible particulate emissions from any unsaturated screening operation shall not exceed 10% opacity as a 6-minute average.
c.	OAC rule 3745-17-07(B)(1)	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
d.	OAC rule 3745-17-08(B)	See b)(2)b.

(2) Additional Terms and Conditions

a. The short-term mass emission limitation for particulates was developed for PTIO purposes to reflect the potential to emit for this emissions unit. Therefore, it is not necessary to develop record keeping and/or reporting requirements to ensure compliance with this limit.

b. The aggregate materials processed through the equipment identified under this emissions unit shall have a moisture content sufficient to minimize or eliminate visible emissions of fugitive dust from the screen, so that compliance with the opacity requirements specified above is continuously maintained. If the inherent moisture in the aggregate is not sufficient to comply with the opacity restrictions of this permit, the permittee shall apply water or other suitable dust suppressant, at appropriate locations in the production line.

c) Operational Restrictions

(1) None.

d) Monitoring and/or Recordkeeping Requirements

(1) The permittee shall perform daily checks, when the emissions unit is in operation and when the weather conditions allow, for any visible fugitive particulate emissions from this emissions unit. The presence or absence of any visible fugitive emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:

a. the location and color of the emissions;

b. whether the emissions are representative of normal operations;

c. if the emissions are not representative of normal operations, the cause of the abnormal emissions;

d. the total duration of any visible emission incident; and

e. any corrective actions taken to minimize or eliminate the visible emissions.

If visible emissions are present, a visible emission incident has occurred. The observer does not have to document the exact start and end times for the visible emission incident under item (d) above or continue the daily check until the incident has ended. The observer may indicate that the visible emission incident was continuous during the observation period (or, if known, continuous during the operation of the emissions unit). With respect to the documentation of corrective actions, the observer may indicate that no corrective actions were taken if the visible emissions were representative of normal operations, or specify the minor corrective actions that were taken to ensure that the emissions unit continued to operate under normal conditions, or specify the corrective actions that were taken to eliminate abnormal visible emissions.

(2) No inspections shall be necessary when precipitation has occurred that is sufficient for that day to ensure compliance with the applicable requirements in b)(1) and b)(2).

e) Reporting Requirements

(1) The permittee shall identify the following information in the Annual Permit Evaluation Report (PER) in accordance with the monitoring requirements for visible emissions in term number d)(1) above:

a. all days during which any visible fugitive particulate emissions were observed from this emissions unit; and

b. any corrective actions taken to minimize or eliminate the visible fugitive particulate emissions.

PER forms will be mailed to the permittee at the end of the reporting period specified in the Authorization section of this permit. The permittee shall submit the PER in the form and manner provided by the Director by the due date identified in the Authorization section of this permit. The permit evaluation report shall cover a reporting period of no more than twelve-months for each air contaminant source identified in this permit.

(2) The permittee shall submit the following information for each piece of equipment that is replaced having the same function as the existing screen:

a. the rated capacity in tons or tons per hour of the existing screen being replaced, and

b. the rated capacity in tons or tons per hour of the replacement screen.

c. the date of manufacture of each existing screen being replaced and the date of manufacture of the replacement equipment.

The notification shall be submitted 30 days (or as soon as practicable) before installation of the replacement equipment is commenced.

f) Testing Requirements

(1) Compliance with the emission limitations in b)(1) shall be determined in accordance with the following method(s):

a. Emission Limitation -

The PE from this emissions unit shall not exceed 0.77 pound per hour.

Applicable Compliance Method -

This emissions limitation is based upon the emission factor of 0.0022 lb PE per ton of material screened (AP-42, Table 11.9.2-2, August 2004) multiplied by the maximum process rate of 350 tons per hour.

b. Emission Limitation -

The particulate emissions from this emissions unit shall not exceed 3.37 TPY.

Applicable Compliance Method -

This emission limitation was developed by multiplying the 0.77 pounds per hour limit by 8,760 hours/year, divided by 2,000 pounds per ton. Therefore, provided compliance is shown with the hourly emissions limitation, compliance is also shown with the annual allowable mass emission rate.

c. Emission Limitation -

Visible particulate emissions shall not exceed 10 percent opacity as a six-minute average.

Applicable Compliance Method -

When requested, compliance shall be determined through visible emission observations performed in accordance U.S. EPA Method 9 and the procedures specified in OAC rule 3745-17-03(B)(3) and 40 CFR Part 60, Subpart OOO.

g) Miscellaneous Requirements

(1) The terms and conditions of this PTIO supersede those identified in PTI 08-3082 issued April 14, 1999.

3. F005, Wash screens

Operations, Property and/or Equipment Description:

600 tons per hour triple deck wash screen (saturated)

a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

(1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

a. None.

(2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

a. None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3)	The fugitive particulate emissions (PE) from this emissions unit shall not exceed 1.32 pound per hour and 5.78 tons per year (TPY). See b)(2)a. The requirements of this rule also include compliance with the requirements of 40 CFR Part 60, Subpart OOO and OAC rules 3745-17-07(B) and 3745-17-08(B).
b.	40 CFR Part 60, Subpart OOO	No visible particulate emissions from any saturated screening operation.
c.	OAC rule 3745-17-07(B)(1)	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
d.	OAC rule 3745-17-08(B)	See b)(2)b.

(2) Additional Terms and Conditions

a. The short-term mass emission limitation for particulates was developed for PTI purposes to reflect the potential to emit for this emissions unit. Therefore, it is not necessary to develop record keeping and/or reporting requirements to ensure compliance with this limit.

b. The aggregate materials processed through the equipment identified under this emissions unit shall have a moisture content sufficient to minimize or eliminate visible emissions of fugitive dust from the screen, so that compliance with the opacity requirements specified above is continuously maintained.

c) Operational Restrictions

(1) None.

d) Monitoring and/or Recordkeeping Requirements

(1) The permittee shall perform daily checks, when the emissions unit is in operation and when the weather conditions allow, for any visible fugitive particulate emissions from this emissions unit. The presence or absence of any visible fugitive emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:

a. the location and color of the emissions;

b. whether the emissions are representative of normal operations;

c. if the emissions are not representative of normal operations, the cause of the abnormal emissions;

d. the total duration of any visible emission incident; and

e. any corrective actions taken to minimize or eliminate the visible emissions.

If visible emissions are present, a visible emission incident has occurred. The observer does not have to document the exact start and end times for the visible emission incident under item (d) above or continue the daily check until the incident has ended. The observer may indicate that the visible emission incident was continuous during the observation period (or, if known, continuous during the operation of the emissions unit). With respect to the documentation of corrective actions, the observer may indicate that no corrective actions were taken if the visible emissions were representative of normal operations, or specify the minor corrective actions that were taken to ensure that the emissions unit continued to operate under normal conditions, or specify the corrective actions that were taken to eliminate abnormal visible emissions.

(2) No inspections shall be necessary when precipitation has occurred that is sufficient for that day to ensure compliance with the applicable requirements in b)(1) and b)(2).

e) Reporting Requirements

(1) The permittee shall identify the following information in the Annual Permit Evaluation Report (PER) in accordance with the monitoring requirements for visible emissions in term number d)(1) above:

a. all days during which any visible fugitive particulate emissions were observed from this emissions unit; and

b. any corrective actions taken to minimize or eliminate the visible fugitive particulate emissions.

PER forms will be mailed to the permittee at the end of the reporting period specified in the Authorization section of this permit. The permittee shall submit the PER in the form and manner provided by the Director by the due date identified in the Authorization section of this permit. The permit evaluation report shall cover a reporting period of no more than twelve-months for each air contaminant source identified in this permit.

(2) The permittee shall submit the following information for each piece of equipment that is replaced having the same function as the existing screen:

a. the rated capacity in tons or tons per hour of the existing screen being replaced, and

b. the rated capacity in tons or tons per hour of the replacement screen.

c. the date of manufacture of each existing screen being replaced and the date of manufacture of the replacement equipment.

The notification shall be submitted 30 days (or as soon as practicable) before installation of the replacement equipment is commenced.

f) Testing Requirements

(1) Compliance with the emission limitations in b)(1) shall be determined in accordance with the following method(s):

a. Emission Limitation -

The PE from this emissions unit shall not exceed 1.32 pounds per hour.

Applicable Compliance Method -

This emissions limitation is based upon the emission factor of 0.0022 lb PE per ton of material screened (AP-42, Table 11.9.2-2, August 2004) multiplied by the maximum process rate of 600 tons per hour.

b. Emission Limitation -

The particulate emissions from this emissions unit shall not exceed 5.78 TPY.

Applicable Compliance Method -

This emission limitation was developed by multiplying the 1.32 pounds per hour limit by 8,760 hours/year, divided by 2,000 pounds per ton. Therefore, provided compliance is shown with the hourly emissions limitation, compliance is also shown with the annual allowable mass emission rate.

c. Emission Limitation -

No visible particulate emissions from any saturated screening operation.

Applicable Compliance Method -

When requested, compliance shall be determined through visible emission observations performed in accordance U.S. EPA Method 22 and the procedures specified in OAC rule 3745-17-03(B)(3) and 40 CFR Part 60, Subpart OOO.

g) Miscellaneous Requirements

(1) The terms and conditions of this PTIO supersede those identified in PTI 08-3082 issued April 14, 1999.

4. F006, Materials handling

Operations, Property and/or Equipment Description:

600 tons per hour aggregate processing plant, conveyors, bins and loaders used for material transfer – 29 transfer points

a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

(1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

a. None.

(2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

a. None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3)	The fugitive particulate emissions (PE) from this emissions unit shall not exceed 2.44 pounds per hour and 10.7 tons per year (TPY). See b)(2)a. The requirements of this rule also include compliance with the requirements of 40 CFR Part 60, Subpart OOO and OAC rules 3745-17-07(B) and 3745-17-08(B).
b.	40 CFR Part 60, Subpart OOO	The visible particulate emissions from any transfer point shall not exceed 10% opacity as a 6-minute average.
c.	OAC rule 3745-17-07(B)(1)	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
d.	OAC rule 3745-17-08(B)	See b)(2)b.

(2) Additional Terms and Conditions

a. The short-term mass emission limitation for particulates was developed for PTI purposes to reflect the potential to emit for this emissions unit. Therefore, it is not necessary to develop record keeping and/or reporting requirements to ensure compliance with this limit.

b. The aggregate materials processed through the equipment identified under this emissions unit shall have a moisture content sufficient to minimize or eliminate visible emissions of fugitive dust from the screen, so that compliance with the opacity requirements specified above is continuously maintained. If the inherent moisture in the aggregate is not sufficient to comply with the opacity restrictions of this permit, the permittee shall apply water or other suitable dust suppressant, at appropriate locations in the production line.

c) Operational Restrictions

(1) None.

d) Monitoring and/or Recordkeeping Requirements

(1) The permittee shall perform daily checks, when the emissions unit is in operation and when the weather conditions allow, for any visible fugitive particulate emissions from this emissions unit. The presence or absence of any visible fugitive emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:

a. the location and color of the emissions;

b. whether the emissions are representative of normal operations;

c. if the emissions are not representative of normal operations, the cause of the abnormal emissions;

d. the total duration of any visible emission incident; and

e. any corrective actions taken to minimize or eliminate the visible emissions.

If visible emissions are present, a visible emission incident has occurred. The observer does not have to document the exact start and end times for the visible emission incident under item (d) above or continue the daily check until the incident has ended. The observer may indicate that the visible emission incident was continuous during the observation period (or, if known, continuous during the operation of the emissions unit). With respect to the documentation of corrective actions, the observer may indicate that no corrective actions were taken if the visible emissions were representative of normal operations, or specify the minor corrective actions that were taken to ensure that the emissions unit continued to operate under normal conditions, or specify the corrective actions that were taken to eliminate abnormal visible emissions.

(2) No inspections shall be necessary when precipitation has occurred that is sufficient for that day to ensure compliance with the applicable requirements in b)(1) and b)(2).

e) Reporting Requirements

(1) The permittee shall identify the following information in the Annual Permit Evaluation Report (PER) in accordance with the monitoring requirements for visible emissions in term number d)(1) above:

a. all days during which any visible fugitive particulate emissions were observed from this emissions unit; and

b. any corrective actions taken to minimize or eliminate the visible fugitive particulate emissions.

PER forms will be mailed to the permittee at the end of the reporting period specified in the Authorization section of this permit. The permittee shall submit the PER in the form and manner provided by the Director by the due date identified in the Authorization section of this permit. The permit evaluation report shall cover a reporting period of no more than twelve-months for each air contaminant source identified in this permit.

(2) The permittee shall submit the following information for each piece of equipment that is replaced having the same function as the existing screen:

a. the rated capacity in tons or tons per hour of the existing screen being replaced, and

b. the rated capacity in tons or tons per hour of the replacement screen.

c. the date of manufacture of each existing screen being replaced and the date of manufacture of the replacement equipment.

The notification shall be submitted 30 days (or as soon as practicable) before installation of the replacement equipment is commenced.

f) Testing Requirements

(1) Compliance with the emission limitations in b)(1) shall be determined in accordance with the following method(s):

a. Emission Limitation -

The PE from this emissions unit shall not exceed 2.44 pounds per hour.

Applicable Compliance Method -

This emissions limitation is based upon the emission factor of 0.00014 lb PE per ton of material transferred (AP-42, Table 11.9.2-2, August 2004) multiplied by the maximum process rate of 600 tons per hour multiplied by 29 transfer points.

b. Emission Limitation -

The particulate emissions from this emissions unit shall not exceed 10.7 TPY.

Applicable Compliance Method -

This emission limitation was developed by multiplying the 2.44 pounds per hour limit by 8,760 hours/year, divided by 2,000 pounds per ton. Therefore, provided compliance is shown with the hourly emissions limitation, compliance is also shown with the annual allowable mass emission rate.

c. Emission Limitation -

Visible particulate emissions shall not exceed 10 percent opacity as a six-minute average.

Applicable Compliance Method -

When requested, compliance shall be determined through visible emission observations performed in accordance U.S. EPA Method 9 and the procedures specified in OAC rule 3745-17-03(B)(3) and 40 CFR Part 60, Subpart OOO.

g) Miscellaneous Requirements

(1) The terms and conditions of this PTIO supersede those identified in PTI 08-3082 issued April 14, 1999.