



State of Ohio Environmental Protection Agency

**RE: PERMIT TO INSTALL REGISTRATION CERTIFIED MAIL
DELAWARE COUNTY**

Street Address:

122 S. Front Street

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049

Application No: 01-08442

DATE: 10/9/2001

Mid Ohio Cremation Service
George Rodman
92 N Sandusky St
Delaware, OH 43015

Enclosed please find an Ohio EPA Permit to Install Registration which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit registration contains several conditions and restrictions I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
236 East Town Street, Room 300
Columbus, Ohio 43215

Very truly yours,

Thomas G. Rigo
Field Operations and Permit Section
Division of Air Pollution Control

cc: CDO



STATE OF OHIO ENVIRONMENTAL PROTECTION AGENCY
PERMIT TO INSTALL REGISTRATION

Per
To

Application Number: 01-08442
APS Premise Number: 0121010210
Permit Fee: **\$400**
Name of Facility: Mid Ohio Cremation Service
Person to Contact: George Rodman
Address: 92 N Sandusky St
Delaware, OH 43015

Location of proposed air contaminant source(s) [emissions unit(s)]:
92 N Sandusky St
Delaware, Ohio

Description of proposed emissions unit(s):
Gas fired multiple chamber cremator.

Date of Issuance: 10/9/2001
Effective Date: 10/9/2001

The above named entity is hereby granted a Permit to Install Registration for the above described source(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described source(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described source(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized

representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio

Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit to Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within thirty (30) days after commencing operation of the emissions unit(s) covered by this permit.

6

Mid Ohio Cremation Service

PTI Application: **01-08442**

Issued: 10/9/2001

Facility ID: **0121010210**

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

**SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS**

<u>Pollutant</u>	<u>Tons Per Year</u>
PM	0.66
CO	0.044
NO _x	2.97
SO ₂	0.39
VOC	0.044

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. Applicable Emissions Limitations and/or Control Requirements**

- The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
N002 - 150 pound per hour crematory for human and animal remains	OAC rule 3745-31-05(A)(3)	<p>Particulate emissions (PE) shall not exceed 0.33 ton/yr.</p> <p>Carbon monoxide (CO) emissions shall not exceed 0.01 lb/hr and 0.02 ton/yr.</p> <p>Nitrogen oxide (NO_x) emissions shall not exceed 0.68 lb/hr and 1.49 ton/yr.</p> <p>Volatile organic carbon (VOC) emissions shall not exceed 0.01 lb/hr and 0.02 ton/yr.</p> <p>Sulfur dioxide (SO₂) emissions shall not exceed 0.09 lb/hr and 0.20 ton/yr.</p> <p>The requirements of this rule also include compliance with the requirements of OAC rule 3745-17-07 and OAC rule 3745-17-09.</p> <p>Visible particulate emissions from the stack shall not exceed 10% as a six-minute average.</p>
	OAC rule 3745-17-07(A) OAC rule 3745-17-09(B)	

PE emissions shall not exceed 0.10
pound per 100 pounds of material
charged.

2. Additional Terms and Conditions

2.a None.

B. Operational Restrictions

1. All material shall be incinerated in a controlled air, multi-chamber incinerator, or equivalent technology as approved by the Director, which provides complete combustion of the waste, excluding metallic items, to carbonized or mineralized ash. Any ash that does not meet this criterion shall be re-incinerated.
2. This batch incinerator shall not be charged with material until the exit gas temperature of the secondary combustion chamber reaches 1200 degrees Fahrenheit.
3. The stack(s) for this batch incinerator shall be designed to minimize the impact of the emissions on employees, residents, visitors, and nearby residences. The design shall meet good engineering practices so as not to cause excessive concentrations of any air contaminant at any air intake for heating and cooling of any building or at operable windows or doors.
4. This incinerator, including all associated equipment and grounds, shall be designed, operated and maintained to prevent the emission of objectionable odors.
5. This incinerator shall be operated only by properly trained personnel. A copy of all the training records for each operator shall be maintained on file as long as that operator is employed for that job and shall be immediately available to the Central District Office upon request.
6. The secondary combustion chamber for this incinerator shall be heated to a minimum of 1200 degrees Fahrenheit before cremation starts and operated so that the exit gas temperature is at a minimum of 1400 degrees Fahrenheit.
7. The secondary combustion chamber of this incinerator shall allow for a 1-second (or more) retention time at 1600 degrees Fahrenheit.

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall operate and maintain a continuous temperature monitor and recorder which measures and records the secondary combustion exit gas temperature when the incinerator is in operation. Units shall be in degrees Fahrenheit. The temperature monitors and recorders shall be installed, calibrated, operated and maintained in accordance with the manufacturer's recommendations, instructions and operating manuals.
2. A written log shall be kept to record the estimated body and container weights and the cremation time. Alternative arrangements may be approved by the Director provided they can be shown to be of equivalent effectiveness as a method of regulating flow into the incinerator and generating a permanent record of charging rates.
3. A logbook shall be maintained for each continuous monitoring system installed on this incinerator to document all activities involving the monitoring systems. Appropriate records should include, as a minimum, preventive maintenance, quality assurance and corrective action activities. The logbook shall be kept on file for a period of 5 years and shall be made available for inspection by the Ohio EPA or its authorized representatives at any reasonable time.
4. The permittee shall have this incinerator inspected monthly using preventive maintenance procedures recommended by the equipment manufacturer. Each inspection shall include a written report identifying any needed repairs to the unit. If repairs are needed, the incinerator shall not be operated if the operation would result in any exceedance of the emission limits detailed in this permit. These repairs shall be completed within 30 days of the inspection. All inspection and repair reports shall be kept by the permittee for a period of 5 years and shall be made available to the Central District Office upon request.

D. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports which provide the following information for each period during which the secondary combustion chamber exhaust gas temperatures fall below the applicable limitations:
 - a. the date of the excursion;
 - b. the time interval over which the excursion occurred;
 - c. the temperature values during the excursion;
 - d. the cause(s) for the excursion; and
 - e. the corrective action which has been or will be taken to prevent similar excursions in the future.
2. The permittee shall submit deviation (excursion) reports which provide an identification of all hours of operation during which the charge rate exceeded the incinerator's design capacity,

including the actual charge rates for all such hours of operation.

3. The deviation (excursion) reports shall be submitted within 30 days of when the deviations occur.
4. If a time period longer than 30 days is needed to complete the repairs as specified in the recordkeeping section of this permit, the Central District Office shall be notified in writing. This notice shall list the repairs needed and the reason(s) the repairs could not be accomplished within the required time period.

E. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.I of these terms and conditions shall be determined in accordance with the following method(s).

a. Emission Limitation:

VOC emissions shall not exceed 0.01 pound per hour and 0.044 ton per year.

Applicable Compliance Method:

Compliance with this emission limitation shall be demonstrated by multiplying the emission factor 0.01 lb/hr (as determined from the manufacturer's emission testing on May 18, 1994) by the maximum operating hours of 8760 hours per year and dividing by 2000 lbs/ton.

If required, the permittee shall demonstrate compliance with this emission limitation through emission tests performed in accordance with 40 CFR Part 60, Appendix A, Methods 1 through 4 and 25 or 25A.

b. Emission Limitation:

CO emissions shall not exceed 0.01 pound per hour and 0.044 ton per year.

Applicable Compliance Method:

Compliance with this emission limitation shall be demonstrated by multiplying the emission factor of 0.01 lb/hr (as determined from the manufacturer's emission testing on May 18, 1994) by the maximum operating hours of 8760 hours per year and dividing by 2000 lbs/ton.

If required, the permittee shall demonstrate compliance with this emission limitation through emission tests performed in accordance with 40 CFR Part 60, Appendix A, Methods 1 through 4 and 10.

c. Emission Limitation:

Particulate Emissions shall not exceed 0.10 pound per 100 pounds of material charged and 0.66 ton per year.

Applicable Compliance Method:

Compliance with this emission limitation shall be demonstrated by multiplying the emission factor of 0.15 lb/hr (as determined from the manufacturer's emission testing on May 18, 1994) by the maximum operating hours of 8760 hours per year and dividing by 2000 lbs/ton.

If required, the permittee shall demonstrate compliance with this emission limitation through emission tests performed in accordance with 40 CFR Part 60, Appendix A,

Mid Ohio Cremation Service

PTI Application: **01 08442**

Issued

Facility ID: **0121010210**

Emissions Unit ID: **N002**

Methods 1 through 5 and the procedures specified in OAC rule 3745-17-03(B)(8).

- d. Emission Limitation:
NO_x emissions shall not exceed 0.68 pound per hour and 2.97 ton per year.

Applicable Compliance Method:

Compliance with this emission limitation shall be demonstrated by multiplying the emission factor of 0.68 lb/hr (as determined from the manufacturer's emission testing on May 18, 1994) by the maximum operating hours of 8760 hours per year and dividing by 2000 lbs/ton.

If required, the permittee shall demonstrate compliance with this emission limitation through emission tests performed in accordance with 40 CFR Part 60, Appendix A, Methods 1 through 4 and 7E.

- e. Emission Limitation:
SO₂ emissions shall not exceed 0.09 pound per hour and 0.39 ton per year.

Applicable Compliance Method:

Compliance with this emission limitation shall be demonstrated by multiplying the emission factor of 0.09 lb/hr (as determined from the manufacturer's emission testing on May 18, 1994) by the maximum operating hours of 8760 hours per year and dividing by 2000 lbs/ton.

If required, the permittee shall demonstrate compliance with this emission limitation through emission tests performed in accordance with 40 CFR Part 60, Appendix A, Methods 1 through 4 and 6C.

- f. Emission Limitation:
Visible particulate emissions from the stack shall not exceed 10% opacity as a 6-minute average.

Applicable Compliance Method:

Compliance shall be determined through visible emissions observations performed in accordance with 40 CFR Part 60, Appendix A, Method 9 and the procedures specified in OAC rule 3745-17-03(B)(1).

F. Miscellaneous Requirements

None.

NEW SOURCE REVIEW FORM B

PTI Number: 01-08442 Facility ID: 0121010210

FACILITY NAME Mid Ohio Cremation Service

FACILITY DESCRIPTION Gas fired multiple chamber cremator CITY/TWP Delaware

SIC CODE 7261 SCC CODE 5-02-005-05 EMISSIONS UNIT ID N002

EMISSIONS UNIT DESCRIPTION 150 pound per hour crematory for human and animal remains

DATE INSTALLED September 2001

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

Pollutants	Air Quality Description	Actual Emissions Rate		PTI Allowable	
		Short Term Rate	Tons Per Year	Short Term Rate	Tons Per Year
Particulate Matter		0.15	0.66	0.15	0.66
PM ₁₀					
Sulfur Dioxide		0.09	0.39	0.09	0.39
Organic Compounds		0.01	0.044	0.01	0.044
Nitrogen Oxides		0.68	2.97	0.68	2.97
Carbon Monoxide		0.01	0.044	0.01	0.044
Lead					
Other: Air Toxics					

APPLICABLE FEDERAL RULES:

NSPS? NESHAP? PSD? OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

See Additional Terms and Conditions

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? No

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$ N/A

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? _____ YES X NOIDENTIFY THE AIR CONTAMINANTS: N/A

NEW SOURCE REVIEW FORM B

PTI Number: 01-08442 Facility ID: 0121010210

FACILITY NAME Mid Ohio Cremation Service

FACILITY DESCRIPTION Gas fired multiple chamber cremator CITY/TWP Delaware

Ohio EPA Permit to Install Information Form Please describe below any documentation which is being submitted with this recommendation (must be sent the same day). Electronic items should be submitted with the e-mail transmitting the PTI terms, and in software that CO can utilize. If mailing any hard copy, this section must be printed as a cover page. All items must be clearly labeled indicating the PTI name and number. Submit hard copy items to AQM&P, DAPC, Central Office, and electronic files to airpti@epa.state.oh.us

Please fill out the following. If the checkbox does not work, replace it with an 'X'

	<u>Electronic</u>	<u>Additional information File Name Convention (your PTI # plus this letter)</u>	<u>Hard Copy</u>	<u>None</u>
<u>Calculations (required)</u>	<input checked="" type="checkbox"/>	0000000c.wpd	<input type="checkbox"/>	
<u>Modeling form/results</u>	<input type="checkbox"/>	0000000s.wpd	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<u>PTI Application (complete or partial)*</u>	<input type="checkbox"/>	0000000a.wpd	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<u>BAT Study</u>	<input type="checkbox"/>	0000000b.wpd	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<u>Other/misc.</u>	<input type="checkbox"/>	0000000t.wpd	<input type="checkbox"/>	<input checked="" type="checkbox"/>

* Mandatory for netting, PSD, nonattainment NSR, 112(g), 21-07(G)(9)(g) and 21-09(U)(2)(f) - 2 complete copies.

Please complete (see comment bubble to the left for additional instructions):

NSR Discussion

Mid-Ohio Cremation Services, located in Delaware, Ohio, is requesting a PTI (registration status) for a new cremation unit with a 150 lb per hour capacity to be used for human and animal remains. They will begin construction on the unit once the permit is granted and hope to install the unit in September 2001.

This crematory is a batch incinerator with a maximum process weight rate of 150 pounds per hour. BAT for this incinerator includes maintaining the secondary chamber within the appropriate temperature ranges so as to ensure compliance with the applicable rules and permitted emission limits.

Applicable OAC rules include: 3745-31-05, 3745-17-07, and 3745-17-09. The proposed hourly allowable emission rates were determined by emissions testing of the same model by the manufacturer. The contact engineer for the manufacturer confirmed that the appropriate USEPA testing methodologies were employed during these emissions tests. The proposed annual emissions are based on the maximum potential to emit (8760 hours).

The permit includes the corresponding monitoring/recordkeeping/reporting to ensure that the crematory is operated in such a way as to comply with the permitted emissions limits.

At present, the crematory does not trigger PSD permitting because the PTE of each criteria pollutant is less than 250 tons per year.

Calculations:

N002: Potential to Emit

PM: 0.15 lb/hr (based on emission testing of a comparable unit conducted by Southern Environmental Sciences, Inc. on May 18, 1994 in Hudson, Florida)

NEW SOURCE REVIEW FORM B

PTI Number: 01-08442 Facility ID: 0121010210

FACILITY NAME Mid Ohio Cremation Service

FACILITY DESCRIPTION Gas fired multiple chamber cremator CITY/TWP Delaware

0.15 lb/hr * 8760 hr/yr * 1 ton/ 2000 lbs = 0.66 tons/yr

CO: 0.01 lb/hr (based on emission testing of a comparable unit conducted by Southern Environmental Sciences, Inc. on May 18, 1994 in Hudson, Florida)

0.01 lb/hr * 8760 hr/yr * 1 tons/ 2000 lbs = 0.044 tons/yr

NO_x: 0.68 lb/hr (based on emission testing of a comparable unit conducted by Southern Environmental Sciences, Inc. on May 18, 1994 in Hudson, Florida)

0.68 lb/hr * 8760 hr/yr * 1 ton/ 2000 lbs= 2.97 tons/yr

SO₂: 0.09 lb/hr (based on emission testing of a comparable unit conducted by Southern Environmental Sciences, Inc. on May 18, 1994 in Hudson, Florida)

0.09 lb/hr * 8760 hr/yr * 1 ton/ 2000 lbs = 0.39 tons/yr

VOC: 0.01 lb/hr (based on emission testing of a comparable unit conducted by Southern Environmental Sciences, Inc. on May 18, 1994 in Hudson, Florida)

0.01 lb/hr * 8760 hr/yr * 1 ton/ 2000 lbs= 0.044 tons/yr

Please complete for these type permits (For PSD/NSR Permit, place mouse over this text):

Synthetic Minor Determination and/or Netting Determination
Permit To Install ENTER PTI NUMBER HERE

A. Source Description

B. Facility Emissions and Attainment Status

C. Source Emissions

D. Conclusion

PLEASE PROVIDE ADDITIONAL NOTES OR COMMENTS AS NECESSARY:

NONE

Please complete:

SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS
Pollutant

NEW SC

PTI Num

FACILITYEmissions Unit ID: **N002** _____FACILITY DESCRIPTIONGas fired multiple chamber crematorCITY/TWPDelaware**Tons Per Year**

PM	0.66
CO	0.044
NO _x	2.97
SO ₂	0.39
VOC	0.044