



State of Ohio Environmental Protection Agency

STREET ADDRESS:

Lazarus Government Center
50 W. Town St., Suite 700
Columbus, Ohio 43215

TELE: (614) 644-3020 FAX: (614) 644-3184
www.epa.state.oh.us

MAILING ADDRESS:

P.O. Box 1049
Columbus, OH 43216-1049

5/27/2009

RUSS ERWIN
FONTAINE MODIFICATION CO.
5325 PROSPERITY DR.
SPRINGFIELD, OH 45502

RE: FINAL AIR POLLUTION PERMIT-TO-INSTALL AND OPERATE
Facility ID: 0812760483
Permit Number: P0104756
Permit Type: Renewal
County: Clark

Certified Mail

No	TOXIC REVIEW
No	PSD
No	SYNTHETIC MINOR
No	CEMS
No	MACT
No	NSPS
No	NESHAPS
No	NETTING
No	MAJOR NON-ATTAINMENT
No	MODELING SUBMITTED

Dear Permit Holder:

Enclosed please find a final Air Pollution Permit-to-Install and Operate ("PTIO") which will allow you to install, modify, and/or operate the described emissions unit(s) in the manner indicated in the permit. Because this permit contains conditions and restrictions, please read it very carefully.

Ohio EPA maintains a document entitled "Frequently Asked Questions about the PTIO". The document can be downloaded from the DAPC Web page, www.epa.state.oh.us/dapc, from the "Permits" link. This document contains additional information related to your permit, such as what activities are covered under the PTIO, who has enforcement authority over the permit and Ohio EPA's authorization to inspect your facility and records. Please contact the Office of Compliance Assistance and Pollution Prevention at (614) 644-3469 if you need assistance.

The issuance of this PTIO is a final action of the Director and may be appealed to the Environmental Review Appeals Commission ("ERAC") under Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and describe the action complained of and the grounds for the appeal. The appeal must be filed with the ERAC within thirty (30) days after notice of the Director's action. A filing fee of \$70.00 must be submitted to the ERAC with the appeal, although the ERAC, has discretion to reduce the amount of the filing fee if you can demonstrate (by affidavit) that payment of the full amount of the fee would cause extreme hardship. If you file an appeal of this action, you must notify Ohio EPA of the filing of the appeal (by providing a copy to the Director) within three (3) days of filing your appeal with the ERAC. Ohio EPA requests that a copy of the appeal also be provided to the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the ERAC at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, OH 43215

If you have any questions regarding this permit, please contact the Regional Air Pollution Control Agency. This permit has been posted to the Division of Air Pollution Control (DAPC) Web page www.epa.state.oh.us/dapc.

Sincerely,

Michael W. Ahern
Michael W. Ahern, Manager
Permit Issuance and Data Management Section, DAPC

Cc: RAPCA

Ted Strickland, Governor
Lee Fisher, Lieutenant Governor
Chris Korleski, Director



**State of Ohio Environmental Protection Agency
Division of Air Pollution Control**

FINAL

**Air Pollution Permit-to-Install and Operate
for
FONTAINE MODIFICATION CO.**

Facility ID: 0812760483
Permit Number: P0104756
Permit Type: Renewal
Issued: 5/27/2009
Effective: 5/27/2009
Expiration: 5/27/2019



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Air Pollution Permit-to-Install and Operate
for
FONTAINE MODIFICATION CO.

Table of Contents

- Authorization 1
- A. Standard Terms and Conditions 3
 - 1. What does this permit-to-install and operate ("PTIO") allow me to do?..... 4
 - 2. Who is responsible for complying with this permit? 4
 - 3. What records must I keep under this permit? 4
 - 4. What are my permit fees and when do I pay them?..... 4
 - 5. When does my PTIO expire, and when do I need to submit my renewal application? 4
 - 6. What happens to this permit if my project is delayed or I do not install or modify my source? 5
 - 7. What reports must I submit under this permit? 5
 - 8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit? 5
 - 9. What are my obligations when I perform scheduled maintenance on air pollution control equipment?... 5
 - 10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report? 6
 - 11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located? 6
 - 12. What happens if one or more emissions units operated under this permit is/are shut down permanently? 6
 - 13. Can I transfer this permit to a new owner or operator? 6
 - 14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"? 7
 - 15. What happens if a portion of this permit is determined to be invalid? 7
- B. Facility-Wide Terms and Conditions..... 8
- C. Emissions Unit Terms and Conditions 10
 - 1. K001, Large and Small Paint Spray Booths with Cleanup 11



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Final Permit-to-Install and Operate
Permit Number: P0104756
Facility ID: 0812760483
Effective Date: 5/27/2009

Authorization

Facility ID: 0812760483
Application Number(s): A0037346
Permit Number: P0104756
Permit Description: Renewal of existing paint line with paint gun cleaner.
Permit Type: Renewal
Permit Fee: \$0.00
Issue Date: 5/27/2009
Effective Date: 5/27/2009
Expiration Date: 5/27/2019
Permit Evaluation Report (PER) Annual Date: Jan 1 - Dec 31, Due Feb 15
This document constitutes issuance to:

FONTAINE MODIFICATION CO.
5325 PROSPERITY DR.
SPRINGFIELD, OH 45502

of a Permit-to-Install and Operate for the emissions unit(s) identified on the following page.

Ohio EPA District Office or local air agency responsible for processing and administering your permit:

Regional Air Pollution Control Agency
117 South Main Street
Dayton, OH 45422-1280
(937)225-4435

The above named entity is hereby granted this Permit-to-Install and Operate for the air contaminant source(s) (emissions unit(s)) listed in this section pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the described emissions unit(s) will operate in compliance with applicable State and federal laws and regulations.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Chris Korleski
Director



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Final Permit-to-Install and Operate

Permit Number: P0104756

Facility ID: 0812760483

Effective Date: 5/27/2009

Authorization (continued)

Permit Number: P0104756

Permit Description: Renewal of existing paint line with paint gun cleaner.

Permits for the following emissions unit(s) or groups of emissions units are in this document as indicated below:

Emissions Unit ID:

K001

Company Equipment ID:

Large and Small Paint Spray Booths with Cleanup

Superseded Permit Number:

General Permit Category and Type:

Not Applicable



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Final Permit-to-Install and Operate

Permit Number: P0104756

Facility ID: 0812760483

Effective Date: 5/27/2009

A. Standard Terms and Conditions



1. What does this permit-to-install and operate ("PTIO") allow me to do?

This permit allows you to install and operate the emissions unit(s) identified in this PTIO. You must install and operate the unit(s) in accordance with the application you submitted and all the terms and conditions contained in this PTIO, including emission limits and those terms that ensure compliance with the emission limits (for example, operating, recordkeeping and monitoring requirements).

2. Who is responsible for complying with this permit?

The person identified on the "Authorization" page, above, is responsible for complying with this permit until the permit is revoked, terminated, or transferred. "Person" means a person, firm, corporation, association, or partnership. The words "you," "your," or "permittee" refer to the "person" identified on the "Authorization" page above.

The permit applies only to the emissions unit(s) identified in the permit. If you install or modify any other equipment that requires an air permit, you must apply for an additional PTIO(s) for these sources.

3. What records must I keep under this permit?

You must keep all records required by this permit, including monitoring data, test results, strip-chart recordings, calibration data, maintenance records, and any other record required by this permit for five years from the date the record was created. You can keep these records electronically, provided they can be made available to Ohio EPA during an inspection at the facility. Failure to make requested records available to Ohio EPA upon request is a violation of this permit requirement.

4. What are my permit fees and when do I pay them?

There are two fees associated with permitted air contaminant sources in Ohio:

- PTIO fee. This one-time fee is based on a fee schedule in accordance with Ohio Revised Code (ORC) section 3745.11, or based on a time and materials charge for permit application review and permit processing if required by the Director.

You will be sent an invoice for this fee after you receive this PTIO and payment is due within 30 days of the invoice date. You are required to pay the fee for this PTIO even if you do not install or modify your operations as authorized by this permit.

- Annual emissions fee. Ohio EPA will assess a separate fee based on the total annual emissions from your facility. You self-report your emissions in accordance with Ohio Administrative Code (OAC) Chapter 3745-78. This fee assessed is based on a fee schedule in ORC section 3745.11 and funds Ohio EPA's permit compliance oversight activities. For facilities that are permitted as synthetic minor sources, the fee schedule is adjusted annually for inflation. Ohio EPA will notify you when it is time to report your emissions and to pay your annual emission fees.

5. When does my PTIO expire, and when do I need to submit my renewal application?

This permit expires on the date identified at the beginning of this permit document (see "Authorization" page above) and you must submit a renewal application to renew the permit. Ohio EPA will send a renewal notice to you approximately six months prior to the expiration date of this permit. However, it is very important that you submit a complete renewal permit application (postmarked prior to expiration of this permit) even if you do not receive the renewal notice.



If a complete renewal application is submitted before the expiration date, Ohio EPA considers this a timely application for purposes of ORC section 119.06, and you are authorized to continue operating the emissions unit(s) covered by this permit beyond the expiration date of this permit until final action is taken by Ohio EPA on the renewal application.

6. What happens to this permit if my project is delayed or I do not install or modify my source?

This PTIO expires 18 months after the issue date identified on the "Authorization" page above unless otherwise specified if you have not (1) started constructing the new or modified emission sources identified in this permit, or (2) entered into a binding contract to undertake such construction. This deadline can be extended by up to 12 months, provided you apply to Ohio EPA for this extension within a reasonable time before the 18-month period has ended and you can show good cause for any such extension.

7. What reports must I submit under this permit?

An annual permit evaluation report (PER) is required in addition to any malfunction reporting required by OAC rule 3745-15-06 or other specific rule-based reporting requirement identified in this permit. Your PER due date is identified in the Authorization section of this permit.

8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit?

If you are required to obtain a Title V permit under OAC Chapter 3745-77 in the future, the permit-to-operate portion of this permit will be superseded by the issued Title V permit. From the effective date of the Title V permit forward, this PTIO will effectively become a PTI (permit-to-install) in accordance with OAC rule 3745-31-02(B). The following terms and conditions will no longer be applicable after issuance of the Title V permit: Section B, Term 1.b) and Section C, for each emissions unit, Term a)(2).

The PER requirements in this permit remain effective until the date the Title V permit is issued and is effective, and cease to apply after the effective date of the Title V permit. The final PER obligation will cover operations up to the effective date of the Title V permit and must be submitted on or before the submission deadline identified in this permit on the last day prior to the effective date of the Title V permit.

9. What are my obligations when I perform scheduled maintenance on air pollution control equipment?

You must perform scheduled maintenance of air pollution control equipment in accordance with OAC rule 3745-15-06(A). If scheduled maintenance requires shutting down or bypassing any air pollution control equipment, you must also shut down the emissions unit(s) served by the air pollution control equipment during maintenance, unless the conditions of OAC rule 3745-15-06(A)(3) are met. Any emissions that exceed permitted amount(s) under this permit (unless specifically exempted by rule) must be reported as deviations in the annual permit evaluation report (PER), including nonexempt excess emissions that occur during approved scheduled maintenance.



10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report?

If you have a reportable malfunction of any emissions unit(s) or any associated air pollution control system, you must report this to the Regional Air Pollution Control Agency in accordance with OAC rule 3745-15-06(B). Malfunctions that must be reported are those that result in emissions that exceed permitted emission levels. It is your responsibility to evaluate control equipment breakdowns and operational upsets to determine if a reportable malfunction has occurred.

If you have a malfunction, but determine that it is not a reportable malfunction under OAC rule 3745-15-06(B), it is recommended that you maintain records associated with control equipment breakdown or process upsets. Although it is not a requirement of this permit, Ohio EPA recommends that you maintain records for non-reportable malfunctions.

11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located?

Yes. Under Ohio law, the Director or his authorized representative may inspect the facility, conduct tests, examine records or reports to determine compliance with air pollution laws and regulations and the terms and conditions of this permit. You must provide, within a reasonable time, any information Ohio EPA requests either verbally or in writing.

12. What happens if one or more emissions units operated under this permit is/are shut down permanently?

Ohio EPA can terminate the permit terms associated with any permanently shut down emissions unit. "Shut down" means the emissions unit has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent "modification" or "installation" as defined in OAC Chapter 3745-31.

You should notify Ohio EPA of any emissions unit that is permanently shut down by submitting a certification that identifies the date on which the emissions unit was permanently shut down. The certification must be submitted by an authorized official from the facility. You cannot continue to operate an emission unit once the certification has been submitted to Ohio EPA by the authorized official.

You must comply with all recordkeeping and reporting for any permanently shut down emissions unit in accordance with the provisions of the permit, regulations or laws that were enforceable during the period of operation, such as the requirement to submit a PER, air fee emission report, or malfunction report. You must also keep all records relating to any permanently shutdown emissions unit, generated while the emissions unit was in operation, for at least five years from the date the record was generated.

Again, you cannot resume operation of any emissions unit certified by the authorized official as being permanently shut down without first applying for and obtaining a permit pursuant to OAC Chapter 3745-31.

13. Can I transfer this permit to a new owner or operator?

You can transfer this permit to a new owner or operator. If you transfer the permit, you must follow the procedures in OAC Chapter 3745-31, including notifying Ohio EPA or the local air agency of the



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Final Permit-to-Install and Operate

Permit Number: P0104756

Facility ID: 0812760483

Effective Date: 5/27/2009

change in ownership or operator. Any transferee of this permit must assume the responsibilities of the transferor permit holder.

14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"?

This permit and OAC rule 3745-15-07 prohibit operation of the air contaminant source(s) regulated under this permit in a manner that causes a nuisance. Ohio EPA can require additional controls or modification of the requirements of this permit through enforcement orders or judicial enforcement action if, upon investigation, Ohio EPA determines existing operations are causing a nuisance.

15. What happens if a portion of this permit is determined to be invalid?

If a portion of this permit is determined to be invalid, the remainder of the terms and conditions remain valid and enforceable. The exception is where the enforceability of terms and conditions are dependent on the term or condition that was declared invalid.



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Final Permit-to-Install and Operate

Permit Number: P0104756

Facility ID: 0812760483

Effective Date: 5/27/2009

B. Facility-Wide Terms and Conditions



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Final Permit-to-Install and Operate

Permit Number: P0104756

Facility ID: 0812760483

Effective Date: 5/27/2009

1. This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).
 - a) For the purpose of a permit-to-install document, the facility-wide terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (1) None.
 - b) For the purpose of a permit-to-operate document, the facility-wide terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (1) None.



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Final Permit-to-Install and Operate

Permit Number: P0104756

Facility ID: 0812760483

Effective Date: 5/27/2009

C. Emissions Unit Terms and Conditions



1. K001, Large and Small Paint Spray Booths with Cleanup

Operations, Property and/or Equipment Description:

Large and small spray booths for modified cabs and components for trucks. Consists of paint spray booths with filters, air make-up unit (outdoor mounted) and exhausts. Paint mix room includes filters, spray paint gun cleaner and exhaust.

a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

(1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

a. None.

(2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

a. None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3)	<p>Volatile organic compound (VOC) emissions from this emissions unit shall not exceed 50 lbs/day from coatings and 5.5 tons per year (TPY), including both coatings and cleanup materials.</p> <p>The requirements established pursuant to this rule also include the requirements of OAC rules 3745-17-11(C)(1), 3745-21-09(U)(2)(e)(i) and 3745-21-18.</p>
b.	OAC rule 3745-21-09(U)(2)(e)(i)	See b)(2)a.
c.	OAC rule 3745-21-18	See b)(2)b.
d.	OAC rule 3745-17-11(C)	See b)(2)c.



(2) Additional Terms and Conditions

- a. The permittee shall not employ more than eight gallons of coating per day for the miscellaneous metal parts and products coating line. The daily usage limitation for the coating line shall not include coatings applied to parts or products which are not metal.
- b. The permittee shall not apply to mobile equipment or mobile equipment components any automotive pretreatment, automotive primer-surfacer, automotive primer-sealer, automotive topcoat, or automotive specialty coatings, including any VOC-containing materials added to the original coating supplied by the manufacturer, that contain VOCs in excess of the limits specified in the following table:

Coating Type	Limit (pounds VOC per gallon of coating, excluding water and exempt solvents)	Limit (grams VOC per liter of coating, excluding water and exempt solvents)
pretreatment primer	6.5	780
primer-surfacer	4.8	575
primer-sealer	4.6	550
topcoat (single-stage)	5.0	600
topcoat (two-stage basecoat/clearcoat)	5.0	600
topcoat (three or four-stage basecoat/clearcoat)	5.2	625
multi-colored topcoat	5.7	680
automotive specialty	7.0	840

- c. The permittee shall operate the dry particulate filter system whenever this emissions unit is in operation.

c) Operational Restrictions

- (1) The permittee shall operate and maintain the dry particulate filter system for the surface coating operations in accordance with the manufacturer's recommendations, instructions, and/or operating manual(s) with any modifications deemed necessary by the permittee. The dry particulate filter shall be employed during all periods of coating application to control particulate emissions.
- (2) The permittee shall expeditiously repair the dry particulate filter or otherwise return it to normal operations, as recommended by the manufacturer with any modifications deemed necessary by the permittee, whenever it is determined that the control device is not operating in accordance with these requirements.
- (3) The permittee shall use one or more of the following application techniques, in accordance with manufacturer's specifications, to apply any coating containing a VOC as a pretreatment, primer, sealant, basecoat, clear coat, or topcoat to mobile equipment for commercial purposes:



- a. flow or curtain coating;
 - b. dip coating;
 - c. roller coating;
 - d. brush coating;
 - e. cotton-tipped swab application;
 - f. electro-deposition coating;
 - g. high volume, low pressure (HVLP) spraying;
 - h. electrostatic spray;
 - i. airless spray;
 - j. air-assisted airless spray; and
 - k. Any other coating application method that the applicable facility demonstrates and Ohio EPA determines achieves emissions reductions equivalent to HVLP or electrostatic spray application methods. This demonstration shall be submitted for approval to the director of Ohio EPA. Any equivalent coating application method approved by the Director shall be submitted to the U.S. environmental protection agency as a revision to the Ohio state implementation plan for ozone.
- (4) A person at the facility shall be properly trained in the use of an HVLP sprayer, or equivalent application, in accordance with manufacturer's specifications, and the handling of a coating and any solvents used to clean the sprayer.
- (5) Spray guns used to apply mobile equipment repair and refinishing coatings shall be cleaned by one of the following:
- a. an enclosed spray gun cleaning system that is kept closed when not in use;
 - b. un-atomized discharge of solvent into a paint waste container that is kept closed when not in use;
 - c. disassembly of the spray gun and cleaning in a vat that is kept closed when not in use; and
 - d. atomized spray into a paint waste container that is fitted with a device designed to capture atomized solvent emissions.
- (6) The permittee shall store the following materials in nonabsorbent, non-leaking containers and keep these containers closed at all times when not in use:
- a. fresh coatings;
 - b. used coatings;
 - c. solvents;



- d. VOC-containing additives and materials;
- e. VOC-containing waste materials; and
- f. cloth, paper, or absorbent applicators moistened with any of the items listed c)(6)a through c)(6)e above.

d) Monitoring and/or Recordkeeping Requirements

- (1) The permittee shall collect and record the following information each day for the coating line:
 - a. the name and identification number of each coating employed for metal parts;
 - b. the volume, in gallons, of each coating employed for metal parts; and
 - c. the total volume, in gallons, of all of the coatings employed for metal parts.
- (2) The permittee shall collect and record the following information on a daily basis for the coating and cleanup materials applied in this emissions unit:
 - a. the number of gallons of each coating applied or all coatings applied during the day;
 - b. the maximum VOC content for each or the maximum VOC content for any coating applied, in pounds per gallon;
 - c. the total VOC emissions from all coatings applied, i.e., the summation of the products of d)(2)a times d)(2)b for each individual coating applied; or the product of the maximum VOC content of any coating applied times the total gallons of coating employed during the day, i.e., d)(2)a times d)(2)b for worst case coating;
 - d. the name and identification of each cleanup material employed;
 - e. the VOC content of each cleanup material, in pounds per gallon;
 - f. the number of gallons of each cleanup material employed;
 - g. the total VOC emission rate from all cleanup materials, i.e., the summation of the products of d)(2)e times d)(2)f for all cleanup materials employed; and
 - h. the total VOC emissions from all coatings and cleanup materials employed, in pounds or tons, the sum of d)(2)c and d)(2)g.

These daily records shall be maintained for the purpose of determining annual VOC emissions for the emissions unit.

- (3) The permittee shall calculate and record the VOC content of the coatings employed in accordance with the following:
 - a. Except for multi-stage topcoats, the mass of VOC per combined volume of VOC and coating solids, excluding water and exempt solvents, shall be calculated by the following equation:



$$VOC = \frac{(W_v - W_w - W_{ec})}{(V - V_w - V_{ec})}$$

where:

VOC = VOC content in pounds per gallon of coating, excluding water and exempt solvents;

W_v = mass of total volatiles, in pounds;

W_w = mass of water, in pounds;

W_{ec} = mass of exempt solvents, in pounds;

V = volume of coating, in gallons;

V_w = volume of water, in gallons; and

V_{ec} = volume of exempt solvents, in gallons.

- b. The VOC content of a multi-stage topcoat shall be calculated by the following equation:

$$VOC_{multi} = \frac{VOC_{bc} + \sum_{i=0}^M VOC_{mci} + 2(VOC_{cc})}{M + 3}$$

where:

VOC_{multi} = VOC content of multistage topcoat, in pounds per gallon, excluding water and exempt solvents;

VOC_{bc} = VOC content of basecoat, in pounds per gallon, excluding water and exempt solvents;

VOC_{mci} = VOC content of each midcoat(s), in pounds per gallon, excluding water and exempt solvents;

VOC_{cc} = VOC content of the clear coat, in pounds per gallon, excluding water and exempt solvents; and

M = number of midcoats.

(The VOC content of each coating shall be measured in accordance with USEPA Method 24.)

- (4) The permittee shall maintain documentation of the manufacturer's recommendations, instructions, or operating manuals for the dry particulate filter, along with documentation of any modifications deemed necessary by the permittee. These documents shall be



maintained at the facility and shall be made available to the appropriate Ohio EPA District Office or local air agency upon request.

- (5) The permittee shall conduct periodic inspections of the dry particulate filter to determine whether it is operating in accordance with the manufacturer's recommendations, instructions, or operating manuals with any modifications deemed necessary by the permittee or operator. These inspections shall be performed at a frequency that shall be based upon the recommendation of the manufacturer and the permittee shall maintain a copy of the manufacturer's recommended inspection frequency and it shall be made available to the Ohio EPA upon request.
- (6) In addition to the recommended periodic inspections, not less than once each calendar year the permittee shall conduct a comprehensive inspection of the dry particulate filter while the emissions unit is shut down and perform any needed maintenance and repair to ensure that it is operated in accordance with the manufacturer's recommendations.
- (7) The permittee shall document each inspection (periodic and annual) of the dry particulate filter system and shall maintain the following information:
 - a. the date of the inspection;
 - b. a description of each/any problem identified and the date it was corrected;
 - c. a description of any maintenance and repairs performed; and
 - d. the name of person who performed the inspection.

These records shall be maintained at the facility for not less than five years from the date the inspection and any necessary maintenance or repairs were completed and shall be made available to the appropriate Ohio EPA District Office or local air agency upon request.

- (8) The permittee shall maintain records that document any time periods when the dry particulate filter was not in service when the emissions unit was in operation, as well as, a record of all operations during which the dry particulate filter was not operated according to the manufacturer's recommendations with any documented modifications made by the permittee. These records shall be maintained for a period of not less than five years and shall be made available to the Ohio EPA upon request.

e) Reporting Requirements

- (1) The permittee shall notify the Director (the appropriate Ohio EPA District Office or local air agency) in writing of any daily record showing that the coating line employs more than the applicable maximum daily coating usage limit. The notification shall include a copy of such record and shall be sent to the Director (the appropriate Ohio EPA District Office or local air agency) within 45 days after the exceedance occurs.
- (2) The permittee shall submit documentation sufficient to demonstrate that high efficiency transfer application techniques of coatings required in c)(3) are in use at the facility. The documentation also shall verify that all employees applying coatings are properly trained in the use of an HVLP sprayer, or equivalent application, and in the handling of a coating and any solvents used to clean the sprayer. This documentation shall be submitted to



the appropriate Ohio EPA district office or local air agency. In addition, the owner or operator shall retain the documentation on site and make the documentation available to the Ohio EPA or local air agency upon request.

- (3) The permittee shall maintain records for a period of five years of the amount and VOC content of each coating employed and report to the director all emissions in excess of the limits specified in b)(2)b within forty-five days after each exceedance is discovered.
- (4) The permittee shall also submit annual reports that specify the total VOC emissions from this emissions unit for the previous calendar year. These reports shall be submitted by January 31 of each year.
- (5) Annual Permit Evaluation Report (PER) forms will be mailed to the permittee at the end of the reporting period specified in the Authorization section of this permit. The permittee shall submit the PER in the form and manner provided by the director by the due date identified in the Authorization section of this permit. The permit evaluation report shall cover a reporting period of no more than twelve-months for each air contaminant source identified in this permit.

f) Testing Requirements

- (1) Compliance with the emission limitations in b) shall be determined in accordance with the following methods:

- a. Emissions Limitation:

The permittee shall not employ more than eight gallons of coating per day for the miscellaneous metal parts and products coating line. The daily usage limitation for the coating line shall not include coatings applied to parts or products which are not metal.

Applicable Compliance Method:

Compliance shall be based upon the record keeping specified in d)(1).

- b. Emissions Limitation:

VOC emissions from this emissions unit shall not exceed 50 lbs/day from coatings.

Applicable Compliance Method:

Compliance shall be based upon the record keeping specified in d)(2).

- c. Emissions Limitation:

VOC emissions from this emissions unit shall not exceed 5.5 TPY, including both coatings and cleanup materials.

Applicable Compliance Method:

Compliance shall be based upon the record keeping specified in d)(2).



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Final Permit-to-Install and Operate

Permit Number: P0104756

Facility ID: 0812760483

Effective Date: 5/27/2009

- (2) USEPA Methods 24 and 24A shall be used to determine the VOC contents for coatings. If, pursuant to Method 24 as outlined in 40 CFR Part 60, Appendix A, an owner or operator determines that Method 24 or 24A cannot be used for a particular coating or ink, the permittee shall so notify the Administrator of the USEPA and shall use formulation data for that coating or ink to demonstrate compliance until the USEPA provides alternative analytical procedures or alternative precision statements for Method 24 or 24A.
- g) Miscellaneous Requirements
- (1) The requirements of this permit supersede the requirements of PTI 08-2403 issued April 15, 1992 and represent no increase in emissions.