



State of Ohio Environmental Protection Agency

STREET ADDRESS:

Lazarus Government Center
50 W. Town St., Suite 700
Columbus, Ohio 43215

TELE: (614) 644-3020 FAX: (614) 644-3184
www.epa.ohio.gov

MAILING ADDRESS:

P.O. Box 1049
Columbus, OH 43216-1049

11/9/2009

Certified Mail

BERNIE SCHNEIDER
PRECISION AGGREGATES
12205 E. GYPSY LANE
BOWLING GREEN, OH 43402

No	TOXIC REVIEW
No	PSD
No	SYNTHETIC MINOR
No	CEMS
No	MACT
Yes	NSPS
No	NESHAPS
No	NETTING
No	MAJOR NON-ATTAINMENT
No	MODELING SUBMITTED

RE: FINAL AIR POLLUTION PERMIT-TO-INSTALL AND OPERATE
Facility ID: 0372030245
Permit Number: P0087664
Permit Type: Renewal
County: Sandusky

Dear Permit Holder:

Enclosed please find a final Air Pollution Permit-to-Install and Operate ("PTIO") which will allow you to install, modify, and/or operate the described emissions unit(s) in the manner indicated in the permit. Because this permit contains conditions and restrictions, please read it very carefully. Please complete a survey at www.epa.ohio.gov/dapc/permitsurvey.aspx and give us feedback on your permitting experience. We value your opinion.

Ohio EPA maintains a document entitled "Frequently Asked Questions about the PTIO". The document can be downloaded from the DAPC Web page, www.epa.ohio.gov/dapc, from the "Permits" link. This document contains additional information related to your permit, such as what activities are covered under the PTIO, who has enforcement authority over the permit and Ohio EPA's authorization to inspect your facility and records. Please contact the Office of Compliance Assistance and Pollution Prevention at (614) 644-3469 if you need assistance.

The issuance of this PTIO is a final action of the Director and may be appealed to the Environmental Review Appeals Commission ("ERAC") under Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and describe the action complained of and the grounds for the appeal. The appeal must be filed with the ERAC within thirty (30) days after notice of the Director's action. A filing fee of \$70.00 must be submitted to the ERAC with the appeal, although the ERAC, has discretion to reduce the amount of the filing fee if you can demonstrate (by affidavit) that payment of the full amount of the fee would cause extreme hardship. If you file an appeal of this action, you must notify Ohio EPA of the filing of the appeal (by providing a copy to the Director) within three (3) days of filing your appeal with the ERAC. Ohio EPA requests that a copy of the appeal also be provided to the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the ERAC at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, OH 43215

If you have any questions regarding this permit, please contact the Ohio EPA DAPC, Northwest District Office. This permit has been posted to the Division of Air Pollution Control (DAPC) Web page www.epa.ohio.gov/dapc.

Sincerely,

Michael W. Ahern
Michael W. Ahern, Manager
Permit Issuance and Data Management Section, DAPC

Cc: Ohio EPA-NWDO

Ted Strickland, Governor
Lee Fisher, Lieutenant Governor
Chris Korleski, Director



**State of Ohio Environmental Protection Agency
Division of Air Pollution Control**

FINAL

**Air Pollution Permit-to-Install and Operate
for
PRECISION AGGREGATES**

Facility ID: 0372030245
Permit Number: P0087664
Permit Type: Renewal
Issued: 11/9/2009
Effective: 11/9/2009
Expiration: 11/9/2019



Air Pollution Permit-to-Install and Operate
for
PRECISION AGGREGATES

Table of Contents

Authorization 1

A. Standard Terms and Conditions 3

 1. What does this permit-to-install and operate ("PTIO") allow me to do?..... 4

 2. Who is responsible for complying with this permit? 4

 3. What records must I keep under this permit? 4

 4. What are my permit fees and when do I pay them?..... 4

 5. When does my PTIO expire, and when do I need to submit my renewal application? 4

 6. What happens to this permit if my project is delayed or I do not install or modify my source? 5

 7. What reports must I submit under this permit? 5

 8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit? 5

 9. What are my obligations when I perform scheduled maintenance on air pollution control equipment? ... 5

 10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report? 5

 11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located? 6

 12. What happens if one or more emissions units operated under this permit is/are shut down permanently? 6

 13. Can I transfer this permit to a new owner or operator? 6

 14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"? 7

 15. What happens if a portion of this permit is determined to be invalid? 7

B. Facility-Wide Terms and Conditions 8

C. Emissions Unit Terms and Conditions 10

 1. F001, Aggregate Processing Plant..... 11

 2. F002, Mineral Extraction Plant 17

 3. F003, Storage Piles..... 21

 4. F004, Roadway..... 27



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Final Permit-to-Install and Operate
Permit Number: P0087664
Facility ID: 0372030245
Effective Date: 11/9/2009

Authorization

Facility ID: 0372030245
Application Number(s): A0018694
Permit Number: P0087664
Permit Description: PTIO for F001-F004 from PTI 03-16291, issued 5/17/05.
Permit Type: Renewal
Permit Fee: \$0.00
Issue Date: 11/9/2009
Effective Date: 11/9/2009
Expiration Date: 11/9/2019
Permit Evaluation Report (PER) Annual Date: Jan 1 - Dec 31, Due Feb 15
This document constitutes issuance to:

PRECISION AGGREGATES
100 N. BRUSH STREET
FREMONT, OH 43420

of a Permit-to-Install and Operate for the emissions unit(s) identified on the following page.

Ohio EPA District Office or local air agency responsible for processing and administering your permit:

Ohio EPA DAPC, Northwest District Office
347 North Dunbridge Road
Bowling Green, OH 43402
(419)352-8461

The above named entity is hereby granted this Permit-to-Install and Operate for the air contaminant source(s) (emissions unit(s)) listed in this section pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the described emissions unit(s) will operate in compliance with applicable State and federal laws and regulations.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Chris Korleski
Director



Authorization (continued)

Permit Number: P0087664
Permit Description: PTIO for F001-F004 from PTI 03-16291, issued 5/17/05.

Permits for the following emissions unit(s) or groups of emissions units are in this document as indicated below:

- | | |
|-----------------------------------|----------------------------|
| Emissions Unit ID: | F001 |
| Company Equipment ID: | Aggregate Processing Plant |
| Superseded Permit Number: | |
| General Permit Category and Type: | Not Applicable |
| Emissions Unit ID: | F002 |
| Company Equipment ID: | Mineral Extraction Plant |
| Superseded Permit Number: | |
| General Permit Category and Type: | Not Applicable |
| Emissions Unit ID: | F003 |
| Company Equipment ID: | Storage Piles |
| Superseded Permit Number: | |
| General Permit Category and Type: | Not Applicable |
| Emissions Unit ID: | F004 |
| Company Equipment ID: | Roadway |
| Superseded Permit Number: | |
| General Permit Category and Type: | Not Applicable |



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Final Permit-to-Install and Operate

Permit Number: P0087664

Facility ID: 0372030245

Effective Date: 11/9/2009

A. Standard Terms and Conditions



1. What does this permit-to-install and operate ("PTIO") allow me to do?

This permit allows you to install and operate the emissions unit(s) identified in this PTIO. You must install and operate the unit(s) in accordance with the application you submitted and all the terms and conditions contained in this PTIO, including emission limits and those terms that ensure compliance with the emission limits (for example, operating, recordkeeping and monitoring requirements).

2. Who is responsible for complying with this permit?

The person identified on the "Authorization" page, above, is responsible for complying with this permit until the permit is revoked, terminated, or transferred. "Person" means a person, firm, corporation, association, or partnership. The words "you," "your," or "permittee" refer to the "person" identified on the "Authorization" page above.

The permit applies only to the emissions unit(s) identified in the permit. If you install or modify any other equipment that requires an air permit, you must apply for an additional PTIO(s) for these sources.

3. What records must I keep under this permit?

You must keep all records required by this permit, including monitoring data, test results, strip-chart recordings, calibration data, maintenance records, and any other record required by this permit for five years from the date the record was created. You can keep these records electronically, provided they can be made available to Ohio EPA during an inspection at the facility. Failure to make requested records available to Ohio EPA upon request is a violation of this permit requirement.

4. What are my permit fees and when do I pay them?

There are two fees associated with permitted air contaminant sources in Ohio:

- PTIO fee. This one-time fee is based on a fee schedule in accordance with Ohio Revised Code (ORC) section 3745.11, or based on a time and materials charge for permit application review and permit processing if required by the Director.

You will be sent an invoice for this fee after you receive this PTIO and payment is due within 30 days of the invoice date. You are required to pay the fee for this PTIO even if you do not install or modify your operations as authorized by this permit.

- Annual emissions fee. Ohio EPA will assess a separate fee based on the total annual emissions from your facility. You self-report your emissions in accordance with Ohio Administrative Code (OAC) Chapter 3745-78. This fee assessed is based on a fee schedule in ORC section 3745.11 and funds Ohio EPA's permit compliance oversight activities. For facilities that are permitted as synthetic minor sources, the fee schedule is adjusted annually for inflation. Ohio EPA will notify you when it is time to report your emissions and to pay your annual emission fees.

5. When does my PTIO expire, and when do I need to submit my renewal application?

This permit expires on the date identified at the beginning of this permit document (see "Authorization" page above) and you must submit a renewal application to renew the permit. Ohio EPA will send a renewal notice to you approximately six months prior to the expiration date of this permit. However, it is very important that you submit a complete renewal permit application (postmarked prior to expiration of this permit) even if you do not receive the renewal notice.



If a complete renewal application is submitted before the expiration date, Ohio EPA considers this a timely application for purposes of ORC section 119.06, and you are authorized to continue operating the emissions unit(s) covered by this permit beyond the expiration date of this permit until final action is taken by Ohio EPA on the renewal application.

6. What happens to this permit if my project is delayed or I do not install or modify my source?

This PTIO expires 18 months after the issue date identified on the "Authorization" page above unless otherwise specified if you have not (1) started constructing the new or modified emission sources identified in this permit, or (2) entered into a binding contract to undertake such construction. This deadline can be extended by up to 12 months, provided you apply to Ohio EPA for this extension within a reasonable time before the 18-month period has ended and you can show good cause for any such extension.

7. What reports must I submit under this permit?

An annual permit evaluation report (PER) is required in addition to any malfunction reporting required by OAC rule 3745-15-06 or other specific rule-based reporting requirement identified in this permit. Your PER due date is identified in the Authorization section of this permit.

8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit?

If you are required to obtain a Title V permit under OAC Chapter 3745-77 in the future, the permit-to-operate portion of this permit will be superseded by the issued Title V permit. From the effective date of the Title V permit forward, this PTIO will effectively become a PTI (permit-to-install) in accordance with OAC rule 3745-31-02(B). The following terms and conditions will no longer be applicable after issuance of the Title V permit: Section B, Term 1.b) and Section C, for each emissions unit, Term a)(2).

The PER requirements in this permit remain effective until the date the Title V permit is issued and is effective, and cease to apply after the effective date of the Title V permit. The final PER obligation will cover operations up to the effective date of the Title V permit and must be submitted on or before the submission deadline identified in this permit on the last day prior to the effective date of the Title V permit.

9. What are my obligations when I perform scheduled maintenance on air pollution control equipment?

You must perform scheduled maintenance of air pollution control equipment in accordance with OAC rule 3745-15-06(A). If scheduled maintenance requires shutting down or bypassing any air pollution control equipment, you must also shut down the emissions unit(s) served by the air pollution control equipment during maintenance, unless the conditions of OAC rule 3745-15-06(A)(3) are met. Any emissions that exceed permitted amount(s) under this permit (unless specifically exempted by rule) must be reported as deviations in the annual permit evaluation report (PER), including nonexempt excess emissions that occur during approved scheduled maintenance.

10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report?

If you have a reportable malfunction of any emissions unit(s) or any associated air pollution control system, you must report this to the Ohio EPA DAPC, Northwest District Office in accordance with OAC



rule 3745-15-06(B). Malfunctions that must be reported are those that result in emissions that exceed permitted emission levels. It is your responsibility to evaluate control equipment breakdowns and operational upsets to determine if a reportable malfunction has occurred.

If you have a malfunction, but determine that it is not a reportable malfunction under OAC rule 3745-15-06(B), it is recommended that you maintain records associated with control equipment breakdown or process upsets. Although it is not a requirement of this permit, Ohio EPA recommends that you maintain records for non-reportable malfunctions.

11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located?

Yes. Under Ohio law, the Director or his authorized representative may inspect the facility, conduct tests, examine records or reports to determine compliance with air pollution laws and regulations and the terms and conditions of this permit. You must provide, within a reasonable time, any information Ohio EPA requests either verbally or in writing.

12. What happens if one or more emissions units operated under this permit is/are shut down permanently?

Ohio EPA can terminate the permit terms associated with any permanently shut down emissions unit. "Shut down" means the emissions unit has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent "modification" or "installation" as defined in OAC Chapter 3745-31.

You should notify Ohio EPA of any emissions unit that is permanently shut down by submitting a certification that identifies the date on which the emissions unit was permanently shut down. The certification must be submitted by an authorized official from the facility. You cannot continue to operate an emission unit once the certification has been submitted to Ohio EPA by the authorized official.

You must comply with all recordkeeping and reporting for any permanently shut down emissions unit in accordance with the provisions of the permit, regulations or laws that were enforceable during the period of operation, such as the requirement to submit a PER, air fee emission report, or malfunction report. You must also keep all records relating to any permanently shutdown emissions unit, generated while the emissions unit was in operation, for at least five years from the date the record was generated.

Again, you cannot resume operation of any emissions unit certified by the authorized official as being permanently shut down without first applying for and obtaining a permit pursuant to OAC Chapter 3745-31.

13. Can I transfer this permit to a new owner or operator?

You can transfer this permit to a new owner or operator. If you transfer the permit, you must follow the procedures in OAC Chapter 3745-31, including notifying Ohio EPA or the local air agency of the change in ownership or operator. Any transferee of this permit must assume the responsibilities of the transferor permit holder.



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Final Permit-to-Install and Operate

Permit Number: P0087664

Facility ID: 0372030245

Effective Date: 11/9/2009

14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"?

This permit and OAC rule 3745-15-07 prohibit operation of the air contaminant source(s) regulated under this permit in a manner that causes a nuisance. Ohio EPA can require additional controls or modification of the requirements of this permit through enforcement orders or judicial enforcement action if, upon investigation, Ohio EPA determines existing operations are causing a nuisance.

15. What happens if a portion of this permit is determined to be invalid?

If a portion of this permit is determined to be invalid, the remainder of the terms and conditions remain valid and enforceable. The exception is where the enforceability of terms and conditions are dependent on the term or condition that was declared invalid.



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Final Permit-to-Install and Operate

Permit Number: P0087664

Facility ID: 0372030245

Effective Date: 11/9/2009

B. Facility-Wide Terms and Conditions



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Final Permit-to-Install and Operate

Permit Number: P0087664

Facility ID: 0372030245

Effective Date: 11/9/2009

1. This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).
 - a) For the purpose of a permit-to-install document, the facility-wide terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (1) None.
 - b) For the purpose of a permit-to-operate document, the facility-wide terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (1) None.



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Final Permit-to-Install and Operate

Permit Number: P0087664

Facility ID: 0372030245

Effective Date: 11/9/2009

C. Emissions Unit Terms and Conditions



1. F001, Aggregate Processing Plant

Operations, Property and/or Equipment Description:

300 tons/hr aggregate processing plant

a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

(1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

a. None.

(2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

a. None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3)(a)	15.06 tons fugitive particulate emissions (PE)/year Visible particulate emissions shall not exceed 20% opacity as a 3-minute average from front end loaders into hoppers. Best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust [See b)(2)a. through b)(2)c.] See b)(2)d.
b.	OAC rule 3745-17-07(B)(1)	See b)(2)e.
c.	OAC rule 3745-17-08(B)(1)	See b)(2)f.
d.	40 CFR Part 60, Subpart OOO	Visible emission restrictions [See b)(2)g.]



(2) Additional Terms and Conditions

- a. The permittee shall employ best available control measures for the material processing/handling operations identified below, for the purpose of ensuring compliance with the above mentioned applicable requirements. In accordance with the permit application, the permittee maintains that the inherent moisture content of the materials processed/handled is at a level which is more than sufficient to comply with all applicable requirements. If at any time the moisture content is not sufficient to meet the above applicable requirements, the permittee shall employ best available control measures to ensure compliance.

aggregate processing operation

control measure(s)

all

inherent moisture content

Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.

- b. For each material handling operation that is not adequately enclosed, the above-identified control measures shall be implemented if the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measures are necessary to ensure compliance with the above-mentioned applicable requirements. Any required implementation of the control measures shall continue during the operation of the material handling operations until further observation confirms that use of the control measures is unnecessary.
- c. Implementation of the above-mentioned control measures in accordance with the terms and conditions of this permit is appropriate and sufficient to satisfy the requirements of OAC rule 3745-31-05.
- d. The requirements of this rule also include compliance with 40 CFR Part 60, Subpart OOO.
- e. This emissions unit is exempt from the visible particulate emission limitations specified in OAC rule 3745-17-07(B) pursuant to OAC rule 3745-17-07(B)(11)(e).
- f. This facility is not located within an "Appendix A" area as identified in OAC rule 3745-17-08. Therefore, pursuant to OAC rule 3745-17-08(A), this emissions unit is exempt from the requirements of OAC rule 3745-17-08(B).
- g. Visible particulate emissions from the aggregate processing equipment included under this permit shall not exceed the following opacity restrictions:
 - i. The permittee shall not cause to be discharged into the atmosphere from any crusher, at which a capture system is not used, fugitive emissions which exhibit greater than 15% opacity.
 - ii. The permittee shall not cause to be discharged into the atmosphere from any transfer point on belt conveyors or from any other affected facility any fugitive emissions which exhibit greater than 10% opacity.



h. The application and enforcement of the provisions of NSPS, as promulgated by the United States Environmental Protection Agency, 40 CFR Part 60, are delegated to the Ohio Environmental Protection Agency. The requirements of 40 CFR Part 60 are also federally enforceable.

c) Operational Restrictions

(1) The permittee shall not exceed 300,000 tons per year of aggregate processed in emissions unit F001. This restriction is based on the aggregate throughput of the primary crusher.

d) Monitoring and/or Recordkeeping Requirements

(1) The permittee shall maintain monthly records of the amount (tons per month and total tons, to date, for the calendar year) of aggregate processed through the primary crusher of emissions unit F001.

(2) Except as otherwise provided in this section, for material handling operations that are not adequately enclosed, the permittee shall perform inspections of such operations in accordance with the following minimum frequencies:

<u>material handling operations</u>	<u>minimum inspection frequency</u>
All	once during each day of operation

(3) The above-mentioned inspections shall be performed during representative, normal operating conditions.

(4) The permittee may, upon receipt of written approval from the appropriate Ohio EPA District Office or local air agency, modify the above-mentioned inspection frequencies if operating experience indicates that less frequent inspections would be sufficient to ensure compliance with the above-mentioned applicable requirements.

(5) The permittee shall maintain records of the following information:

- a. the date and reason any required inspection was not performed;
- b. the date of each inspection where it was determined by the permittee that it was necessary to implement the control measure(s);
- c. the dates the control measure(s) was (were) implemented; and
- d. on a calendar quarter basis, the total number of days the control measure(s) was (were) implemented.

The information in d)(5)d. shall be kept separately for each material handling operation identified above, and shall be updated on a calendar quarter basis within 30 days after the end of each calendar quarter.

e) Reporting Requirements

(1) Annual Permit Evaluation Report (PER) forms will be mailed to the permittee at the end of the reporting period specified in the Authorization section of this permit. The permittee



shall submit the PER in the form and manner provided by the director by the due date identified in the Authorization section of this permit. The permit evaluation report shall cover a reporting period of no more than twelve-months for each air contaminant source identified in this permit.

The permittee shall identify in the annual PER the following occurrences concerning inspection and control measure requirements:

- a. each day during which an inspection was not performed by the required frequency.
 - b. each instance when a control measure, that was to be implemented as a result of an inspection, was not implemented.
- (2) In accordance with NSPS requirements, the permittee shall submit the following information for each piece of equipment that is replaced by a piece of equipment having the same function as the existing facility:
- a. for a crusher:
 - i. the rated capacity in tons per hour of the existing facility being replaced; and
 - ii. the rated capacity in tons per hour of the replacement equipment.
 - b. for a screening operation:
 - i. the total surface area of the top screen of the existing screening operation being replaced; and
 - ii. the total surface area of the top screen of the replacement screening operation.
 - c. for a conveyor belt:
 - i. the width of the existing belt being replaced; and
 - ii. the width of the replacement conveyor belt.
 - d. for a storage bin;
 - i. the rated capacity in tons of the existing storage bin being replaced; and
 - ii. the rated capacity in tons of the replacement storage bins.

The notification shall be submitted to the Ohio EPA Northwest District Office within 30 days after the equipment replacement.

f) Testing Requirements

- (1) Compliance with the emission limitations in b)(1) shall be determined in accordance with the following method(s):



- a. Emission Limitation: 15.06 tons fugitive PE/yr

Applicable Compliance Method: The emission limitation was developed in accordance with the following equation: Total Emissions = crushing* + screening** + transfer points***

*Crushing: For each crusher, multiply the AP-42 emission factor of 0.0054 lb PE/ton (Section 11.19.2 - 8/04) by the maximum annual throughput of 300,000 tons and divide by 2000.

**Screening: For each screen, multiply the AP-42 emission factor of 0.025 lb PE/ton (Section 11.19.2 - 8/04) by the maximum annual throughput of 300,000 tons and divide by 2000.

***Transfer Points: For each transfer point, multiply the AP-42 emission factor of 0.0030 lb PE/ton (Section 11.19.2 - 8/04) by the maximum annual throughput of 300,000 tons and divide by 2000.

Therefore, provided compliance is shown with the requirement to apply best available control measures, compliance with the ton per year PE limitation will be assumed.

- b. Emission Limitation: Visible particulate emissions shall not exceed 20% opacity as a 3-minute average from front end loaders into feed hoppers.

Applicable Compliance Method: If required, compliance shall be determined through visible emission observations performed in accordance U.S. EPA Method 9 and the procedures specified in OAC rule 3745-17-03(B)(3).

- c. Emission Limitation: The permittee shall not cause to be discharged into the atmosphere from any crusher, at which a capture system is not used, fugitive emissions which exhibit greater than 15% opacity.

Applicable Compliance Method: The permittee has conducted the required NSPS opacity testing requirements (circa 1997).

If required, compliance shall be further demonstrated using Method 9 / Method 22 of 40 CFR, Part 60, Appendix A, and the procedures specified in 40 CFR 60.675.

- d. Emission Limitation: The permittee shall not cause to be discharged into the atmosphere from any transfer point on belt conveyors or from any other affected facility any fugitive emissions which exhibit greater than 10% opacity.

Applicable Compliance Method: The permittee has conducted the required NSPS opacity testing requirements (circa 1997).

If required, compliance shall be further demonstrated using Method 9 / Method 22 of 40 CFR, Part 60, Appendix A, and the procedures specified in 40 CFR 60.675.



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Final Permit-to-Install and Operate

Permit Number: P0087664

Facility ID: 0372030245

Effective Date: 11/9/2009

g) Miscellaneous Requirements

(1) None.



2. F002, Mineral Extraction Plant

Operations, Property and/or Equipment Description:

Mineral Extraction including drilling, blasting and loading of limestone

a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

(1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

a. None.

(2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

a. None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3)(a)	1.59 tons fugitive particulate emissions (PE)/yr Opacity Restrictions [See b)(2)b.] Use of best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust [See b)(2)c. and b)(2)d.]
b.	OAC rule 3745-17-07(B)(1)	See b)(2)e.
c.	OAC rule 3745-17-08(B)(1)	See b)(2)f.

(2) Additional Terms and Conditions

a. The mineral extraction operations that are covered by this permit and subject to the above mentioned requirements are listed below

Drilling, blasting and loading of limestone



- b. Visible particulate emissions shall not exceed 20% opacity as a 3-minute average from the following mineral extraction operations: drilling and loading of limestone.
- c. The permittee shall employ best available control measures for the above-identified mineral extraction operations for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee’s permit application, the permittee has committed to perform the following control measures to ensure compliance:

<u>mineral extraction operation</u>	<u>control measure(s)</u>
drilling	either water control system or vent to a cyclone and/or baghouse
blasting	minimize area to be blasted and prevention of overshooting
loading of limestone content	maintenance of an inherent moisture

Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.

- d. Implementation of the above-mentioned control measure(s) in accordance with the terms and conditions of this permit is appropriate and sufficient to satisfy the requirements of OAC rule 3745-31-05(A)(3).
- e. This emissions unit is exempt from the visible particulate emission limitations specified in OAC rule 3745-17-07(B) pursuant to OAC rule 3745-17-07(B)(11)(e)
- f. This facility is not located within an “Appendix A” area as identified in OAC rule 3745-17-08. Therefore, pursuant to OAC rule 3745-17-08(A), this emissions unit is exempt from the requirements of OAC rule 3745-17-08(B).

c) Operational Restrictions

- (1) The permittee shall be limited to 18 blasts per year.
- (2) The permitte shall not process more than 300,000 tons of mineral per year.

d) Monitoring and/or Recordkeeping Requirements

- (1) Except as otherwise provided in this section, for mineral extraction operations that are not adequately enclosed, the permittee shall perform inspections of such operations in accordance with the following minimum frequencies:

mineral extraction operation	minimum inspection frequency
All	Once During Each Day of Operation

- (2) The above-mentioned inspections shall be performed during representative, normal operating conditions.



- (3) The permittee may, upon receipt of written approval from the appropriate Ohio EPA District Office or local air agency, modify the above-mentioned inspection frequencies if operating experience indicates that less frequent inspections would be sufficient to ensure compliance with the above-mentioned applicable requirements.

- (4) The permittee shall maintain records of the following information:
 - a. the date and reason any required inspection was not performed;
 - b. the date of each inspection where it was determined by the permittee that it was necessary to implement the control measure(s);
 - c. the dates the control measure(s) was (were) implemented; and
 - d. on a calendar quarter basis, the total number of days the control measure(s) was (were) implemented.

The information in d)(4)d. shall be kept separately for each mineral extraction operation identified above, and shall be updated on a calendar quarter basis within 30 days after the end of each calendar quarter.

- (5) The permittee shall maintain the following monthly records for each blast:
 - a. the date the blast occurred;
 - b. the total number of blasts each month; and
 - c. the annual year to date, number of blasts [sum of d)(5)b. for each calendar month to date from January to December].

- (6) The permittee shall maintain monthly records of the quantity of mineral processed, in tons per month. For each month, the permittee shall also calculate the annual, year-to-date, amount of stone processed (cumulative total of each month to date from January to December).

e) Reporting Requirements

- (1) Annual Permit Evaluation Report (PER) forms will be mailed to the permittee at the end of the reporting period specified in the Authorization section of this permit. The permittee shall submit the PER in the form and manner provided by the director by the due date identified in the Authorization section of this permit. The permit evaluation report shall cover a reporting period of no more than twelve-months for each air contaminant source identified in this permit.

The permittee shall identify in the annual PER the following occurrences concerning inspection and control measure requirements:

- a. each day during which an inspection was not performed by the required frequency.
- b. each instance when a control measure, that was to be implemented as a result of an inspection, was not implemented.



f) Testing Requirements

(1) Compliance with the emissions limitations in section b)(1) of these terms and conditions shall be determined in accordance with the following methods:

a. Emission Limitation: 1.59 tons fugitive PE/yr

Applicable Compliance Method: The annual particulate emission limitations were developed by applying the following emission factors/equations and control efficiencies to the associated process weight rates:

Mineral Extraction Operation	Maximum Process Weight Rate	Control Efficiency	Emission Factor	Emission Factor Citation
Drilling	300,000 tons/yr	90%	0.008 lb/ton	RACM, Table 2.4.4-4 (9/88)
Blasting	18 blasts/yr	None	58.5 lbs/blast	RACM, Table 2.4.4-4 (9/88)
Loading of Limestone	300,000 tons/yr	90%	0.063 lb/ton	AP-42, Section 13.2.4 (1/95)

Therefore, provided compliance is shown with the requirements of this permit to apply best available control measures, compliance with the ton per year PE limitation will be assumed.

b. Emission Limitation: Visible particulate emissions shall not exceed 20% opacity as a 3-minute average from the following mineral extraction operations: drilling and loading of limestone.

Applicable Compliance Method: If required, compliance shall be determined through visible emission observations performed in accordance U.S. EPA Method 9 and the procedures specified in OAC rule 3745-17-03(B)(3).

g) Miscellaneous Requirements

(1) None.



3. F003, Storage Piles

Operations, Property and/or Equipment Description:

Storage Piles

- a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).
 - (1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - a. None.
 - (2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - a. None.
- b) Applicable Emissions Limitations and/or Control Requirements
 - (1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3)(a)	1.99 tons fugitive particulate emissions (PE)/yr
b.	OAC rule 3745-31-05(A)(3)(a) load-in and load-out of storage piles [See b)(2)a.]	No visible particulate emissions except for a period of time not to exceed one minute during any 60-minute observation period. Best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust [See b)(2)b., b)(2)c. and b)(2)f.]
c.	OAC rule 3745-31-05(A)(3)(a) wind erosion from storage piles [see Section b)(2)a.]	No visible particulate emissions except for a period of time not to exceed one minute during any 60-minute observation period. Best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust [See b)(2)d. through b)(2)f.]



	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
d.	OAC rule 3745-17-07(B)	See b)(2)g.
e.	OAC rule 3745-17-08(B)	See b)(2)h.

(2) Additional Terms and Conditions

- a. The storage piles that are covered by this permit and subject to the above-mentioned requirements are listed below:

All storage piles

- b. The permittee shall employ best available control measures on all load-in and load-out operations associated with the storage piles for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to watering, low drop heights from front end loaders and conveyors and maintenance of inherent moisture content to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.
- c. The above-mentioned control measures shall be employed for each load-in and load-out operation of each storage pile if the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measures are necessary to ensure compliance with the above-mentioned applicable requirements. Any required implementation of the control measures shall continue during any such operation until further observation confirms that use of the measures is unnecessary.
- d. The permittee shall employ best available control measures for wind erosion from the surfaces of all storage piles for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to watering, maintenance of as low a pile height as possible and maintenance of inherent moisture content to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.
- e. The above-mentioned control measures shall be employed for wind erosion from each pile if the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measures are necessary to ensure compliance with the above-mentioned applicable requirements. Implementation of the control measures shall not be necessary for a storage pile that is covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements.
- f. Implementation of the above-mentioned control measures in accordance with the terms and conditions of this permit is appropriate and sufficient to satisfy the requirements of OAC rule 3745-31-05.



- g. This emissions unit is exempt from the visible particulate emission limitations specified in OAC rule 3745-17-07(B) pursuant to OAC rule 3745-17-07(B)(11)(e).
- h. This facility is not located within an "Appendix A" area as identified in OAC rule 3745-17-08. Therefore, pursuant to OAC rule 3745-17-08(A), this emissions unit is exempt from the requirements of OAC rule 3745-17-08(B).

c) Operational Restrictions

- (1) None.

d) Monitoring and/or Recordkeeping Requirements

- (1) Except as otherwise provided in this section, the permittee shall perform inspections of each load-in operation at each storage pile in accordance with the following frequencies:

<u>Storage Pile Identification</u>	<u>Minimum Load-In Inspection Frequency</u>
all storage piles	once during each day of operation

- (2) Except as otherwise provided in this section, the permittee shall perform inspections of each load-out operation at each storage pile in accordance with the following frequencies:

<u>Storage Pile identification</u>	<u>Minimum Load-Out Inspection Frequency</u>
all storage piles	once during each day of operation

- (3) Except as otherwise provided in this section, the permittee shall perform inspections of the wind erosion from pile surfaces associated with each storage pile in accordance with the following frequencies:

<u>Storage Pile Identification</u>	<u>Minimum Wind Erosion Inspection Frequency</u>
all storage piles	once during each day of operation

- (4) No inspection shall be necessary for wind erosion from the surface of a storage pile when the pile is covered with snow and/or ice and for any storage pile activity if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements. Any required inspection that is not performed due to any of the above identified events shall be performed as soon as such event(s) has (have) ended, except if the next required inspection is within one week.

- (5) The purpose of the inspections is to determine the need for implementing the control measures specified in this permit for load-in and load-out of a storage pile, and wind erosion from the surface of a storage pile. The inspections shall be performed during representative, normal storage pile operating conditions.

- (6) The permittee may, upon receipt of written approval from the appropriate Ohio EPA District Office or local air agency, modify the above-mentioned inspection frequencies if operating experience indicates that less frequent inspections would be sufficient to ensure compliance with the above-mentioned applicable requirements.



- (7) The permittee shall maintain records of the following information:
- a. the date and reason any required inspection was not performed, including those inspections that were not performed due to snow and/or ice cover or precipitation;
 - b. the date of each inspection where it was determined by the permittee that it was necessary to implement the control measures;
 - c. the dates the control measures were implemented; and
 - d. on a calendar quarter basis, the total number of days the control measures were implemented and, for wind erosion from pile surfaces, the total number of days where snow and/or ice cover or precipitation were sufficient to not require the control measure(s).

The information required in d)(7)d. shall be kept separately for (i) the load-in operations, (ii) the load-out operations, and (iii) the pile surfaces (wind erosion), and shall be updated on a calendar quarter basis within 30 days after the end of each calendar quarter.

e) Reporting Requirements

- (1) Annual Permit Evaluation Report (PER) forms will be mailed to the permittee at the end of the reporting period specified in the Authorization section of this permit. The permittee shall submit the PER in the form and manner provided by the director by the due date identified in the Authorization section of this permit. The permit evaluation report shall cover a reporting period of no more than twelve-months for each air contaminant source identified in this permit.

The permittee shall identify in the annual PER the following occurrences concerning inspection and control measure requirements:

- a. each day during which an inspection was not performed by the required frequency.
- b. each instance when a control measure, that was to be implemented as a result of an inspection, was not implemented.

f) Testing Requirements

- (1) Compliance with the emissions limitations in section b)(1) of these terms and conditions shall be determined in accordance with the following methods:

- a. Emission Limitation: 1.99 tons fugitive PE/yr

Applicable Compliance Method: The emission limitation was established by combining the emissions from load-in and load-out operations and from wind erosion from each storage pile as listed in the permittee's application and applying a 95% control efficiency for use of best available control measures. Load-in and load-out operation emissions are based on a maximum load-in and load-out rate of 300,000 tons per year of limestone and 300,000 tons per year of concrete sand. Wind erosion emissions are based on a maximum storage pile



surface area of 0.5 acres for limestone and 0.5 acres for concrete sand as listed in the permit application:

The emission rate was determined as follows:

- i. Load-in - emissions associated with load-in operations were established by multiplying the maximum load-in rate of 300,000 tons per year of limestone and concrete sand by the appropriate emission factor from AP-42 section 13.2.4.(1/95) [0.063 lb PE/ton product], applying a 95% control efficiency and dividing by 2000 lbs/ton. (0.95 tons fugitive PE/yr for limestone and 0.95 tons fugitive PE/yr for concrete sand)
- ii. Load-out - emissions associated with load-out operations were established by multiplying the maximum load-out rate of 300,000 tons per year of limestone and concrete sand by the appropriate emission factor from AP-42 section 13.2.4.(1/95) [0.063 lb PE/ton product], applying a 95% control efficiency and dividing by 2000 lbs/ton. (0.95 tons fugitive PE/yr for limestone and 0.95 tons fugitive PE/yr for concrete sand)
- iii. Wind erosion - emissions were established by multiplying a maximum combined storage pile surface area of 0.5 acres for limestone and 0.5 acres for concrete sand, the appropriate emission factor from USEPA's Control of Open Fugitive Dust Sources (9/88) [10.41 lbs PE/acre/day of limestone and 10.41 lbs PE/acre/day of concrete sand], a maximum operating schedule of 365 days per year and dividing by 2000 and applying a 95% control efficiency. (0.047 tons fugitive PE/yr for limestone and 0.047 tons fugitive PE/yr for concrete sand)

Therefore, provided compliance is shown with the requirements of this permit to apply best available control measures, compliance with the ton per year PE limitation will be assumed.

- b. Emission Limitation: No visible particulate emissions except for a period of time not to exceed one minute during any 60-minute observation period from load-in and load-out of the storage piles

Applicable Compliance Method: Compliance with the visible emission limitation for the material storage piles areas identified in this permit shall be determined in accordance with U.S. EPA Method 22 and the modifications listed in paragraphs (B)(4)(a) through (B)(4)(c) of OAC rule 3745-17-03.

- c. Emission Limitation: No visible particulate emissions except for a period of time not to exceed one minute during any 60-minute observation period from wind erosion

Applicable Compliance Method: Compliance with the visible emission limitation for the material storage piles areas identified in this permit shall be determined in accordance with U.S. EPA Method 22 and the modifications listed in paragraphs (B)(4)(a) through (B)(4)(c) of OAC rule 3745-17-03



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Final Permit-to-Install and Operate

Permit Number: P0087664

Facility ID: 0372030245

Effective Date: 11/9/2009

g) Miscellaneous Requirements

(1) None.



4. F004, Roadway

Operations, Property and/or Equipment Description:

Paved and unpaved roadways

a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

(1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

a. None.

(2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

a. None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3)(a)	3.94 tons fugitive particulate emissions (PE)/yr
b.	OAC rule 3745-31-05(A)(3)(a) paved roadways and parking areas [see b)(2)a.]	no visible PE, except for a period of time not to exceed one minute during any 60-minute observation period best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust [see b)(2)c., and b)(2)e. through b)(2)i.]
c.	OAC rule 3745-31-05(A)(3)(a) unpaved roadways and parking areas [see b)(2)b.]	no visible PE, except for a period of time not to exceed three minutes during any 60-minute observation period best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust [see b)(2)d. through b)(2)i.]
d.	OAC rule 3745-17-07(B)(1)	See b)(2)j.
e.	OAC rule 3745-17-08(B)(1)	See b)(2)k.



(2) Additional Terms and Conditions

- a. The paved roadways that are subject to the terms and conditions of this permit are listed below:

paved roadways: all paved roadways

paved parking areas: all paved parking areas

- b. The unpaved roadways and parking areas that are subject to the terms and conditions of this permit are listed below:

unpaved roadways: all unpaved roadways

unpaved parking areas: none

- c. The permittee shall employ best available control measures on all paved roadways and parking areas for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to treat the paved roadways and parking areas by flushing with water at sufficient treatment frequencies to ensure compliance (also wheel wash, sweeping, speed reduction). Nothing in this paragraph shall prohibit the permittee from employing other equally-effective control measures to ensure compliance.

- d. The permittee shall employ best available control measures on all unpaved roadways and parking areas for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to treat the unpaved roadways and parking areas with watering at sufficient treatment frequencies to ensure compliance (also speed reduction). Nothing in this paragraph shall prohibit the permittee from employing other equally-effective control measures to ensure compliance.

- e. The needed frequencies of implementation of the control measures shall be determined by the permittee's inspections pursuant to the monitoring section of this permit. Implementation of the control measures shall not be necessary for a paved or unpaved roadway or parking area that is covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements. Implementation of any control measure may be suspended if unsafe or hazardous driving conditions would be created by its use.

- f. Any unpaved roadway or parking area, which during the term of this permit is paved or takes the characteristics of a paved surface due to the application of certain types of dust suppressants, may be controlled with the control measure(s) specified above for paved surfaces. Any unpaved roadway or parking area that takes the characteristics of a paved roadway or parking area due to the application of certain types of dust suppressants shall remain subject to the visible emission limitation for unpaved roadways and parking areas. Any unpaved roadway or parking area that is paved shall be subject to the visible emission limitation for paved roadways and parking areas.



- g. The permittee shall promptly remove, in such a manner as to minimize or prevent re-suspension, earth and/or other material from paved streets onto which such material has been deposited by trucking or earth moving equipment or erosion by water or other means.
- h. Open-bodied vehicles transporting materials likely to become airborne shall have such materials covered at all times if the control measure is necessary for the materials being transported.
- i. Implementation of the above-mentioned control measures in accordance with the terms and conditions of this permit is appropriate and sufficient to satisfy the best available technology requirements of OAC rule 3745-31-05.
- j. This emissions unit is exempt from the visible particulate emission limitations specified in OAC rule 3745-17-07(B) pursuant to OAC rule 3745-17-07(B)(11)(e).
- k. The facility is not located within an "Appendix A" area as identified in OAC rule 3745-17-08. Therefore, pursuant to OAC rule 3745-17-08(A), this emissions unit is exempt from the requirements of OAC rule 3745-17-08(B)(1).

c) Operational Restrictions

- (1) None.

d) Monitoring and/or Recordkeeping Requirements

- (1) Except as otherwise provided in this section, the permittee shall perform inspections of the roadways and parking areas in accordance with the following frequencies:

<u>paved roadways and parking areas:</u>	<u>minimum inspection frequency:</u>
All	Once per day of operation

<u>unpaved roadways and parking areas:</u>	<u>minimum inspection frequency:</u>
All	Once per day of operation

- (2) The purpose of the inspections is to determine the need for implementing the above-mentioned control measures. The inspections shall be performed during representative, normal traffic conditions. No inspection shall be necessary for a roadway or parking area that is covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements. Any required inspection that is not performed due to any of the above-identified events shall be performed as soon as such event(s) has (have) ended, except if the next required inspection is within one week.

- (3) The permittee shall maintain records of the following information:

- a. the date and reason any required inspection was not performed, including those inspections that were not performed due to snow and/or ice cover or precipitation;
- b. the date of each inspection where it was determined by the permittee that it was necessary to implement the control measures;



- c. the dates the control measures were implemented; and
- d. on a calendar quarter basis, the total number of days the control measures were implemented and the total number of days where snow and/or ice cover or precipitation were sufficient to not require the control measures.

The information required in d)(3)d. shall be kept separately for (i) the paved roadways and parking areas and (ii) the unpaved roadways and parking areas, and shall be updated on a calendar quarter basis within 30 days after the end of each calendar quarter.

e) Reporting Requirements

- (1) Annual Permit Evaluation Report (PER) forms will be mailed to the permittee at the end of the reporting period specified in the Authorization section of this permit. The permittee shall submit the PER in the form and manner provided by the director by the due date identified in the Authorization section of this permit. The permit evaluation report shall cover a reporting period of no more than twelve-months for each air contaminant source identified in this permit.

The permittee shall identify in the annual PER the following occurrences concerning inspection and control measure requirements:

- a. each day during which an inspection was not performed by the required frequency, excluding an inspection which was not performed due to an exemption for snow and/or ice cover or precipitation; and
- b. each instance when a control measure, that was to be implemented as a result of an inspection, was not implemented.

f) Testing Requirements

- (1) Compliance with the emission limitations in b)(1) shall be determined in accordance with the following method(s):

- a. Emission Limitation: 3.94 tons fugitive PE/yr from paved and unpaved roadways and parking areas

Applicable Compliance Method: This emission limitation was developed by multiplying emission factors from AP-42, Chapter 13.2.1 [paved] and Chapter 13.2.2 (12/03) [unpaved], the maximum vehicle miles traveled, a 95% control efficiency and dividing by 2000 lbs/ton:

- i. scale road (paved): (32.94 lb PE/VMT) (416 VMT) (ton/2000 lbs) (1-0.95) = 0.34 tons/yr
- ii. haul roads (unpaved): (14.40 lb PE/VMT) (5000 VMT) (ton/2000 lbs) (1-0.95) = 1.80 tons/yr
- iii. road from storage piles (unpaved): (14.40 lb PE/VMT) (5000 VMT) (ton/2000 lbs) (1-0.95) = 1.80 tons/yr



Therefore provided compliance is shown with the requirements of this permit to apply best available control measures, compliance with the annual limitation will be assumed.

- b. Emission Limitation:
no visible PE, except for a period of time not to exceed one minute during any 60-minute observation period for paved roadways and parking areas

Applicable Compliance Method:
Compliance with the visible emission limitation specified above shall be determined in accordance with Test Method 22 as set forth in "Appendix on Test Methods" in 40 CFR, Part 60 ("Standards of Performance for New Stationary Sources"), as such Appendix existed on July 1, 1996, and the modifications listed in paragraphs (B)(4)(a) through (B)(4)(c) of OAC rule 3745-17-03.

- c. Emission Limitation:
no visible PE, except for a period of time not to exceed three minutes during any 60-minute observation period for unpaved roadways and parking areas

Applicable Compliance Method:
Compliance with the visible emission limitation specified above shall be determined in accordance with Test Method 22 as set forth in "Appendix on Test Methods" in 40 CFR, Part 60 ("Standards of Performance for New Stationary Sources"), as such Appendix existed on July 1, 2002, and the modifications listed in paragraphs (B)(4)(a) through (B)(4)(d) of OAC rule 3745-17-03.

- g) Miscellaneous Requirements
 - (1) None.