

Synthetic Minor Determination and/or Netting Determination

Permit To Install: 01 -12155

A. Source Description

HFI submitted a PTI application to add an adhesive spray booth and flash off oven (R006) with proposed maximum annual usages of 3,000 gallons of adhesive and 24 gallons of clean-up solvent.

B. Facility Emissions and Attainment Status

HFI installed spray booths R002 and R004 under PTI 01-5904 in 1995 and a foam line (P001) under PTI 01-6478 issued in 1998. HFI operates as a synthetic minor facility with facility-wide emissions limited to 75.1 tons VOC/yr. Franklin County has been designated as a non-attainment area for ozone and particulate matter (PM_{2.5}).

C. Source Emissions

The restricted VOC and HAP emissions from R002, R004 and P001 are presented in the table with the proposed allowable from booth R006. After permit issuance, the maximum facility-wide emissions derived from usage restrictions will be limited to 83.3 tons VOC, 7.5 tons for a single HAP and 10.3 tons total HAP.

EPA ID	ID	tons VOC/yr	ton toluene/yr	ton hexane/yr	ton cyclohexane/yr	ton HAP/yr
R002	booth #2	6.93	1.94	0.44	0.44	2.85
R004	booth #4	6.93	1.94	0.44	0.44	2.85
P001	Foam line	61.0	0	0	0	0
R006	booth #6	8.4	3.63	0.53	0.44	4.6
		83.26	7.51	1.41	1.32	10.3

D. Conclusion

Under the operational restrictions in this PTI, HFI will maintain the VOC and HAP emissions below the Title V and MACT thresholds.



State of Ohio Environmental Protection Agency

**RE: DRAFT PERMIT TO INSTALL
FRANKLIN COUNTY**

CERTIFIED MAIL

Street Address:

Mailing Address:

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Lazarus Gov.
Center

Application No: 01-12155

Fac ID: 0125041960

DATE: 8/2/2007

HFI, LLC
Timothy McCarthy
100 Fenway Road
Columbus, OH 43214

You are hereby notified that the Ohio Environmental Protection Agency has made a draft action recommending that the Director issue a Permit to Install for the air contaminant source(s) [emissions unit(s)] shown on the enclosed draft permit. This draft action is not an authorization to begin construction or modification of your emissions unit(s). The purpose of this draft is to solicit public comments on the proposed installation. A public notice concerning the draft permit will appear in the Ohio EPA Weekly Review and the newspaper in the county where the facility will be located. Public comments will be accepted by the field office within 30 days of the date of publication in the newspaper. Any comments you have on the draft permit should be directed to the appropriate field office within the comment period. A copy of your comments should also be mailed to Robert Hodanbosi, Division of Air Pollution Control, Ohio EPA, P.O. Box 1049, Columbus, OH, 43216-1049.

A Permit to Install may be issued in proposed or final form based on the draft action, any written public comments received within 30 days of the public notice, or record of a public meeting if one is held. You will be notified in writing of a scheduled public meeting. Upon issuance of a final Permit to Install a fee of **\$200** will be due. Please do not submit any payment now.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469. If you have any questions about this draft permit, please contact the field office where you submitted your application, or Mike Ahern, Field Operations & Permit Section at (614) 644-3631.

Sincerely,

Michael W. Ahern, Manager
Permit Issuance and Data Management Section
Division of Air Pollution Control

CC: USEPA

CDO

MID-OHIO REG PLANNING COMM

FRANKLIN COUNTY

PUBLIC NOTICE
ISSUANCE OF DRAFT PERMIT TO INSTALL **01-12155** FOR AN AIR CONTAMINANT SOURCE
FOR **HFI, LLC**

On 8/2/2007 the Director of the Ohio Environmental Protection Agency issued a draft action of a Permit To Install an air contaminant source for **HFI, LLC**, located at **2421 MCGAW ROAD, OBETZ, Ohio**.

Installation of the air contaminant source identified below may proceed upon final issuance of Permit To Install 01-12155:

Adhesive spray booth #6 with electric flash-off oven.

Comments concerning this draft action, or a request for a public meeting, must be sent in writing to the address identified below no later than thirty (30) days from the date this notice is published. All inquiries concerning this draft action may be directed to the contact identified below.

Isaac Robinson, Ohio EPA, Central District Office, 122 South Front St, P.O. Box 1049, Columbus, OH 43216-1049 [(614)728-3778]



**Permit To Install
Terms and Conditions**

**Issue Date: To be entered upon final issuance
Effective Date: To be entered upon final issuance**

DRAFT PERMIT TO INSTALL 01-12155

Application Number: 01-12155
Facility ID: 0125041960
Permit Fee: **To be entered upon final issuance**
Name of Facility: HFI, LLC
Person to Contact: Timothy McCarthy
Address: 100 Fenway Road
Columbus, OH 43214

Location of proposed air contaminant source(s) [emissions unit(s)]:
**2421 MCGAW ROAD
OBETZ, Ohio**

Description of proposed emissions unit(s):
Adhesive spray booth #6 with electric flash-off oven.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Chris Korleski
Director

HFI, LLC**Facility ID: 0125041960****PTI Application: 01-12155****Issued: To be entered upon final issuance****Part I - GENERAL TERMS AND CONDITIONS****A. Permit to Install General Terms and Conditions****1. Compliance Requirements**

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted (i.e., postmarked) quarterly by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections,

HFI, LLC

Facility ID: 0125041960

PTI Application: 01-12155

Issued: To be entered upon final issuance

conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental

HFI, LLC**Facility ID: 0125041960****PTI Application: 01-12155****Issued: To be entered upon final issuance**

Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit To Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate Permit To Install for the installation or modification of any other emissions unit(s) are required for any emissions unit for which a Permit To Install is required.

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available

HFI, LLC

Facility ID: 0125041960

PTI Application: 01-12155

Issued: To be entered upon final issuance

Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

HFI, LLC

Facility ID: 0125041960

PTI Application: 01-12155

Issued: To be entered upon final issuance

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the emissions unit(s) covered by this permit.

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
VOC	8.4
Facility-wide individual HAP	9.9
Facility-wide total combined HAP	24.9
Facility-wide VOC	99.9

Issued: To be entered upon final issuance

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (R006) - Adhesive Spray Booth 6 with electric flash-off oven (plastic parts)

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
OAC rule 3745-31-05(C)	See sections A.2.a and B.1 below.
OAC rule 3745-21-07(G)(2)	None. See section A.2.b below.
OAC rule 3745-17-07(A)(1)(b)	See section A.2.c.
OAC rule 3745-17-11(A)	See section A.2.c.
OAC rule 3745-31-05(C) (synthetic minor to avoid Title V and MACT requirements)	See section A.2.d below.

2. Additional Terms and Conditions

- 2.a Permit to Install 01-12155 for this air contaminant source takes into account the following voluntary restrictions (including the use of any applicable air pollution control equipment) as proposed by the permittee for the purpose of avoiding Best Available Technology (BAT) requirements under OAC rule 3745-31-05(A)(3):

- i. The emissions of VOC from this emissions unit shall not exceed 8.4 tons per year, based upon a rolling, 12-month summation of the monthly emissions.
- ii. The maximum annual usage for this emissions unit shall not exceed 3,000 gallons adhesive and 24 gallons of solvent based on a rolling, 12-month summation of monthly usages.

To ensure enforceability during the first 12 calendar months of operation or the first 12 calendar months following the issuance of this permit, the permittee shall not exceed the coating usage levels specified in the

following table:

<u>Month(s)</u>	<u>Maximum Allowable Cumulative Coating Usage (gallons)</u>
1	255
1-2	510
1-3	765
1-4	1020
1-5	1275
1-6	1530
1-7	1785
1-8	2040
1-9	2295
1-10	2550
1-11	2805
1-12	3000

After the first 12 calendar months of operation or the first 12 calendar months following the issuance of this permit, compliance with the annual coating usage limitation shall be based upon a rolling, 12-summation of the coating usage figures.

- 2.b** To avoid the emission limitations/control requirements contained in OAC rule 3745-21-07(G)(2), no photochemically reactive materials (i.e., as raw materials or cleanup materials) shall be employed in this emissions unit.

Note: The definition of "photochemically reactive material" is based upon OAC rule 3745-21-01(C)(5).

- 2.c** The requirements established pursuant to these rules are not applicable because the process does not release particulate emissions (PE) into the ambient air.
- 2.d** Facility-wide emissions shall not exceed 99.9 tons of VOC, 9.9 tons of individual hazardous air pollutant (HAP) emissions and 24.9 tons of total combined HAP emissions per rolling, 12-month period.

Facility-wide emissions shall be determined from a summation of monthly emissions from R002, R004, R006 and P001 and all emissions units that are permit by rule (OAC rule 3745-31-03), de minimis (OAC rule 3745-15-05) and/or

Issued: To be entered upon final issuance
exempt.

Therefore, the provisions for Title V permitting and the National Emission Standards for Hazardous Air Pollutants (NESHAP) for Surface Coating of Plastic Parts and Products (40 CFR part 63, subpart PPPP) will not be applicable.

A listing of the HAPs can be found in Section 112(b) of the Clean Air Act or can be obtained by contacting your Ohio EPA field office or local air agency contact.

B. Operational Restrictions

1. This emissions unit will be operated and maintained in accordance with manufacturers recommendations. Spray booth exhaust filters shall be maintained (changed or cleaned) regularly per manufacturer's recommendations in order to maintain the highest effective level of particulate emissions control. Maintenance of exhaust filters (cleaning and/or changing of filter elements) shall be recorded in an operations log maintained at this facility.

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information for booth 6 (R006) for each month during which adhesives are applied:
 - a. the company identification for each coating and cleanup material employed and whether or not the material is a photochemically reactive material;
 - b. the number of gallons of each coating and cleanup material employed in the booth;
 - c. the OC of each coating and cleanup material, in pounds per gallon;
 - d. the total OC emissions for all coatings and cleanup material, in pounds;
 - e. beginning after the first 12 calendar months of operation or the first 12 calendar months following the issuance of this permit, the rolling, 12-month summation of the coating usage figures;

Also, during the first 12 calendar months of operation or the first 12 calendar months following the issuance of this permit, the permittee shall record the cumulative coating usage for each calendar month; and

Emissions Unit ID: **R006**

- f. the rolling, 12-month summation of OC emissions (i.e., the OC emissions from the current month added to the summation of the OC emissions from the previous 11 months).

[Note: The coating information must be for the coatings as employed, including any thinning solvents added at the emissions unit.]

2. The permittee shall collect and record the following information during each month for the purpose of determining annual VOC and HAP emissions from emissions units R002, R004, R006, P001 and exempt and de minimus emissions unit:
 - a. the monthly VOC and HAP emission rate for all coatings and cleanup materials, in pounds from each of the above emissions units;
 - b. the rolling, 12-month summation of VOC emissions (i.e., the VOC emissions from the current month added to the summation of the OC emissions from the previous 11 months) for all of the above emissions units;
 - c. the calculated individual HAP emission for the current month, in pounds or tons, for each of the above emissions units;
 - d. the calculated total HAP emissions for the current month, in pounds or tons, for each the above emissions units;
 - e. the rolling 12-month summation of individual HAP emissions (i.e., the individual HAP emissions from the current month added to the summation of the individual HAP emissions from the previous 11 months) for all the above emissions units; and
 - f. the rolling 12-month summation of total combined HAP emissions (i.e., the total combined HAP emissions from the current month added to the summation of the total combined HAP emissions from the previous 11 months) for all of the above emissions units.
3. The permit to install for emissions unit R006 was evaluated based on the actual materials and the design parameters of the emissions unit's exhaust system, as specified by the permittee in the permit to install application. The Ohio EPA's "Review of New Sources of Air Toxic Emissions" policy ("Air Toxic Policy") was applied to this emissions unit for each toxic pollutant, using data from the permit to install application, and modeling was performed for the toxic pollutant(s) emitted at over a ton per year using the SCREEN 3.0 model or other Ohio EPA approved model. The predicted

Issued: To be entered upon final issuance

1-hour maximum ground-level concentration result(s) from the use of the SCREEN 3.0 (or other approved) model, was compared to the Maximum Acceptable Ground-Level Concentration (MAGLC), calculated as required in Engineering Guide #70. The following summarizes the results of the modeling for the "worst case" pollutant(s):

Pollutant: MEK

TLV (mg/m³): 590

Maximum Hourly Emission Rate (lbs/hr): 2.7 lbs/hr

Predicted 1-Hour Maximum Ground-Level Concentration (ug/m³): 3,502

MAGLC (ug/m³): 14,047

Pollutant: Toluene

TLV (mg/m³): 188

Maximum Hourly Emission Rate (lbs/hr): 1.6 lbs/hr

Predicted 1-Hour Maximum Ground-Level Concentration (ug/m³): 2,140

MAGLC (ug/m³): 4,476

Pollutant: Acetone

TLV (mg/m³): 1,780

Maximum Hourly Emission Rate (lbs/hr): 1.4 lbs/hr

Predicted 1-Hour Maximum Ground-Level Concentration (ug/m³): 1,796

MAGLC (ug/m³): 42,380

Physical changes to or changes in the method of operation of the emissions unit after its installation or modification could affect the parameters used to determine whether or not the "Air Toxic Policy" is satisfied. Consequently, prior to making a change that could impact such parameters, the permittee shall conduct an evaluation to determine that the "Air Toxic Policy" will still be satisfied. If, upon evaluation, the permittee determines that the "Air Toxic Policy" will not be satisfied, the permittee will not make the change. Changes that can affect the parameters used in applying the "Air Toxic Policy" include the following:

- a. changes in the composition of the materials used or the use of new materials, that would result in the emission of a compound or chemical with a lower Threshold Limit Value (TLV) than the lowest TLV previously modeled, as documented in the most current version of the American Conference of Governmental Industrial Hygienists' (ACGIH's) handbook entitled "TLVs and BEIs" ("Threshold Limit Values for Chemical Substances and Physical Agents, Biological Exposure Indices");
- b. changes in the composition of the materials, or use of new materials, that would

Emissions Unit ID: **R006**

result in an increase in emissions of any pollutant with a listed TLV that was proposed in the application and modeled; and

- c. physical changes to the emissions unit or its exhaust parameters (e.g., increased/ decreased exhaust flow, changes in stack height, changes in stack diameter, etc.).

If the permittee determines that the "Air Toxic Policy" will be satisfied for the above changes, the Ohio EPA will not consider the change(s) to be a "modification" under OAC rule 3745-31-01 solely due to the emissions of any type of toxic air contaminant not previously emitted, and a modification of the existing permit to install will not be required, even if the toxic air contaminant emissions are greater than the de minimis level in OAC rule 3745-15-05. If the change(s) meet(s) the definition of a "modification" under other provisions of the rule, then the permittee shall obtain a final permit to install prior to the change.

The permittee shall collect, record, and retain the following information when it conducts evaluations to determine that the changed emissions unit will still satisfy the "Air Toxic Policy":

- a. a description of the parameters changed (composition of materials, new pollutants emitted, change in stack/exhaust parameters, etc.);
 - b. documentation of the evaluation and determination that the changed emissions unit still satisfies the "Air Toxic Policy"; and
 - c. where computer modeling is performed, a copy of the resulting computer model runs that show the results of the application of the "Air Toxic Policy" for the change.
3. The permittee shall maintain daily records that document any time periods when the dry filtration system was not in service when the emissions unit was in operation.

D. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports for any exceedance of the operating restrictions set forth in section A.2.a and A.2.c, above, that occurred during the previous three calendar months (January 1 through March 31, April 1 through June 30, July 1 through September 30, and October 1 through December 31) including:
 - a. all exceedances of the rolling, 12-month restriction on coating usage; and for the

Issued: To be entered upon final issuance

first 12 calendar months of operation or the first 12 calendar months following the issuance of this permit, all exceedances of the maximum allowable cumulative coating usage levels

- b. the rolling, 12- month emission limitation for VOC from this emissions unit;
- c. the facility-wide rolling, 12-month emission limitation for VOC;
- d. the facility-wide rolling, 12-month emission limitation for individual HAPs: and
- e. the facility-wide rolling, 12-month emission limitation for total, combined HAPs

These reports shall be submitted by April 15, July 15, October 15, and February 15 of each year and shall provide a summary of the record keeping required by sections C.1 for each reported exceedance.

- 2. The permittee shall notify the Central District Office in writing of any record showing that the dry filtration system was not in service when this emissions unit was in operation. The notification shall include a copy of such record and shall be sent to the Central District Office within 30 days after the event occurs.

E. Testing Requirements

- 1. Compliance with the emission limitation(s) in Section A.1. and A.2 of these terms and conditions shall be determined in accordance with the following method.

Issued: To be entered upon final issuance

- a. Emissions Limitation:
The emissions of VOC from this emissions unit shall not exceed 8.4 tons per year, based upon a rolling, 12-month summation of the monthly emissions.

Applicable Compliance Method:

Compliance with the annual VOC emission limit shall be determined by summing the monthly emissions for the calendar year, i.e., the value calculated in section C.1.f above.

The VOC content of the coatings and clean-up materials shall be determined according to OAC rule 3745-21-10(B). USEPA Methods 24 shall be used to determine the VOC contents for coatings. If, pursuant to section 4.3 of Method 24, 40 CFR Part 60, Appendix A, an owner or operator determines that Method 24 cannot be used for a particular coating, the permittee shall so notify the Administrator of the USEPA and shall use formulation data for that coating to demonstrate compliance until the USEPA provides alternative analytical procedures or alternative precision statements for Method 24 or 24A.

- b. Emissions Limitation:
The maximum annual usage for this emissions unit shall not exceed 3,000 gallons adhesive and 24 gallons of solvent based on a rolling, 12-month summation of monthly usages.

Applicable Compliance Method:

Compliance with the annual usage restrictions shall be determined by summing the monthly usages for the calendar year, i.e., the value calculated in section C.1.e above.

- c. Emission Limitation
Facility-wide emissions shall not exceed 9.9 of an individual HAP and 24.9 tons total combined HAPs per year, based upon a rolling, 12-month summation of the monthly emissions.

Applicable Compliance Method

Compliance shall be demonstrated by record keeping in section C.2.e and C.2.f, above.

- d. Emissions Limitation:
Facility-wide emissions shall not exceed 99.9 tons of VOC per year, based upon a rolling, 12-month summation of the monthly emissions.

HFI, LLC

DTI Application: 01 12155

Facility ID: 0125041960

Emissions Unit ID: R006

Applicable Compliance Method:

Compliance shall be demonstrated by record keeping in section C.2.b, above.

Issued: To be entered upon final issuance

F. Miscellaneous Requirements

The terms and conditions in Sections A.1 through E.1 of this permit are federally enforceable.