



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL
FRANKLIN COUNTY**

CERTIFIED MAIL

Street Address:

122 S. Front Street

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049

Application No: 01-08639

DATE: 8/1/2002

Auto Body Collision and Glass
Robert Vance
8600 N High St
Worthington, OH 43085

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
236 East Town Street, Room 300
Columbus, Ohio 43215

Very truly yours,

Michael W. Ahern, Supervisor
Field Operations and Permit Section
Michael W. Ahern Division of Air Pollution Control

CC: USEPA

CDO



**Permit To Install
Terms and Conditions**

**Issue Date: 8/1/2002
Effective Date: 8/1/2002**

FINAL PERMIT TO INSTALL 01-08639

Application Number: 01-08639
APS Premise Number: 0125042512
Permit Fee: **\$400**
Name of Facility: Auto Body Collision and Glass
Person to Contact: Robert Vance
Address: 8600 N High St
Worthington, OH 43085

Location of proposed air contaminant source(s) [emissions unit(s)]:

**6520 E Broad St
Columbus, Ohio**

Description of proposed emissions unit(s):

Downdraft spray booth.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized

representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions

and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit to Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within thirty (30) days after commencing operation of the emissions unit(s) covered by this permit.

6

Auto Body Collision and Glass
PTI Application: 01-08639
Issued: 8/1/2002

Facility ID: 0125042512

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
OC	3.8

Auto 1

PTI A

Issued: 8/1/2002

Emissions Unit ID: K001

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. Applicable Emissions Limitations and/or Control Requirements**

- The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
K001 - Spray paint booth no. 1 with flash off oven for the refinishing of automobiles, equipped with dry filtration system	OAC rule 3745-31-05(A)(3)	Organic compound (OC) emissions shall not exceed 6.2 pounds per hour, excluding cleanup, 40 pounds per day, including cleanup, and 1.9 tons per year, including cleanup. The requirements of this rule also include compliance with the requirements of OAC rule 3745-21-07(G)(2). See A.2.a, and B.1 and B.2 below.
	OAC rule 3745-21-09(U)(2)(c)	The volatile organic compound (VOC) content limit requirements of OAC rule 3745-21-09(U)(1) do not apply.
	OAC rule 3745-21-07(G)(2)	The hourly emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

2. Additional Terms and Conditions

Auto 1

PTI A

Issued: 8/1/2002

Emissions Unit ID: **K001**

- 2.a** The 6.2 pounds of OC per hour limitation for this emissions unit was established to reflect the hourly potential to emit and to show compliance with the Ohio EPA Air Toxics Policy. Therefore, it is not necessary to develop record keeping and/or reporting requirements to ensure compliance with this limit.

B. Operational Restrictions

1. The permittee shall operate the dry filtration system whenever this emissions unit is in operation.
2. The permittee shall maintain a minimum stack height of 30 feet aboveground as measured from the ground to the top of the stack for this emissions unit. All air contaminant emissions from this emissions unit shall be emitted through the stack.

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information on a monthly basis for the purpose of determining daily and annual OC emissions:
 - a. the name and identification of each type of coating and cleanup material employed;
 - b. the OC content of each type of coating employed (excluding water and exempt solvents), as applied, in pounds per gallon;
 - c. the OC content of each type of cleanup material, in pounds per gallon;
 - d. the number of gallons of each type of coating and cleanup material employed;
 - e. the number of gallons of each type of cleanup material drummed for shipment off-site;
 - f. the total OC emissions from all coatings and cleanup materials employed, in pounds or tons, i.e., the sum of all coatings and cleanup materials times the respective OC contents minus the amount of cleanup material drummed for shipment off-site, in pounds or tons (number of gallons of cleanup times the respective OC content);
 - g. the total number of days this emissions unit was in operation; and
 - h. the average daily OC emission rate, i.e., [(f) / (g)], in pounds per day.
2. The permittee shall calculate and record the total OC emissions for this emissions unit for each calendar year, in tons. The annual OC emissions shall be calculated by summing the monthly OC emissions from Section C.1.f for the calendar year, and converting to tons (divide by 2,000 lbs/ton).
3. The permittee shall maintain daily records that document any time periods when the dry filtration system was not in service when the emissions unit was in operation.

11

Auto Body Collision and Glass

PTI Application: 01 09430

Issued

Facility ID: 0125042512

Emissions Unit ID: K001

D. Reporting Requirements

1. The permittee shall notify the Ohio EPA, Central District Office, in writing of any monthly record showing that the 40 pounds per day OC limit was exceeded. The notification shall include a copy of such record and shall be sent to the Ohio EPA, Central District Office, within 30 days after the event occurs.
2. If the annual emission limit of 1.9 tons per year of OC is exceeded, the permittee shall submit an annual report which specifies the total OC emissions from this emissions unit for the previous calendar year. This report shall be sent to the Ohio EPA, Central District Office, by January 31 of each year.
3. The permittee shall notify the Ohio EPA, Central District Office, in writing of any daily record showing that the dry filtration system was not in service when the emissions unit was in operation. The notification shall include a copy of such record and shall be sent to the Ohio EPA, Central District Office, within 30 days after the event occurs.

E. Testing Requirements

1. Compliance with the emission limitations specified in Section A.1 of the terms and conditions of this permit shall be determined in accordance with the following methods:
 - a. Emissions Limitation:

OC emissions shall not exceed 6.2 pounds per hour, excluding cleanup.

Applicable Compliance Method:

Compliance shall be demonstrated by multiplying the maximum OC content of 6.2 pounds per gallon by the maximum gallons used of 1.0 gallon per hour.
 - b. Emission Limitation:

OC emissions shall not exceed 40 pounds per day, including cleanup.

Applicable Compliance Method:

Compliance shall be determined by the record keeping requirements specified in Section C.1.h of this permit.
 - c. Emission Limitation:

13

Auto I

PTI A

Issued: 8/1/2002

Emissions Unit ID: **K001**

OC emissions shall not exceed 1.9 tons per year, including cleanup.

Applicable Compliance Method:

Compliance shall be determined by the record keeping requirements specified in Section C.2 of this permit.

2. USEPA Method 24 shall be used to determine the OC contents for the coatings. If, pursuant to Section 4.3 of Method 24, 40 CFR, Part 60, Appendix A, an owner or operator determines that Method 24 cannot be used for a particular coating, the permittee shall so notify the Administrator of the USEPA and shall use formulation data for that coating to demonstrate compliance until the USEPA provides alternative analytical procedures or alternative precision statements for Method 24.

F. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's Air Toxic Policy was not necessary since the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would result in an increase in emissions of any pollutant that has a listed TLV to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
K002 - Spray paint booth no. 2 (prep station) for the refinishing of automobiles, equipped with dry filtration system	OAC rule 3745-31-05(A)(3)	Organic compound (OC) emissions shall not exceed 6.2 pounds per hour, excluding cleanup, 40 pounds per day, including cleanup, and 1.9 tons per year, including cleanup. The requirements of this rule also include compliance with the requirements of OAC rule 3745-21-07(G)(2). See A.2.a, and B.1 and B.2 below.
	OAC rule 3745-21-09(U)(2)(c)	The VOC content limit requirements of OAC rule 3745-21-09(U)(1) do not apply.
	OAC rule 3745-21-07(G)(2)	The hourly emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

2. Additional Terms and Conditions

- 2.a** The 6.2 pounds of OC per hour limitation for this emissions unit was established to reflect

Auto Body Collision and Glass

PTI Application: 01-09430

Issued

Facility ID: 0125042512

Emissions Unit ID: **K002**

the hourly potential to emit and to show compliance with the Ohio EPA Air Toxics Policy. Therefore, it is not necessary to develop record keeping and/or reporting requirements to ensure compliance with this limit.

B. Operational Restrictions

1. The permittee shall operate the dry filtration system whenever this emissions unit is in operation.
2. The permittee shall maintain a minimum stack height of 30 feet aboveground as measured from the ground to the top of the stack for this emissions unit. All air contaminant emissions from this emissions unit shall be emitted through the stack.

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall calculate and record the following information each month for this emissions unit:
 - a. the name and identification of each type of coating and cleanup material employed;
 - b. the OC content of each type of coating employed (excluding water and exempt solvents), as applied, in pounds per gallon;
 - c. the OC content of each type of cleanup material, in pounds per gallon;
 - d. the number of gallons of each type of coating and cleanup material employed;
 - e. the number of gallons of each type of cleanup material drummed for shipment off-site;
 - f. the total OC emissions from all coatings and cleanup materials employed, in pounds or tons, i.e., the sum of all coatings and cleanup materials times the respective OC contents minus the amount of cleanup material drummed for shipment off-site, in pounds or tons (number of gallons of cleanup times the respective OC content);
 - g. the total number of days this emissions unit was in operation; and
 - h. the average daily OC emission rate, i.e., [(f) / (g)], in pounds per day.
2. The permittee shall calculate and record the total OC emissions for this emissions unit for each calendar year, in tons. The annual OC emissions shall be calculated by summing the monthly OC emissions from Section C.1.f for the calendar year, and converting to tons (divide by 2,000 lbs/ton).
3. The permittee shall maintain daily records that document any time periods when the dry filtration system was not in service when the emissions unit was in operation.

18

Auto I

PTI A

Issued: 8/1/2002

Emissions Unit ID: **K002**

D. Reporting Requirements

1. The permittee shall notify the Ohio EPA, Central District Office, in writing of any monthly record showing that the 40 pounds per day OC limit was exceeded. The notification shall include a copy of such record and shall be sent to the Ohio EPA, Central District Office, within 30 days after the event occurs.
2. If the annual emission limit of 1.9 tons per year of OC is exceeded, the permittee shall submit an annual report which specifies the total OC emissions from this emissions unit for the previous calendar year. This report shall be submitted by January 31 of each year.
3. The permittee shall notify the Ohio EPA, Central District Office, in writing of any daily record showing that the dry filtration system was not in service when the emissions unit was in operation. The notification shall include a copy of such record and shall be sent to the Ohio EPA, Central District Office, within 30 days after the event occurs.

E. Testing Requirements

1. Compliance with the emission limitations specified in Section A.1 of the terms and conditions of this permit shall be determined in accordance with the following methods:
 - a. Emissions Limitation:

OC emissions shall not exceed 6.2 pounds per hour, excluding cleanup.

Applicable Compliance Method:

Compliance shall be demonstrated by multiplying the maximum OC content of 6.2 pounds per gallon by the maximum gallons used of 1.0 gallon per hour.
 - b. Emission Limitation:

OC emissions shall not exceed 40 pounds per day, including cleanup.

Applicable Compliance Method:

Compliance shall be determined by the record keeping requirements specified in Section C.1.h of this permit.
 - c. Emission Limitation:

Auto Body Collision and Glass
PTI Application: 01 09430
Issued

Facility ID: 0125042512

Emissions Unit ID: K002

OC emissions shall not exceed 1.9 tons per year, including cleanup.

Applicable Compliance Method:

Compliance shall be determined by the record keeping requirements specified in Section C.2 of this permit.

2. USEPA Method 24 shall be used to determine the OC contents for the coatings. If, pursuant to Section 4.3 of Method 24, 40 CFR, Part 60, Appendix A, an owner or operator determines that Method 24 cannot be used for a particular coating, the permittee shall so notify the Administrator of the USEPA and shall use formulation data for that coating to demonstrate compliance until the USEPA provides alternative analytical procedures or alternative precision statements for Method 24.

F. Miscellaneous Requirements

1. Modeling to demonstrate compliance with the Ohio EPA's Air Toxic Policy was not necessary since the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would result in an increase in emissions of any pollutant that has a listed TLV to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.