

Facility ID: 0204010490 Issuance type: Final State Permit To Operate

This version of facility specific terms and conditions was converted from a database format to an HTML file during an upgrade of the Ohio EPA, Division of Air Pollution Control's permitting software. Every attempt has been made to convert the terms and conditions to look and substantively conform to the permit issued or being drafted in STARS. However, the format of the terms may vary slightly from the original. In addition, although it is not expected, there is a slight possibility that a term and condition may have been inadvertently "left out" of this reproduction during the conversion process. Therefore, if this version is to be used as a starting point in drafting a new version of a permit, it is imperative that the entire set of terms and conditions be reviewed to ensure they substantively mimic the issued permit. The official version of any permit issued final by Ohio EPA is kept in the Agency's Legal section. The Legal section may be contacted at (614) 644-3037.

In addition to the terms and conditions, hyperlinks have been inserted into the document so you may more readily access the section of the document you wish to review.

Finally, the term language under "Part II" and before "A. Applicable Emissions Limitations..." has been added to aid in document conversion, and was not part of the original issued permit.

\*\*\*THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION\*\*\*

Facility ID: 0204010490 Emissions Unit ID: P019 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

## Part II - Special Terms and Conditions

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
  - (a) None.
2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
  - (a) None.

### A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
(P019) - Injection Mold Press No. I-6, a 375 ton press	OAC rule 3745-31-05(C) [PTI No. 02-22943]	Volatile organic compounds/hazardous air pollutants (VOC/HAP) emissions shall not exceed 131.4 pounds per month and 0.79 ton per year.

See sections A.2.a, B.1 and B

2. **Additional Terms and Conditions**
  - (a) The permittee has voluntarily accepted the operational restrictions in sections B.1 and B.2.

### B. Operational Restrictions

1. The permittee must uncover, unwrap or expose only one charge per mold cycle per compression/injection molding machine. For machines with multiple molds, one charge means sufficient material to fill all molds per one cycle. For machines with robotic loaders, no more than one charge may be exposed prior to the loader. For machines fed by hoppers, sufficient material may be uncovered to fill the hopper. Hoppers must be closed when not adding materials. Materials may be uncovered to feed to slitting machines. Materials must be recovered after slitting.
2. The permittee shall keep containers that store HAP-containing materials closed or covered except during the addition or removal of materials. Bulk HAP-containing materials storage tanks may be vented as necessary for safety.

### C. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information each month for this emissions unit:
  - a. the company identification for each mold compound employed;
  - b. the number of pounds of each mold compound employed;
  - c. the percent, by weight, of VOC/HAP in each mold compound employed; and
  - d. the available VOC/HAP from each mold compound employed, calculated as (b x c) for each mold compound employed.
2. The permittee shall conduct daily inspections of this emissions unit and maintain a log of these inspections. The log shall include the compliance status of the work practice standard identified in section B.1 and shall include the following information:
  - a. whether the emissions unit was in operation;
  - b. whether the permittee uncovered, unwrapped or exposed more than one charge per mold cycle per compression/injection molding machine as specified in section B.1; and
  - c. information on the duration and cause of each deviation and the corrective action taken.

### D. Reporting Requirements

1. The permittee shall submit written quarterly deviation (excursion) reports. The quarterly reports shall include:

- a. an identification of each month during which the monthly VOC/HAP emissions exceeded 131.4 pounds, and the actual monthly VOC/HAP emissions for each such month; and
- b. an identification of any day the permittee uncovered, unwrapped or exposed more than one charge per mold cycle per compression/injection molding machine.

If no deviations occurred during any such calendar quarter, a report indicating no deviations shall be sent.

**E. Testing Requirements**

1. Compliance with the allowable emission limitations in section A.1 of these terms and conditions shall be determined in accordance with the following methods:  
Emission Limitation:

VOC/HAP emissions shall not exceed 131.4 pounds per month.

Applicable Compliance Method:

Compliance shall be calculated as the summation of the monthly VOC/HAP emissions for all mold compounds employed. The emissions for each mold compound shall be calculated as follows:

$\text{lbs VOC/HAP per month} = P \times 2.0\%$

where:

P = available VOC/HAP, in pounds per month, as recorded in section C.1.d; and  
2.0 % = an emission factor based upon AP-24, Table 4.4-2 "Emission Factors for Uncontrolled Polyester Resin Product Fabrication Processes" (02/07).

Emission Limitation:

VOC/HAP emissions shall not exceed 0.79 ton per year.

Applicable Compliance Method:

Compliance shall be demonstrated by the summation of the monthly emissions calculated in section E.1.a for the calendar year and then dividing 2000 lbs/ton.

**F. Miscellaneous Requirements**

1. None