



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL
FRANKLIN COUNTY**

CERTIFIED MAIL

Street Address:

122 S. Front Street

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049

Application No: 01-08904

Fac ID: 0125043069

DATE: 10/19/2004

Lafarge North America Columbus Bldg
Tim Wwible
11435 Road 176
Paulding, OH 45879

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

Sincerely,

Michael W. Ahern, Manager
Permit Issuance and Data Management Section
Division of Air Pollution Control

cc: USEPA

CDO



**Permit To Install
Terms and Conditions**

**Issue Date: 10/19/2004
Effective Date: 10/19/2004**

FINAL PERMIT TO INSTALL 01-08904

Application Number: 01-08904
Facility ID: 0125043069
Permit Fee: **\$1250**
Name of Facility: Lafarge North America Columbus Bldg
Person to Contact: Tim Wwible
Address: 11435 Road 176
Paulding, OH 45879

Location of proposed air contaminant source(s) [emissions unit(s)]:
**1695 Watkins Road
Columbus, Ohio**

Description of proposed emissions unit(s):
Cement load in and load out.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized

Lafarge North America Columbus Bldg
PTI Application: 01-08904
Issued: 10/19/2004

Facility ID: 0125043069

representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions

Lafarge North America Columbus Bldg
PTI Application: 01-08904
Issued: 10/19/2004

Facility ID: 0125043069

and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit To Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate Permit To Install for the installation or modification of any other emissions unit(s) are required for any emissions unit for which a Permit To Install is required.

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the emissions unit(s) covered by this permit.

6

Lafarge North America Columbus Bldg
PTI Application: 01-08904
Issued: 10/19/2004

Facility ID: 0125043069

7

Lafarge North America Columbus Bldg

PTI Application: 01-08904

Issued: 10/19/2004

Facility ID: 0125043069

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
 TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
PM	9.81

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P001 - Flat Storage cement load in /load out operation controlled by one 50,000 ACFM baghouse(Big Fabric filter) and one 4000 ACFM baghouse (Small fabric Filter)	OAC rule 3745-31-05(A)(3)	Particulate emissions from the Big Fabric Filter shall not exceed 8.57 lb/hour and 0.02 grains per dry standard cubic foot.
		Particulate emissions from Small Fabric Filter shall not exceed 0.35 lb/hour and 0.01 grains per dry standard cubic foot.
		There shall be no visible particulate emissions from either stack.
		The requirements of this rule also include compliance with the requirements of OAC rule 3745-17-07(A), OAC rule 3745-17-11(B)(1), and OAC rule 3745-31-05(C).
	OAC rule 3745-17-07(A)	Total particulate emissions shall not exceed 9.81 ton/year for both filters
	OAC rule 3745-17-11(B)(1)	See section A.I.2.a.
		See section A.I.2.a.

2. Additional Terms and Conditions

- 2.a** The emission limitation specified in this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

B. Operational Restrictions

1. The maximum annual operating hours for this emissions unit shall not exceed 2,200 hours per year
2. The permittee shall operate the Big Fabric Filter whenever cement load-in from railcar to the flat storage building, or moving cement within the flat storage building with the front-end-loader, is taking place.
3. The permittee shall operate the Small Fabric Filter whenever cement load-in from railcar to the flat storage building, or cement load-out from the flat storage building to railcar, is taking place.
4. The pressure drop across the Big Fabric Filter shall be maintained within the range of 1.0 to 3.5 inches of water, while this filter is in operation.
5. The pressure drop across the Small Fabric Filter shall be maintained within the range of 0.5 to 6.0 inches of water, while this filter is in operation.

C. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information each month for this emissions unit:
 - a. the total hours of operation (hours/month), and
 - b. the cumulative summation of hours of operation (hours/year) for the calendar year.
2. The permittee shall collect and record the following information each day:
 - a. any time periods when the Big Fabric Filter was not in service when cement load-in from railcar to the flat storage building, or moving cement within the flat storage building with the front-end-loader, is taking place,
 - b. any time periods when the Small Fabric Filter was not in service when cement load-in from railcar to the flat storage building, or cement load-out from the flat storage building to

railcar, is taking place,

- c. the pressure drop across the Big Fabric Filter (inches water), and
- d. the pressure drop across the Small Fabric Filter (inches water).

D. Reporting Requirements

1. The permittee shall submit annual reports which specify this emissions unit's total hours of operation for the previous calendar year. The reports shall be submitted by April 15 of each year.
2. The permittee shall submit quarterly deviation (excursion) reports that identify all periods of time during which the Big Fabric Filter was not in service when cement load-in from railcar to the flat storage building, or moving cement within the flat storage building with the front-end-loader, is taking place.
3. The permittee shall submit quarterly deviation (excursion) reports that identify all periods of time during which the Small Fabric Filter was not in service when cement load-in from railcar to the flat storage building, or cement load-out from the flat storage building to railcar, is taking place.
4. The permittee shall submit quarterly deviation (excursion) reports that identify all periods of time during which the pressure drop across the Big Fabric Filter did not comply with the allowable range specified above.
5. The permittee shall submit quarterly deviation (excursion) reports that identify all periods of time during which the pressure drop across the Small Fabric Filter did not comply with the allowable range specified above.

E. Testing Requirements

1. Compliance with the emission limitations in section A.1 of these terms and conditions shall be determined in accordance with the following methods:
 - a. Emission Limitations: Particulate emissions from the Big Fabric Filter shall not exceed 8.57 lb/hour and 0.02 grains per dry standard cubic foot.

Applicable Compliance Method: The permittee shall conduct, or have conducted, emission testing for this emissions unit in accordance with the following requirements:

Emissions Unit ID: P001

- i. The emission testing shall be conducted within 60 days after achieving the maximum production rate but no later than 180 days after initial startup of the emissions unit.
- ii. The emission testing shall be conducted to demonstrate compliance with the hourly emission limitation and the grain/dscf emission limitation for PE.
- iii. The following test method(s) shall be employed to demonstrate compliance with the hourly emission and the grain/dscf limitations for PE:

40 CFR Part 60, Appendix A, Methods 1 through 5.

Alternative U.S. EPA-approved test methods may be used with prior approval from the Ohio EPA.

- iv. The test(s) shall be conducted while the emissions unit is operating at its maximum capacity unless otherwise specified or approved by the Ohio EPA, Central District Office.

Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the Ohio EPA, Central District Office. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of the test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Ohio EPA, Central District Office's refusal to accept the results of the emission test(s).

Personnel from the Ohio EPA, Central Office and Ohio EPA, Central District Office shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the control equipment.

A comprehensive written report on the results of the emission test(s) shall be signed by the person or persons responsible for the tests and submitted to the Ohio EPA, Central District Office within 30 days following completion of the test(s). The permittee may request additional time for the submittal of the written report, where warranted, with prior approval from the Ohio EPA, Central District Office.

- b. Emission Limitations: PM emissions from Small Fabric Filter shall not exceed 0.35 lb/hour and 0.01 grains per dry standard cubic foot.

Applicable Compliance Method: If required, the permittee shall demonstrate compliance with the emission limitation through emission tests performed in accordance with 40 CFR Part 60, Appendix A, Methods 1-5.

- c. Emission Limitation: PE shall not exceed 9.81 TPY.

Applicable Compliance Method: The annual emission limitation was established by multiplying the hourly emission limitation by 2200 hrs/year and dividing by 2,000 lbs/ton. Therefore, compliance with the annual emission limitation is ensured if compliance is maintained with the hourly emission and annual operational limitations.

- d. Emission Limitation: There shall be no visible particulate emissions from either stack.

Applicable Compliance Method: Compliance shall be determined through visible emissions observations performed in accordance with 40 CFR Part 60, Appendix A, Method 9 and the procedures specified in OAC rule 3745-17-03(B)(1).

F. Miscellaneous Requirements

None