



State of Ohio Environmental Protection Agency

STREET ADDRESS:

Lazarus Government Center
50 W. Town St., Suite 700
Columbus, Ohio 43215

TELE: (614) 644-3020 FAX: (614) 644-3184
www.epa.ohio.gov

MAILING ADDRESS:

P.O. Box 1049
Columbus, OH 43216-1049

3/8/2010

Certified Mail

Matt Gaietto
Pepperidge Farm Inc.
3320 State Route 103 E
Willard, OH 44890

RE: FINAL AIR POLLUTION PERMIT-TO-INSTALL
Facility ID: 0339030011
Permit Number: P0105793
Permit Type: OAC Chapter 3745-31 Modification
County: Huron

No	TOXIC REVIEW
No	PSD
No	SYNTHETIC MINOR
No	CEMS
No	MACT
No	NSPS
No	NESHAPS
No	NETTING
No	MAJOR NON-ATTAINMENT
No	MODELING SUBMITTED

Dear Permit Holder:

Enclosed please find a final Air Pollution Permit-to-Install (PTI) which will allow you to install or modify the described emissions unit(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, we urge you to read it carefully. Please complete a survey at www.epa.ohio.gov/dapc/permitsurvey.aspx and give us feedback on your permitting experience. We value your opinion.

The issuance of this PTI is a final action of the Director and may be appealed to the Environmental Review Appeals Commission ("ERAC") under Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and describe the action complained of and the grounds for the appeal. The appeal must be filed with the ERAC within thirty (30) days after notice of the Director's action. A filing fee of \$70.00 must be submitted to the ERAC with the appeal, although the ERAC, has discretion to reduce the amount of the filing fee if you can demonstrate (by affidavit) that payment of the full amount of the fee would cause extreme hardship. If you file an appeal of this action, you must notify Ohio EPA of the filing of the appeal (by providing a copy to the Director) within three (3) days of filing your appeal with the ERAC. Ohio EPA requests that a copy of the appeal also be provided to the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the ERAC at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, OH 43215

The Ohio EPA is encouraging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Compliance Assistance and Pollution Prevention at (614) 644-3469. If you have any questions regarding this permit, please contact the Ohio EPA DAPC, Northwest District Office. This permit has been posted to the Division of Air Pollution Control (DAPC) Web page <http://www.epa.ohio.gov>.

Sincerely,

Michael W. Ahern
Michael W. Ahern, Manager
Permit Issuance and Data Management Section, DAPC

Cc: U.S. EPA Region 5 *Via E-Mail Notification*
Ohio EPA DAPC, Northwest District Office

Ted Strickland, Governor
Lee Fisher, Lieutenant Governor
Chris Korleski, Director



**State of Ohio Environmental Protection Agency
Division of Air Pollution Control**

FINAL

Air Pollution Permit-to-Install
for
Pepperidge Farm Inc.

Facility ID: 0339030011
Permit Number: P0105793
Permit Type: OAC Chapter 3745-31 Modification
Issued: 3/8/2010
Effective: 3/8/2010



State of Ohio Environmental Protection Agency
 Division of Air Pollution Control

Air Pollution Permit-to-Install
 for
 Pepperidge Farm Inc.

Table of Contents

Authorization 1

A. Standard Terms and Conditions 3

 1. Federally Enforceable Standard Terms and Conditions 4

 2. Severability Clause 4

 3. General Requirements 4

 4. Monitoring and Related Record Keeping and Reporting Requirements 5

 5. Scheduled Maintenance/Malfunction Reporting 6

 6. Compliance Requirements 6

 7. Best Available Technology 7

 8. Air Pollution Nuisance 7

 9. Reporting Requirements 7

 10. Applicability 8

 11. Construction of New Sources(s) and Authorization to Install 8

 12. Permit-To-Operate Application 9

 13. Construction Compliance Certification 9

 14. Public Disclosure 9

 15. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations 9

 16. Fees 9

 17. Permit Transfers 10

 18. Risk Management Plans 10

 19. Title IV Provisions 10

B. Facility-Wide Terms and Conditions 11

C. Emissions Unit Terms and Conditions 13

 1. P001, Cracker Line #4 including FRANZ HAAS DGF Oven 14



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Final Permit-to-Install
Permit Number: P0105793
Facility ID: 0339030011
Effective Date: 3/8/2010

Authorization

Facility ID: 0339030011
Facility Description: cookie and cracker production
Application Number(s): A0037926
Permit Number: P0105793
Permit Description: Modification of commercial bakery production line (cracker production) to increase production capacity by increasing bakery oven capacity.
Permit Type: OAC Chapter 3745-31 Modification
Permit Fee: \$500.00
Issue Date: 3/8/2010
Effective Date: 3/8/2010

This document constitutes issuance to:

Pepperidge Farm Inc.
3320 State Route 103 E
Willard, OH 44890

Of a Permit-to-Install for the emissions unit(s) identified on the following page.

Ohio EPA District Office or local air agency responsible for processing and administering your permit:

Ohio EPA DAPC, Northwest District Office
347 North Dunbridge Road
Bowling Green, OH 43402
(419)352-8461

The above named entity is hereby granted a Permit-to-Install for the emissions unit(s) listed in this section pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Chris Korleski
Director



State of Ohio Environmental Protection Agency
 Division of Air Pollution Control

Final Permit-to-Install
Permit Number: P0105793
Facility ID: 0339030011
Effective Date: 3/8/2010

Authorization (continued)

Permit Number: P0105793
 Permit Description: Modification of commercial bakery production line (cracker production) to increase production capacity by increasing bakery oven capacity.

Permits for the following Emissions Unit(s) or groups of Emissions Units are in this document as indicated below:

Emissions Unit ID:	P001
Company Equipment ID:	Cracker Line 4
Superseded Permit Number:	03-13973
General Permit Category and Type:	Not Applicable



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Final Permit-to-Install
Permit Number: P0105793
Facility ID: 0339030011
Effective Date: 3/8/2010

A. Standard Terms and Conditions



1. Federally Enforceable Standard Terms and Conditions

- a) All Standard Terms and Conditions are federally enforceable, with the exception of those listed below which are enforceable under State law only:
 - (1) Standard Term and Condition A. 2.a), Severability Clause
 - (2) Standard Term and Condition A. 3.c) through A. 3.e) General Requirements
 - (3) Standard Term and Condition A. 6.c) and A. 6.d), Compliance Requirements
 - (4) Standard Term and Condition A. 9., Reporting Requirements
 - (5) Standard Term and Condition A. 10., Applicability
 - (6) Standard Term and Condition A. 11.b) through A. 11.e), Construction of New Source(s) and Authorization to Install
 - (7) Standard Term and Condition A. 14., Public Disclosure
 - (8) Standard Term and Condition A. 15., Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations
 - (9) Standard Term and Condition A. 16., Fees
 - (10) Standard Term and Condition A. 17., Permit Transfers

2. Severability Clause

- a) A determination that any term or condition of this permit is invalid shall not invalidate the force or effect of any other term or condition thereof, except to the extent that any other term or condition depends in whole or in part for its operation or implementation upon the term or condition declared invalid.
- b) All terms and conditions designated in parts B and C of this permit are federally enforceable as a practical matter, if they are required under the Act, or any its applicable requirements, including relevant provisions designed to limit the potential to emit of a source, are enforceable by the Administrator of the U.S. EPA and the State and by citizens (to the extent allowed by section 304 of the Act) under the Act. Terms and conditions in parts B and C of this permit shall not be federally enforceable and shall be enforceable under State law only, only if specifically identified in this permit as such.

3. General Requirements

- a) The permittee must comply with all terms and conditions of this permit. Any noncompliance with the federally enforceable terms and conditions of this permit constitutes a violation of the Act, and is grounds for enforcement action or for permit revocation, revocation and re-issuance, or modification.



- b) It shall not be a defense for the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the federally enforceable terms and conditions of this permit.
- c) This permit may be modified, revoked, or revoked and reissued, for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or revocation, or of a notification of planned changes or anticipated noncompliance does not stay any term and condition of this permit.
- d) This permit does not convey any property rights of any sort, or any exclusive privilege.
- e) The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying or revoking this permit or to determine compliance with this permit. Upon request, the permittee shall also furnish to the Director or an authorized representative of the Director, copies of records required to be kept by this permit. For information claimed to be confidential in the submittal to the Director, if the Administrator of the U.S. EPA requests such information, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality.

4. Monitoring and Related Record Keeping and Reporting Requirements

- a) Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall maintain records that include the following, where applicable, for any required monitoring under this permit:
 - (1) The date, place (as defined in the permit), and time of sampling or measurements.
 - (2) The date(s) analyses were performed.
 - (3) The company or entity that performed the analyses.
 - (4) The analytical techniques or methods used.
 - (5) The results of such analyses.
 - (6) The operating conditions existing at the time of sampling or measurement.
- b) Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.
- c) Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall submit required reports in the following manner:
 - (1) Reports of any required monitoring and/or recordkeeping of federally enforceable information shall be submitted to the Ohio EPA DAPC, Northwest District Office.



(2) Quarterly written reports of (i) any deviations from federally enforceable emission limitations, operational restrictions, and control device operating parameter limitations, excluding deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06, that have been detected by the testing, monitoring and recordkeeping requirements specified in this permit, (ii) the probable cause of such deviations, and (iii) any corrective actions or preventive measures taken, shall be made to the Ohio EPA DAPC, Northwest District Office. The written reports shall be submitted (i.e., postmarked) quarterly, by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. See A.15. below if no deviations occurred during the quarter.

(3) Written reports, which identify any deviations from the federally enforceable monitoring, recordkeeping, and reporting requirements contained in this permit shall be submitted (i.e., postmarked) to the Ohio EPA DAPC, Northwest District Office every six months, by January 31 and July 31 of each year for the previous six calendar months. If no deviations occurred during a six-month period, the permittee shall submit a semi-annual report, which states that no deviations occurred during that period.

(4) This permit is for an emissions unit located at a Title V facility. Each written report shall be signed by a responsible official certifying that, based on information and belief formed after reasonable inquiry, the statements and information in the report are true, accurate, and complete.

d) The permittee shall report actual emissions pursuant to OAC Chapter 3745-78 for the purpose of collecting Air Pollution Control Fees.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction, i.e., upset, of any emissions units or any associated air pollution control system(s) shall be reported to the Ohio EPA DAPC, Northwest District Office in accordance with paragraph (B) of OAC rule 3745-15-06. (The definition of an upset condition shall be the same as that used in OAC rule 3745-15-06(B)(1) for a malfunction.) The verbal and written reports shall be submitted pursuant to OAC rule 3745-15-06.

Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emission unit(s) that is (are) served by such control system(s).

6. Compliance Requirements

a) The emissions unit(s) identified in this Permit shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

b) Any document (including reports) required to be submitted and required by a federally applicable requirement in this permit shall include a certification by a responsible official that, based on information and belief formed after reasonable inquiry, the statements in the document are true, accurate, and complete.

c) Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Director of the Ohio EPA or an authorized representative of the Director to:



- (1) At reasonable times, enter upon the permittee's premises where a source is located or the emissions-related activity is conducted, or where records must be kept under the conditions of this permit.
 - (2) Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit, subject to the protection from disclosure to the public of confidential information consistent with ORC section 3704.08.
 - (3) Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.
 - (4) As authorized by the Act, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit and applicable requirements.
- d) The permittee shall submit progress reports to the Ohio EPA DAPC, Northwest District Office concerning any schedule of compliance for meeting an applicable requirement. Progress reports shall be submitted semiannually or more frequently if specified in the applicable requirement or by the Director of the Ohio EPA. Progress reports shall contain the following:
- (1) Dates for achieving the activities, milestones, or compliance required in any schedule of compliance, and dates when such activities, milestones, or compliance were achieved.
 - (2) An explanation of why any dates in any schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.

7. Best Available Technology

As specified in OAC Rule 3745-31-05, new sources that must employ Best Available Technology (BAT) shall comply with the Applicable Emission Limitations/Control Measures identified as BAT for each subject emissions unit.

8. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

9. Reporting Requirements

The permittee shall submit required reports in the following manner:

- a) Reports of any required monitoring and/or recordkeeping of state-only enforceable information shall be submitted to the Ohio EPA DAPC, Northwest District Office.
- b) Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from state-only required emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the Ohio EPA DAPC, Northwest District Office. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted



(i.e., postmarked) quarterly, by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

10. Applicability

This Permit-to-Install is applicable only to the emissions unit(s) identified in the Permit-to-Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

11. Construction of New Sources(s) and Authorization to Install

- a) This permit does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. This permit does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the application and terms and conditions of this permit. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of this permit does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Issuance of this permit is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.
- b) If applicable, authorization to install any new emissions unit included in this permit shall terminate within eighteen months of the effective date of the permit if the owner or operator has not undertaken a continuing program of installation or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.
- c) The permittee may notify Ohio EPA of any emissions unit that is permanently shut down (i.e., the emissions unit has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent "modification" or "installation" as defined in OAC Chapter 3745-31) by submitting a certification from the authorized official that identifies the date on which the emissions unit was permanently shut down. Authorization to operate the affected emissions unit shall cease upon the date certified by the authorized official that the emissions unit was permanently shut down. At a minimum, notification of permanent shut down shall be made or confirmed through completion of the annual PER covering the last period of operation of the affected emissions unit(s).
- d) The provisions of this permit shall cease to be enforceable for each affected emissions unit after the date on which an emissions unit is permanently shut down (i.e., emissions unit has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent "modification" or "installation" as defined in OAC Chapter 3745-31). All records relating to any permanently shutdown emissions unit, generated while the emissions unit was in operation, must be maintained in accordance with law. All reports required by this permit must be submitted for any period an affected emissions unit operated prior to permanent shut down. At a minimum, the permit requirements must be evaluated as part of the PER covering the last period the emissions unit operated.



No emissions unit certified by the authorized official as being permanently shut down may resume operation without first applying for and obtaining a permit pursuant to OAC Chapter 3745-31.

- e) The permittee shall comply with any residual requirements related to this permit, such as the requirement to submit a PER, air fee emission report, or other any reporting required by this permit for the period the operating provisions of this permit were enforceable, or as required by regulation or law. All reports shall be submitted in a form and manner prescribed by the Director. All records relating to this permit must be maintained in accordance with law.

12. Permit-To-Operate Application

The permittee is required to apply for a Title V permit pursuant to OAC Chapter 3745-77. The permittee shall submit a complete Title V permit application or a complete Title V permit modification application within twelve (12) months after commencing operation of the emissions units covered by this permit. However, if the proposed new or modified source(s) would be prohibited by the terms and conditions of an existing Title V permit, a Title V permit modification must be obtained before the operation of such new or modified source(s) pursuant to OAC rule 3745-77-04(D) and OAC rule 3745-77-08(C)(3)(d).

13. Construction Compliance Certification

The applicant shall identify the following dates in the online facility profile for each new emissions unit identified in this permit.

- a) Completion of initial installation date shall be entered upon completion of construction and prior to start-up.
- b) Commence operation after installation or latest modification date shall be entered within 90 days after commencing operation of the applicable emissions unit.

14. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

15. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations

If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly (i.e., postmarked), by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters.

16. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable permit-to-install fees within 30 days after the issuance of any permit-to-install. The permittee shall pay all applicable permit-to-operate fees within thirty days of the issuance of the invoice.



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Final Permit-to-Install
Permit Number: P0105793
Facility ID: 0339030011
Effective Date: 3/8/2010

17. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The Ohio EPA DAPC, Northwest District Office must be notified in writing of any transfer of this permit.

18. Risk Management Plans

If the permittee is required to develop and register a risk management plan pursuant to section 112(r) of the Clean Air Act, as amended, 42 U.S.C. 7401 et seq. ("Act"), the permittee shall comply with the requirement to register such a plan.

19. Title IV Provisions

If the permittee is subject to the requirements of 40 CFR Part 72 concerning acid rain, the permittee shall ensure that any affected emissions unit complies with those requirements. Emissions exceeding any allowances that are lawfully held under Title IV of the Act, or any regulations adopted thereunder, are prohibited.



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Final Permit-to-Install
Permit Number: P0105793
Facility ID: 0339030011
Effective Date: 3/8/2010

B. Facility-Wide Terms and Conditions



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Final Permit-to-Install
Permit Number: P0105793
Facility ID: 0339030011
Effective Date: 3/8/2010

1. This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).
 - a) For the purpose of a permit-to-install document, the facility-wide terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (1) None.
 - b) For the purpose of a permit-to-operate document, the facility-wide terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (1) None.



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Final Permit-to-Install
Permit Number: P0105793
Facility ID: 0339030011
Effective Date: 3/8/2010

C. Emissions Unit Terms and Conditions



1. P001, Cracker Line #4 including FRANZ HAAS DGF Oven

Operations, Property and/or Equipment Description:

Commercial bakery production line (cracker production) with direct-fired oven

a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

(1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

a. b)(1)a., b)(1)c., b)(1)f., b)(2)a., b)(2)b., d)(6), d)(7), d)(8), e)(3), f)(2)c., and f)(2)d.

(2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

a. None

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	ORC 3704.03(T)	Meet the requirements of any applicable reasonably available control technology (RACT) rule in effect as of January 1, 2006, regardless of the location of the source. See b)(2)a.
b.	OAC rule 3745-31-05(A)(3), as effective 11/30/01	1.13 pounds nitrogen oxides (NOx)/hour; and 4.95 tons NOx per year. 0.93 pound carbon monoxide (CO) per hour; and 4.07 tons CO per year. See b)(2)c. and b)(2)d.
c.	OAC rule 3745-31-05(A)(3)(a)(ii), as effective 12/01/06	See b)(2)b.
d.	OAC rule 3745-17-11(B)(1)	See b)(2)e.
e.	OAC rule 3745-17-07(A)	See b)(2)f.
f.	ORC 3704.03(F) and OAC rule 3745-114-01	See d)(6), d)(7) and d)(8)



(2) Additional Terms and Conditions

- a. In accordance with ORC 3704.03(T), this air contaminant source has the potential to emit, taking into account air pollution controls installed on the source, ten or more tons per year of volatile organic compounds (VOC) and as such shall meet the requirements of any applicable RACT rule in effect as of January 1, 2006, regardless of the location. Pepperidge Farm Inc. is considered a commercial bakery oven facility (as defined in OAC rule 3745-21-01) and therefore shall meet the requirements of OAC rule 3745-21-12 – Control of volatile organic compound emissions from commercial bakery oven facilities.

The RACT requirements for this air contaminant source are as follows:

- i. installation and operation of a VOC emission control system that reduces VOC emissions from the bakery oven (associated with this emissions unit) by at least ninety-five per cent by weight (i.e., an overall control efficiency of at least ninety-five per cent by weight).

For purposes of meeting the ninety-five per cent by weight overall control efficiency the permittee has indicated that the VOC emission control system will achieve a 100% capture efficiency for emissions from the bakery oven which will be reduced by at least ninety-five per cent by regenerative thermal oxidation.

- b. OAC rule 3745-31-05(A)(3)(a)(ii) applies once U.S. EPA approves the December 1, 2006 version of OAC rule 3745-31-05 as part of the State Implementation Plan. The Best Available Technology (BAT) requirements under OAC rule 3745-31-05(A)(3) do not apply to the emissions of NO_x and CO from this air contaminant source since the uncontrolled potential to emit for NO_x and CO are each less than 10 tons per year.

It should be noted that this air contaminant source has emissions of sulfur dioxide (SO₂) and particulate matter 10 microns or less in size (PM₁₀) which are associated with the combustion of natural gas. The potential emissions of SO₂ and PM₁₀ are negligible and therefore have not been address within this permit.

- c. The BAT requirements under OAC rule 3745-31-05(A)(3), effective 11/30/01 have been determined to be the following mass emission rate limitations from the bakery oven controlled by regenerative thermal oxidation:

- i. 1.13 pounds per hour and 4.95 tons per year for NO_x emissions;
- ii. 0.93 pounds per hour and 4.07 tons per year for CO emissions.

The pounds per hour and tons per year limitations represent combined mass emission rates from two regenerative thermal oxidizers (RTO). The VOC control system for the bakery oven consists of two separate RTOs operated in a parallel design configuration.

The mass emission rate limitations above represent the potential to emit (defined as the maximum capacity to emit an air pollutant under the physical and operational design). Therefore, no monitoring, record keeping, or reporting



requirements are necessary to ensure compliance with these emission limitations. See f)(2)a. and f)(2)b. for details regarding the potential to emit for NOx and CO emissions.

- d. The permittee satisfied the Best Available Technology (BAT) requirements pursuant to OAC rule 3745-31-05(A)(3), as effective November 30, 2001, in this permit. On December 1, 2006, paragraph (A)(3) of OAC rule 3745-31-05 was revised to conform to Ohio Revised Code (ORC) changes effective August 3, 2006 (Senate Bill 265 Changes), such that BAT is no longer required by State regulations for NAAQS pollutants less than ten tons per year. However, that rule revision has not yet been approved by U.S. EPA as a revision to Ohio's State Implementation Plan (SIP). Therefore, until the SIP revision occurs and the U.S. EPA approves the revisions to OAC rule 3745-31-05, the requirement to satisfy BAT still exists as part of the federally-approved SIP for Ohio. Once U.S. EPA approves the December 1, 2006 version of 3745-31-05, then these emission limits/control measures no longer apply.
- e. The uncontrolled mass rate of particulate emissions (PE) from this emissions unit is less than 10 pounds/hour. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), Figure II of OAC rule 3745-17-11 does not apply. In addition, Table I of OAC rule 3745-17-11 does not apply since the facility is located in Huron County, which is identified as a P-3 county.
- f. This emissions unit is exempt from the visible PE limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h) because OAC rule 3745-17-11 is not applicable.
- g. The oven shall be constructed to totally enclose the baking chamber, such that all volatile organic compound emissions are captured, contained, and directed to the control device.
- h. The oven shall be maintained under negative pressure whenever the emissions unit is in operation, and shall be designed and maintained to have an average facial velocity of air through each natural draft opening of at least 200 feet per minute (3,600 m/hr). Compliance with the average facial velocity shall be demonstrated during the compliance test, by either using an air flow monitor or a differential pressure gauge at each natural draft opening, and maintaining the required facial velocity or the corresponding negative pressure. The permanent oven total enclosure shall meet all of the following criteria if the capture efficiency of the enclosure and control device is to be assumed to be 100%:
 - i. Any natural draft opening shall be at least four equivalent opening diameters, or 4 times the diameter of the opening, from each OC emitting point. An equivalent diameter is the diameter of a circle that has the same area as the opening. If the opening is not circular the equivalent diameter (ED) is calculated as follows:
$$ED = (4 \text{ area}/\pi)^{0.5}$$
 - ii. The total area of all natural draft openings (A_N) shall not exceed 5 percent of the total surface area of the enclosure (A_T), i.e, the four walls, floor, and



ceiling. The natural draft opening to enclosure area ratio (NEAR) is calculated as follows:

$$\text{NEAR} = A_N / A_T$$

- iii. The direction of air flow through all natural draft openings shall be into the enclosure, with an average facial velocity of no less than 200 feet per minute (3,600 m/hr) or a pressure drop of 0.013 mm Hg (0.007 in. H₂O).
 - iv. All access doors and windows to the enclosure that do not meet the requirements of a natural draft opening and whose surface areas are not included in the 5 percent surface area determination in "b", shall be completely closed to any air movement during process operations.
 - v. All OC emissions shall be captured and contained for discharge through the control device.
- i. The oven shall be maintained in such a manner that all OC emissions shall be captured and contained for discharge through the control device.
- c) Operational Restrictions
- (1) The oven shall be maintained under negative pressure, at a minimum pressure differential that is not less than 0.013 mm Hg (0.007 in. H₂O), whenever the emissions unit is in operation.
- d) Monitoring and/or Recordkeeping Requirements
- (1) In order to maintain compliance with the applicable requirements contained in this permit, the acceptable combustion temperature, based on a rolling 3-hour average, within an individual RTO, during any period of time when the individual RTO is "on-line/providing control" and the bakery oven is in operation, shall not be less than the average temperature determined (in degrees Fahrenheit) during the most recent compliant stack test. Until compliance testing has been conducted, the RTO(s) shall be operated and maintained in accordance with the manufacturer's recommendations, instructions, and the operating manual.
 - (2) The permittee shall properly install, operate, and maintain continuous temperature monitor(s) and recorder(s) that measure and record the combustion temperature within each individual RTO when the RTO is "on-line/providing control" and the bakery oven is in operation, including periods of startup and shutdown. The permittee shall record the combustion temperature, in degrees Fahrenheit, within each individual RTO at least once every fifteen (15) minutes. The accuracy for each thermocouple, monitor, and recorder shall be guaranteed by the manufacturer to be within ± 1 percent of the temperature being measured or ± 5 degrees Fahrenheit, whichever is greater. The temperature monitor(s) and recorder(s) shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and the operating manuals, with any modifications deemed necessary by the permittee. The acceptable temperature setting shall be based upon the manufacturer's specifications until such time as any required performance testing is conducted and the appropriate temperature value is established to demonstrate compliance. Following compliance testing, the permittee shall collect and record the following information daily for each



individual RTO when the individual RTO is “on-line/providing control” and the bakery oven is in operation:

- a. all rolling, 3-hour blocks of time, when the individual RTO was “on-line/providing control” and the bakery oven was in operation, during which the average combustion temperature within the individual RTO was below the average temperature established during the most recent performance test that demonstrated compliance;
- b. a log (date and time period) of the following for each individual RTO when the RTO was “on-line/providing control” and the bakery oven was in operation:
 - i. downtime or bypass of the capture (collection) system;
 - ii. downtime or bypass of the RTO;
 - iii. downtime of the monitoring equipment;
- c. a log (date and time period) when an individual RTO was “off-line” and the bakery oven was in operation.

(3) Whenever the monitored average combustion temperature within an RTO deviates from the range or limit established in accordance with this permit, the permittee shall promptly investigate the cause of the deviation. The permittee shall maintain records of the following information for each investigation:

- a. the date and time the deviation began;
- b. the magnitude of the deviation at that time;
- c. the date the investigation was conducted;
- d. the name(s) of the personnel who conducted the investigation; and
- e. the findings and recommendations.

In response to each required investigation to determine the cause of a deviation, the permittee shall take prompt corrective action to bring the operation of the control equipment within the acceptable range/limit specified in this permit, unless the permittee determines that corrective action is not necessary and documents the reasons for that determination and the date and time the deviation ended. The permittee shall maintain records of the following information for each corrective action taken:

- a. a description of the corrective action;
- b. the date corrective action was completed;
- c. the date and time the deviation ended;
- d. the total period of time (in minutes) during which there was a deviation;
- e. the temperature readings immediately after the corrective action was implemented; and

- f. the name(s) of the personnel who performed the work.

Investigation and records required by this paragraph do not eliminate the need to comply with the requirements of OAC rule 3745-15-06 if it is determined that a malfunction has occurred.

The temperature range/limit is effective for the duration of this permit, unless revisions are requested by the permittee and approved in writing by the appropriate Ohio EPA District Office or local air agency. The permittee may request revisions to the permitted temperature range/limit based upon information obtained during future performance tests that demonstrate compliance with the allowable emission rate(s) for the controlled pollutant(s). In addition, approved revisions to the temperature range/limit will not constitute a relaxation of the monitoring requirements of this permit and may be incorporated into this permit by means of an administrative modification.

- (4) The permittee shall measure, document/calculate, and maintain a permanent record of the following information for the oven, which may be the same record documented during the compliance test(s):
- a. the measured diameter of each natural draft opening;
 - b. the distance measured from each natural draft opening to each OC emitting point;
 - c. the total calculated surface area of all natural draft openings and the surface area of the enclosure's four walls, floor, and ceiling;
 - d. the calculation or demonstration that the distance from each OC emitting point to each natural draft opening is at least 4 times the diameter of the opening; and
 - e. the calculation demonstrating that the sum of the surface areas of all of the natural draft openings to the enclosure is not more than 5 percent of the sum of the surface areas of the enclosure's four walls, floor, and ceiling.
- (5) The permittee shall within 6 months after permit issuance install, operate, and maintain monitoring devices and a recorder that continuously monitor and record the differential pressure between the inside and outside of the oven when the emissions unit is in operation. The monitoring and recording devices shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manuals, with any modifications deemed necessary by the permittee.

The permittee shall collect and record the following information each day:

- a. all three-hour blocks of time during which the difference in pressure between the oven and the surrounding areas is not maintained at or above the minimum pressure differential of 0.007 inches of water, as a three-hour average; and
 - b. a log or record of downtime for the capture (collection) system when the emissions unit was in operation.
- (6) The permit-to-install (PTI) application for this emissions unit, P001, was evaluated based on the actual materials and the design parameters of the emissions unit's exhaust



system, as specified by the permittee. The “Toxic Air Contaminant Statute”, ORC 3704.03(F), was applied to this emissions unit for each toxic air contaminant listed in OAC rule 3745-114-01, using data from the permit application; and modeling was performed for each toxic air contaminant(s) emitted at over one ton per year using an air dispersion model such as SCREEN3, AERMOD, or ISCST3, or other Ohio EPA approved model. The predicted 1-hour maximum ground-level concentration result(s) from the approved air dispersion model, was compared to the Maximum Acceptable Ground-Level Concentration (MAGLC), calculated as described in the Ohio EPA guidance document entitled “Review of New Sources of Air Toxic Emissions, Option A”, as follows:

- a. the exposure limit, expressed as a time-weighted average concentration for a conventional 8-hour workday and a 40-hour workweek, for each toxic compound(s) emitted from the emissions unit(s), (as determined from the raw materials processed and/or coatings or other materials applied) has been documented from one of the following sources and in the following order of preference (TLV was and shall be used, if the chemical is listed):
 - i. threshold limit value (TLV) from the American Conference of Governmental Industrial Hygienists’ (ACGIH) “Threshold Limit Values for Chemical Substances and Physical Agents Biological Exposure Indices”; or
 - ii. STEL (short term exposure limit) or the ceiling value from the American Conference of Governmental Industrial Hygienists’ (ACGIH) “Threshold Limit Values for Chemical Substances and Physical Agents Biological Exposure Indices”; the STEL or ceiling value is multiplied by 0.737 to convert the 15-minute exposure limit to an equivalent 8-hour TLV.
- b. The TLV is divided by ten to adjust the standard from the working population to the general public (TLV/10).
- c. This standard is/was then adjusted to account for the duration of the exposure or the operating hours of the emissions unit(s), i.e., “X” hours per day and “Y” days per week, from that of 8 hours per day and 5 days per week. The resulting calculation was (and shall be) used to determine the Maximum Acceptable Ground-Level Concentration (MAGLC):

$$TLV/10 \times 8/X \times 5/Y = 4 TLV/XY = MAGLC$$

where; X = 24 and Y = 7

- d. The following summarizes the results of dispersion modeling for the significant toxic contaminants (emitted at 1 or more tons/year):

Toxic Contaminant: Acetaldehyde

TLV: 25 ppm, 45,059 ug/m3

Maximum Hourly Emission Rate (lbs/hr): 0.43 lb/hour



Predicted 1-Hour Maximum Ground-Level Concentration (ug/m3): 41.55 ug/m3

MAGLC (ug/m3): 1072 ug/m3

The permittee, has demonstrated that emissions of acetaldehyde from emissions unit P001, is calculated to be less than eighty per cent of the maximum acceptable ground level concentration (MAGLC); any new raw material or processing agent shall not be applied without evaluating each component toxic air contaminant in accordance with the "Toxic Air Contaminant Statute", ORC 3704.03(F).

- (7) Prior to making any physical changes to or changes in the method of operation of the emissions unit(s), that could impact the parameters or values that were used in the predicted 1-hour maximum ground-level concentration", the permittee shall re-model the change(s) to demonstrate that the MAGLC has not been exceeded. Changes that can affect the parameters/values used in determining the 1-hour maximum ground-level concentration include, but are not limited to, the following:
- a. changes in the composition of the materials used or the use of new materials, that would result in the emission of a new toxic air contaminant with a lower Threshold Limit Value (TLV) than the lowest TLV previously modeled;
 - b. changes in the composition of the materials, or use of new materials, that would result in an increase in emissions of any toxic air contaminant listed in OAC rule 3745-114-01, that was modeled from the initial (or last) application; and
 - c. physical changes to the emissions unit(s) or its/their exhaust parameters (e.g., increased/ decreased exhaust flow, changes in stack height, changes in stack diameter, etc.).

If the permittee determines that the "Toxic Air Contaminant Statute" will be satisfied for the above changes, the Ohio EPA will not consider the change(s) to be a "modification" under OAC rule 3745-31-01 solely due to a non-restrictive change to a parameter or process operation, where compliance with the "Toxic Air Contaminant Statute", ORC 3704.03(F), has been documented. If the change(s) meet(s) the definition of a "modification", the permittee shall apply for and obtain a final FEPTIO prior to the change. The Director may consider any significant departure from the operations of the emissions unit, described in the permit application, as a modification that results in greater emissions than the emissions rate modeled to determine the ground level concentration; and he/she may require the permittee to submit a permit application for the increased emissions.

- (8) The permittee shall collect, record, and retain the following information for each toxic evaluation conducted to determine compliance with the "Toxic Air Contaminant Statute", ORC 3704.03(F):
- a. a description of the parameters/values used in each compliance demonstration and the parameters or values changed for any re-evaluation of the toxic(s) modeled (the composition of materials, new toxic contaminants emitted, change in stack/exhaust parameters, etc.);



- b. the Maximum Acceptable Ground-Level Concentration (MAGLC) for each significant toxic contaminant or worst-case contaminant, calculated in accordance with the "Toxic Air Contaminant Statute", ORC 3704.03(F);
 - c. a copy of the computer model run(s), that established the predicted 1-hour maximum ground-level concentration that demonstrated the emissions unit(s) to be in compliance with the "Toxic Air Contaminant Statute", ORC 3704.03(F), initially and for each change that requires re-evaluation of the toxic air contaminant emissions; and
 - d. the documentation of the initial evaluation of compliance with the "Toxic Air Contaminant Statute", ORC 3704.03(F), and documentation of any determination that was conducted to re-evaluate compliance due to a change made to the emissions unit(s) or the materials applied.
- e) Reporting Requirements
- (1) The permittee shall submit quarterly deviation (excursion) reports that identify the following information concerning the operation of the control equipment (RTO) during the operation of this emissions unit:
 - a. all rolling 3-hour periods (when the bakery oven was in operation) during which the average combustion temperature within an individual RTO deviated from the range/limit specified by the manufacturer and/or deviated from the average temperature established during the most recent performance test that demonstrated compliance;
 - b. any records of downtime (date and length of time) for the capture (collection) system, downtime or bypass of an individual RTO "on-line/providing control", and/or the monitoring equipment when the bakery oven was in operation.
 - c. each incident of deviation described in "a" or "b" (above) where a prompt investigation was not conducted;
 - d. each incident of deviation described in "a" or "b" where prompt corrective action, that would bring the emissions unit(s) into compliance and/or the temperature within an individual RTO into compliance with the acceptable range/limit, was determined to be necessary and was not taken; and
 - e. each incident of deviation described in "a" or "b" where proper records were not maintained for the investigation and/or the corrective action(s).

If no deviations (excursions) occurred during a calendar quarter, the permittee shall submit a report that states that no deviations (excursions) occurred during the quarter.

These quarterly reports shall be submitted electronically through Ohio EPA Air Services by January 31, April 30, July 31, and October 31 of each year; and each report shall cover the previous calendar quarter.

- (2) The permittee shall identify in the quarterly deviation report all three-hour blocks of time when the emissions unit was in operation, during which the bakery oven was not maintained at the minimum pressure differential of 0.007 inches of water.



- (3) The permittee shall include any changes made to a parameter or value used in the dispersion model, that was used to demonstrate compliance with the Toxic Air Contaminant Statute, ORC 3704.03(F), through the predicted 1-hour maximum ground-level concentration, in the quarterly deviation (excursion) reports. If no changes to the emissions, emissions unit(s), or the exhaust stack have been made, then the report shall include a statement to this effect.
- f) Testing Requirements
- (1) The permittee shall conduct, or have conducted, emission testing for this emissions unit in accordance with the following requirements:
 - a. The emission testing shall be conducted within 180 days after initial startup of the emissions unit. Testing time frame(s) specified may be amended or waived for cause upon prior request of, and written approval of, the Ohio EPA Northwest District Office.
 - b. The emission testing shall be conducted to demonstrate compliance with the following:
 - i. 100% capture efficiency for emissions from the bakery oven;
 - ii. Reduction of captured emissions from the bakery oven by at least ninety-five per cent by regenerative thermal oxidation.
 - c. The emission testing shall also involve a determination of the combined mass emission rate of VOC from the two RTOs in pounds per hour.
 - d. The following test method(s) shall be employed to demonstrate compliance with the allowable mass emission rate(s): for VOC, Methods 1-4 and 18, 25, or 25A, as applicable, of 40 CFR Part 60, Appendix A. The test method(s) which must be employed to demonstrate compliance with the control efficiency for OC are specified below. Alternative U.S. EPA approved test methods may be used with prior approval from the Ohio EPA.
 - e. The capture efficiency shall be determined using Methods 204 through 204F, as specified in 40 CFR Part 51, Appendix M, or the permittee may request to use an alternative method or procedure for the determination of capture efficiency in accordance with the USEPA's "Guidelines for Determining Capture Efficiency," dated January 9, 1995. (The Ohio EPA will consider the request, including an evaluation of the applicability, necessity, and validity of the alternative, and may approve the use of the alternative if such approval does not contravene any other applicable requirement.) The control efficiency (i.e., the percent reduction in mass emissions between the inlet and outlet of the control system) shall be determined in accordance with the test methods and procedures specified in Methods 18, 25, or 25A of 40 CFR Part 60, Appendix A and Methods 204 through 204F, as specified in 40 CFR Part 51, Appendix M. The test methods and procedures selected shall be based on a consideration of the diversity of the organic species present and their total concentration, and on a consideration of the potential presence of interfering gases."



- f. The test(s) shall be conducted at a Maximum Source Operating Rate (MSOR), unless otherwise specified or approved by the appropriate Ohio EPA District Office or local air agency. MSOR is defined as the condition that is most likely to challenge the emission control measures with regards to meeting the applicable emission standard(s). Although it generally consists of operating the emissions unit at its maximum material input/production rates and results in the highest emission rate of the tested pollutant, there may be circumstances where a lower emissions loading is deemed the most challenging control scenario. Failure to test at the MSOR is justification for not accepting the test results as a demonstration of compliance.
- g. Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the appropriate Ohio EPA District Office or local air agency. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of the test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Ohio EPA District Office's or local air agency's refusal to accept the results of the emission test(s).
- h. Personnel from the appropriate Ohio EPA District Office or local air agency shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the control equipment.
- i. A comprehensive written report on the results of the emissions test(s) shall be signed by the person or persons responsible for the tests and submitted to the appropriate Ohio EPA District Office or local air agency within 30 days following completion of the test(s). The permittee may request additional time for the submittal of the written report, where warranted, with prior approval from the appropriate Ohio EPA District Office or local air agency.

(2) Compliance with the requirements/emission limitations established in b)(1) of this permit shall be determined in accordance with the following methods:

- a. Emission Limitation:
1.13 pounds NOx per hour, 4.95 tons NOx per year

Applicable Compliance Method:

The emission limitations represent the potential to emit* for this emissions unit. Therefore no monitoring, record keeping, or reporting requirements are required to demonstrate compliance with these limitations.

*The potential to emit for this emissions unit is based on the unit's maximum heat input of 11.33 mmBTU/hour multiplied by the emission factor 0.1 pound NOx/mmBtu from AP-42 Table 1.4-1 (revised 3/98), and operating at 8760 hrs per year.

If required, the permittee shall demonstrate compliance with the hourly emission limitation by testing in accordance with Methods 1 - 4, and 7 of 40 CFR Part 60, Appendix A.



- b. Emission Limitation:
0.93 pound CO per hour, 4.07 tons CO per year

Applicable Compliance Method:

The emission limitations represent the potential to emit* for this emissions unit. Therefore no monitoring, record keeping or reporting requirements are required to demonstrate compliance with these limitations.

*The potential to emit for this emissions unit is based on the unit's maximum heat input of 11.33 mmBTU/hour multiplied by the emission factor 0.08 pound CO/mmBtu from AP-42 Table 1.4-2 (revised 3/98) and operating at 8760 hrs per year.

If required, the permittee shall demonstrate compliance with the hourly emission limitation by testing in accordance with Methods 1 - 4, and 10 of 40 CFR Part 60, Appendix A.

- c. Emission Limitation:
Each RTO shall achieve a minimum destruction efficiency of 95% for captured VOC emissions from the bakery oven.

Applicable Compliance Method:

Compliance with the destruction efficiency (i.e., the percent reduction in mass emissions between the inlet and the outlet of the control system) shall be determined in accordance with the test methods and procedures specified in Methods 18, 25, or 25 A, as applicable, of 40 CFR Part 60, Appendix A. The test methods and procedures selected shall be based on a consideration of the diversity of the organic species present and their total concentration, and on a consideration of the potential presence of interfering gases. [see Testing Requirements in f)(1)].

- d. Emission Limitation:
The thermal oxidation control system shall achieve a 100% capture efficiency from the oven enclosure.

Applicable Compliance Method:

Compliance with the capture efficiency shall be determined using Methods 204 through 204F, as specified in 40 CFR Part 51, Appendix M, or the permittee may request to use an alternative method or procedure for the determination of capture efficiency in accordance with the USEPA's "Guidelines for Determining Capture Efficiency," dated January 9, 1995. (The Ohio EPA will consider the request, including an evaluation of the applicability, necessity, and validity of the alternative, and may approve the use of the alternative if such approval does not contravene any other applicable requirement.) [see Testing Requirements in f)(1)].

g) Miscellaneous Requirements

- (1) This emissions unit does not include the processing of dough prior to loading onto the cracker line.