



Environmental
Protection Agency

Ted Strickland, Governor
Lee Fisher, Lt. Governor
Chris Korleski, Director

5/14/2010

Brian Ramseyer
Holmes Cheese
9444 State Route 39
Millersburg, OH 44654

RE: FINAL AIR POLLUTION PERMIT-TO-INSTALL AND OPERATE
Facility ID: 0238062008
Permit Number: P0106213
Permit Type: Initial Installation
County: Holmes

Certified Mail

No	TOXIC REVIEW
No	PSD
No	SYNTHETIC MINOR TO AVOID MAJOR NSR
No	CEMS
No	MACT
No	NSPS
No	NESHAPS
No	NETTING
No	MAJOR NON-ATTAINMENT
No	MODELING SUBMITTED
No	SYNTHETIC MINOR TO AVOID TITLE V
No	FEDERALLY ENFORCABLE PTIO (FEPTIO)

Dear Permit Holder:

Enclosed please find a final Air Pollution Permit-to-Install and Operate (PTIO) which will allow you to install, modify, and/or operate the described emissions unit(s) in the manner indicated in the permit. Because this permit contains conditions and restrictions, please read it very carefully. Please complete a survey at www.epa.ohio.gov/dapc/permitsurvey.aspx and give us feedback on your permitting experience. We value your opinion.

The issuance of this PTI is a final action of the Director and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer Kevin Boyce," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, OH 43215

If you have any questions, please contact Ohio EPA DAPC, Northeast District Office at (330)425-9171 or the Office of Compliance Assistance and Pollution Prevention at (614) 644-3469. This permit can be accessed electronically on the DAPC Web page, www.epa.ohio.gov/dapc, by clicking the "Issued Air Pollution Control Permits" link.

Sincerely,

Michael W. Ahern
Michael W. Ahern, Manager
Permit Issuance and Data Management Section, DAPC

Cc: Ohio EPA-NEDO



FINAL

**Division of Air Pollution Control
Permit-to-Install and Operate
for
Holmes Cheese**

Facility ID: 0238062008
Permit Number: P0106213
Permit Type: Initial Installation
Issued: 5/14/2010
Effective: 5/14/2010
Expiration: 5/14/2020



Division of Air Pollution Control
Permit-to-Install and Operate
for
Holmes Cheese

Table of Contents

Authorization 1
A. Standard Terms and Conditions 3
1. What does this permit-to-install and operate ("PTIO") allow me to do?..... 4
2. Who is responsible for complying with this permit? 4
3. What records must I keep under this permit? 4
4. What are my permit fees and when do I pay them?..... 4
5. When does my PTIO expire, and when do I need to submit my renewal application? 5
6. What happens to this permit if my project is delayed or I do not install or modify my source? 5
7. What reports must I submit under this permit? 5
8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit? 5
9. What are my obligations when I perform scheduled maintenance on air pollution control equipment? ... 6
10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report? 6
11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located? 6
12. What happens if one or more emissions units operated under this permit is/are shut down permanently? 6
13. Can I transfer this permit to a new owner or operator?..... 7
14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"? 7
15. What happens if a portion of this permit is determined to be invalid? 7
B. Facility-Wide Terms and Conditions..... 8
C. Emissions Unit Terms and Conditions 10
1. B001 11
2. P001-Biogas Flare 17

Authorization

Facility ID: 0238062008
Application Number(s): A0039382
Permit Number: P0106213
Permit Description: New installation of waste gas boiler and flare
Permit Type: Initial Installation
Permit Fee: \$400.00
Issue Date: 5/14/2010
Effective Date: 5/14/2010
Expiration Date: 5/14/2020
Permit Evaluation Report (PER) Annual Date: Jan 1 - Dec 31, Due Feb 15

This document constitutes issuance to:

Holmes Cheese
9444 State Route 39
Millersburg, OH 44654

of a Permit-to-Install and Operate for the emissions unit(s) identified on the following page.

Ohio EPA District Office or local air agency responsible for processing and administering your permit:

Ohio EPA DAPC, Northeast District Office
2110 East Aurora Road
Twinsburg, OH 43087
(330)425-9171

The above named entity is hereby granted this Permit-to-Install and Operate for the air contaminant source(s) (emissions unit(s)) listed in this section pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the described emissions unit(s) will operate in compliance with applicable State and federal laws and regulations.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency


Chris Korleski
Director



Authorization (continued)

Permit Number: P0106213
Permit Description: New installation of waste gas boiler and flare

Permits for the following Emissions Unit(s) or groups of Emissions Units are in this document as indicated below:

Emissions Unit ID:	B001
Company Equipment ID:	B001
Superseded Permit Number:	
General Permit Category and Type:	Not Applicable
Emissions Unit ID:	P001
Company Equipment ID:	P001-Biogas Flare
Superseded Permit Number:	
General Permit Category and Type:	Not Applicable

A. Standard Terms and Conditions

1. What does this permit-to-install and operate ("PTIO") allow me to do?

This permit allows you to install and operate the emissions unit(s) identified in this PTIO. You must install and operate the unit(s) in accordance with the application you submitted and all the terms and conditions contained in this PTIO, including emission limits and those terms that ensure compliance with the emission limits (for example, operating, recordkeeping and monitoring requirements).

2. Who is responsible for complying with this permit?

The person identified on the "Authorization" page, above, is responsible for complying with this permit until the permit is revoked, terminated, or transferred. "Person" means a person, firm, corporation, association, or partnership. The words "you," "your," or "permittee" refer to the "person" identified on the "Authorization" page above.

The permit applies only to the emissions unit(s) identified in the permit. If you install or modify any other equipment that requires an air permit, you must apply for an additional PTIO(s) for these sources.

3. What records must I keep under this permit?

You must keep all records required by this permit, including monitoring data, test results, strip-chart recordings, calibration data, maintenance records, and any other record required by this permit for five years from the date the record was created. You can keep these records electronically, provided they can be made available to Ohio EPA during an inspection at the facility. Failure to make requested records available to Ohio EPA upon request is a violation of this permit requirement.

4. What are my permit fees and when do I pay them?

There are two fees associated with permitted air contaminant sources in Ohio:

- PTIO fee. This one-time fee is based on a fee schedule in accordance with Ohio Revised Code (ORC) section 3745.11, or based on a time and materials charge for permit application review and permit processing if required by the Director.

You will be sent an invoice for this fee after you receive this PTIO and payment is due within 30 days of the invoice date. You are required to pay the fee for this PTIO even if you do not install or modify your operations as authorized by this permit.

- Annual emissions fee. Ohio EPA will assess a separate fee based on the total annual emissions from your facility. You self-report your emissions in accordance with Ohio Administrative Code (OAC) Chapter 3745-78. This fee assessed is based on a fee schedule in ORC section 3745.11 and funds Ohio EPA's permit compliance oversight activities. Unless otherwise specified, facilities subject to one or more synthetic minor restrictions must use Ohio EPA's "Air Services" to submit annual emissions associated with this permit requirement. Ohio EPA will notify you when it is time to report your emissions and to pay your annual emission fees.

5. When does my PTIO expire, and when do I need to submit my renewal application?

This permit expires on the date identified at the beginning of this permit document (see "Authorization" page above) and you must submit a renewal application to renew the permit. Ohio EPA will send a renewal notice to you approximately six months prior to the expiration date of this permit. However, it is very important that you submit a complete renewal permit application (postmarked prior to expiration of this permit) even if you do not receive the renewal notice.

If a complete renewal application is submitted before the expiration date, Ohio EPA considers this a timely application for purposes of ORC section 119.06, and you are authorized to continue operating the emissions unit(s) covered by this permit beyond the expiration date of this permit until final action is taken by Ohio EPA on the renewal application.

6. What happens to this permit if my project is delayed or I do not install or modify my source?

This PTIO expires 18 months after the issue date identified on the "Authorization" page above unless otherwise specified if you have not (1) started constructing the new or modified emission sources identified in this permit, or (2) entered into a binding contract to undertake such construction. This deadline can be extended by up to 12 months, provided you apply to Ohio EPA for this extension within a reasonable time before the 18-month period has ended and you can show good cause for any such extension.

7. What reports must I submit under this permit?

An annual permit evaluation report (PER) is required in addition to any malfunction reporting required by OAC rule 3745-15-06 or other specific rule-based reporting requirement identified in this permit. Your PER due date is identified in the Authorization section of this permit.

8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit?

If you are required to obtain a Title V permit under OAC Chapter 3745-77 in the future, the permit-to-operate portion of this permit will be superseded by the issued Title V permit. From the effective date of the Title V permit forward, this PTIO will effectively become a PTI (permit-to-install) in accordance with OAC rule 3745-31-02(B). The following terms and conditions will no longer be applicable after issuance of the Title V permit: Section B, Term 1.b) and Section C, for each emissions unit, Term a)(2).

The PER requirements in this permit remain effective until the date the Title V permit is issued and is effective, and cease to apply after the effective date of the Title V permit. The final PER obligation will cover operations up to the effective date of the Title V permit and must be submitted on or before the submission deadline identified in this permit on the last day prior to the effective date of the Title V permit.

9. What are my obligations when I perform scheduled maintenance on air pollution control equipment?

You must perform scheduled maintenance of air pollution control equipment in accordance with OAC rule 3745-15-06(A). If scheduled maintenance requires shutting down or bypassing any air pollution control equipment, you must also shut down the emissions unit(s) served by the air pollution control equipment during maintenance, unless the conditions of OAC rule 3745-15-06(A)(3) are met. Any emissions that exceed permitted amount(s) under this permit (unless specifically exempted by rule) must be reported as deviations in the annual permit evaluation report (PER), including nonexempt excess emissions that occur during approved scheduled maintenance.

10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report?

If you have a reportable malfunction of any emissions unit(s) or any associated air pollution control system, you must report this to the Ohio EPA DAPC, Northeast District Office in accordance with OAC rule 3745-15-06(B). Malfunctions that must be reported are those that result in emissions that exceed permitted emission levels. It is your responsibility to evaluate control equipment breakdowns and operational upsets to determine if a reportable malfunction has occurred.

If you have a malfunction, but determine that it is not a reportable malfunction under OAC rule 3745-15-06(B), it is recommended that you maintain records associated with control equipment breakdown or process upsets. Although it is not a requirement of this permit, Ohio EPA recommends that you maintain records for non-reportable malfunctions.

11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located?

Yes. Under Ohio law, the Director or his authorized representative may inspect the facility, conduct tests, examine records or reports to determine compliance with air pollution laws and regulations and the terms and conditions of this permit. You must provide, within a reasonable time, any information Ohio EPA requests either verbally or in writing.

12. What happens if one or more emissions units operated under this permit is/are shut down permanently?

Ohio EPA can terminate the permit terms associated with any permanently shut down emissions unit. "Shut down" means the emissions unit has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent "modification" or "installation" as defined in OAC Chapter 3745-31.

You should notify Ohio EPA of any emissions unit that is permanently shut down by submitting¹ a certification that identifies the date on which the emissions unit was permanently shut down. The certification must be submitted by an authorized official from the facility. You cannot continue to operate an emissions unit once the certification has been submitted to Ohio EPA by the authorized official.

¹ Permittees that use Ohio EPA's "Air Services" can mark the affected emissions unit(s) as "permanently shutdown" in the facility profile along with the date the emissions unit(s) was permanently removed and/or disabled. Submitting the facility profile update will constitute notifying of the permanent shutdown of the affected emissions unit(s).

You must comply with all recordkeeping and reporting for any permanently shut down emissions unit in accordance with the provisions of the permit, regulations or laws that were enforceable during the period of operation, such as the requirement to submit a PER, air fee emission report, or malfunction report. You must also keep all records relating to any permanently shutdown emissions unit, generated while the emissions unit was in operation, for at least five years from the date the record was generated.

Again, you cannot resume operation of any emissions unit certified by the authorized official as being permanently shut down without first applying for and obtaining a permit pursuant to OAC Chapter 3745-31.

13. Can I transfer this permit to a new owner or operator?

You can transfer this permit to a new owner or operator. If you transfer the permit, you must follow the procedures in OAC Chapter 3745-31, including notifying Ohio EPA or the local air agency of the change in ownership or operator. Any transferee of this permit must assume the responsibilities of the transferor permit holder.

14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"?

This permit and OAC rule 3745-15-07 prohibit operation of the air contaminant source(s) regulated under this permit in a manner that causes a nuisance. Ohio EPA can require additional controls or modification of the requirements of this permit through enforcement orders or judicial enforcement action if, upon investigation, Ohio EPA determines existing operations are causing a nuisance.

15. What happens if a portion of this permit is determined to be invalid?

If a portion of this permit is determined to be invalid, the remainder of the terms and conditions remain valid and enforceable. The exception is where the enforceability of terms and conditions are dependent on the term or condition that was declared invalid.

B. Facility-Wide Terms and Conditions

1. This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).
 - a) For the purpose of a permit-to-install document, the facility-wide terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (1) None.
 - b) For the purpose of a permit-to-operate document, the facility-wide terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (1) None.

C. Emissions Unit Terms and Conditions



1. B001

Operations, Property and/or Equipment Description:

100HP Boiler for burning waste gas

a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

(1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

a. None.

(2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

a. None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3), as effective 11/30/01	Particulate emissions (PE) shall not exceed 0.010 lb/mmBtu and 0.19 ton per year (TPY). Organic compound (OC) emissions shall not exceed 0.015 lb/mmBtu and 0.27 TPY. Nitrogen oxides (NOx) emissions shall not exceed 0.133 lb/mmBtu and 2.45 TPY. Carbon monoxide (CO) emissions shall not exceed 0.112 lb/mmBtu and 2.06 TPY. Sulfur dioxide (SO ₂) emissions shall not exceed 0.175 lb/mmBtu and 3.21 TPY. Visible particulate emissions from any stack shall not exceed 10% opacity, as a six-minute average, except as provided

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
		by rule. The requirements of this rule also include compliance with the requirements of OAC rules 3745-31-05(C), 3745-21-07(B), 3745-21-08(B), and 3745-23-06(B). See b)(2)a. and b)(2)b.
b.	OAC rule 3745-31-05(E), as effective 12/01/06	See b)(2)e.
c.	OAC rule 3745-17-07(A)(1)	The emission limitation specified by these rules are less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
d.	OAC rule 3745-17-10(B)(1)	The emission limitation specified by these rules are less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
e.	OAC rule 3745-21-08(B)	See b)(2)d.
f.	OAC rule 3745-21-07(B)	See b)(2)c.
g.	OAC rule 3745-18-06	Exempt. See b)(2)f.

(2) Additional Terms and Conditions

- a. The permittee has satisfied the Best Available Technology (BAT) requirements pursuant to Ohio Administrative Code (OAC) paragraph 3745-31-05(A)(3), as effective November 30, 2001, in this permit. On December 1, 2006, paragraph (A)(3) of OAC rule 3745-31-05 was revised to conform to the Ohio Revised Code (ORC) changes effective August 3, 2006 (Senate Bill 265 changes), such that BAT is no longer required by State regulations for National Ambient Air Quality Standards (NAAQS) pollutant(s) less than ten tons per year. However, that rule revision has not yet been approved by U.S. EPA as a revision to Ohio's State Implementation Plan (SIP). Therefore, until the SIP revision occurs and the U.S. EPA approves the revisions to OAC rule 3745-31-05, the requirement to satisfy BAT still exists as part of the federally-approved SIP for Ohio. Once U.S. EPA approves the December 1, 2006 version of OAC rule 3745-31-05, then these emission limitations/control measures no longer apply.

[OAC rule 3745-31-05(A)(3), as effective 11/30/01]

- b. The lb/mmBtu actual heat input and tons per year emission limitations, except for SO₂, are based on the emissions unit's potentials to emit. Therefore, no monitoring, record keeping, and reporting requirements are necessary to ensure ongoing compliance with these emission limitations.

- c. The permittee has satisfied the "latest available control techniques and operating practices" required pursuant to OAC rule 3745-21-07(B) by committing to comply with the best available technology requirements established pursuant to OAC rule 3745-31-05(A)(3).
- d. The permittee has satisfied the "best available control techniques and operating practices" required pursuant to OAC rule 3745-21-08(B) by committing to comply with the best available technology requirements established pursuant to OAC rule 3745-31-05(A)(3).

On November 5, 2002, OAC rule 3745-21-08 was revised to delete paragraph (B); therefore, paragraph (B) is no longer part of the State regulations. However, that rule revision has not yet been submitted to U.S. EPA as a revision to Ohio's State Implementation Plan (SIP). Therefore, until the SIP revisions occurs and the U.S. EPA approves the revisions to OAC rule 3745-21-08, the requirement to satisfy the "best available control techniques and operating practices" still exists as part of the federally-approved SIP for Ohio.

- e. This rule paragraph applies once U.S. EPA approves the December 1, 2006 version of OAC rule 3745-31-05 as part of the State Implementation Plan.

The Best Available Technology (BAT) requirements under OAC rule 3745-31-05(A)(3) do not apply to the nitrogen oxides (NO_x), carbon monoxide (CO), sulfur dioxide (SO₂), particulate emissions (PE) and volatile organic compound (VOC) emissions from this air contaminant source since the uncontrolled potential to emit for these pollutants is less than 10 tons/year.

[OAC rule 3745-31-05(E), as effective 12/01/06]

- f. This emissions unit is exempt from the requirements of OAC rule 3745-18-06(D) pursuant to OAC rule 3745-18-06(B).

c) Operational Restrictions

- (1) The permittee shall burn only digester gas and natural gas in this emissions unit.

d) Monitoring and/or Recordkeeping Requirements

- (1) For each day during which the permittee burns a fuel other than digester gas or natural gas, the permittee shall maintain a record of the type and quantity of fuel burned in this emissions unit.

e) Reporting Requirements

- (1) Annual Permit Evaluation Report (PER) forms will be mailed to the permittee at the end of the reporting period specified in the Authorization section of this permit. The permittee shall submit the PER in the form and manner provided by the Director by the due date identified in the Authorization section of this permit. The PER shall cover a reporting period of no more than 12-months for each air contaminant source identified in this permit.

f) Testing Requirements

(1) Compliance with the emission limitations in (b)(1) of these terms and conditions shall be determined in accordance with the following methods:

a. Emission Limitation:

Visible particulate emissions shall not exceed 10% opacity, as a 6-minute average, except as provided by the rule.

Applicable Compliance Method:

If required, compliance with the visible particulate emission limitation shall be demonstrated in accordance with the procedures specified in 40 CFR Part 60, Appendix A, Method 9.

b. Emission Limitation:

PE shall not exceed 0.010 lb/mmBtu and 0.19 TPY.

Applicable Compliance Method:

Compliance shall be demonstrated by converting the emission factor of 7.6 lbs/mmcf for natural gas combustion into lb/mmBtu by dividing by the heat content of methane gas (750 Btu/cf). This emission factor is specified in the U.S. EPA reference document AP-42, Compilation of Air Pollutant Emission Factors, Section 1.4, Table 1.4-2 (7/98).

The annual emission limitation was established by multiplying the lb/mmBtu emission factor by the maximum heat input of the boiler (4.19 mmBtu/hr). This hourly emission rate can then be multiplied by 8,760 hours of operation per year and dividing by 2,000 pounds per ton.

If required, compliance with the PE limitation shall be demonstrated in accordance with the procedures specified in 40 CFR Part 60, Appendix A, Methods 1 through 5.

c. Emission Limitation:

VOC emissions shall not exceed 0.015 lb/mmBtu and 0.27 TPY.

Applicable Compliance Method:

Compliance shall be demonstrated by converting the emission factor of 11 lbs/mmcf for natural gas combustion into lb/mmBtu by dividing by the heat content of methane gas (750 Btu/cf). This emission factor is specified in the U.S. EPA reference document AP-42, Compilation of Air Pollutant Emission Factors, Section 1.4, Table 1.4-2 (7/98).

The annual emission limitation was established by multiplying the lb/mmBtu emission factor by the maximum heat input of the boiler (4.19 mmBtu/hr). This

hourly emission rate can then be multiplied by 8,760 hours of operation per year and dividing by 2,000 pounds per ton.

If required, compliance with the VOC limitation shall be demonstrated in accordance with the procedures specified in 40 CFR Part 60, Appendix A, Methods 1 through 4 and 25 or 25A.

d. Emission Limitation:

NO_x emissions shall not exceed 0.133 lb/mmBtu and 2.45 TPY.

Applicable Compliance Method:

Compliance shall be demonstrated by converting the emission factor of 100 lbs/mmcf for natural gas combustion into lb/mmBtu by dividing by the heat content of methane gas (750 Btu/cf). This emission factor is specified in the U.S. EPA reference document AP-42, Compilation of Air Pollutant Emission Factors, Section 1.4, Table 1.4-2 (7/98).

The annual emission limitation was established by multiplying the lb/mmBtu emission factor by the maximum heat input of the boiler (4.19 mmBtu/hr). This hourly emission rate can then be multiplied by 8,760 hours of operation per year and dividing by 2,000 pounds per ton.

If required, compliance with the NO_x limitation shall be demonstrated in accordance with the procedures specified in 40 CFR Part 60, Appendix A, Methods 1 through 4 and 7 or 7E.

e. Emission Limitation:

CO emissions shall not exceed 0.112 lb/mmBtu and 2.06 TPY.

Applicable Compliance Method:

Compliance shall be demonstrated by converting the emission factor of 84 lbs/mmcf for natural gas combustion into lb/mmBtu by dividing by the heat content of methane gas (750 Btu/cf). This emission factor is specified in the U.S. EPA reference document AP-42, Compilation of Air Pollutant Emission Factors, Section 1.4, Table 1.4-2 (7/98).

The annual emission limitation was established by multiplying the lb/mmBtu emission factor by the maximum heat input of the boiler (4.19 mmBtu/hr). This hourly emission rate can then be multiplied by 8,760 hours of operation per year and dividing by 2,000 pounds per ton.

If required, compliance with the CO limitation shall be demonstrated in accordance with the procedures specified in 40 CFR Part 60, Appendix A, Methods 1 through 4 and 10.

f. SO₂ emissions shall not exceed 0.175 lb/mmBtu and 3.21 TPY.

Applicable Compliance Method:

Compliance shall be demonstrated by converting the emission factor of 100 lbs/mmcf for natural gas combustion into lb/mmBtu by dividing by the heat content of methane gas (750 Btu/cf). This emission factor is specified in the U.S. EPA reference document AP-42, Compilation of Air Pollutant Emission Factors, Section 1.4, Table 1.4-2 (7/98).

The annual emission limitation was established by multiplying the lb/mmBtu emission factor by the maximum heat input of the boiler (4.19 mmBtu/hr). This hourly emission rate can then be multiplied by 8,760 hours of operation per year and dividing by 2,000 pounds per ton.

If required, compliance with the SO₂ limitation shall be demonstrated in accordance with the procedures specified in 40 CFR Part 60, Appendix A, Methods 1 through 4 and 6C.

g) Miscellaneous Requirements

- (1) None.



2. P001-Biogas Flare

Operations, Property and/or Equipment Description:

E-1102 Biogas Flare-Anaerobic reactor waste gas

a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

(1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

a. None.

(2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

a. None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3), as effective 11/30/01	Particulate emissions (PE) shall not exceed 0.003 lb/mmBtu and 0.13 ton per year (TPY). Volatile organic compound (VOC) emissions shall not exceed 0.14 lb/mmBtu and 5.33 TPY. Nitrogen oxides (NOx) emissions shall not exceed 0.068 lb/mmBtu and 2.59 TPY. Sulfur dioxide (SO ₂) emissions shall not exceed 0.18 lb/mmBtu and 7.00 TPY. See b)(2)a. and b)(2)b.
b.	OAC rule 3745-31-05(E), as effective 12/01/06	See b)(2)c.
c.	ORC 3704.03(T)	Carbon monoxide (CO) emissions shall not exceed 0.37 lb/mmBtu.

(2) Additional Terms and Conditions

- a. The permittee has satisfied the Best Available Technology (BAT) requirements pursuant to Ohio Administrative Code (OAC) paragraph 3745-31-05(A)(3), as effective November 30, 2001, in this permit. On December 1, 2006, paragraph (A)(3) of OAC rule 3745-31-05 was revised to conform to the Ohio Revised Code (ORC) changes effective August 3, 2006 (Senate Bill 265 changes), such that BAT is no longer required by State regulations for National Ambient Air Quality Standards (NAAQS) pollutant(s) less than ten tons per year. However, that rule revision has not yet been approved by U.S. EPA as a revision to Ohio's State Implementation Plan (SIP). Therefore, until the SIP revision occurs and the U.S. EPA approves the revisions to OAC rule 3745-31-05, the requirement to satisfy BAT still exists as part of the federally-approved SIP for Ohio. Once U.S. EPA approves the December 1, 2006 version of OAC rule 3745-31-05, then these emission limitations/control measures no longer apply.

[OAC rule 3745-31-05(A)(3), as effective 11/30/01]

- b. The lb/mmBtu actual heat input and tons per year emission limitations, except for SO₂, are based on the emissions unit's potentials to emit. Therefore, no monitoring, record keeping, and reporting requirements are necessary to ensure ongoing compliance with these emission limitations.
- c. This rule paragraph applies once U.S. EPA approves the December 1, 2006 version of OAC rule 3745-31-05 as part of the State Implementation Plan.

The Best Available Technology (BAT) requirements under OAC rule 3745-31-05(A)(3) do not apply to the nitrogen oxides (NO_x), sulfur dioxide (SO₂), particulate emissions (PE) and volatile organic compound (VOC) emissions from this air contaminant source since the uncontrolled potential to emit for these pollutants is less than 10 tons/year.

[OAC rule 3745-31-05(E), as effective 12/01/06]

c) Operational Restrictions

- (1) The permittee shall burn only digester gas or natural gas in this emissions unit.
- (2) The hydrogen sulfide content of the digester gas burned in this emissions unit shall not exceed 1,000 ppm.

d) Monitoring and/or Recordkeeping Requirements

- (1) For each day during which the permittee burns a fuel other than digester gas or natural gas, the permittee shall maintain a record of the type and quantity of fuel burned in this emissions unit.
- (2) The permittee shall monitor hydrogen sulfide weekly when operating the emissions unit with digester gas, by using the Draeger or Gastec tubes detection methods. The reliability rating of the Draeger or Gastec tubes is +/- 25%. Therefore, to ensure

compliance with a hydrogen sulfide concentration of 1,000 ppm, hydrogen sulfide readings on the Draeger or Gastec tube shall not exceed 750 ppm.

The permittee shall maintain records of the hydrogen sulfide concentration in ppm for each weekly test.

e) Reporting Requirements

- (1) Annual Permit Evaluation Report (PER) forms will be mailed to the permittee at the end of the reporting period specified in the Authorization section of this permit. The permittee shall submit the PER in the form and manner provided by the Director by the due date identified in the Authorization section of this permit. The PER shall cover a reporting period of no more than 12-months for each air contaminant source identified in this permit.

f) Testing Requirements

- (1) Compliance with the emission limitations in (b)(1) of these terms and conditions shall be determined in accordance with the following methods:

a. Emission Limitation:

PE shall not exceed 0.003 lb/mmBtu and 0.13 TPY.

Applicable Compliance Method:

Compliance shall be demonstrated by multiplying 40 µg/L by 28.317 L/ft³ and dividing by 454 g/lb and the heat content of methane gas (750 Btu/ft³). The emission factor was taken from the U.S. EPA reference document AP-42, Compilation of Air Pollutant Emission Factors, Section 13.5, Table 13.5-1 (9/91).

The annual emission limitation was established by multiplying the lb/mmBtu emission factor by the maximum heat input of the flare (8.7 mmBtu/hr). This hourly emission rate can then be multiplied by 8,760 hours of operation per year and divided by 2,000 pounds per ton.

If required, compliance with the PE limitation shall be demonstrated in accordance with the procedures specified in 40 CFR Part 60, Appendix A, Methods 1 through 5.

b. Emission Limitation:

VOC emissions shall not exceed 0.14 lb/mmBtu and 5.33 TPY.

Applicable Compliance Method:

Compliance shall be demonstrated using the emission factor of 0.14 lb/mmBtu for propylene/propane gas combustion. This emission factor is specified in the U.S. EPA reference document AP-42, Compilation of Air Pollutant Emission Factors, Section 13.5, Table 13.5-1 (9/91).

The annual emission limitation was established by multiplying the lb/mmBtu emission factor by the maximum heat input of the flare (8.7 mmBtu/hr). This hourly emission rate can then be multiplied by 8,760 hours of operation per year and dividing by 2,000 pounds per ton.

If required, compliance with the VOC limitation shall be demonstrated in accordance with the procedures specified in 40 CFR Part 60, Appendix A, Methods 1 through 4 and 25 or 25A.

c. Emission Limitation:

NOx emissions shall not exceed 0.068 lb/mmBtu and 2.59 TPY.

Applicable Compliance Method:

Compliance shall be demonstrated using the emission factor of 0.068 lb/mmBtu for propylene/propane gas combustion. This emission factor is specified in the U.S. EPA reference document AP-42, Compilation of Air Pollutant Emission Factors, Section 13.5, Table 13.5-1 (9/91).

The annual emission limitation was established by multiplying the lb/mmBtu emission factor by the maximum heat input of the flare (8.7 mmBtu/hr). This hourly emission rate can then be multiplied by 8,760 hours of operation per year and dividing by 2,000 pounds per ton.

If required, compliance with the NOx limitation shall be demonstrated in accordance with the procedures specified in 40 CFR Part 60, Appendix A, Methods 1 through 4 and 7 or 7E.

d. Emission Limitation:

SO₂ emissions shall not exceed 0.18 lb/mmBtu and 7.00 TPY.

Applicable Compliance Method:

Compliance shall be determined based on the following equation for determining the emission factor (EF), taken from OAC rule 3745-18-04(F)(3):

$$EF \text{ (lbs/mmBtu)} = 1,000,000 / H \times D \times S \times 1.998$$

Where:

H = heat content of the fuel (750 Btu/cu ft for methane gas);

D = density of the fuel (0.069 lb/cu ft for methane gas); and

S = decimal fraction of sulfur (0.001 for methane gas).

This emission factor shall be multiplied by the maximum input rating of this unit (11,600 cu ft/hr) and the heat content of the fuel (750 Btu/cu ft), then dividing by 1,000,000 Btu/mmBtu. This hourly emission rate can then be multiplied by 8,760 hours of operation per year and dividing by 2,000 pounds per ton.

If required, compliance with the SO₂ limitation shall be demonstrated in accordance with the procedures specified in 40 CFR Part 60, Appendix A, Methods 1 through 4 and 6C.

e. Emission Limitation:

CO emissions shall not exceed 0.37 lb/mmBtu.

Applicable Compliance Method:

Compliance shall be demonstrated using the emission factor of 0.37 lb/mmBtu for propylene/propane gas combustion. This emission factor is specified in the U.S. EPA reference document AP-42, Compilation of Air Pollutant Emission Factors, Section 13.5, Table 13.5-1 (9/91).

The annual emission limitation was established by multiplying the lb/mmBtu emission factor by the maximum heat input of the flare (8.7 mmBtu/hr). This hourly emission rate can then be multiplied by 8,760 hours of operation per year and dividing by 2,000 pounds per ton.

If required, compliance with the CO limitation shall be demonstrated in accordance with the procedures specified in 40 CFR Part 60, Appendix A, Methods 1 through 4 and 10.

g) Miscellaneous Requirements

(1) None.