



State of Ohio Environmental Protection Agency

Street Address:

Lazarus Gov. Center  
122 S. Front Street  
Columbus, OH 43215

TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center  
P.O. Box 1049  
Columbus, OH 43216-1049

06/06/01

**CERTIFIED MAIL**

**RE: Final Title V Chapter 3745-77  
permit**

02-50-07-0850  
Carbon Limestone Sanitary Landfill  
Greg Holesh  
8100 South State Line Road  
Lowellville, OH 44436

Dear Greg Holesh:

Enclosed is the Title V permit that allows you to operate the facility in the manner indicated in the permit. Because this permit may contain several conditions and restrictions, we urge you to read it carefully.

The Ohio EPA is encouraging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Review Appeals Commission within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. It is also requested by the Director that a copy of the appeal be served upon the Environmental Enforcement Section of the Office of the Attorney General. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
236 East Town Street  
Room 300  
Columbus, Ohio 43215

If you have any questions, please contact Northeast District Office.

Very truly yours,

Thomas G. Rigo, Manager  
Field Operations and Permit Section  
Division of Air Pollution Control

cc: Northeast District Office  
File, DAPC PMU



State of Ohio Environmental Protection Agency

**FINAL TITLE V PERMIT**

Issue Date: <b>06/06/01</b>	Effective Date: <b>06/06/01</b>	Expiration Date: <b>06/06/06</b>
-----------------------------	---------------------------------	----------------------------------

This document constitutes issuance of a Title V permit for Facility ID: 02-50-07-0850 to:  
 Carbon Limestone Sanitary Landfill  
 8100 South State Line Road  
 Lowellville, OH 44436

**Emissions Unit ID (Company ID)/Emissions Unit Activity Description**

F001 (Roadway Traffic) Fugitive dust from plant roadways and parking areas.	F002 (MSW Landfill) Fugitive dust emissions from landfill operations.
--	--

You will be contacted approximately eighteen (18) months prior to the expiration date regarding the renewal of this permit. If you are not contacted, please contact the appropriate Ohio EPA District Office or local air agency listed below. This permit and the authorization to operate the air contaminant sources (emissions units) at this facility shall expire at midnight on the expiration date shown above. If a renewal permit is not issued prior to the expiration date, the permittee may continue to operate pursuant to OAC rule 3745-77-04(A) and in accordance with the terms of this permit beyond the expiration date, provided that a complete renewal application is submitted no earlier than eighteen (18) months and no later than one-hundred eighty (180) days prior to the expiration date.

Described below is the Ohio EPA District Office or local air agency that is responsible for processing and administering your Title V permit:

Northeast District Office  
 2110 East Aurora Road  
 Twinsburg, OH 44087  
 (330) 425-9171

OHIO ENVIRONMENTAL PROTECTION AGENCY

Christopher Jones  
 Director

## PART I - GENERAL TERMS AND CONDITIONS

### A. State and Federally Enforceable Section

#### 1. Monitoring and Related Recordkeeping and Reporting Requirements

- a. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall maintain records that include the following, where applicable, for any required monitoring under this permit:
  - i. The date, place (as defined in the permit), and time of sampling or measurements.
  - ii. The date(s) analyses were performed.
  - iii. The company or entity that performed the analyses.
  - iv. The analytical techniques or methods used.
  - v. The results of such analyses.
  - vi. The operating conditions existing at the time of sampling or measurement.
- b. Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.
- c. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall submit required reports in the following manner:
  - i. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
  - ii. Quarterly written reports of (i) any deviations from federally enforceable emission limitations, operational restrictions, and control device operating parameter limitations, excluding deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06, that have been detected by the testing, monitoring and recordkeeping requirements specified in this permit, (ii) the probable cause of such deviations, and (iii) any corrective actions or preventive measures taken, shall be promptly made to the appropriate Ohio EPA District Office or local air agency. These quarterly written reports shall satisfy the requirements of OAC rule 3745-77-07(A)(3)(c)(i) and (ii) pertaining to the submission of monitoring reports every six months and OAC rule 3745-77-07(A)(3)(c)(iii) pertaining to the prompt reporting of all deviations except malfunctions, which shall be reported in accordance with OAC rule 3745-15-06. The written reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.) See B.8 below if no deviations occurred during the quarter.
  - iii. Written reports, which identify any deviations from the federally enforceable monitoring, recordkeeping, and reporting requirements contained in this permit shall be submitted to the appropriate Ohio EPA District Office or local air agency every six months, i.e., by January 31

and July 31 of each year for the previous six calendar months. These semi-annual written reports shall satisfy the requirements of OAC rule 3745-77-07(A)(3)(c)(i) and (ii) pertaining to the reporting of any deviations related to the monitoring, recordkeeping, and reporting requirements. If no deviations occurred during a six-month period, the permittee shall submit a semi-annual report, which states that no deviations occurred during that period.

- iv. Each written report shall be signed by a responsible official certifying that, based on information and belief formed after reasonable inquiry, the statements and information in the report are true, accurate, and complete.

## **2. Scheduled Maintenance/Malfunction Reporting**

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction, i.e., upset, of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. (The definition of an upset condition shall be the same as that used in OAC rule 3745-15-06(B)(1) for a malfunction.) The verbal and written reports submitted pursuant to OAC rule 3745-15-06 shall satisfy the requirements of OAC rule 3745-77-07(A)(3)(c)(iii) pertaining to the prompt reporting of deviations caused by malfunctions or upsets.

Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emission unit(s) that is (are) served by such control system(s).

## **3. Risk Management Plans**

If the permittee is required to develop and register a risk management plan pursuant to section 112(r) of the Clean Air Act, as amended, 42 U.S.C. 7401 et seq. ("Act"), the permittee shall comply with the requirement to register such a plan.

## **4. Title IV Provisions**

If the permittee is subject to the requirements of 40 CFR Part 72 concerning acid rain, the permittee shall ensure that any affected emissions unit complies with those requirements. Emissions exceeding any allowances that are lawfully held under Title IV of the Act, or any regulations adopted thereunder, are prohibited.

## **5. Severability Clause**

A determination that any term or condition of this permit is invalid shall not invalidate the force or effect of any other term or condition thereof, except to the extent that any other term or condition depends in whole or in part for its operation or implementation upon the term or condition declared invalid.

## **6. General Requirements**

- a. The permittee must comply with all terms and conditions of this permit. Any noncompliance with the federally enforceable terms and conditions of this permit constitutes a violation of the Act, and is

grounds for enforcement action or for permit revocation, revocation and reissuance, or modification, or for denial of a permit renewal application.

- b. It shall not be a defense for the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the federally enforceable terms and conditions of this permit.
- c. This permit may be modified, reopened, revoked, or revoked and reissued, for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or revocation, or of a notification of planned changes or anticipated noncompliance does not stay any term and condition of this permit.
- d. This permit does not convey any property rights of any sort, or any exclusive privilege.
- e. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon request, the permittee shall also furnish to the Director or an authorized representative of the Director, copies of records required to be kept by this permit. For information claimed to be confidential in the submittal to the Director, if the Administrator of the U.S. EPA requests such information, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality.

## **7. Fees**

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78.

## **8. Marketable Permit Programs**

No revision of this permit is required under any approved economic incentive, marketable permits, emissions trading, and other similar programs or processes for changes that are provided for in this permit.

## **9. Reasonably Anticipated Operating Scenarios**

The permittee is hereby authorized to make changes among operating scenarios authorized in this permit without notice to the Ohio EPA, but, contemporaneous with making a change from one operating scenario to another, the permittee must record in a log at the permitted facility the scenario under which the permittee is operating. The permit shield provided in these general terms and conditions shall apply to all operating scenarios authorized in this permit.

## **10. Reopening for Cause**

This Title V permit will be reopened prior to its expiration date under the following conditions:

- a. Additional applicable requirements under the Act become applicable to one or more emissions units covered by this permit, and this permit has a remaining term of three or more years. Such a reopening shall be completed not later than eighteen months after promulgation of the applicable requirement. No such reopening is required if the effective date of the requirement is later than the date on which the permit is due to expire, unless the original permit or any of its terms and conditions has been extended pursuant to paragraph (E)(1) of OAC rule 3745-77-08.
- b. This permit is issued to an affected source under the acid rain program and additional requirements (including excess emissions requirements) become applicable. Upon approval by the Administrator, excess emissions offset plans shall be deemed to be incorporated into the permit, and shall not require a reopening of this permit.
- c. The Director of the Ohio EPA or the Administrator of the U.S. EPA determines that the federally applicable requirements in this permit are based on a material mistake, or that inaccurate statements were made in establishing the emissions standards or other terms and conditions of this permit related to such federally applicable requirements.
- d. The Administrator of the U.S. EPA or the Director of the Ohio EPA determines that this permit must be revised or revoked to assure compliance with the applicable requirements.

## **11. Federal and State Enforceability**

Only those terms and conditions designated in this permit as federally enforceable, that are required under the Act, or any of its applicable requirements, including relevant provisions designed to limit the potential to emit of a source, are enforceable by the Administrator of the U.S. EPA, the State, and citizens under the Act. All other terms and conditions of this permit shall not be federally enforceable and shall be enforceable under State law only.

## **12. Compliance Requirements**

- a. Any document (including reports) required to be submitted and required by a federally applicable requirement in this Title V permit shall include a certification by a responsible official that, based on information and belief formed after reasonable inquiry, the statements in the document are true, accurate, and complete.
- b. Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Director of the Ohio EPA or an authorized representative of the Director to:
  - i. At reasonable times, enter upon the permittee's premises where a source is located or the emissions-related activity is conducted, or where records must be kept under the conditions of this permit.
  - ii. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit, subject to the protection from disclosure to the public of confidential information consistent with paragraph (E) of OAC rule 3745-77-03.

- iii. Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.
  - iv. As authorized by the Act, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit and applicable requirements.
- c. The permittee shall submit progress reports to the appropriate Ohio EPA District Office or local air agency concerning any schedule of compliance for meeting an applicable requirement. Progress reports shall be submitted semiannually, or more frequently if specified in the applicable requirement or by the Director of the Ohio EPA. Progress reports shall contain the following:
- i. Dates for achieving the activities, milestones, or compliance required in any schedule of compliance, and dates when such activities, milestones, or compliance were achieved.
  - ii. An explanation of why any dates in any schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.
- d. Compliance certifications concerning the terms and conditions contained in this permit that are federally enforceable emission limitations, standards, or work practices, shall be submitted to the appropriate Ohio EPA District Office or local air agency in the following manner and with the following content:
- i. Compliance certifications shall be submitted annually on a calendar year basis. The annual certification shall be submitted on or before April 30th of each year during the permit term.
  - ii. Compliance certifications shall include the following:
    - (a) An identification of each term or condition of this permit that is the basis of the certification.
    - (b) The permittee's current compliance status.
    - (c) Whether compliance was continuous or intermittent.
    - (d) The method(s) used for determining the compliance status of the source currently and over the required reporting period.
    - (e) Such other facts as the Director of the Ohio EPA may require in the permit to determine the compliance status of the source.
  - iii. Compliance certifications shall contain such additional requirements as may be specified pursuant to sections 114(a)(3) and 504(b) of the Act.

### **13. Permit Shield**

- a. Compliance with the terms and conditions of this permit (including terms and conditions established for alternate operating scenarios, emissions trading, and emissions averaging, but excluding terms and conditions for which the permit shield is expressly prohibited under OAC rule 3745-77-07) shall be deemed compliance with the applicable requirements identified and addressed in this permit as of the date of permit issuance.
- b. This permit shield provision shall apply to any requirement identified in this permit pursuant to OAC rule 3745-77-07(F)(2), as a requirement that does not apply to the source or to one or more emissions units within the source.

## **14. Operational Flexibility**

The permittee is authorized to make the changes identified in OAC rule 3745-77-07(H)(1)(a) to (H)(1)(c) within the permitted stationary source without obtaining a permit revision, if such change is not a modification under any provision of Title I of the Act [as defined in OAC rule 3745-77-01(JJ)], and does not result in an exceedance of the emissions allowed under this permit (whether expressed therein as a rate of emissions or in terms of total emissions), and the permittee provides the Administrator of the U.S. EPA and the appropriate Ohio EPA District Office or local air agency with written notification within a minimum of seven days in advance of the proposed changes, unless the change is associated with, or in response to, emergency conditions. If less than seven days notice is provided because of a need to respond more quickly to such emergency conditions, the permittee shall provide notice to the Administrator of the U.S. EPA and the appropriate District Office of the Ohio EPA or local air agency as soon as possible after learning of the need to make the change. The notification shall contain the items required under OAC rule 3745-77-07(H)(2)(d).

## **15. Emergencies**

The permittee shall have an affirmative defense of emergency to an action brought for noncompliance with technology-based emission limitations if the conditions of OAC rule 3745-77-07(G)(3) are met. This emergency defense provision is in addition to any emergency or upset provision contained in any applicable requirement.

## **16. Off Permit Changes**

The owner or operator of a Title V source may make any change in its operations or emissions at the source that is not specifically addressed or prohibited in the Title V permit, without obtaining an amendment or modification of the permit, provided that the following conditions are met:

- a. The change does not result in conditions that violate any applicable requirements or that violate any existing federally enforceable permit term or condition;
- b. The permittee provides contemporaneous written notice of the change to the director and the administrator, except that no such notice shall be required for changes that qualify as insignificant emission levels or activities as defined in OAC rule 3745-77-01(U). Such written notice shall describe each such change, the date of such change, any change in emissions or pollutants emitted, and any federally applicable requirement that would apply as a result of the change;
- c. The change shall not qualify for the permit shield under OAC rule 3745-77-07(F);
- d. The permittee shall keep a record describing all changes made at the source that result in emissions of a regulated air pollutant subject to an applicable requirement, but not otherwise regulated under the permit, and the emissions resulting from those changes; and
- e. The change is not subject to any applicable requirement under Title IV of the Act or is not a modification under any provision of Title I of the Act.

Paragraph (I) of rule 3745-77-07 of the Administrative Code applies only to modification or amendment of the permittee's Title V permit. The change made may require a permit to install under Chapter 3745-31 of the Administrative Code if the change constitutes a modification as defined in that Chapter. Nothing in paragraph (I) of rule 3745-77-07 of the Administrative Code shall affect any applicable obligation under Chapter 3745-31 of the Administrative Code.

(For further clarification, the permittee can refer to Engineering Guide #63 that is available in their STARSHIP software package.)

## **17. Compliance Method Requirements**

Nothing in this permit shall alter or affect the ability of any person to establish compliance with, or a violation of, any applicable requirement through the use of credible evidence to the extent authorized by law. Nothing in this permit shall be construed to waive any defenses otherwise available to the permittee, including but not limited to, any challenge to the Credible Evidence Rule (see 62 Fed. Reg. 8314, Feb. 24, 1997), in the context of any future proceeding.

## **18. Insignificant Activity**

Each insignificant activity that has one or more applicable requirements shall comply with those applicable requirements.

## **B. State Only Enforceable Section**

### **1. Permit to Install Requirement**

Prior to the “installation” or “modification” of any “air contaminant source,” as those terms are defined in OAC rule 3745-31-01, a permit to install must be obtained from the Ohio EPA pursuant to OAC Chapter 3745-31.

### **2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements**

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

### **3. Records Retention Requirements**

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

### **4. Inspections and Information Requests**

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

**5. Scheduled Maintenance/Malfunction Reporting**

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

**6. Permit Transfers**

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

**7. Air Pollution Nuisance**

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

**8. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations (See Section A of This Permit)**

If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters.

## **Part II - Specific Facility Terms and Conditions**

### **A. State and Federally Enforcable Section**

**None**

### **B. State Only Enforceable Section**

1. The following insignificant emission units are located at this facility:

F003 - Screening Plant  
F004 - Mixing Pit  
P002 - Screening Plant Generator  
T001 - Leachate Storage Tank  
T006 - Gasoline Storage Tank  
T011 - Leachate Storage Tank  
Z001 - Emergency Generator

Each insignificant emissions unit at this facility must comply with all applicable State and federal regulations, as well as any emission limitations and/or control requirements contained within a permit to install for the emissions unit.

2. The permittee shall not cause or allow any open burning in violation of OAC Chapter 3745-19 at this facility.

**Part III - Terms and Conditions for Emissions Units**

**Emissions Unit ID:** Roadway Traffic (F001)

**Activity Description:** Fugitive dust from plant roadways and parking areas.

**A. State and Federally Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

- The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Landfill roadways and parking areas	OAC rule 3745-17-08 (B)	Requirements do not apply, per OAC 3745-17-08(A)(1).
	OAC rule 3745-17-07 (B)	Requirements do not apply, per OAC 3745-17-07(B)(11)(e).

**2. Additional Terms and Conditions**

None

**II. Operational Restrictions**

None

**III. Monitoring and/or Record Keeping Requirements**

None

**IV. Reporting Requirements**

None

**V. Testing Requirements**

None

**VI. Miscellaneous Requirements**

None

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Landfill roadways and parking areas	OAC rule 3745-15-07	See B.I.2.a

**2. Additional Terms and Conditions**

- 2.a The permittee shall prevent a public nuisance by continuing to implement fugitive dust control measures.
- 2.b The paved roadways and parking areas that are covered by this permit and subject to the above-mentioned requirements are listed below:
 

paved roadways:

All paved roads within the landfill

paved parking areas:

All paved parking areas within the landfill
- 2.c The unpaved roadways and parking areas that are covered by this permit and subject to the above-mentioned requirements are listed below:
 

unpaved roadways:

All unpaved roadways within the landfill to closed cells  
 All unpaved roadways within the landfill to open cells

unpaved parking areas:

All unpaved parking areas within the landfill
- 2.d The permittee shall employ reasonably available control measures on all paved roadways and parking areas for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to treat the paved roadways and parking areas by sweeping or flushing at sufficient treatment frequencies to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.
- 2.e The permittee shall employ reasonably available control measures on all unpaved roadways and parking areas for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to treat the unpaved roadways and parking areas with water at sufficient treatment frequencies to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.

**2. Additional Terms and Conditions (continued)**

- 2.f** The needed frequencies of implementation of the control measures shall be determined by the permittee's inspections pursuant to the monitoring section of this permit. Implementation of the control measures shall not be necessary for a paved or unpaved roadway or parking area that is covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements. Implementation of any control measure may be suspended if unsafe or hazardous driving conditions would be created by its use.
- 2.g** Any unpaved roadway or parking area, which during the term of this permit is paved or takes the characteristics of a paved surface due to the application of certain types of dust suppressants, may be controlled with the control measure(s) specified above for paved surfaces.
- 2.h** The permittee shall promptly remove, in such a manner as to minimize or prevent resuspension, earth and/or other material from paved streets onto which such material has been deposited by trucking or earth moving equipment or erosion by water or other means.
- 2.i** Open-bodied vehicles transporting materials likely to become airborne shall have such materials covered at all times if the control measure is necessary for the materials being transported.

**II. Operational Restrictions**

- 1. Brine shall not be used as a dust suppressant unless written permission is obtained from the Ohio EPA.

**III. Monitoring and/or Record Keeping Requirements**

- 1. Except as otherwise provided in this section, the permittee shall perform inspections of each of the roadway segments and each parking area in accordance with the following frequencies:

paved roadways and parking areas	minimum inspection frequency
All paved roads and parking areas	Daily
unpaved roadways and parking areas	minimum inspection frequency
All unpaved roads and parking areas to open cells of the landfill	Daily
All unpaved roads and parking areas to closed cells of the landfill	Weekly
- 2. The purpose of the inspections is to determine the need for implementing the above-mentioned control measures. The inspections shall be performed during representative, normal traffic conditions. No inspection shall be necessary for a roadway or parking area that is covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements. Any required inspection that is not performed due to any of the above-identified events shall be performed as soon as such event(s) has (have) ended, except if the next required inspection is within one week.
- 3. The permittee may, upon receipt of written approval from the appropriate Ohio EPA District Office or local air agency, modify the above-mentioned inspection frequencies if operating experience indicates that less frequent inspections would be sufficient to ensure compliance with the above-mentioned applicable requirements.

### **III. Monitoring and/or Record Keeping Requirements (continued)**

4. The permittee shall maintain records of the following information:
  - a. the date and reason any required inspection was not performed, including those inspections that were not performed due to snow and/or ice cover or precipitation;
  - b. the date of each inspection where it was determined by the permittee that it was necessary to implement the control measures;
  - c. the dates the control measures were implemented; and
  - d. on a calendar quarter basis, the total number of days the control measures were implemented and the total number of days where snow and/or ice cover or precipitation were sufficient to not require the control measures.

The information required in 4.d. shall be kept separately for (i) the paved roadways and parking areas and (ii) the unpaved roadways and parking areas, and shall be updated on a calendar quarter basis within 30 days after the end of each calendar quarter.

### **IV. Reporting Requirements**

1. The permittee shall submit deviation reports that identify any of the following occurrences:
  - a. each day during which an inspection was not performed by the required frequency, excluding an inspection which was not performed due to an exemption for snow and/or ice cover or precipitation; and
  - b. each instance when a control measure, that was to be implemented as a result of an inspection, was not implemented.
2. The deviation reports shall be submitted in accordance with the reporting requirements of the General Terms and Conditions of this permit.

### **V. Testing Requirements**

**None**

### **VI. Miscellaneous Requirements**

**None**

### Part III - Terms and Conditions for Emissions Units

**Emissions Unit ID:** MSW Landfill (F002)

**Activity Description:** Fugitive dust emissions from landfill operations.

#### A. State and Federally Enforceable Section

##### I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Existing MSW landfill equipped with an active gas collection and control system (enclosed combustor).	OAC rule 3745-17-08	This rule does not apply, per OAC 3745-17-08(A)(1).
	OAC rule 3745-17-07	This rule does not apply, per OAC 3745-17-07(B)(11)(e).
	40 CFR Part 60, Subpart WWW	See section A.1.2.a. through d.

##### 2. Additional Terms and Conditions

- 2.a The active collection system shall satisfy the following requirements, as specified in 40 CFR Part 60.752(b)(2)(ii)(A):

- i. The system shall be designed to handle the maximum expected gas flow rate from the entire area of the landfill that warrants control over the intended use period of the gas control or treatment system equipment.
- ii. The system shall collect gas from each area, cell, or group of cells in the landfill in which the initial waste has been placed for a period of 5 years or more if active, or 2 years or more if closed or at final grade.
- iii. The system shall collect gas at a sufficient extraction rate.
- iv. The system shall be designed to minimize off-site migration of subsurface gas.

- 2.b The collected gas shall be vented to an enclosed combustor designed and operated as follows:

The enclosed combustor shall either reduce non-methane organic compounds (NMOC) by 98 weight percent or reduce the outlet NMOC concentration to less than 20 parts per million by volume, dry basis as hexane at three percent oxygen.

## 2. Additional Terms and Conditions (continued)

- 2.c** The collection and control system may be capped or removed provided that all of the following conditions, as specified in 40 CFR Part 60.752(b)(2)(v), are met:
- i. The landfill shall be no longer accepting solid waste and be permanently closed (pursuant to 40 CFR Part 258.60).
  - ii. The collection and control system shall have been in operation a minimum of 15 years.
  - iii. The calculated NMOC gas produced by the landfill shall be less than 55 tons per year on three successive test dates. The test dates shall be no less than 90 days apart, and no more than 180 days apart.
- 2.d** Each well shall be installed within 60 days of the date in which the initial solid waste has been in place for a period of:
- i. 5 years or more if active; or
  - ii. 2 years or more if closed or at final grade.

## II. Operational Restrictions

1. The permittee shall operate the collection system such that gas is collected from each area, cell, or group of cells in the MSW landfill in which solid waste has been in place for 5 years or more if active, or for 2 years or more if closed or at final grade.
2. The permittee shall operate the collection system with negative pressure at each wellhead except under the following conditions:
  - a. A fire or increased well temperature. (The permittee shall record instances when positive pressure occurs in efforts to avoid a fire.)
  - b. Use of a geomembrane or synthetic cover. (The permittee shall develop acceptable pressure limits in the design plan.)
  - c. A decommissioned well. (A well may experience a static positive pressure after shutdown to accommodate for declining flows. All design changes shall be approved by the Northeast District Office of the Ohio EPA.)
3. The permittee shall operate each interior wellhead in the collection system with a landfill gas temperature less than 55 degrees Centigrade and either a nitrogen level less than 20 percent or an oxygen level less than 5 percent. The permittee may establish a higher operating temperature, nitrogen, or oxygen value at a particular well. A higher operating value demonstration shall show supporting data that the elevated parameter does not cause fires or significantly inhibit anaerobic decomposition by killing methanogens.

If a well exceeds one of these parameters, action shall be initiated to correct the exceedance within 15 calendar days. If the correction can not be achieved within 15 calendar days of the first measurement, the gas collection system shall be expanded to correct the exceedance within 120 days of the initial exceedance, unless the reason for the exceedance is listed above in section A.II.2. of this permit.
4. The permittee shall operate the collection system so that the methane concentration is less than 500 parts per million above background at the surface of the landfill.
5. The permittee shall operate the collection system such that all collected gases are vented to a control system designed and operated in compliance with A.I.2.b. In the event the collection or control system is inoperable, the gas mover system shall be shut down and all valves in the collection and control system contributing to venting of the gas to the atmosphere shall be closed within one hour.

## II. Operational Restrictions (continued)

6. The permittee shall operate the enclosed combustion device at all times when the collected gas is routed to the system.
7. The permittee shall not accept or dispose of any "asbestos material" as defined in OAC 3745-20-01 or asbestos-containing waste material as defined in 40 CFR 61.141 containing more than 1 percent asbestos as determined using the methods specified in appendix A, Subpart F, 40 CFR part 763, section 1, Polarized Light Microscopy. The receipt or disposal of any asbestos or asbestos-containing waste without proper approval of the Ohio EPA is a violation of the NESHAPS for asbestos and the Ohio EPA Permit to Install rules.
8. The average combustion temperature within the enclosed combustor, for any 3-hour block of time when the emissions unit is in operation, shall not be less than 1549 degrees Fahrenheit.

## III. Monitoring and/or Record Keeping Requirements

1. For the active gas collection system, the permittee shall install a sampling port and a thermometer, other temperature measuring devices, or an access port for temperature measurements at each wellhead and record the following information on a monthly basis:
  - a. the gauge pressure in the gas collection header at each individual well;
  - b. the nitrogen or oxygen concentration in the landfill gas; and
  - c. the temperature of the landfill gas.
2. The permittee shall monitor surface concentrations of methane on a quarterly basis as follows:
  - a. Monitor surface concentrations of methane along the entire parameter of the collection area and along a serpentine pattern spaced 30 meters apart (or a site-specific established spacing) for each collection area.
  - b. The background concentration shall be determined by moving the probe inlet upwind and downwind outside the boundary of the landfill at a distance of at least 30 meters from the perimeter wells.
  - c. Surface emission monitoring shall be performed in accordance with section 4.3.1 of Method 21 of Appendix A of 40 CFR Part 60, except that the probe inlet shall be placed within 5 to 10 centimeters of the ground. Monitoring shall be performed during typical meteorological conditions.
  - d. Any reading of 500 parts per million or more above background at any location shall be recorded as a monitored exceedance and the actions specified below shall be taken. As long as the specified actions are taken, the exceedance is not a violation of the operational requirements listed in A.II.4:
    - i. The location of each monitored exceedance shall be marked and the location recorded.
    - ii. Cover maintenance or adjustments to the vacuum of the adjacent wells to increase the gas collection in the vicinity of each exceedance shall be made and the location shall be remonitored within 10 calendar days of detecting the exceedance.

### **III. Monitoring and/or Record Keeping Requirements (continued)**

iii. If the remonitoring of the location shows a second exceedance, additional corrective action shall be taken and the location shall be monitored again within 10 days of the second exceedance. If the remonitoring shows a third exceedance for the same location, a new well or other collection device shall be installed within 120 calendar days of the initial exceedance. An alternative remedy to the exceedance, such as upgrading the blower, header pipes or control device, and a corresponding timeline for installation may be submitted to the Ohio EPA for approval. No further monitoring of that location is required until the action specified has been taken.

iv. Any location that initially showed an exceedance but has a methane concentration less than 500 ppm methane above background at the 10 day remonitoring specified above shall be remonitored one month from the initial exceedance. If the one month remonitoring shows a concentration less than 500 parts per million above background, no further monitoring of that location is required until the next quarterly monitoring period. If the one month remonitoring shows an exceedance, the actions specified above shall be taken.

3. For the enclosed combustor, the permittee shall install, calibrate, maintain, and operate according to the manufacturer's specifications, the following equipment:

a. a temperature monitoring device equipped with a continuous recorder and having an accuracy of plus or minus 1 percent of the temperature being measured expressed in degrees Celsius or plus or minus 0.5 degrees Celsius, whichever is greater; and

b. a gas flow rate measuring device that provides a measurement of gas flow to the control device. The gas flow shall be recorded at least every 15 minutes.

4. If a gas flow rate measuring device is not installed then the permittee shall secure the bypass line valve in the closed position with a car-seal or a lock and key type configuration. A visual inspection of the seal or closure mechanism shall be performed at least once every month to ensure that the valve is maintained in the closed position and that the gas flow is not diverted through the bypass line.

### III. Monitoring and/or Record Keeping Requirements (continued)

5. The permittee shall maintain the following information for the life of the control equipment as measured during the initial performance test or compliance demonstration:

a. The maximum expected gas generation flow rate as calculated based on the following:

i. For sites with unknown year-to-year solid waste acceptance rate:

$$Q_m = 2L_o \times R \times \{(e \text{ to the power } -kc) - (e \text{ to the power } -kt)\}$$

where,

$Q_m$  = maximum expected gas generation flow rate, cubic meters per year

$L_o$  = methane generation potential, cubic meters per megagram solid waste

$R$  = average annual acceptance rate, megagrams per year

$k$  = methane generation rate constant, per year

$t$  = age of the landfill at equipment installation plus the time the owner or operator intends to use the gas mover equipment or active life of the landfill, whichever is less (If the equipment is installed after closure,  $t$  is the age of the landfill at installation), years

$c$  = time since closure, years (for an active landfill  $c = 0$  and  $(e \text{ to the power } -kc) = 1$ )

ii. For sites with known year-to-year solid waste acceptance rate:

$$Q_m = \text{Summation of } 2kL_oM_i \times (e \text{ to the power } -kti \text{ for } i=1 \text{ through } i=n)$$

where,

$Q_m$  = maximum expected gas generation flow rate, cubic meters per year

$k$  = methane generation rate constant, per year

$L_o$  = methane generation potential, cubic meters per megagram solid waste

$M_i$  = mass of solid waste in the  $i$  th section, megagrams

$t_i$  = age of the  $i$  th section, years

iii. If a collection and control system has been installed, actual flow data may be used to project the maximum expected gas generation flow rate instead of, or in conjunction with, the equations in paragraph A.III.5.i. and ii. If the landfill is still accepting waste, the actual measured flow rate will not equal the maximum expected gas generation rate, so calculations using the equations in paragraph A.III.5.i. or ii. or other methods shall be used to predict the maximum expected gas generation rate over the intended period of use of the gas control system equipment. (The permittee may use another method to determine the maximum gas generation flow rate, if the method has been approved by the Ohio EPA.);

b. the density of wells, horizontal collectors, surface collectors, or other gas extraction devices determined using the procedures specified in 40 CFR Part 60.759(a)(1);

c. the average combustion temperature measured at least every 15 minutes and averaged over the same time period;

d. the percent reduction of NMOC achieved by the enclosed combustion device; and

e. the gas flow rate or bypass flow rate measurements.

6. The permittee shall keep for the life of the collection system an up-to-date, readily accessible plot map showing each existing and planned collector in the system and provide a unique location label for each collector.

7. The permittee shall keep for at least 5 years up-to-date, readily accessible, on-site records of the maximum design capacity of the landfill, the current amount of solid waste in place; and the year-by-year waste acceptance rate. Off-site records may be maintained if they are retrievable within 4 hours. Either hardcopy or electronic formats are acceptable. These records, may be also required by the Ohio EPA, Division of Solid and Infectious Waste Management, and shall satisfy this permit condition.

### III. Monitoring and/or Record Keeping Requirements (continued)

8. The permittee shall conduct surface testing around the perimeter of the collection area along a pattern that traverses the landfill at 30-meter intervals and where visual observations indicate elevated concentrations of landfill gas, such as distressed vegetation and cracks or seeps in the cover.
9. The permittee shall monthly monitor the gauge pressure in the gas collection header at each wellhead. If a positive pressure exists, action shall be initiated to correct the exceedance within 5 calendar days, except for the conditions noted in A.II.2. of this permit. If negative pressure cannot be achieved without excess air infiltration within 15 calendar days of the first measurement, the gas collection system shall be expanded to correct the exceedance within 120 days of the initial measurement of positive pressure. Any attempted corrective measures shall not cause exceedances of other operational or performance standards.
10. The permittee shall collect and record, each day, all 3-hour blocks of time during which the average combustion temperature within the enclosed combustor was less than 1549 degrees Fahrenheit.

### IV. Reporting Requirements

1. Any breakdown or malfunction of the landfill gas collection and control system resulting in the emission of raw landfill gas emissions to the atmosphere shall be reported to the Northeast District Office of the Ohio EPA within one hour after the occurrence, or as soon as reasonably possible, and immediate remedial measures shall be undertaken to correct the problem and prevent further emissions to the atmosphere.
2. The permittee shall submit a closure report to the Northeast District Office of the Ohio EPA within 30 days of waste acceptance cessation. The Ohio EPA may request additional information as may be necessary to verify that permanent closure has taken place in accordance with the requirements of 40 CFR Part 258.60. If a closure report has been submitted to the Ohio EPA, no additional wastes may be placed into the landfill without filing a notification of modification as described in 40 CFR Part 60.7(a)(4).
3. The permittee shall submit an equipment removal report to the Northeast District Office of the Ohio EPA 30 days prior to removal or cessation of operation of the control equipment. The equipment removal report shall contain the information specified in 40 CFR Part 60.757(e)(1). The Ohio EPA may request additional information as may be necessary to verify that all of the conditions for removal in 40 CFR Part 60.752(b)(2)(v) have been met.
4. The permittee shall submit deviation (excursion) reports that identify any of the following occurrences:
  - a. any record which indicates that the gauge pressure in the gas collection header at each individual well was positive, after actions specified in A.III.9 are taken;
  - b. any record which indicates that the nitrogen or oxygen concentration in the landfill gas was greater than 20% or 5%, respectively, unless the conditions of A.II.3 are met;
  - c. any record which indicates that the temperature of the landfill gas was greater than 55 degrees Celsius, unless the conditions of A.II.3 are met;
  - d. any record which indicates that the surface concentration of methane was greater than 500 parts per million above background, after actions specified in A.III.2 are taken;
  - e. all periods when the gas stream is diverted from the control device through a bypass line or the indication of bypass flow or any record which indicates that the bypass line valve was not maintained in the closed position; and
  - f. all 3-hour periods of operation during which the average combustion temperature was 1549 degrees Fahrenheit or less.

The deviation reports shall be submitted in accordance with the reporting requirements of the General Terms and Conditions of this permit.

#### **IV. Reporting Requirements (continued)**

5. The permittee shall submit annual reports which include the following:
  - a. all periods when the collection system was not operating in excess of 5 days;
  - b. any record indicating the date of installation and the location of each well or collection system expansion added pursuant to 40 CFR 60.755(a)(3), (b), and (c)(4); and
  - c. the description and duration of all periods when the enclosed combustion device was not operating for a period exceeding 1 hour.

These reports shall be submitted by January 31 of each year.

6. The permittee shall submit the following information with the initial performance test report required pursuant to 40 CFR Part 60.8:
  - a. a diagram of the collection system showing collection system positioning including all wells, horizontal collectors, or other gas extraction devices, including the locations of any areas excluded from the collection and the proposed sites for the future collection system expansion;
  - b. the data upon which the sufficient density of wells, horizontal collectors, surface collectors, or other gas extraction devices and the gas mover equipment sizing are based;
  - c. the documentation of the presence of asbestos or nondegradable material for each area from which collection wells have been excluded based on the presence of asbestos or nondegradable material;
  - d. the sum of the gas generation flow rate for all areas from which collection wells have been excluded based on nonproductivity and the calculations of gas generation flow rate for each excluded area;
  - e. the provisions for increasing gas mover equipment capacity with increased gas generation flow rate, if the present gas mover equipment is inadequate to move the maximum flow rate expected over the life of the landfill; and
  - f. the provisions for the control of off-site migration.

#### **V. Testing Requirements**

1. The nitrogen level shall be determined using Method 3C of 40 CFR Part 60, Appendix A, unless an alternative test method is established as allowed by 40 CFR Part 60.752(b)(2)(i).
2. The oxygen level shall be determined by an oxygen meter using Method 3A of 40 CFR Part 60, Appendix A, unless an alternative test method is established as allowed by 40 CFR Part 60.752(b)(2)(i), except that:
  - a. the span shall be set so that the regulatory limit is between 20% and 50% of the span;
  - b. a data recorder is not required;
  - c. only two calibration gases are required, a zero and span, and ambient air may be used as the span;
  - d. a calibration error check is not required; and
  - e. the allowable sample bias, zero drift, and calibration drift are plus or minus 10%.

## **V. Testing Requirements (continued)**

3. After installation of a collection and control system in compliance with 40 CFR Part 60.755, the permittee shall calculate the NMOC emission rate for the purpose of determining when the system can be removed as provided in 40 CFR Part 60.752(b)(2)(v) in accordance with the equation and procedures specified in 40 CFR Part 60.754(b), (b)(1), and (b)(2). The permittee may use another method to determine landfill gas flow rate and NMOC concentration if the method has been approved by the Ohio EPA as provided in 40 CFR Part 60.752(b)(2)(i)(B).
4. To ensure compliance with the reduction of NMOC emissions by 98 weight percent or the reduction of NMOC outlet concentrations to less than 20 parts per million by volume, dry basis as hexane at 3 percent oxygen, Method 25 or Method 18 of 40 CFR Part 60, Appendix A shall be employed. Alternative USEPA approved test methods may be used with prior approval from the Ohio EPA Northeast District Office.
5. The surface methane background concentration shall be determined by the following:
  - a. use of an organic vapor analyzer, flame ionization detector, or other portable monitor meeting the specifications of 40 CFR 60.755(d);
  - b. moving the probe inlet upwind and downwind outside the boundary of the landfill at a distance of at least 30 meters from the perimeter wells;
  - c. in accordance with Method 21, Section 4.3.1 of 40 CFR 60 Appendix A, except that the probe inlet shall be placed within 5 to 10 centimeters of the ground; and
  - d. monitoring shall be performed during typical meteorological conditions.
6. The flow rate of landfill gas shall be determined by measuring the total landfill gas flow rate at the common header pipe that leads to the enclosed combustion device using a gas flow measuring device calibrated according to the provisions of section 4 of Method 2E of Appendix A of 40 CFR Part 60.
7. The average NMOC concentration shall be determined by collecting and analyzing landfill gas sampled from the common header pipe before the gas moving or condensate removal equipment using the procedures in Method 25C or Method 18 of 40 CFR 60, Appendix A.

## **VI. Miscellaneous Requirements**

**None**

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Municipal Solid Waste (MSW) Landfill Operations Load-in of MSW at a MSW landfill.	OAC rule 3745-15-07	See B.I.2.a
Landfill gas collection and enclosed combustor	OAC rule 3745-31-05 PTI 02-6718	5.32 pounds of particulate emissions per hour; 7.29 pounds of sulfur dioxide per hour 6.85 pounds of organic compounds per hour; 12.9 pounds of nitrogen oxides per hour; 49.4 pounds of carbon monoxide per hour; 0.69 pounds of toluene per hour; 0.31 pounds of chlorine per hour; and 15.5 pounds of hydrogen chloride per hour.

**2. Additional Terms and Conditions**

- 2.a** The permittee shall prevent a public nuisance by continuing to implement fugitive dust control measures.
- 2.b** The landfill areas that are covered by this permit are listed below:  
  
entire landfill surface area.
- 2.c** The permittee shall employ reasonably available control measures for the load-in of solid wastes. All truckloads of solid waste shall be unloaded in a manner which will minimize the drop height of the solids. Any dusty materials or wastes likely to become airborne shall be watered as necessary prior to or during dumping.
- 2.d** The above-mentioned control measures shall be employed for each load-in of solid waste if the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measures are necessary to ensure compliance.
- 2.e** The flow of gas to the enclosed combustion device shall not exceed 8.6 million cubic feet per day.

**II. Operational Restrictions**

**None**

### III. Monitoring and/or Record Keeping Requirements

1. Except as otherwise provided in this section, the permittee shall perform inspections of the landfill operation areas in accordance with the following frequencies:

landfill areas	minimum inspection frequency
active cell	daily

2. The inspections shall be performed during representative, normal operating conditions. No inspection shall be necessary for an operating area that is covered with snow and/or ice or if precipitation has occurred that is sufficient for that day.
3. The permittee shall maintain records of the following information:
  - a. the date and reason any required inspection was not performed, including those inspections that were not performed due to snow and/or ice cover or precipitation;
  - b. the date of each inspection where it was determined by the permittee that it was necessary to implement the control measures;
  - c. the dates the control measures were implemented; and
  - d. on a calendar quarter basis, the total number of days the control measures were implemented and the total number of days where snow and/or ice cover or precipitation were sufficient to not require the control measures.

The information shall be kept updated on a calendar quarter basis within 30 days after the end of each calendar quarter.

4. The permittee shall record on a daily basis the total gas flow rate to the enclosed combustion device.

### IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports which include the following information:
  - a. an identification of each day during which the total volume of landfill gas burned by the enclosed combustion device exceeded 8.6 million cubic feet, and the actual total volume of landfill gas burned each such day.
  - b. each day during which an inspection was not performed by the required frequency, excluding an inspection which was not performed due to an exemption for snow and/or ice cover or precipitation; and
  - c. each instance when a control measure, that was to be implemented as a result of an inspection, was not implemented.

### V. Testing Requirements

1. Compliance with the particulate emission limitation shall be determined by using Method 5 of 40 CFR 60, Appendix A, if required by the Ohio EPA.
2. Compliance with the sulfur dioxide emission limitation shall be determined by using Method 6 or Method 6E of 40 CFR 60, Appendix A, if required by the Ohio EPA.
3. Compliance with the organic compound emission limitation shall be determined by using Method 25 of 40 CFR 60, Appendix A, if required by the Ohio EPA.
4. Compliance with the nitrogen oxides emission limitation shall be determined by using Method 7 or Method 7C of 40 CFR 60, Appendix A, if required by the Ohio EPA.

Facility Name: **BFI - Carbon Limestone Landfill**

Facility ID: **02-50-07-0850**

Emissions Unit: **MSW Landfill (F002)**

#### **V. Testing Requirements (continued)**

5. Compliance with the carbon monoxide emission limitation shall be determined by using Method 10 of 40 CFR 60, Appendix A, if required by the Ohio EPA.
6. Compliance with the toluene emission limitation shall be determined by using Method 18 of 40 CFR 60, Appendix A, if required by the Ohio EPA.
7. Compliance with the chlorine emission limitation shall be determined by using Method 26 of 40 CFR 60, Appendix A, if required by the Ohio EPA.
8. Compliance with the hydrogen chloride emission limitation shall be determined by using Method 26 or 26A of 40 CFR 60, Appendix A, if required by the Ohio EPA.

#### **VI. Miscellaneous Requirements**

**None**

\*\*\*\*\*  
**THIS IS THE LAST PAGE OF THE PERMIT**  
\*\*\*\*\*