



Environmental
Protection Agency

Ted Strickland, Governor
Lee Fisher, Lt. Governor
Chris Korleski, Director

6/15/2010

PATRICK MONTGOMERY
MARTIN MARIETTA MATERIALS INC-TROY GRAVE
9277 Center Point Dr.
Suite # 250
West Chester, OH 45069

RE: FINAL AIR POLLUTION PERMIT-TO-INSTALL AND OPERATE
Facility ID: 0855720513
Permit Number: P0106384
Permit Type: Renewal
County: Miami

Certified Mail

No	TOXIC REVIEW
No	PSD
No	SYNTHETIC MINOR TO AVOID MAJOR NSR
No	CEMS
No	MACT
Yes	NSPS
No	NESHAPS
No	NETTING
No	MAJOR NON-ATTAINMENT
No	MODELING SUBMITTED
No	SYNTHETIC MINOR TO AVOID TITLE V
No	FEDERALLY ENFORCABLE PTIO (FEPTIO)

Dear Permit Holder:

Enclosed please find a final Air Pollution Permit-to-Install and Operate (PTIO) which will allow you to install, modify, and/or operate the described emissions unit(s) in the manner indicated in the permit. Because this permit contains conditions and restrictions, please read it very carefully. Please complete a survey at www.epa.ohio.gov/dapc/permitsurvey.aspx and give us feedback on your permitting experience. We value your opinion.

The issuance of this PTI is a final action of the Director and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer Kevin Boyce," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, OH 43215

If you have any questions, please contact Regional Air Pollution Control Agency at (937)225-4435 or the Office of Compliance Assistance and Pollution Prevention at (614) 644-3469. This permit can be accessed electronically on the DAPC Web page, www.epa.ohio.gov/dapc, by clicking the "Issued Air Pollution Control Permits" link.

Sincerely,

Michael W. Ahern
Michael W. Ahern, Manager
Permit Issuance and Data Management Section, DAPC

Cc: RAPCA



FINAL

**Division of Air Pollution Control
Permit-to-Install and Operate
for
MARTIN MARIETTA MATERIALS INC-TROY GRAVE**

Facility ID: 0855720513
Permit Number: P0106384
Permit Type: Renewal
Issued: 6/15/2010
Effective: 6/15/2010
Expiration: 6/15/2020



Division of Air Pollution Control
Permit-to-Install and Operate
for
MARTIN MARIETTA MATERIALS INC-TROY GRAVE

Table of Contents

Authorization 1
A. Standard Terms and Conditions 3
1. What does this permit-to-install and operate ("PTIO") allow me to do?..... 4
2. Who is responsible for complying with this permit? 4
3. What records must I keep under this permit? 4
4. What are my permit fees and when do I pay them?..... 4
5. When does my PTIO expire, and when do I need to submit my renewal application? 4
6. What happens to this permit if my project is delayed or I do not install or modify my source? 5
7. What reports must I submit under this permit? 5
8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit? 5
9. What are my obligations when I perform scheduled maintenance on air pollution control equipment? ... 5
10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report? 5
11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located? 6
12. What happens if one or more emissions units operated under this permit is/are shut down permanently? 6
13. Can I transfer this permit to a new owner or operator?..... 6
14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"? 6
15. What happens if a portion of this permit is determined to be invalid? 7
B. Facility-Wide Terms and Conditions..... 8
C. Emissions Unit Terms and Conditions 10
1. F001, Aggregate processing plant..... 11

Authorization

Facility ID: 0855720513
Application Number(s): A0039609
Permit Number: P0106384
Permit Description: Sand and Aggregate processing (crushers, screening operations, conveyors)
Permit Type: Renewal
Permit Fee: \$0.00
Issue Date: 6/15/2010
Effective Date: 6/15/2010
Expiration Date: 6/15/2020
Permit Evaluation Report (PER) Annual Date: Jan 1 - Dec 31, Due Feb 15

This document constitutes issuance to:

MARTIN MARIETTA MATERIALS INC-TROY GRAVE
250 DYE MILL ROAD
TROY, OH 45373

of a Permit-to-Install and Operate for the emissions unit(s) identified on the following page.

Ohio EPA District Office or local air agency responsible for processing and administering your permit:

Regional Air Pollution Control Agency
117 South Main Street
Dayton, OH 45422-1280
(937)225-4435

The above named entity is hereby granted this Permit-to-Install and Operate for the air contaminant source(s) (emissions unit(s)) listed in this section pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the described emissions unit(s) will operate in compliance with applicable State and federal laws and regulations.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency


Chris Korleski
Director



Authorization (continued)

Permit Number: P0106384

Permit Description: Sand and Aggregate processing (crushers, screening operations, conveyors)

Permits for the following Emissions Unit(s) or groups of Emissions Units are in this document as indicated below:

Emissions Unit ID:	F001
Company Equipment ID:	aggregate processing plant
Superseded Permit Number:	
General Permit Category and Type:	Not Applicable



A. Standard Terms and Conditions

1. What does this permit-to-install and operate ("PTIO") allow me to do?

This permit allows you to install and operate the emissions unit(s) identified in this PTIO. You must install and operate the unit(s) in accordance with the application you submitted and all the terms and conditions contained in this PTIO, including emission limits and those terms that ensure compliance with the emission limits (for example, operating, recordkeeping and monitoring requirements).

2. Who is responsible for complying with this permit?

The person identified on the "Authorization" page, above, is responsible for complying with this permit until the permit is revoked, terminated, or transferred. "Person" means a person, firm, corporation, association, or partnership. The words "you," "your," or "permittee" refer to the "person" identified on the "Authorization" page above.

The permit applies only to the emissions unit(s) identified in the permit. If you install or modify any other equipment that requires an air permit, you must apply for an additional PTIO(s) for these sources.

3. What records must I keep under this permit?

You must keep all records required by this permit, including monitoring data, test results, strip-chart recordings, calibration data, maintenance records, and any other record required by this permit for five years from the date the record was created. You can keep these records electronically, provided they can be made available to Ohio EPA during an inspection at the facility. Failure to make requested records available to Ohio EPA upon request is a violation of this permit requirement.

4. What are my permit fees and when do I pay them?

There are two fees associated with permitted air contaminant sources in Ohio:

- **PTIO fee.** This one-time fee is based on a fee schedule in accordance with Ohio Revised Code (ORC) section 3745.11, or based on a time and materials charge for permit application review and permit processing if required by the Director.

You will be sent an invoice for this fee after you receive this PTIO and payment is due within 30 days of the invoice date. You are required to pay the fee for this PTIO even if you do not install or modify your operations as authorized by this permit.

- **Annual emissions fee.** Ohio EPA will assess a separate fee based on the total annual emissions from your facility. You self-report your emissions in accordance with Ohio Administrative Code (OAC) Chapter 3745-78. This fee assessed is based on a fee schedule in ORC section 3745.11 and funds Ohio EPA's permit compliance oversight activities. Unless otherwise specified, facilities subject to one or more synthetic minor restrictions must use Ohio EPA's "Air Services" to submit annual emissions associated with this permit requirement. Ohio EPA will notify you when it is time to report your emissions and to pay your annual emission fees.

5. When does my PTIO expire, and when do I need to submit my renewal application?

This permit expires on the date identified at the beginning of this permit document (see "Authorization" page above) and you must submit a renewal application to renew the permit. Ohio EPA will send a renewal notice to you approximately six months prior to the expiration date of this permit. However, it is very important that you submit a complete renewal permit application (postmarked prior to expiration of this permit) even if you do not receive the renewal notice.

If a complete renewal application is submitted before the expiration date, Ohio EPA considers this a timely application for purposes of ORC section 119.06, and you are authorized to continue operating the emissions unit(s) covered by this permit beyond the expiration date of this permit until final action is taken by Ohio EPA on the renewal application.

6. What happens to this permit if my project is delayed or I do not install or modify my source?

This PTIO expires 18 months after the issue date identified on the "Authorization" page above unless otherwise specified if you have not (1) started constructing the new or modified emission sources identified in this permit, or (2) entered into a binding contract to undertake such construction. This deadline can be extended by up to 12 months, provided you apply to Ohio EPA for this extension within a reasonable time before the 18-month period has ended and you can show good cause for any such extension.

7. What reports must I submit under this permit?

An annual permit evaluation report (PER) is required in addition to any malfunction reporting required by OAC rule 3745-15-06 or other specific rule-based reporting requirement identified in this permit. Your PER due date is identified in the Authorization section of this permit.

8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit?

If you are required to obtain a Title V permit under OAC Chapter 3745-77 in the future, the permit-to-operate portion of this permit will be superseded by the issued Title V permit. From the effective date of the Title V permit forward, this PTIO will effectively become a PTI (permit-to-install) in accordance with OAC rule 3745-31-02(B). The following terms and conditions will no longer be applicable after issuance of the Title V permit: Section B, Term 1.b) and Section C, for each emissions unit, Term a)(2).

The PER requirements in this permit remain effective until the date the Title V permit is issued and is effective, and cease to apply after the effective date of the Title V permit. The final PER obligation will cover operations up to the effective date of the Title V permit and must be submitted on or before the submission deadline identified in this permit on the last day prior to the effective date of the Title V permit.

9. What are my obligations when I perform scheduled maintenance on air pollution control equipment?

You must perform scheduled maintenance of air pollution control equipment in accordance with OAC rule 3745-15-06(A). If scheduled maintenance requires shutting down or bypassing any air pollution control equipment, you must also shut down the emissions unit(s) served by the air pollution control equipment during maintenance, unless the conditions of OAC rule 3745-15-06(A)(3) are met. Any emissions that exceed permitted amount(s) under this permit (unless specifically exempted by rule) must be reported as deviations in the annual permit evaluation report (PER), including nonexempt excess emissions that occur during approved scheduled maintenance.

10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report?

If you have a reportable malfunction of any emissions unit(s) or any associated air pollution control system, you must report this to the Regional Air Pollution Control Agency in accordance with OAC rule 3745-15-06(B). Malfunctions that must be reported are those that result in emissions that exceed

permitted emission levels. It is your responsibility to evaluate control equipment breakdowns and operational upsets to determine if a reportable malfunction has occurred.

If you have a malfunction, but determine that it is not a reportable malfunction under OAC rule 3745-15-06(B), it is recommended that you maintain records associated with control equipment breakdown or process upsets. Although it is not a requirement of this permit, Ohio EPA recommends that you maintain records for non-reportable malfunctions.

11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located?

Yes. Under Ohio law, the Director or his authorized representative may inspect the facility, conduct tests, examine records or reports to determine compliance with air pollution laws and regulations and the terms and conditions of this permit. You must provide, within a reasonable time, any information Ohio EPA requests either verbally or in writing.

12. What happens if one or more emissions units operated under this permit is/are shut down permanently?

Ohio EPA can terminate the permit terms associated with any permanently shut down emissions unit. "Shut down" means the emissions unit has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent "modification" or "installation" as defined in OAC Chapter 3745-31.

You should notify Ohio EPA of any emissions unit that is permanently shut down by submitting¹ a certification that identifies the date on which the emissions unit was permanently shut down. The certification must be submitted by an authorized official from the facility. You cannot continue to operate an emissions unit once the certification has been submitted to Ohio EPA by the authorized official.

You must comply with all recordkeeping and reporting for any permanently shut down emissions unit in accordance with the provisions of the permit, regulations or laws that were enforceable during the period of operation, such as the requirement to submit a PER, air fee emission report, or malfunction report. You must also keep all records relating to any permanently shutdown emissions unit, generated while the emissions unit was in operation, for at least five years from the date the record was generated.

Again, you cannot resume operation of any emissions unit certified by the authorized official as being permanently shut down without first applying for and obtaining a permit pursuant to OAC Chapter 3745-31.

13. Can I transfer this permit to a new owner or operator?

You can transfer this permit to a new owner or operator. If you transfer the permit, you must follow the procedures in OAC Chapter 3745-31, including notifying Ohio EPA or the local air agency of the change in ownership or operator. Any transferee of this permit must assume the responsibilities of the transferor permit holder.

14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"?

This permit and OAC rule 3745-15-07 prohibit operation of the air contaminant source(s) regulated

¹ Permittees that use Ohio EPA's "Air Services" can mark the affected emissions unit(s) as "permanently shutdown" in the facility profile along with the date the emissions unit(s) was permanently removed and/or disabled. Submitting the facility profile update will constitute notifying of the permanent shutdown of the affected emissions unit(s).

under this permit in a manner that causes a nuisance. Ohio EPA can require additional controls or modification of the requirements of this permit through enforcement orders or judicial enforcement action if, upon investigation, Ohio EPA determines existing operations are causing a nuisance.

15. What happens if a portion of this permit is determined to be invalid?

If a portion of this permit is determined to be invalid, the remainder of the terms and conditions remain valid and enforceable. The exception is where the enforceability of terms and conditions are dependent on the term or condition that was declared invalid.

B. Facility-Wide Terms and Conditions

1. This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).
 - a) For the purpose of a permit-to-install document, the facility-wide terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (1) None.
 - b) For the purpose of a permit-to-operate document, the facility-wide terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (1) None.

C. Emissions Unit Terms and Conditions



1. F001, Aggregate processing plant

Operations, Property and/or Equipment Description:

Aggregate processing plant (Crushing, Screening, and material handling of aggregate)

a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

(1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

a. None.

(2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

a. None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3)	See b)(2)b. through b)(2)e. The emissions of fugitive particulate emission (PE) from this emissions unit shall not exceed 6.16 pounds per hour and 6.62 tons per year. The requirements established pursuant to this rule also include compliance with the requirements of NSPS 40 CFR Part 60, Subpart OOO.
b.	NSPS 40 CFR Part 60, Subpart OOO	Fugitive particulate emissions from any crusher at which a capture system is not used shall not exceed 15% opacity, as a 6-minute average. Fugitive particulate emissions from screening operations, transfer points on belt conveyors, storage hoppers and any



	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
		<p>other affected facility as defined by this rule, shall not exceed 10% opacity, as a 6-minute average.</p> <p>There shall be no visible PE from all saturated equipment except crushers.</p>

(2) Additional Terms and Conditions

- a. The hourly PE limit was established to reflect the potential to emit for this emissions unit. Therefore, it is not necessary to develop record keeping and/or reporting requirements to ensure compliance with this short term emissions limitation.
- b. For operations and equipment within emissions unit F001 that are not affected facilities as defined by 40 CFR Part 60, Subpart OOO, visible particulate emissions from fugitive dust shall not exceed 20 percent opacity as a three-minute average.
- c. The permittee shall employ best available control measures on the crushers, screens, conveyors and transfer points for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to treat the crushers, screens, conveyors and transfer points with water at sufficient frequencies to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.
- d. The needed frequencies of implementation of the control measures shall be determined by the permittee's inspections pursuant to the monitoring section of this permit. Implementation of the control measures shall not be necessary for crushers, screens, conveyors and transfer points that are covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements.
- e. Implementation of the above-mentioned control measures in accordance with the terms and conditions of this permit is appropriate and sufficient to satisfy the requirements of OAC rule 3745-31-05(A)(3).
- f. Pursuant to 40 CFR 60.670(a)(2), the provisions of Subpart OOO do not apply to the wet material processing operations, as defined in 40 CFR 60.671, that are part of this emissions unit.
- g. Pursuant to 40 CFR 60.672(d), truck dumping of nonmetallic minerals into any screening operation, feed hopper, or crusher is exempt from the fugitive particulate emissions standards specified in b)(1)b.

c) Operational Restrictions

- (1) Water sprays shall be operated at points necessary to ensure compliance with the visible fugitive emission limitations specified in b)(1)a. and b)(1)b. for crushing, transfer points, screening, and conveying operations.
- (2) Aggregate product loaded onto trucks shall have a moisture content sufficient to minimize visible emissions of fugitive dust and the loading drop height shall not exceed fifteen (15) feet.

d) Monitoring and/or Recordkeeping Requirements

- (1) Record keeping of the process emissions is not required since the emissions unit is permitted at its potential to emit.
- (2) Except as otherwise provided in this section, the permittee shall perform daily inspections of the crushers, screens, conveyors and transfer points.
- (3) No inspections shall be necessary when the crushers, screens, conveyors and transfer points are covered with snow and/or ice if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements. Any required inspection that is not performed due to any of the above identified events shall be performed as soon as such event(s) has (have) ended, except if the next required inspection is within one week.
- (4) The purpose of the inspection is to determine the need for implementing the above-mentioned control measures specified in this permit for crushers, screens, conveyors and transfer points. The inspections shall be performed during representative, normal crushing, screening, conveying and transfer points operating conditions.
- (5) The permittee may, upon receipt of written approval from the Ohio EPA District Office or local air agency, modify the above-mentioned inspection frequencies if operating experience indicates that less frequent inspections would be sufficient to ensure compliance with the above-mentioned applicable requirements.
- (6) The permittee shall maintain records of the following information:
 - a. the date and reason any required inspection was not performed, including those inspections that were not performed due to snow and/or ice cover or precipitation;
 - b. the date of each inspection where it was determined by the permittee that it was necessary to implement the control measures;
 - c. the dates the control measures were implemented; and
 - d. On a calendar quarter basis, the total number of days the control measures were implemented and, the total number of days where snow and/or ice cover or precipitation were sufficient to not require the control measure(s).
- (7) The information required in d)(6)d. shall be updated on a calendar quarter basis within 30 days after the end of each calendar quarter

e) Reporting Requirements

- (1) The permittee shall submit the following information for each piece of equipment that is replaced having the same function as the existing facility:
 - a. for a crusher, grinding mill, bucket elevator, storage bin or enclosed truck station:
 - i. the rated capacity in tons or tons per hour of the existing facility being replaced, and
 - ii. The rated capacity in tons or tons per hour of the replacement equipment.
 - b. for a conveyor belt:
 - i. the width of the existing conveyor belt being replaced, and
 - ii. The width of the replacement conveyor belt.
 - c. for a screening operation:
 - i. the total surface area of the top screen of the existing screening operation being replaced, and
 - ii. The total surface area of the top screen of the replacement, screening operation.
 - d. The permittee shall submit the date of manufacture of each existing facility being replaced and the date of manufacture of the replacement equipment.

The notification shall be submitted 30 days (or as soon as practicable) before construction of the replacement equipment is commenced.
- (2) The permittee shall report within 30 days, any change in the saturated or unsaturated nature of the material being processed in the screens and conveyors. The affected emissions unit is then subject to the provisions of the standard applicable to the type of material being processed.
- (3) Annual Permit Evaluation Report (PER) forms will be mailed to the permittee at the end of the reporting period specified in the Authorization section of this permit. The permittee shall submit the PER in the form and manner provided by the director by the due date identified in the Authorization section of this permit. The permit evaluation report shall cover a reporting period of no more than twelve-months for each air contaminant source identified in this permit

f) Testing Requirements

- (1) Compliance with the emission limitations in this permit for emissions unit F002 shall be determined in accordance with the following method(s):
 - a. Emission Limitation-

The fugitive PE from this emissions unit shall not exceed 6.16 lbs/hr.

Applicable Compliance Method-

Compliance shall be determined by summing the maximum hourly emission rates for the crushers, screens, conveying and the transfer points. See f)(1)a.i. through f)(1)a.iii. below.

- i. The maximum hourly emission rate for the crushing equipment was determined by multiplying the maximum hourly production rate of each crusher by the emission factor of 0.0012 lb PM/ton, as specified in USEPA reference document AP-42, Table 11.19.2-2 (08/04) and summing the emissions rates for the crushing equipment.
- ii. The maximum hourly emission rate for the screens were determined by multiplying the maximum hourly production rate of each screen by the emission factor of 0.0022 lb PM/ton, as specified in USEPA reference document AP-42, Table 11.19.2-2 (08/04) and summing the emissions rates for the screens.
- iii. The maximum hourly emission rate for the conveying and material handling equipment was determined by multiplying the maximum hourly production rates of each piece of conveyor and material handling equipment by the emission factor of 0.00014 lb PM/ton, as specified in USEPA reference document AP-42, Table 11.19.2-2 (08/04), and summing the emission rates for each piece of equipment.

b. Emission Limitation-

The fugitive particulate emissions (PE) from this emissions unit shall not exceed 6.62 tons/yr.

Applicable Compliance Method-

The tons/yr limitation was determined by multiplying the annual maximum throughput for each crusher, screens, conveying and material handling equipment, by the appropriate emissions factor, as specified f)(1)a., and dividing by 2000 lbs/ton.

c. Emission Limitation-

The fugitive PE from any crusher at which a capture system is not used shall not exceed 15% opacity, as a 6-minute average.

Applicable Compliance Method-

When requested by the Ohio EPA, compliance shall be determined by visible emission evaluations performed using the methods and procedures specified in USEPA Reference Method 9 and 40 CFR 60.675 Subpart OOO.

d. Emission Limitation-

The fugitive PE from screening operations, transfer points on belt conveyors, storage hoppers and any other affected facility as defined by this rule, shall not exceed 10% opacity, as a 6-minute average.

Applicable Compliance Method-

When requested by the Ohio EPA, compliance shall be determined by visible emission evaluations performed using the methods and procedures specified in USEPA Reference Method 9 and 40 CFR 60.675 Subpart OOO.

e. Emission Limitation-

There shall be no visible PE from all saturated equipment except crushers.

Applicable Compliance Method-

When requested by the Ohio EPA, compliance with the visible PE limitation listed above shall be determined in accordance with Test Method 22 as set forth in "Appendix on Test Methods" in 40 CFR, Part 60 ("Standards of Performance for New Stationary Sources").

f. Emission Limitation-

For operations and equipment within emissions unit F002 that are not affected facilities as defined by 40 CFR Part 60, Subpart OOO, visible particulate emissions from fugitive dust shall not exceed 20 percent opacity as a three-minute average.

Applicable Compliance Method-

Compliance with the limitation for visible emissions of fugitive dust shall be determined through visible emissions observations performed in accordance U.S. EPA Method 9 and the procedures specified in OAC rule 3745-17-03(B)(3).

g) Miscellaneous Requirements

- (1) The terms and conditions of this PTIO supersede those identified in PTI 08-04003 issued 04/11/2006.