Ohio Environmental Protection Agency

Ted Strickland, Governor
Lee Fisher, Lt. Governor
Chris Korleski, Director

Certified Mail

8/23/2010

No	TOXIC REVIEW
No	PSD
No	SYNTHETIC MINOR TO AVOID MAJOR NSR
No	CEMS
No	MACT
Yes	NSPS
No	NESHAPS
No	NETTING
No	MAJOR NON-ATTAINMENT
No	MODELING SUBMITTED
No	SYNTHETIC MINOR TO AVOID TITLE V
No	FEDERALLY ENFORCABLE PTIO (FEPTIO)

BRENT REEDSTROM
DELTECH POLYMERS CORP.
1250 SOUTH UNION STREET
TROY, OH 45373

RE: FINAL AIR POLLUTION PERMIT-TO-INSTALL AND OPERATE
Facility ID: 0855140355
Permit Number: P0106661
Permit Type: Administrative Modification
County: Miami

Dear Permit Holder:

Enclosed please find a final Air Pollution Permit-to-Install and Operate (PTIO) which will allow you to install, modify, and/or operate the described emissions unit(s) in the manner indicated in the permit. Because this permit contains conditions and restrictions, please read it very carefully. Please complete a survey at www.epa.ohio.gov/dapc/permitsurvey.aspx and give us feedback on your permitting experience. We value your opinion.

The issuance of this PTI is a final action of the Director and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of $70.00, made payable to “Ohio Treasurer Kevin Boyce," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General’s Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, OH 43215

If you have any questions, please contact Regional Air Pollution Control Agency at (937)225-4435 or the Office of Compliance Assistance and Pollution Prevention at (614) 644-3469. This permit can be accessed electronically on the DAPC Web page, www.epa.ohio.gov/dapc, by clicking the "Issued Air Pollution Control Permits" link.

Sincerely,

Michael W. Ahern

Michael W. Ahern, Manager
Permit Issuance and Data Management Section, DAPC

Cc: RAPCA

Ohio | Environmental Protection Agency

FINAL

Division of Air Pollution Control
Permit-to-Install and Operate
for
DELTECH POLYMERS CORP.

Facility ID:	0855140355
Permit Number:	P0106661
Permit Type:	Administrative Modification
Issued:	8/23/2010
Effective:	8/23/2010
Expiration:	9/15/2019

Ohio Environmental Protection Agency

Division of Air Pollution Control
Permit-to-Install and Operate
for
DELTECH POLYMERS CORP.

Table of Contents

Authorization 1

A. Standard Terms and Conditions 3

1. What does this permit-to-install and operate ("PTIO") allow me to do? 4
2. Who is responsible for complying with this permit? 4
3. What records must I keep under this permit? 4
4. What are my permit fees and when do I pay them? 4
5. When does my PTIO expire, and when do I need to submit my renewal application? 4
6. What happens to this permit if my project is delayed or I do not install or modify my source? 5
7. What reports must I submit under this permit? 5
8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit? 5
9. What are my obligations when I perform scheduled maintenance on air pollution control equipment? 5
10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report? 5
11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located? 6
12. What happens if one or more emissions units operated under this permit is/are shut down permanently? 6
13. Can I transfer this permit to a new owner or operator? 6
14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"? 6
15. What happens if a portion of this permit is determined to be invalid? 7

B. Facility-Wide Terms and Conditions 8

C. Emissions Unit Terms and Conditions 10

1. P001, Continuous Polystyrene Prod. Process 11

Authorization

Facility ID: 0855140355
Application Number(s): M0000888
Permit Number: P0106661
Permit Description: Administrative Modification of P0092385 to modify the condenser temperature monitoring and recordkeeping requirements for P001 in the PTIO to be consistent with the condenser monitoring and recordkeeping requirements in the applicable NSPS, 40 CFR Part 60 Subpart DDD.
Permit Type: Administrative Modification
Permit Fee: $0.00
Issue Date: 8/23/2010
Effective Date: 8/23/2010
Expiration Date: 9/15/2019
Permit Evaluation Report (PER) Annual Date: July 1 - June 30, Due Aug 15

This document constitutes issuance to:

DELTECH POLYMERS CORP.
1250 UNION STREET
TROY, OH 45373

of a Permit-to-Install and Operate for the emissions unit(s) identified on the following page.

Ohio EPA District Office or local air agency responsible for processing and administering your permit:

Regional Air Pollution Control Agency
117 South Main Street
Dayton, OH 45422-1280
(937)225-4435

The above named entity is hereby granted this Permit-to-Install and Operate for the air contaminant source(s) (emissions unit(s)) listed in this section pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the described emissions unit(s) will operate in compliance with applicable State and federal laws and regulations.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Chris Korleski
Director

Authorization (continued)

Permit Number: P0106661
Permit Description: Administrative Modification of P0092385 to modify the condenser temperature monitoring and recordkeeping requirements for P001 in the PTIO to be consistent with the condenser monitoring and recordkeeping requirements in the applicable NSPS, 40 CFR Part 60 Subpart DDD.

Permits for the following Emissions Unit(s) or groups of Emissions Units are in this document as indicated below:

Emissions Unit ID:	**P001**
Company Equipment ID:	Continuous Polystyrene Prod. Process
Superseded Permit Number:	P0092385
General Permit Category and Type:	Not Applicable

A. Standard Terms and Conditions

1. What does this permit-to-install and operate ("PTIO") allow me to do?

This permit allows you to install and operate the emissions unit(s) identified in this PTIO. You must install and operate the unit(s) in accordance with the application you submitted and all the terms and conditions contained in this PTIO, including emission limits and those terms that ensure compliance with the emission limits (for example, operating, recordkeeping and monitoring requirements).

2. Who is responsible for complying with this permit?

The person identified on the "Authorization" page, above, is responsible for complying with this permit until the permit is revoked, terminated, or transferred. "Person" means a person, firm, corporation, association, or partnership. The words "you," "your," or "permittee" refer to the "person" identified on the "Authorization" page above.
The permit applies only to the emissions unit(s) identified in the permit. If you install or modify any other equipment that requires an air permit, you must apply for an additional PTIO(s) for these sources.

3. What records must I keep under this permit?

You must keep all records required by this permit, including monitoring data, test results, strip-chart recordings, calibration data, maintenance records, and any other record required by this permit for five years from the date the record was created. You can keep these records electronically, provided they can be made available to Ohio EPA during an inspection at the facility. Failure to make requested records available to Ohio EPA upon request is a violation of this permit requirement.

4. What are my permit fees and when do I pay them?

There are two fees associated with permitted air contaminant sources in Ohio:

- PTIO fee. This one-time fee is based on a fee schedule in accordance with Ohio Revised Code (ORC) section 3745.11, or based on a time and materials charge for permit application review and permit processing if required by the Director.

  You will be sent an invoice for this fee after you receive this PTIO and payment is due within 30 days of the invoice date. You are required to pay the fee for this PTIO even if you do not install or modify your operations as authorized by this permit.

- Annual emissions fee. Ohio EPA will assess a separate fee based on the total annual emissions from your facility. You self-report your emissions in accordance with Ohio Administrative Code (OAC) Chapter 3745-78. This fee assessed is based on a fee schedule in ORC section 3745.11 and funds Ohio EPA's permit compliance oversight activities. Unless otherwise specified, facilities subject to one or more synthetic minor restrictions must use Ohio EPA's "Air Services" to submit annual emissions associated with this permit requirement. Ohio EPA will notify you when it is time to report your emissions and to pay your annual emission fees.

5. When does my PTIO expire, and when do I need to submit my renewal application?

This permit expires on the date identified at the beginning of this permit document (see "Authorization" page above) and you must submit a renewal application to renew the permit. Ohio EPA will send a renewal notice to you approximately six months prior to the expiration date of this permit. However, it is very important that you submit a complete renewal permit application (postmarked prior to expiration of this permit) even if you do not receive the renewal notice.

If a complete renewal application is submitted before the expiration date, Ohio EPA considers this a timely application for purposes of ORC section 119.06, and you are authorized to continue operating the emissions unit(s) covered by this permit beyond the expiration date of this permit until final action is taken by Ohio EPA on the renewal application.

6. What happens to this permit if my project is delayed or I do not install or modify my source?

This PTIO expires 18 months after the issue date identified on the "Authorization" page above unless otherwise specified if you have not (1) started constructing the new or modified emission sources identified in this permit, or (2) entered into a binding contract to undertake such construction. This deadline can be extended by up to 12 months, provided you apply to Ohio EPA for this extension within a reasonable time before the 18-month period has ended and you can show good cause for any such extension.

7. What reports must I submit under this permit?

An annual permit evaluation report (PER) is required in addition to any malfunction reporting required by OAC rule 3745-15-06 or other specific rule-based reporting requirement identified in this permit. Your PER due date is identified in the Authorization section of this permit.

8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit?

If you are required to obtain a Title V permit under OAC Chapter 3745-77 in the future, the permit-to-operate portion of this permit will be superseded by the issued Title V permit. From the effective date of the Title V permit forward, this PTIO will effectively become a PTI (permit-to-install) in accordance with OAC rule 3745-31-02(B). The following terms and conditions will no longer be applicable after issuance of the Title V permit: Section B, Term 1.b) and Section C, for each emissions unit, Term a)(2).
The PER requirements in this permit remain effective until the date the Title V permit is issued and is effective, and cease to apply after the effective date of the Title V permit. The final PER obligation will cover operations up to the effective date of the Title V permit and must be submitted on or before the submission deadline identified in this permit on the last day prior to the effective date of the Title V permit.

9. What are my obligations when I perform scheduled maintenance on air pollution control equipment?

You must perform scheduled maintenance of air pollution control equipment in accordance with OAC rule 3745-15-06(A). If scheduled maintenance requires shutting down or bypassing any air pollution control equipment, you must also shut down the emissions unit(s) served by the air pollution control equipment during maintenance, unless the conditions of OAC rule 3745-15-06(A)(3) are met. Any emissions that exceed permitted amount(s) under this permit (unless specifically exempted by rule) must be reported as deviations in the annual permit evaluation report (PER), including nonexempt excess emissions that occur during approved scheduled maintenance.

10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report?

If you have a reportable malfunction of any emissions unit(s) or any associated air pollution control system, you must report this to the Regional Air Pollution Control Agency in accordance with OAC rule 3745-15-06(B). Malfunctions that must be reported are those that result in emissions that exceed

permitted emission levels. It is your responsibility to evaluate control equipment breakdowns and operational upsets to determine if a reportable malfunction has occurred.
If you have a malfunction, but determine that it is not a reportable malfunction under OAC rule 3745-15-06(B), it is recommended that you maintain records associated with control equipment breakdown or process upsets. Although it is not a requirement of this permit, Ohio EPA recommends that you maintain records for non-reportable malfunctions.

11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located?

Yes. Under Ohio law, the Director or his authorized representative may inspect the facility, conduct tests, examine records or reports to determine compliance with air pollution laws and regulations and the terms and conditions of this permit. You must provide, within a reasonable time, any information Ohio EPA requests either verbally or in writing.

12. What happens if one or more emissions units operated under this permit is/are shut down permanently?

Ohio EPA can terminate the permit terms associated with any permanently shut down emissions unit. "Shut down" means the emissions unit has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent "modification" or "installation" as defined in OAC Chapter 3745-31.
You should notify Ohio EPA of any emissions unit that is permanently shut down by submitting[1] a certification that identifies the date on which the emissions unit was permanently shut down. The certification must be submitted by an authorized official from the facility. You cannot continue to operate an emissions unit once the certification has been submitted to Ohio EPA by the authorized official.
You must comply with all recordkeeping and reporting for any permanently shut down emissions unit in accordance with the provisions of the permit, regulations or laws that were enforceable during the period of operation, such as the requirement to submit a PER, air fee emission report, or malfunction report. You must also keep all records relating to any permanently shutdown emissions unit, generated while the emissions unit was in operation, for at least five years from the date the record was generated.
Again, you cannot resume operation of any emissions unit certified by the authorized official as being permanently shut down without first applying for and obtaining a permit pursuant to OAC Chapter 3745-31.

13. Can I transfer this permit to a new owner or operator?

You can transfer this permit to a new owner or operator. If you transfer the permit, you must follow the procedures in OAC Chapter 3745-31, including notifying Ohio EPA or the local air agency of the change in ownership or operator. Any transferee of this permit must assume the responsibilities of the transferor permit holder.

14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"?

This permit and OAC rule 3745-15-07 prohibit operation of the air contaminant source(s) regulated

[1] Permittees that use Ohio EPA's "Air Services" can mark the affected emissions unit(s) as "permanently shutdown" in the facility profile along with the date the emissions unit(s) was permanently removed and/or disabled. Submitting the facility profile update will constitute notifying of the permanent shutdown of the affected emissions unit(s).

under this permit in a manner that causes a nuisance. Ohio EPA can require additional controls or modification of the requirements of this permit through enforcement orders or judicial enforcement action if, upon investigation, Ohio EPA determines existing operations are causing a nuisance.

15. What happens if a portion of this permit is determined to be invalid?

If a portion of this permit is determined to be invalid, the remainder of the terms and conditions remain valid and enforceable. The exception is where the enforceability of terms and conditions are dependent on the term or condition that was declared invalid.

B. Facility-Wide Terms and Conditions

1. This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

   a) For the purpose of a permit-to-install document, the facility-wide terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

      (1) None.

   b) For the purpose of a permit-to-operate document, the facility-wide terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

      (1) None.

C. Emissions Unit Terms and Conditions

1. P001, Continuous Polystyrene Prod. Process

Operations, Property and/or Equipment Description:

Continuous Polystyrene Production Process

a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

(1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

a. None.

(2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

a. None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3)	Volatile organic compound (VOC) emissions from this emissions unit shall not exceed 1.45 lbs/hr and 6.35 tons per year. Particulate Emissions (PE) from this emissions unit shall not exceed 0.15 lb per hour and 0.65 ton per year. See b)(2)g. The requirements established pursuant to this rule also include the requirements of OAC rule 3745-21-09(DD), 40 CFR 60 Subpart DDD and OAC rule 3745-17-07(A)(1).
b.	OAC rule 3745-17-07(A)(1)	See b)(2)b.
c.	OAC rule 3745-21-09(DD)	See b)(2)e and b)(2)f.
d.	40 CFR Part 60 Subpart DDD	See b)(2)c, b)(2)d and b)(2)e.
e.	OAC rule 3745-21-09(CC) OAC rule 3745-17-11(B)(1)	The emission limitations from these rules are less stringent than the emission

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
		limitations established pursuant to OAC rule 3745-31-05(A)(3).

(2) Additional Terms and Conditions

a. All of the VOC emissions from this emissions unit shall be vented to a condenser that shall meet the operational, monitoring, and record keeping requirements of this permit, when the emissions unit is in operation.

b. Visible PE from any stack serving this emissions unit shall not exceed 20% opacity, as a six - minute average, except as specified by rule.

c. In accordance with 40 CFR Part 60 Subpart DDD, Standards of Performance for Volatile Organic Compound (VOC) Emissions for the Polymer Manufacturing Industry, the outlet gas stream temperature from each final condenser in the material recovery section shall be maintained at -25 degrees Celsius (-13 degrees Fahrenheit). This provision is a more restrictive limit or condition than what is provided for in OAC 3745-21-09(CC).

d. In accordance with 40 CFR Part 60 Subpart DDD, Standards of Performance for Volatile Organic Compound (VOC) Emissions for the Polymer Manufacturing Industry, the permittee shall comply with the requirements specified in 40 CFR Part 60.562-2 Standards: Equipment leaks of VOC.

e. The permittee shall include the appropriate process equipment and regulated components in a Leak Detection and Repair (LDAR) program. The LDAR program shall comply with the appropriate provisions (including operational restrictions, monitoring and recordkeeping, reporting, and testing) of OAC rule 3745-21-09(DD) (Leaks from Process Units that Produce Organic Chemicals) and 40 CFR Part 60, Subpart DDD (Emissions for the Polymer Manufacturing Industry) Part 60.562-2: Equipment Leaks of VOC. In the case of overlapping provisions, the permittee shall comply with the more stringent requirement.

f. Within 180 days of the start up of this emissions unit, the permittee shall develop a facility LDAR program. At a minimum, the program shall include all the appropriate process equipment and regulated components that are subject to this program and clearly identify how the permittee will comply with the appropriate provisions (including operational restrictions, monitoring and recordkeeping, reporting, and testing) of OAC rule 3745-21-09(DD).

g. The hourly VOC emissions limits were established to reflect the potential to emit for this emissions unit. Therefore, it is not necessary to develop record keeping and/or reporting requirements to ensure compliance with this short term emissions limitation. Based on this hourly/daily potential emissions rate, the unrestricted potential to emit VOC emissions from this emissions unit, based on 8,760 hours/365 days of operation per year, is 6.35 tons per year.

h. The annual PE from this emissions unit shall not exceed 0.65 ton per year. This emissions limit does not reflect the potential to emit for the purposes of avoiding federal permitting requirements.

c) Operational Restrictions

(1) None.

d) Monitoring and/or Recordkeeping Requirements

(1) In order to maintain compliance with the applicable emission limitation(s) contained in this permit, the acceptable average temperature of the exhaust gases from the condenser, for any 3-hour block of time, shall not be more than 10 degrees Fahrenheit above the average temperature measured during the most recent performance test that demonstrated the emissions unit(s), controlled by the condenser, was/were in compliance.

(2) The permittee shall properly install, operate, and maintain a continuous temperature monitor and recorder which measures and records the temperature of the exhaust gases from the condenser when the emissions unit(s) is/are in operation, including periods of startup and shutdown. Units shall be in degrees Fahrenheit. The accuracy for each thermocouple, monitor, and recorder shall be guaranteed by the manufacturer to be within ± 1 percent of the temperature being measured or ± 5 degrees Fahrenheit, whichever is greater. The temperature monitor and recorder shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and the operating manuals, with any modifications deemed necessary by the permittee. The permittee shall collect and record the following information each day the emissions unit(s) is/are in operation:

a. all 3-hour blocks of time, when the emissions unit(s) controlled by the condenser was/were in operation, during which the average temperature of the exhaust gases from the condenser was more than 10 degrees Fahrenheit above the average temperature measured during the most recent performance test that demonstrated the emissions unit(s) was/were in compliance; and

b. a log or record of operating time for the capture (collection) system, condenser, monitoring equipment, and the associated emissions unit(s).

These records shall be maintained at the facility for a period of three years.

(3) Whenever the monitored temperature of the exhaust gases from the condenser deviates from the range/limit established in accordance with this permit, the permittee shall promptly investigate the cause of the deviation. The permittee shall maintain records of the following information for each investigation:

a. the date and time the deviation began;

b. the magnitude of the deviation at that time;

c. the date the investigation was conducted;

d. the name(s) of the personnel who conducted the investigation; and

e. the findings and recommendations.

In response to each required investigation to determine the cause of a deviation, the permittee shall take prompt corrective action to bring the operation of the control equipment within the acceptable range/limit specified in this permit, unless the permittee determines that corrective action is not necessary and documents the reasons for that determination and the date and time the deviation ended. The permittee shall maintain records of the following information for each corrective action taken:

a. a description of the corrective action;

b. the date corrective action was completed;

c. the date and time the deviation ended;

d. the total period of time (in minutes) during which there was deviation;

e. the temperature readings of the exhaust gas from condenser immediately after the corrective action was implemented; and

f. the name(s) of the personnel who performed the work.

Investigation and records required by this paragraph do not eliminate the need to comply with the requirements of OAC rule 3745-15-06 if it is determined that a malfunction has occurred.

The exhaust gas temperature range/limit is effective for the duration of this permit, unless revisions are requested by the permittee and approved in writing by the appropriate Ohio EPA District Office or local air agency. The permittee may request revisions to the permitted exhaust gas temperature range/limit based upon information obtained during future performance tests that demonstrate compliance with the allowable VOC emission rate for the controlled emissions unit(s). In addition, approved revisions to the exhaust gas temperature range/limit will not constitute a relaxation of the monitoring requirements of this permit and may be incorporated into this permit by means of an administrative modification.

(4) The permittee shall perform daily checks, when the emissions unit is in operation and when the weather conditions allow, for any visible particulate emissions from the stack serving this emissions unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:

a. the color of the emissions;

b. whether the emissions are representative of normal operations;

c. if the emissions are not representative of normal operations, the cause of the abnormal emissions;

d. the total duration of any visible emission incident; and

e. any corrective actions taken to minimize or eliminate the visible emissions.

If visible emissions are present, a visible emission incident has occurred. The observer does not have to document the exact start and end times for the visible emission incident under item (d) above or continue the daily check until the incident has ended. The observer may indicate that the visible emission incident was continuous during the observation period (or, if known, continuous during the operation of the emissions unit). With respect to the documentation of corrective actions, the observer may indicate that no corrective actions were taken if the visible emissions were representative of normal operations, or specify the minor corrective actions that were taken to ensure that the emissions unit continued to operate under normal conditions, or specify the corrective actions that were taken to eliminate abnormal visible emissions.

e) Reporting Requirements

(1) The permittee shall identify in the annual permit evaluation report the following information concerning the operations of the condenser during the 12-month reporting period for this/these emissions unit(s):

a. each period of time (start time and date, and end time and date) when the average temperature of the exhaust gases from the condenser was outside of the acceptable range;

b. any period of time (start time and date, and end time and date) when the emissions unit(s) was/were in operation and the process emissions were not vented to the condenser;

c. each incident of deviation described in e)(1)a or e)(1)b where a prompt investigation was not conducted;

d. each incident of deviation described in e)(1)a or e)(1)b where prompt corrective action, that would bring the emissions unit(s) into compliance and/or the temperature of the exhaust gases from the condenser into compliance with the acceptable range, was determined to be necessary and was not taken; and

e. each incident of deviation described in e)(1)a or e)(1)b where proper records were not maintained for the investigation and/or the corrective action(s), as identified in the monitoring and record keeping requirements of this permit.

(3) The permittee shall identify the following information in the annual permit evaluation report in accordance with the monitoring requirements for visible emissions in term number d)(4) above:

a. all days during which any visible particulate emissions were observed from the stack serving this emissions unit; and

b. any corrective actions taken to minimize or eliminate the visible particulate emissions.

(4) Annual Permit Evaluation Report (PER) forms will be mailed to the permittee at the end of the reporting period specified in the Authorization section of this permit. The permittee shall submit the PER in the form and manner provided by the director by the due date identified in the Authorization section of this permit. The permit evaluation report shall

cover a reporting period of no more than twelve-months for each air contaminant source identified in this permit.

(5) The permittee shall submit quarterly summaries that identify:

a. all 3-hour blocks of time (when the emissions unit(s) was/were in operation) during which the average temperature of the exhaust gases from the condenser was more than 10 degrees Fahrenheit above the average temperature of the exhaust gases measured during the most recent performance test that demonstrated the emissions unit(s) was/were in compliance;

b. any records of downtime (date and length of time) for the capture (collection) system, the condenser, and/or the monitoring equipment when the emissions unit(s) was/were in operation; and

c. a log of the operating time for the capture system, condenser, monitoring equipment, and the emissions unit(s).

These quarterly reports shall be submitted by April 30, July 31, October 31, and January 31, and shall cover the records for the previous calendar quarters.

f) Testing Requirements

(1) Compliance with the emission limitation(s) in b)(1) of these terms and conditions shall be determined in accordance with the following method(s):

a. Emission Limitation

VOC emissions from this emissions unit shall not exceed 1.45 lbs/hr.

Applicable Compliance Method

Compliance with the hourly emissions rate shall be determined as follows:

i. For the deaeration tanks, multiply the maximum hourly polystyrene production rate, 16,500 lbs per hour, by the AP 42, Table 6.6.3-2, Stream ID B (reformatted 1/95) emission factor 0.008 lbs VOC/1000 lbs product.

ii. For the material recovery section, multiply the maximum hourly polystyrene production rate, 16,500 lbs per hour, by the AP 42, Table 6.6.3-2 Stream ID C+D (reformatted 1/95) emission factor 0.024 lbs VOC/1000 lbs product.

iii. For the strand die vent, multiply the maximum hourly polystyrene production rate, 16,500 lbs per hour, by the AP 42, Table 6.6.3-2 Stream ID E (reformatted 1/95) emission factor 0.01 lbs VOC/1000 lbs product.

iv. For fugitive emissions, 0.76 lbs VOC per hour based on the facility provided calculations for fugitive emissions using Synthetic Organic Chemical Manufacturing Industries (SCOMI) emission factors.

v. The summation of the hourly VOC emissions from f)(1)a.i., f)(1)a.ii., f)(1)a.iii., and f)(1)a.iv. above, will result in lbs VOC per hour.

b. Emission Limitation

VOC emissions from this emissions unit shall not exceed 6.35 TPY.

Applicable Compliance Method

The 6.35 TPY limitation was developed by multiplying the 1.45 lbs/hour limitation by 8760 hours, and then dividing by 2000 lbs. Therefore, provided compliance is shown with the hourly limitation, compliance shall also be shown with the annual limitation.

c. Emission Limitation

PE from this emissions unit shall not exceed 0.15 lb/hr.

Applicable Compliance Method

Compliance is based upon multiplying the maximum hourly production rate of 16,500 lbs of polystyrene per hour by the facility derived emissions factor of 0.92 lbs PE per 1000 lbs of product and then multiplying by the 99% capture and control efficiency of the fabric filter.

d. Emission Limitation

PE from this emissions unit shall not exceed 0.65 TPY.

Applicable Compliance Method

The 0.65 TPY limitation was developed by multiplying the 0.15 lb/hour limitation by 8760 hours/year, and then dividing by 2000 lbs/ton. Therefore, provided compliance is shown with the hourly limitation, compliance shall also be shown with the annual limitation.

e. Emission Limitation

Visible particulate emissions from any stack shall not exceed 20 percent opacity as a six-minute average, except as specified by rule.

Applicable Compliance Method

Compliance shall be determined through visible emission observations performed in accordance with U.S. EPA Method 9.

g) Miscellaneous Requirements

(1) The terms and conditions in this permit to install and operate shall supersede all terms and conditions for P001 in P0092385 issued 9/15/2009 and represent an administrative modification to change the recordkeeping and reporting requirements for the outlet temperature of the condenser from more than 11 degrees Fahrenheit above the average

temperature measured during the most recent performance test that demonstrated compliance to more than 10 degrees Fahrenheit above the average temperature measured during the most recent performance test that demonstrated the emissions unit was in compliance.