



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL
UNION COUNTY**

CERTIFIED MAIL

Street Address:

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov.
Center

Application No: 01-08193

DATE: 6/21/00

Goodyear Tire and Rubber Co
Bruce Wilkins
13601 Industrial Pkwy
Marysville, OH 430409509

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
236 East Town Street, Room 300
Columbus, Ohio 43215

Very truly yours,

Thomas G. Rigo
Field Operations and Permit Section
Division of Air Pollution Control

CC: USEPA

CDO



Permit To Install

STATE OF OHIO ENVIRONMENTAL PROTECTION AGENCY

FINAL PERMIT TO INSTALL 01-08193

Application Number: 01-08193
APS Premise Number: 0180010013
Permit Fee: **\$3000**
Name of Facility: Goodyear Tire and Rubber Co
Person to Contact: Bruce Wilkins
Address: 13601 Industrial Pkwy
Marysville, OH 430409509

Location of proposed air contaminant source(s) [emissions unit(s)]:

13601 Industrial Pkwy
Marysville, Ohio

Description of proposed emissions unit(s):

Rubber calenders, curing presses, belt repair cements and solvents, belt dusters and water cooling tower.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency



Director

Part I - GENERAL TERMS AND CONDITIONS

A. State and Federally Enforceable Permit To Install General Terms and Conditions

1. Monitoring and Related Recordkeeping and Reporting Requirements

- a. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall maintain records that include the following, where applicable, for any required monitoring under this permit:
 - i. The date, place (as defined in the permit), and time of sampling or measurements.
 - ii. The date(s) analyses were performed.
 - iii. The company or entity that performed the analyses.
 - iv. The analytical techniques or methods used.
 - v. The results of such analyses.
 - vi. The operating conditions existing at the time of sampling or measurement.
- b. Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.
- c. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall submit required reports in the following manner:
 - i. Reports of any required monitoring and/or recordkeeping of federally enforceable information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
 - ii. Quarterly written reports of (i) any deviations from federally enforceable emission limitations, operational restrictions, and control device operating parameter limitations, excluding deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06, that have been detected by the testing, monitoring and recordkeeping requirements specified in this permit, (ii) the probable cause of such deviations, and (iii) any corrective actions or preventive measures taken, shall be made to the appropriate Ohio EPA District Office or local air agency. The written reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous

calendar quarters. See B.11 below if no deviations occurred during the quarter.

- iii. Written reports, which identify any deviations from the federally enforceable monitoring, recordkeeping, and reporting requirements contained in this permit shall be submitted to the appropriate Ohio EPA District Office or local air agency every six months, i.e., by January 31 and July 31 of each year for the previous six calendar months. If no deviations occurred during a six-month period, the permittee shall submit a semi-annual report, which states that no deviations occurred during that period.
- iv. Each written report shall be signed by a responsible official certifying that, based on information and belief formed after reasonable inquiry, the statements and information in the report are true, accurate, and complete.

2. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction, i.e., upset, of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. (The definition of an upset condition shall be the same as that used in OAC rule 3745-15-06(B)(1) for a malfunction.) The verbal and written reports shall be submitted pursuant to OAC rule 3745-15-06.

Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emission unit(s) that is (are) served by such control system(s).

3. Risk Management Plans

If the permittee is required to develop and register a risk management plan pursuant to section 112(r) of the Clean Air Act, as amended, 42 U.S.C. 7401 et seq. ("Act"), the permittee shall comply with the requirement to register such a plan.

4. Title IV Provisions

If the permittee is subject to the requirements of 40 CFR Part 72 concerning acid rain, the permittee shall ensure that any affected emissions unit complies with those requirements. Emissions exceeding any allowances that are lawfully held under Title IV of the Act, or any regulations adopted thereunder, are prohibited.

5. Severability Clause

A determination that any term or condition of this permit is invalid shall not invalidate the force or effect of any other term or condition thereof, except to the extent that any other term or condition depends in whole or in part for its operation or implementation upon the term or condition declared invalid.

6. General Requirements

- a. The permittee must comply with all terms and conditions of this permit. Any noncompliance with the federally enforceable terms and conditions of this permit constitutes a violation of the Act, and is grounds for enforcement action or for permit revocation, revocation and reissuance, or modification, or for denial of a permit renewal application.
- b. It shall not be a defense for the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the federally enforceable terms and conditions of this permit.
- c. This permit may be modified, reopened, revoked, or revoked and reissued, for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or revocation, or of a notification of planned changes or anticipated noncompliance does not stay any term and condition of this permit.
- d. This permit does not convey any property rights of any sort, or any exclusive privilege.
- e. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon request, the permittee shall also furnish to the Director or an authorized representative of the Director, copies of records required to be kept by this permit. For information claimed to be confidential in the submittal to the Director, if the Administrator of the U.S. EPA requests such information, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality.

7. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit To Install fees within 30 days after the issuance of this Permit To Install.

8. Federal and State Enforceability

Only those terms and conditions designated in this permit as federally enforceable, that are required under the Act, or any of its applicable requirements, including relevant provisions designed to limit the potential to emit of a source, are enforceable by the Administrator of the U.S. EPA, the State, and citizens under the Act. All other terms and conditions of this permit shall not be federally enforceable and shall be enforceable under State law only.

9. Compliance Requirements

- a. Any document (including reports) required to be submitted and required by a federally applicable requirement in this permit shall include a certification by a responsible official that, based on information and belief formed after reasonable inquiry, the statements in the document are true, accurate, and complete.
- b. Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Director of the Ohio EPA or an authorized representative of the Director to:
 - i. At reasonable times, enter upon the permittee's premises where a source is located or the emissions-related activity is conducted, or where records must be kept under the conditions of this permit.
 - ii. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit, subject to the protection from disclosure to the public of confidential information consistent with ORC section 3704.08.
 - iii. Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.
 - iv. As authorized by the Act, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit and applicable requirements.
- c. The permittee shall submit progress reports to the appropriate Ohio EPA District Office or local air agency concerning any schedule of compliance for meeting an applicable requirement. Progress reports shall be submitted semiannually, or more frequently if specified in the applicable requirement or by the Director of the Ohio EPA. Progress reports shall contain the following:

- i. Dates for achieving the activities, milestones, or compliance required in any schedule of compliance, and dates when such activities, milestones, or compliance were achieved.
- ii. An explanation of why any dates in any schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.

10. Permit To Operate Application

- a. If the permittee is required to apply for a Title V permit pursuant to OAC Chapter 3745-77, the permittee shall submit a complete Title V permit application or a complete Title V permit modification application within twelve (12) months after commencing operation of the emissions units covered by this permit. However, if the proposed new or modified source(s) would be prohibited by the terms and conditions of an existing Title V permit, a Title V permit modification must be obtained before the operation of such new or modified source(s) pursuant to OAC rule 3745-77-04(D) and OAC rule 3745-77-08(C)(3)(d).
- b. If the permittee is required to apply for permit(s) pursuant to OAC Chapter 3745-35, the source(s) identified in this Permit To Install is (are) permitted to operate for a period of up to one year from the date the source(s) commenced operation. Permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within thirty (30) days after commencing operation of the source(s) covered by this permit.

B. State Only Enforceable Permit To Install General Terms and Conditions**1. Compliance Requirements**

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping of state-only enforceable information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from state-only required emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

4. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

Goodyear Tire and Rubber Co
PTI Application: **01-08193**
Issued: 6/21/00

Facility ID: **0180010013**

5. Termination of Permit To Install

This permit to install shall terminate within eighteen months of the effective date of the permit to install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete

within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

6. Construction of New Sources(s)

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources are inadequate or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities prove to be inadequate or cannot meet applicable standards.

7. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

8. Applicability

This Permit to Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate application must be made to the Director for the installation or modification of any other emissions unit(s).

9. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

10. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit To Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

11. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations (See Section A of This Permit)

If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters.

C. Permit To Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

**SUMMARY (for informational purposes only)
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS**

| <u>Pollutant</u> | <u>Tons Per Year</u> |
|------------------|----------------------|
| PE | 37.79 |
| OC | 78.40 |

Part II - FACILITY SPECIFIC TERMS AND CONDITIONS

A. State and Federally Enforceable Permit To Install Facility Specific Terms and Conditions

None

B. State Only Enforceable Permit To Install Facility Specific Terms and Conditions

None

Issued: 6/21/00

**Part III -
SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u> |
|---|--------------------------------------|---|
| Cover calendar, coating fabric with uncured rubber and associated mills | OAC rule 3745-31-05 (A)(3) | Organic compound (OC) emissions shall not exceed 8.03 lbs OC/hr, 30.32 tons OC/hr and 30.32 tons OC/yr from P003 &P004. |
| | OAC rule 3745-21-07 (G) | Exempt by not using liquid organic material. |

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the tons per month of each type of rubber and the total from all rubber processed in emissions units P003 and P004 combined.

IV. Reporting Requirements

1. The permittee shall submit annual reports which specify the total OC emissions from this

Issued: 6/21/00

emissions unit and the total for emissions units P003 and P004 for the previous calendar year. These reports shall be submitted by January 31 of each year.

V. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.I. of these terms and conditions shall be determined in accordance with the following method(s):

1.a Emissions Limitation:

Organic compound emissions shall not exceed 8.03 lbs OC/hr.

Applicable Compliance Method:

Compliance shall be demonstrated by multiplying the maximum amount of rubber processed in one hour, 15,063 lbs/hr, by the highest Draft AP-42 emission factor, Table 4.12 July 31, 1999, for the types of rubber used in this emissions unit of 0.000335 lb VOC/lb rubber.

1.b Emission Limitation:

Organic compound emissions shall not exceed 30.32 tons/year from this emissions unit and 30.32 tons/yr from emissions units P003 and P004.

Applicable Compliance Method:

Compliance shall be demonstrated by multiplying the pounds of rubber processed per year, recorded in A.III.1 by the appropriate Draft AP-42 RMA emission factor, Table 4.12 July 31, 1999, for the specific type of rubber.

VI. Miscellaneous Requirements

None

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u> |
|---|--------------------------------------|--|
| cover calendar, coating fabric with uncured rubber and associated mills | | |

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

16

Goodyear Tire and Rubber Co

PTI Application: 01 00103

Issued

Facility ID: 0180010013

Emissions Unit ID: P003

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u> |
|--|--------------------------------------|---|
| fabric calendar, coating fabric with uncured rubber and associated mills | OAC rule 3745-31-05 (A)(3) | Organic compound (OC) emissions shall not exceed 8.03 lbs OC/hr, 30.32 tons OC/yr and 30.32 tons OC/yr from P003 &P004. |
| | OAC rule 3745-21-07 (G) | Exempt by not using liquid organic compounds |

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the tons per month of each type of rubber and the total from all rubber processed in emissions units P003 and P004 combined.

IV. Reporting Requirements

1. The permittee shall submit annual reports which specify the total OC emissions from this emissions unit and the total for emissions units P003 and P004 for the previous calendar year. These

Issued: 6/21/00

reports shall be submitted by January 31 of each year.

V. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.I. of these terms and conditions shall be determined in accordance with the following method(s):

1.a Emissions Limitation:
Organic compound emissions shall not exceed 8.03 lbs OC/hr.

Applicable Compliance Method:

Compliance shall be demonstrated by multiplying the maximum amount of rubber processed in one hour, 15,063 lbs/hr, by the highest Draft AP-42 emission factor, Table 4.12 July 31, 1999, for the types of rubber used in this emissions unit of 0.000335 lb OC/lb rubber.

1.b Emission Limitation:
Organic compound emissions shall not exceed 30.32 tons/year from this emissions unit and 30.32 tons/yr from emissions units P003 and P004.

Applicable Compliance Method:

Compliance shall be demonstrated by multiplying the pounds of rubber processed per year, recorded in A.III.1 by the appropriate Draft AP-42 RMA emission factor, Table 4.12 July 31, 1999, for the specific type of rubber.

VI. Miscellaneous Requirements

None

Issued: 6/21/00

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u> |
|--|--------------------------------------|--|
| fabric calendar, coating fabric with uncured rubber and associated mills | | |

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

20

Goody

PTI A₁

Issued: 6/21/00

Emissions Unit ID: P004

Issued: 6/21/00

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u> |
|---|--------------------------------------|--|
| Curing press no 4 | OAC rule 3745-31-05 (A)(3) | Organic compound (OC) emissions shall not exceed 223.70 lbs/day, 12.74 tons/yr and 40.68 tons per year from emissions units P005-P014. |
| | OAC rule 3745-21-07 (G) | Exempt by not using liquid organic material. |

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

- 1. The permittee shall collect and record the tons per month of each type of rubber and the total from all rubber processed in emissions units P005- P014 combined.
- 2. The permittee shall collect and record the number of gallons of mold release employed per year.

IV. Reporting Requirements

Goodyear Tire and Rubber Co

PTI Application: 01 00103

Issued

Facility ID: 0180010013

Emissions Unit ID: P008

1. The permittee shall submit annual reports which specify the total OC emissions from this emissions unit and the total for emissions units P005-P015 for the previous calendar year. These reports shall be submitted by January 31 of each year.

V. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.I. of these terms and conditions shall be determined in accordance with the following method(s):

- 1.a Emissions Limitation:
Organic compound emissions shall not exceed 223.70 lbs OC/day.

Applicable Compliance Method:

Compliance shall be demonstrated by multiplying the maximum amount of rubber processed in one day 124,131 lbs/day, by the highest Draft AP-42 emission factor, Table 4.12 July 31, 1999, for the types of rubber used in this emissions unit of 0.00175 lb OC/lb rubber plus emissions from mold release of 12.43 lbs/day multiplied by 0.52 lbs OC/lb rubber.

- 1.b Emission Limitation:
Organic compound emissions shall not exceed 12.74 tons/year from this emissions unit.

Applicable Compliance Method:

Compliance shall be demonstrated by multiplying the pounds of rubber processed per year, recorded in A.III.1 by the appropriate Draft AP-42 RMA emission factor, Table 4.12 July 31, 1999, for the specific type of rubber plus the emissions from mold release then multiplied by the percentage of production allocated to this emissions unit (31.3%).

- 1.c Emission Limitation:
40.68 tons/yr from emissions units P005-P014.

Applicable Compliance Method:

Compliance shall be demonstrated by multiplying the pounds of rubber processed per year, recorded in A.III.1 by the appropriate Draft AP-42 RMA emission factor, Table 4.12 July 31, 1999, for the specific type of rubber and then plus the emissions from mold release.

VI. Miscellaneous Requirements

None

Issued: 6/21/00

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u> |
|---|--------------------------------------|--|
| Curing press no 4 | | |

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u> |
|---|--------------------------------------|---|
| Curing press no 5 | OAC rule 3745-31-05 (A)(3) | Organic compound (OC) emissions shall not exceed 26.1 lbs/day, 1.51 tons/yr and 40.68 tons per year from emissions units P005-P014. |
| | OAC rule 3745-21-07 (G) | Exempt by not using liquid organic material. |

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the tons per month of each type of rubber and the total from all rubber processed in emissions units P005- P014 combined.
2. The permittee shall collect and record the number of gallons of mold release employed per year.

IV. Reporting Requirements

Goodyear Tire and Rubber Co

PTI Application: 01 00103

Issued

Facility ID: 0180010013

Emissions Unit ID: P009

1. The permittee shall submit annual reports which specify the total OC emissions from this emissions unit and the total for emissions units P005-P015 for the previous calendar year. These reports shall be submitted by January 31 of each year.

V. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.I. of these terms and conditions shall be determined in accordance with the following method(s):

- 1.a Emissions Limitation:
Organic compound emissions shall not exceed 26.1 lbs OC/day.

Applicable Compliance Method:

Compliance shall be demonstrated by multiplying the maximum amount of rubber processed in one day 14,688 lbs/day, by the highest Draft AP-42 emission factor, Table 4.12 July 31, 1999, for the types of rubber used in this emissions unit of 0.00175 lb OC/lb rubber plus emissions from mold release of 0.77 lbs/day multiplied by 0.52 lbs OC/lb rubber.

- 1.b Emission Limitation:
Organic compound emissions shall not exceed 12.74 tons/year from this emissions unit.

Applicable Compliance Method:

Compliance shall be demonstrated by multiplying the pounds of rubber processed per year, recorded in A.III.1 by the appropriate Draft AP-42 RMA emission factor, Table 4.12 July 31, 1999, for the specific type of rubber plus the emissions from mold release then multiplied by the percentage of production allocated to this emissions unit (3.7%).

- 1.c Emission Limitation:
40.68 tons/yr from emissions units P005-P014.

Applicable Compliance Method:

Compliance shall be demonstrated by the pounds of rubber processed per year, recorded in A.III.1 by the appropriate Draft AP-42 RMA emission factor, Table 4.12 July 31, 1999, for the specific type of rubber then plus emissions from mold release.

VI. Miscellaneous Requirements

None

Issued: 6/21/00

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u> |
|---|--------------------------------------|--|
| Curing press no 5 | | |

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u> |
|---|--------------------------------------|--|
| Rotocure no 3 | OAC rule 3745-31-05 (A)(3) | Organic compound (OC) emissions shall not exceed 47.52 lbs/day, 2.77 tons/yr and 40.68 tons per year from emissions units P005-P014. |
| | OAC rule 3745-21-07 (G) | Exempt by not using liquid organic material. |

2. **Additional Terms and Conditions**

- 2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the tons per month of each type of rubber and the total from all rubber processed in emissions units P005- P014 combined.
2. The permittee shall collect and record the number of gallons of mold release employed per year.

IV. Reporting Requirements

Goodyear Tire and Rubber Co

PTI Application: 01 00103

Issued

Facility ID: 0180010013

Emissions Unit ID: P012

1. The permittee shall submit annual reports which specify the total OC emissions from this emissions unit and the total for emissions units P005-P015 for the previous calendar year. These reports shall be submitted by January 31 of each year.

V. Testing Requirements

1. Compliance with the emission limitation(s) in Section A.I. of these terms and conditions shall be determined in accordance with the following method(s):

- 1.a Emissions Limitation:
Organic compound emissions shall not exceed 47.52 lbs OC/day.

Applicable Compliance Method:

Compliance shall be demonstrated by multiplying the maximum amount of rubber processed in one day 26,976 lbs/day, by the highest Draft AP-42 emission factor, Table 4.12 July 31, 1999, for the types of rubber used in this emissions unit of 0.00175 lb OC/lb rubber plus emissions from mold release of 0.62 lbs/day multiplied by 0.45 lbs OC/lb rubber.

- 1.b Emission Limitation:
Organic compound emissions shall not exceed 2.77 tons/year from this emissions unit.

Applicable Compliance Method:

Compliance shall be demonstrated by multiplying the pounds of rubber processed per year, recorded in A.III.1 by the appropriate Draft AP-42 RMA emission factor, Table 4.12 July 31, 1999, for the specific type of rubber plus the emissions from mold release then multiplied by the percentage of production allocated to this emissions unit (6.8%).

- 1.c Emission Limitation:
40.68 tons/yr from emissions units P005-P014.

Applicable Compliance Method:

Compliance shall be demonstrated by the pounds of rubber processed per year, recorded in A.III.1 by the appropriate Draft AP-42 RMA emission factor, Table 4.12 July 31, 1999, for the specific type of rubber plus emissions from mold release.

VI. Miscellaneous Requirements

None

Issued: 6/21/00

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u> |
|---|--------------------------------------|--|
| Rotocure no 3 | | |

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. State and Federally Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u> |
|---|--------------------------------------|---|
| belt repair, use of cement and solvents | OAC rule 3745-21-07 (G)(2) | Organic compound (OC) emissions shall not exceed 8 lbs/hr, 40 lbs/day. |
| | OAC rule 3745-31-05 (A)(3) | Organic compound emissions shall not exceed 7.3 tons OC/yr. The requirements established pursuant to this rule are equivalent to the requirements of OAC rule 3745-21-07 (G)(2). |

2. Additional Terms and Conditions

- 2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

1. The permittee shall collect and record the following information for each day for the coating operation:
 - a. The company identification for each solvent and cement employed.

- b. The number of gallons of each solvent and cement employed.
 - c. The organic compound content of each solvent and cement, in pounds per gallon.
 - d. The total controlled organic compound emission rate for all solvents and cements, in pounds per day (i.e., calculated using the overall control efficiency from the most recent performance test that demonstrated that the emissions unit was in compliance).
 - e. The total number of hours the emissions unit was in operation.
 - f. The average hourly controlled organic compound emission rate for all solvents and cements, i.e., (d)/(e), in pounds per hour (average).
2. The permittee shall calculate and record the total annual organic compound emissions from all solvents and cements employed by summing the daily records in Section A.III.1 of this permit.

IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports which include the following information:
 - a. An identification of each day during which the average hourly controlled organic compound emissions from the photochemically reactive solvents and cements exceeded 8 pounds per hour, and the actual average hourly controlled organic compound emissions for each such day.
 - b. An identification of each day during which the controlled organic compound emissions from the coatings and photochemically reactive cleanup materials exceeded 40 pounds per day, and the actual controlled organic compound emissions for each such day.
2. The permittee shall also submit annual reports which specify the total organic compound emissions from this emissions unit for the previous calendar year. These reports shall be submitted by January 31 of each year.

V. Testing Requirements

1. Compliance with the emission limitations in Section A.I of the terms and conditions of this permit shall be determined in accordance with the following methods:
 - 1.a Emission Limitations: 8 lbs OC/hr, 40 lbs OC/day

Applicable Compliance Method: The record keeping requirements in Section A.III.1 of this permit shall be used to determine compliance with the above limitations.

35

Goody

PTI A₁

Issued: 6/21/00

Emissions Unit ID: P015

1.b Emission Limitations: 7.3 tons OC/yr

Applicable Compliance Method: The record keeping requirements in Section A.III.2 of this permit shall be used to determine compliance with the above limitations.

2. Formulation data or USEPA Method 24 shall be used to determine the OC content of the solvents and cements.

VI. Miscellaneous Requirements

None

Issued: 6/21/00

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u> |
|---|--------------------------------------|--|
| belt repair, use of cement and solvents | | |

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**A. State and Federally Enforceable Section****I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u> |
|---|--------------------------------------|---|
| Cooling tower | OAC rule 3745-17-08 | This facility is not located within an Appendix A area. |
| | OAC rule 3745-17-07 (B) | This facility is not located within an Appendix A area. |
| | OAC rule 3745-31-05 (A) (3) | Particulate emissions (PE) shall not exceed 0.82 lb PE/hr, 3.59 tons PE/yr There shall be no visible particulate emissions from this emissions unit. |

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

1. Compliance with the emission limitations in Section A.I of the terms and conditions of this permit shall be determined in accordance with the following methods:

1.a Emission Limitation:

There shall be no visible particulate emissions from this emissions unit.

Applicable Compliance Method:

Compliance shall be determined through visible emissions observations performed in accordance with 40 CFR Part 60, Appendix A, Method 9 and the procedures specified in OAC rule 3745-17-03(B)(1).

1.b Emission Limitations: 0.82 lb PE/hr

Applicable Compliance Method:

Compliance shall be demonstrated by multiplying the maximum gallons per hour, 180,000 gallons/hr, by the AP-42 Table 13.41 emissions factor of 1.7 lbs PE/1000 gallons then by the AP-42 factor for Total Liquid Draft for total dissolved solids:

$180,000 \text{ gallons/hr} * 1.7 \text{ lbs PE/1000 gallons} * 2,680/1,000,000$ (AP-42 Table 13.42, Jan. 95, for total dissolved solids).

1.c Emission Limitations: 3.59 tons PE/yr

Applicable Compliance Method:

Compliance shall be demonstrated by multiplying the maximum gallons per year, 1,576,800,000 gallons /yr, by the AP-42 Table 13.41, Jan 95, emissions factor of 1.7 lbs PE/1000 gallons then by the AP-42 factor for Total Liquid Draft for total dissolved solids:

$1,576,800,000 \text{ gallons/yr} * 1.7 \text{ lbs PE/1000 gallons} * 2,680/1,000,000$ (AP-42 Table 13.42, Jan. 95, for total dissolved solids).

VI. Miscellaneous Requirements

None

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u> |
|---|--------------------------------------|--|
| Cooling tower | | |

2. Additional Terms and Conditions

2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u> |
|---|--------------------------------------|---|
| Belt duster | OAC rule 3745-17-08 | This facility is not located within an Appendix A area. |
| | OAC rule 3745-17-07 (B) | This facility is not located within an Appendix A area. |
| | OAC rule 3745-31-05 (A)(3) | Particulate emissions (PE) shall not exceed 7.86 lbs PE/hr, 34.2 tons PE/yr There shall be no visible particulate emissions from this emissions unit. See A.I.2.a |

2. Additional Terms and Conditions

- 2.a Emissions were calculated for particulate less than 22 microns because larger particles are assumed to settle within the plant.

II. Operational Restrictions

1. The permittee shall operate the dust collection system whenever this emissions unit is in operation.

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

1. Compliance with the emission limitations in Section A.I of the terms and conditions of this permit shall be determined in accordance with the following methods:

- 1.a Emission Limitation:

There shall be no visible particulate emissions from this emissions unit.

Applicable Compliance Method:

Compliance shall be determined through visible emissions observations performed in accordance with 40 CFR Part 60, Appendix A, Method 9 and the procedures specified in OAC rule 3745-17-03(B)(1).

- 1.b Emission Limitations: 7.86 lbs PE/hr

Applicable Compliance Method:

Compliance shall be demonstrated by multiplying the maximum company supplied calculations:

63,866,400 sq.ft of belt dusted, 704,000 lbs of dust purchased, 0.0041587 lbs dust remaining on belt/sq.ft (from weighing of samples before and after dusting)

$704,000 \text{ lbs dust purchased} - (63,866,400 * 0.0041587) = 438,400 \text{ lbs dust lost/yr}$

$(438,000 * 0.1226 \text{ (for percentage particulate below 22 microns)}) / 6838 \text{ hours/yr} = 7.86 \text{ lbs/hr}$

- 1.c Emission Limitations: 34.42 tons PE/yr

Applicable Compliance Method:

Compliance shall be demonstrated by multiplying the maximum company supplied calculations:

63,866,400 sq.ft of belt dusted, 704,000 lbs of dust purchased, 0.0041587 lbs dust remaining on belt/sq.ft (from weighing of samples before and after dusting)

42

Goody

PTI A₁

Issued: 6/21/00

Emissions Unit ID: P017

$704,000 \text{ lbs dust purchased} - (63,866,400 * 0.0041587) = 438,400 \text{ lbs dust lost/yr}$

$(438,000 * 0.1226 \text{ (for percentage particulate below 22 microns)}) / 6838 \text{ hours/yr} = 7.86 \text{ lbs/hr}$

$7.86 \text{ lbs/hr} * 8760 \text{ hrs/yr} * 1 \text{ ton}/2000 \text{ lbs} = 34.42 \text{ tons PE/yr}$

VI. Miscellaneous Requirements

None

Issued: 6/21/00

B. State Only Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- 1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u> |
|---|--------------------------------------|--|
| Belt duster | OAC rule 3745-31-05 | |

2. Additional Terms and Conditions

- 2.a None

II. Operational Restrictions

None

III. Monitoring and/or Recordkeeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

NEW SOURCE REVIEW FORM B

PTI Number: 01-08193 Facility ID: 0180010013

FACILITY NAME Goodyear Tire and Rubber Co

FACILITY DESCRIPTION Rubber calenders, curing presses, belt repair cements and solvents, belt dusters and water cooling tower. CITY/TWP Marysville

SIC CODE 3052 SCC CODE 3-08-001-99 EMISSIONS UNIT ID P003

EMISSIONS UNIT DESCRIPTION cover calendar, coating fabric with uncured rubber

DATE INSTALLED 9/75

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

| Pollutants | Air Quality Description | Actual Emissions Rate | | PTI Allowable | |
|--------------------|-------------------------|-----------------------|--|-----------------|--|
| | | Short Term Rate | Tons Per Year | Short Term Rate | Tons Per Year |
| Particulate Matter | | | | | |
| PM ₁₀ | | | | | |
| Sulfur Dioxide | | | | | |
| Organic Compounds | attainment | 8.03 lbs/hr | 30.32 30.32 TPY from P003 and P004 | 8.03 lbs/hr | 30.32 30.32 TPY from P003 and P004 |
| Nitrogen Oxides | | | | | |
| Carbon Monoxide | | | | | |
| Lead | | | | | |
| Other: Air Toxics | | | | | |

APPLICABLE FEDERAL RULES:

NSPS? NESHAP? PSD? OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? no

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to containinants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? YES x NO

IDENTIFY THE AIR CONTAMINANTS:

NEW SOURCE REVIEW FORM B

PTI Number: 01-08193

Facility ID: 0180010013

FACILITY NAME Goodyear Tire and Rubber Co

FACILITY DESCRIPTION Rubber calenders, curing presses, belt

CITY/TWP Marvsville

Emissions Unit ID: P017

SIC CODE 3052

SCC CODE 3-08-001-99

EMISSIONS UNIT ID P004

EMISSIONS UNIT DESCRIPTION fabric calendar, coating fabric with uncured rubber

DATE INSTALLED 9/75

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

| Pollutants | Air Quality Description | Actual Emissions Rate | | PTI Allowable | |
|--------------------|-------------------------|-----------------------|--|-----------------|--|
| | | Short Term Rate | Tons Per Year | Short Term Rate | Tons Per Year |
| Particulate Matter | | | | | |
| PM ₁₀ | | | | | |
| Sulfur Dioxide | | | | | |
| Organic Compounds | attainment | 8.03 lbs/hr | 30.32 30.32 TPY from P003 and P004 | 8.03 lbs/hr | 30.32 30.32 TPY from P003 and P004 |
| Nitrogen Oxides | | | | | |
| Carbon Monoxide | | | | | |
| Lead | | | | | |
| Other: Air Toxics | | | | | |

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? no

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT?

\$

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to containinants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threhold limit value.

AIR TOXICS MODELING PERFORMED*? _____ YES x NO

IDENTIFY THE AIR CONTAMINANTS: _____

NEW SOURCE REVIEW FORM B

PTI Number: 01-08193

Facility ID: 0180010013

FACILITY NAME Goodyear Tire and Rubber Co

FACILITY DESCRIPTION Rubber calenders, curing presses, belt

CITY/TWP Marvsville

Emissions Unit ID: P017

SIC CODE 3052

SCC CODE 3-08-001-99

EMISSIONS UNIT ID P008

EMISSIONS UNIT DESCRIPTION Curing press no 4

DATE INSTALLED 1/76

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

| Pollutants | Air Quality Description | Actual Emissions Rate | | PTI Allowable | |
|--------------------|-------------------------|-----------------------|---|-----------------|---|
| | | Short Term Rate | Tons Per Year | Short Term Rate | Tons Per Year |
| Particulate Matter | | | | | |
| PM ₁₀ | | | | | |
| Sulfur Dioxide | | | | | |
| Organic Compounds | attainment | 223.70 lbs/day | 12.74 TPY 40.68 TPY from emissions units P005-P014 | 223.70 lbs/day | 12.74 TPY 40.68 TPY from emissions units P005-P014 |
| Nitrogen Oxides | | | | | |
| Carbon Monoxide | | | | | |
| Lead | | | | | |
| Other: Air Toxics | | | | | |

APPLICABLE FEDERAL RULES:

NSPS? NESHAP? PSD? OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? no

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to containinants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? YES NO x

IDENTIFY THE AIR CONTAMINANTS:

NEW SOURCE REVIEW FORM B

PTI Number: 01-08193

Facility ID: 0180010013

FACILITY NAME Goodyear Tire and Rubber Co

FACILITY DESCRIPTION Rubber calenders, curing presses, belt CITY/TWP Marvsville

Emissions Unit ID: P017

SIC CODE 3052

SCC CODE 3-08-001-99

EMISSIONS UNIT ID P009

EMISSIONS UNIT DESCRIPTION Curing press no 5

DATE INSTALLED 12/87

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

| Pollutants | Air Quality Description | Actual Emissions Rate | | PTI Allowable | |
|--------------------|-------------------------|-----------------------|--|-----------------|--|
| | | Short Term Rate | Tons Per Year | Short Term Rate | Tons Per Year |
| Particulate Matter | | | | | |
| PM ₁₀ | | | | | |
| Sulfur Dioxide | | | | | |
| Organic Compounds | attainment | 26.1 lbs/day | 1.51 TPY 40.68 TPY from emissions units P005-P014 | 26.1 lbs/day | 1.51 TPY 40.68 TPY from emissions units P005-P014 |
| Nitrogen Oxides | | | | | |
| Carbon Monoxide | | | | | |
| Lead | | | | | |
| Other: Air Toxics | | | | | |

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? no

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? _____ YES x NO

IDENTIFY THE AIR CONTAMINANTS: _____

NEW SOURCE REVIEW FORM B

PTI Number: 01-08193

Facility ID: 0180010013

FACILITY NAME Goodyear Tire and Rubber Co

FACILITY DESCRIPTION Rubber calenders, curing presses, belt

CITY/TWP Marvsville

Emissions Unit ID: P017

SIC CODE 3052

SCC CODE 3-08-001-99

EMISSIONS UNIT ID P012

EMISSIONS UNIT DESCRIPTION Rotocure no 3

DATE INSTALLED 1/82

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

| Pollutants | Air Quality Description | Actual Emissions Rate | | PTI Allowable | |
|--------------------|-------------------------|-----------------------|--|-----------------|--|
| | | Short Term Rate | Tons Per Year | Short Term Rate | Tons Per Year |
| Particulate Matter | | | | | |
| PM ₁₀ | | | | | |
| Sulfur Dioxide | | | | | |
| Organic Compounds | attainment | 47.52 lbs/day | 2.77 TPY 40.68 TPY from emissions units P005-P014 | 47.52 lbs/day | 2.77 TPY 40.68 TPY from emissions units P005-P014 |
| Nitrogen Oxides | | | | | |
| Carbon Monoxide | | | | | |
| Lead | | | | | |
| Other: Air Toxics | | | | | |

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? no

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to containinants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? _____ YES x NO

IDENTIFY THE AIR CONTAMINANTS: _____

NEW SOURCE REVIEW FORM B

PTI Number: 01-08193

Facility ID: 0180010013

FACILITY NAME Goodyear Tire and Rubber Co

FACILITY DESCRIPTION Rubber calenders, curing presses, belt

CITY/TWP Marvsville

Emissions Unit ID: P017

SIC CODE 3052

SCC CODE 3-08-001-99

EMISSIONS UNIT ID P015

EMISSIONS UNIT DESCRIPTION belt repair, use of cement and solvents

DATE INSTALLED 6/74

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

| Pollutants | Air Quality Description | Actual Emissions Rate | | PTI Allowable | |
|--------------------|-------------------------|-----------------------|---------------|----------------------|---------------|
| | | Short Term Rate | Tons Per Year | Short Term Rate | Tons Per Year |
| Particulate Matter | | | | | |
| PM ₁₀ | | | | | |
| Sulfur Dioxide | | | | | |
| Organic Compounds | attainment | 8 lbs/hr, 40 lbs/day | 7.3 | 8 lbs/hr, 40 lbs/day | 7.3 |
| Nitrogen Oxides | | | | | |
| Carbon Monoxide | | | | | |
| Lead | | | | | |
| Other: Air Toxics | | | | | |

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? no

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to contaminants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? YES NO

IDENTIFY THE AIR CONTAMINANTS:

NEW SOURCE REVIEW FORM B

PTI Number: 01-08193

Facility ID: 0180010013

FACILITY NAME Goodyear Tire and Rubber Co

FACILITY DESCRIPTION Rubber calenders, curing presses, belt

CITY/TWP Marvsville

Emissions Unit ID: P017

SIC CODE 3052

SCC CODE

EMISSIONS UNIT ID

P016

EMISSIONS UNIT DESCRIPTION Cooling tower

DATE INSTALLED 6/75

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

| Pollutants | Air Quality Description | Actual Emissions Rate | | PTI Allowable | |
|--------------------|-------------------------|-----------------------|---------------|-----------------|---------------|
| | | Short Term Rate | Tons Per Year | Short Term Rate | Tons Per Year |
| Particulate Matter | attainment | 0.82 lb/hr | 3.59 | 0.82 lb/hr | 3.59 |
| PM ₁₀ | | | | | |
| Sulfur Dioxide | | | | | |
| Organic Compounds | | | | | |
| Nitrogen Oxides | | | | | |
| Carbon Monoxide | | | | | |
| Lead | | | | | |
| Other: Air Toxics | | | | | |

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination compliance with emissions limits and no VE

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY?

no

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT?

\$

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to containinants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*?

YES

x

NO

IDENTIFY THE AIR CONTAMINANTS:

5 NEW SOURCE REVIEW FORM B

PTI Number: 01-08193

Facility ID: 0180010013

FACILITY NAME Goodyear Tire and Rubber Co

FACILITY DESCRIPTION Rubber calenders, curing presses, belt

CITY/TWP Marvsville

Emissions Unit ID: P017

SIC CODE 3052

SCC CODE 3-08-001-99

EMISSIONS UNIT ID P017

EMISSIONS UNIT DESCRIPTION Belt duster

DATE INSTALLED 6/74

EMISSIONS: (Click on bubble help for Air Quality Descriptions)

| Pollutants | Air Quality Description | Actual Emissions Rate | | PTI Allowable | |
|--------------------|-------------------------|-----------------------|---------------|-----------------|---------------|
| | | Short Term Rate | Tons Per Year | Short Term Rate | Tons Per Year |
| Particulate Matter | attainment | 7.86 lbs/hr | 34.2 | 7.86 lbs/hr | 34.2 |
| PM ₁₀ | | | | | |
| Sulfur Dioxide | | | | | |
| Organic Compounds | | | | | |
| Nitrogen Oxides | | | | | |
| Carbon Monoxide | | | | | |
| Lead | | | | | |
| Other: Air Toxics | | | | | |

APPLICABLE FEDERAL RULES:

NSPS?

NESHAP?

PSD?

OFFSET POLICY?

WHAT IS THE BAT DETERMINATION, AND WHAT IS THE BASIS FOR THE DETERMINATION?

Enter Determination compliance with emission limitations and no VE

IS THIS SOURCE SUBJECT TO THE AIR TOXICS POLICY? no

OPTIONAL: WHAT IS THE CAPITAL COST OF CONTROL EQUIPMENT? \$

TOXIC AIR CONTAMINANTS

Ohio EPA's air toxics policy applies to containinants for which the American Conference of Governmental Industrial Hygienists (ACGIH) has a listed threshold limit value.

AIR TOXICS MODELING PERFORMED*? YES x NO

IDENTIFY THE AIR CONTAMINANTS: