



State of Ohio Environmental Protection Agency

Street Address:

Lazarus Gov. Center  
122 S. Front Street  
Columbus, OH 43215

TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center  
P.O. Box 1049  
Columbus, OH 43216-1049

12/12/01

**CERTIFIED MAIL**

**RE: Final Title V Chapter 3745-77 permit**

03-02-02-0282

Marathon Electric Manufacturing Corporation  
Barbara M. Rife  
200 E. Chapman Road  
Lima, OH 45801

Dear Barbara M. Rife:

Enclosed is the Title V permit that allows you to operate the facility in the manner indicated in the permit. Because this permit may contain several conditions and restrictions, we urge you to read it carefully.

The Ohio EPA is encouraging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Review Appeals Commission within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. It is also requested by the Director that a copy of the appeal be served upon the Environmental Enforcement Section of the Office of the Attorney General. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
236 East Town Street  
Room 300  
Columbus, Ohio 43215

If you have any questions, please contact Northwest District Office.

Very truly yours,

Thomas G. Rigo, Manager  
Field Operations and Permit Section  
Division of Air Pollution Control

cc: Northwest District Office  
File, DAPC PMU



State of Ohio Environmental Protection Agency

**FINAL TITLE V PERMIT**

Issue Date: <b>12/12/01</b>	Effective Date: <b>12/12/01</b>	Expiration Date: <b>12/12/06</b>
-----------------------------	---------------------------------	----------------------------------

This document constitutes issuance of a Title V permit for Facility ID: 03-02-02-0282 to:  
 Marathon Electric Manufacturing Corporation  
 Marathon Electric Manufacturing Company  
 200 E. Chapman Road  
 Lima, OH 45801

**Emissions Unit ID (Company ID)/Emissions Unit Activity Description**

K001 (DIP TANK #1) POLYESTER VARNISH DIP TANK W/CURING OVEN DIP TANK # 1	K005 (DIP TANK # 3) 430 STATOR DIP COATING LINE WITH CURING OVEN	K011 (POLYBUTADIENE DIP) POLYBUTADIENE DIP TANK WITH CURING OVEN
K003 (PAINT BOOTH # 1) SMALL GENERATOR PAINT SPRAY BOOTH	K008 (DIP TANK # 4) RUST INHIBITOR DIP TANK	
K004 (PAINT BOOTH # 2) LARGE GENERATOR PAINT SPRAY BOOTH		

You will be contacted approximately eighteen (18) months prior to the expiration date regarding the renewal of this permit. If you are not contacted, please contact the appropriate Ohio EPA District Office or local air agency listed below. This permit and the authorization to operate the air contaminant sources (emissions units) at this facility shall expire at midnight on the expiration date shown above. If a renewal permit is not issued prior to the expiration date, the permittee may continue to operate pursuant to OAC rule 3745-77-04(A) and in accordance with the terms of this permit beyond the expiration date, provided that a complete renewal application is submitted no earlier than eighteen (18) months and no later than one-hundred eighty (180) days prior to the expiration date.

Described below is the Ohio EPA District Office or local air agency that is responsible for processing and administering your Title V permit:

Northwest District Office  
 347 North Dunbridge Road  
 Bowling Green, OH 43402  
 (419) 352-8461

OHIO ENVIRONMENTAL PROTECTION AGENCY

Christopher Jones  
Director

## PART I - GENERAL TERMS AND CONDITIONS

### A. State and Federally Enforceable Section

#### 1. Monitoring and Related Recordkeeping and Reporting Requirements

- a. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall maintain records that include the following, where applicable, for any required monitoring under this permit:
  - i. The date, place (as defined in the permit), and time of sampling or measurements.
  - ii. The date(s) analyses were performed.
  - iii. The company or entity that performed the analyses.
  - iv. The analytical techniques or methods used.
  - v. The results of such analyses.
  - vi. The operating conditions existing at the time of sampling or measurement.
- b. Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.
- c. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall submit required reports in the following manner:
  - i. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
  - ii. Quarterly written reports of (i) any deviations from federally enforceable emission limitations, operational restrictions, and control device operating parameter limitations, excluding deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06, that have been detected by the testing, monitoring and recordkeeping requirements specified in this permit, (ii) the probable cause of such deviations, and (iii) any corrective actions or preventive measures taken, shall be promptly made to the appropriate Ohio EPA District Office or local air agency. These quarterly written reports shall satisfy the requirements of OAC rule 3745-77-07(A)(3)(c)(i) and (ii) pertaining to the submission of monitoring reports every six months and OAC rule 3745-77-07(A)(3)(c)(iii) pertaining to the prompt reporting of all deviations except malfunctions, which shall be reported in accordance with OAC rule 3745-15-06. The written reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.) See B.8 below if no deviations occurred during the quarter.
  - iii. Written reports, which identify any deviations from the federally enforceable monitoring, recordkeeping, and reporting requirements contained in this permit shall be submitted to

the appropriate Ohio EPA District Office or local air agency every six months, i.e., by January 31 and July 31 of each year for the previous six calendar months. These semi-annual written reports shall satisfy the requirements of OAC rule 3745-77-07(A)(3)(c)(i) and (ii) pertaining to the reporting of any deviations related to the monitoring, recordkeeping, and reporting requirements. If no deviations occurred during a six-month period, the permittee shall submit a semi-annual report, which states that no deviations occurred during that period.

- iv. Each written report shall be signed by a responsible official certifying that, based on information and belief formed after reasonable inquiry, the statements and information in the report are true, accurate, and complete.

## **2. Scheduled Maintenance/Malfunction Reporting**

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction, i.e., upset, of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. (The definition of an upset condition shall be the same as that used in OAC rule 3745-15-06(B)(1) for a malfunction.) The verbal and written reports submitted pursuant to OAC rule 3745-15-06 shall satisfy the requirements of OAC rule 3745-77-07(A)(3)(c)(iii) pertaining to the prompt reporting of deviations caused by malfunctions or upsets.

Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emission unit(s) that is (are) served by such control system(s).

## **3. Risk Management Plans**

If the permittee is required to develop and register a risk management plan pursuant to section 112(r) of the Clean Air Act, as amended, 42 U.S.C. 7401 et seq. ("Act"), the permittee shall comply with the requirement to register such a plan.

## **4. Title IV Provisions**

If the permittee is subject to the requirements of 40 CFR Part 72 concerning acid rain, the permittee shall ensure that any affected emissions unit complies with those requirements. Emissions exceeding any allowances that are lawfully held under Title IV of the Act, or any regulations adopted thereunder, are prohibited.

## **5. Severability Clause**

A determination that any term or condition of this permit is invalid shall not invalidate the force or effect of any other term or condition thereof, except to the extent that any other term or condition depends in whole or in part for its operation or implementation upon the term or condition declared invalid.

## **6. General Requirements**

- a. The permittee must comply with all terms and conditions of this permit. Any noncompliance with the federally enforceable terms and conditions of this permit constitutes a violation of the Act, and is grounds for enforcement action or for permit revocation, revocation and reissuance, or modification, or for denial of a permit renewal application.
- b. It shall not be a defense for the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the federally enforceable terms and conditions of this permit.
- c. This permit may be modified, reopened, revoked, or revoked and reissued, for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or revocation, or of a notification of planned changes or anticipated noncompliance does not stay any term and condition of this permit.
- d. This permit does not convey any property rights of any sort, or any exclusive privilege.
- e. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon request, the permittee shall also furnish to the Director or an authorized representative of the Director, copies of records required to be kept by this permit. For information claimed to be confidential in the submittal to the Director, if the Administrator of the U.S. EPA requests such information, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality.

## **7. Fees**

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78.

## **8. Marketable Permit Programs**

No revision of this permit is required under any approved economic incentive, marketable permits, emissions trading, and other similar programs or processes for changes that are provided for in this permit.

## **9. Reasonably Anticipated Operating Scenarios**

The permittee is hereby authorized to make changes among operating scenarios authorized in this permit without notice to the Ohio EPA, but, contemporaneous with making a change from one operating scenario to another, the permittee must record in a log at the permitted facility the scenario under which the permittee is operating. The permit shield provided in these general terms and conditions shall apply to all operating scenarios authorized in this permit.

## 10. Reopening for Cause

This Title V permit will be reopened prior to its expiration date under the following conditions:

- a. Additional applicable requirements under the Act become applicable to one or more emissions units covered by this permit, and this permit has a remaining term of three or more years. Such a reopening shall be completed not later than eighteen months after promulgation of the applicable requirement. No such reopening is required if the effective date of the requirement is later than the date on which the permit is due to expire, unless the original permit or any of its terms and conditions has been extended pursuant to paragraph (E)(1) of OAC rule 3745-77-08.
- b. This permit is issued to an affected source under the acid rain program and additional requirements (including excess emissions requirements) become applicable. Upon approval by the Administrator, excess emissions offset plans shall be deemed to be incorporated into the permit, and shall not require a reopening of this permit.
- c. The Director of the Ohio EPA or the Administrator of the U.S. EPA determines that the federally applicable requirements in this permit are based on a material mistake, or that inaccurate statements were made in establishing the emissions standards or other terms and conditions of this permit related to such federally applicable requirements.
- d. The Administrator of the U.S. EPA or the Director of the Ohio EPA determines that this permit must be revised or revoked to assure compliance with the applicable requirements.

## 11. Federal and State Enforceability

Only those terms and conditions designated in this permit as federally enforceable, that are required under the Act, or any of its applicable requirements, including relevant provisions designed to limit the potential to emit of a source, are enforceable by the Administrator of the U.S. EPA, the State, and citizens under the Act. All other terms and conditions of this permit shall not be federally enforceable and shall be enforceable under State law only.

## 12. Compliance Requirements

- a. Any document (including reports) required to be submitted and required by a federally applicable requirement in this Title V permit shall include a certification by a responsible official that, based on information and belief formed after reasonable inquiry, the statements in the document are true, accurate, and complete.
- b. Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Director of the Ohio EPA or an authorized representative of the Director to:
  - i. At reasonable times, enter upon the permittee's premises where a source is located or the emissions-related activity is conducted, or where records must be kept under the conditions of this permit.

- ii. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit, subject to the protection from disclosure to the public of confidential information consistent with paragraph (E) of OAC rule 3745-77-03.
  - iii. Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.
  - iv. As authorized by the Act, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit and applicable requirements.
- c. The permittee shall submit progress reports to the appropriate Ohio EPA District Office or local air agency concerning any schedule of compliance for meeting an applicable requirement. Progress reports shall be submitted semiannually, or more frequently if specified in the applicable requirement or by the Director of the Ohio EPA. Progress reports shall contain the following:
- i. Dates for achieving the activities, milestones, or compliance required in any schedule of compliance, and dates when such activities, milestones, or compliance were achieved.
  - ii. An explanation of why any dates in any schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.
- d. Compliance certifications concerning the terms and conditions contained in this permit that are federally enforceable emission limitations, standards, or work practices, shall be submitted to the appropriate Ohio EPA District Office or local air agency in the following manner and with the following content:
- i. Compliance certifications shall be submitted annually on a calendar year basis. The annual certification shall be submitted on or before April 30th of each year during the permit term.
  - ii. Compliance certifications shall include the following:
    - (a) An identification of each term or condition of this permit that is the basis of the certification.
    - (b) The permittee's current compliance status.
    - (c) Whether compliance was continuous or intermittent.
    - (d) The method(s) used for determining the compliance status of the source currently and over the required reporting period.
    - (e) Such other facts as the Director of the Ohio EPA may require in the permit to determine the compliance status of the source.
  - iii. Compliance certifications shall contain such additional requirements as may be specified pursuant to sections 114(a)(3) and 504(b) of the Act.

### 13. Permit Shield

- a. Compliance with the terms and conditions of this permit (including terms and conditions established for alternate operating scenarios, emissions trading, and emissions averaging, but

excluding terms and conditions for which the permit shield is expressly prohibited under OAC rule 3745-77-07) shall be deemed compliance with the applicable requirements identified and addressed in this permit as of the date of permit issuance.

- b. This permit shield provision shall apply to any requirement identified in this permit pursuant to OAC rule 3745-77-07(F)(2), as a requirement that does not apply to the source or to one or more emissions units within the source.

#### **14. Operational Flexibility**

The permittee is authorized to make the changes identified in OAC rule 3745-77-07(H)(1)(a) to (H)(1)(c) within the permitted stationary source without obtaining a permit revision, if such change is not a modification under any provision of Title I of the Act [as defined in OAC rule 3745-77-01(JJ)], and does not result in an exceedance of the emissions allowed under this permit (whether expressed therein as a rate of emissions or in terms of total emissions), and the permittee provides the Administrator of the U.S. EPA and the appropriate Ohio EPA District Office or local air agency with written notification within a minimum of seven days in advance of the proposed changes, unless the change is associated with, or in response to, emergency conditions. If less than seven days notice is provided because of a need to respond more quickly to such emergency conditions, the permittee shall provide notice to the Administrator of the U.S. EPA and the appropriate District Office of the Ohio EPA or local air agency as soon as possible after learning of the need to make the change. The notification shall contain the items required under OAC rule 3745-77-07(H)(2)(d).

#### **15. Emergencies**

The permittee shall have an affirmative defense of emergency to an action brought for noncompliance with technology-based emission limitations if the conditions of OAC rule 3745-77-07(G)(3) are met. This emergency defense provision is in addition to any emergency or upset provision contained in any applicable requirement.

#### **16. Off Permit Changes**

The owner or operator of a Title V source may make any change in its operations or emissions at the source that is not specifically addressed or prohibited in the Title V permit, without obtaining an amendment or modification of the permit, provided that the following conditions are met:

- a. The change does not result in conditions that violate any applicable requirements or that violate any existing federally enforceable permit term or condition;
- b. The permittee provides contemporaneous written notice of the change to the director and the administrator, except that no such notice shall be required for changes that qualify as insignificant emission levels or activities as defined in OAC rule 3745-77-01(U). Such written notice shall describe each such change, the date of such change, any change in emissions or

pollutants emitted, and any federally applicable requirement that would apply as a result of the change;

- c. The change shall not qualify for the permit shield under OAC rule 3745-77-07(F);
- d. The permittee shall keep a record describing all changes made at the source that result in emissions of a regulated air pollutant subject to an applicable requirement, but not otherwise regulated under the permit, and the emissions resulting from those changes; and
- e. The change is not subject to any applicable requirement under Title IV of the Act or is not a modification under any provision of Title I of the Act.

Paragraph (I) of rule 3745-77-07 of the Administrative Code applies only to modification or amendment of the permittee's Title V permit. The change made may require a permit to install under Chapter 3745-31 of the Administrative Code if the change constitutes a modification as defined in that Chapter. Nothing in paragraph (I) of rule 3745-77-07 of the Administrative Code shall affect any applicable obligation under Chapter 3745-31 of the Administrative Code.

(For further clarification, the permittee can refer to Engineering Guide #63 that is available in their STARSHIP software package.)

## **17. Compliance Method Requirements**

Nothing in this permit shall alter or affect the ability of any person to establish compliance with, or a violation of, any applicable requirement through the use of credible evidence to the extent authorized by law. Nothing in this permit shall be construed to waive any defenses otherwise available to the permittee, including but not limited to, any challenge to the Credible Evidence Rule (see 62 Fed. Reg. 8314, Feb. 24, 1997), in the context of any future proceeding.

## **18. Insignificant Activity**

Each insignificant activity that has one or more applicable requirements shall comply with those applicable requirements.

## **B. State Only Enforceable Section**

### **1. Permit to Install Requirement**

Prior to the “installation” or “modification” of any “air contaminant source,” as those terms are defined in OAC rule 3745-31-01, a permit to install must be obtained from the Ohio EPA pursuant to OAC Chapter 3745-31.

### **2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements**

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

### **3. Records Retention Requirements**

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

### **4. Inspections and Information Requests**

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with

this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

**5. Scheduled Maintenance/Malfunction Reporting**

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

**6. Permit Transfers**

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

**7. Air Pollution Nuisance**

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

**8. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations (See Section A of This Permit)**

If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters.

## **Part II - Specific Facility Terms and Conditions**

### **A. State and Federally Enforcable Section**

**None**

### **B. State Only Enforceable Section**

1. The following insignificant emissions units are located at this facility:

Frame drop oven (Z001); 430 line hub oven (Z002); Assembly Dept. hub oven (Z003); Shipping Dept. hub oven (Z004); 430 Line bearing oven (Z005); Laboratory Diesel Motor (Z008); Assembly Dept. bearing oven (Z007); MUA Unit 1 (B001); MUA Unit 2 (B002); MUA Unit 3 (B003); MUA Unit 4 (B004); MUA Unit 5 (B005); 430 Dust Collector (Z009); 430 Rotor Epoxy Coating with Curing Oven #5 (K006); and Rotor Epoxy Coating with Curing Oven #1 (K007).

Each insignificant emissions unit at this facility must comply with all applicable State and federal regulations as well as any emission limitations and/or control requirements contained within a PTI for the emissions unit.

### Part III - Terms and Conditions for Emissions Units

**Emissions Unit ID:** DIP TANK #1 (K001)

**Activity Description:** POLYESTER VARNISH DIP TANK W/CURING OVEN DIP TANK # 1

#### A. State and Federally Enforceable Section

##### I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
polyester varnish dip tank #1, with curing oven	OAC rule 3745-21-09(U)(1)(a)	4.3 pounds volatile organic compounds (VOC)/gallon coating, excluding water and exempt solvents

##### 2. Additional Terms and Conditions

None

##### II. Operational Restrictions

1. Each material added to the dip tank shall comply with the VOC content specified in Section A.I.1 of the terms and conditions of this permit on an "as applied" basis.

##### III. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information each month for this emissions unit:
  - a. the name and identification number of each material, as applied; and
  - b. the VOC content of each material, in pounds/gallon (excluding water and exempt solvents), as applied.

##### IV. Reporting Requirements

1. The permittee shall notify the Director (the appropriate Ohio EPA District Office or local air agency) in writing of any monthly record showing the use of noncomplying materials (i.e., for VOC content). The notification shall include a copy of such record and shall be sent to the Director (the appropriate Ohio EPA District Office or local air agency) within 30 days following the end of the calendar month.

##### V. Testing Requirements

1. Compliance with the emission limitation in Section A.I of the terms and conditions of this permit shall be determined in accordance with the following method:

Emission Limitation:

4.3 pounds VOC/gallon of coating (excluding water and exempt solvents)

Applicable Compliance Method:

Compliance shall be based upon the record keeping requirements specified in Section A.III.1 of this permit.

**V. Testing Requirements (continued)**

2. Formulation data or USEPA Method 24 shall be used to determine the VOC content of the coating materials.

**VI. Miscellaneous Requirements**

**None**

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
---	---	--

**2. Additional Terms and Conditions**

None

**II. Operational Restrictions**

None

**III. Monitoring and/or Record Keeping Requirements**

None

**IV. Reporting Requirements**

None

**V. Testing Requirements**

None

**VI. Miscellaneous Requirements**

None

### Part III - Terms and Conditions for Emissions Units

**Emissions Unit ID:** PAINT BOOTH # 1 (K003)  
**Activity Description:** SMALL GENERATOR PAINT SPRAY BOOTH

#### A. State and Federally Enforceable Section

##### I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
small generator paint booth (#1 booth)	OAC rule 3745-21-09(U)(2)(e)	coating usage shall not exceed 10 gallons/day
	OAC rule 3745-17-11(B)(1)	0.551 lb of particulate emissions (PE)/hr
	OAC rule 3745-17-07(A)	Visible particulate emissions shall not exceed 20 percent opacity, as a 6-minute average, except as provided by rule.
	OAC rule 3745-31-05 (PTI #03-6449)	44.3 pounds of volatile organic compounds (VOC)/day (See A.1.2.a and A.1.2.b.)

##### 2. Additional Terms and Conditions

- 2.a Coating usage shall not exceed 3,650 gallons per rolling, 12-month period.
- 2.b Each coating employed in this emissions unit shall comply with the VOC content of 4.43 lbs of VOC/gallon of coating on an "as applied" basis.

##### II. Operational Restrictions

1. The permittee shall operate the dry filtration system whenever this emissions unit is in operation.

##### III. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect, calculate and record the following information for each day for this emissions unit:
  - a. the name and identification number of each coating employed;
  - b. the volume, in gallons, of each coating employed;
  - c. the VOC content of each coating employed, in pounds/gallon;
  - d. the total volume, in gallons, of all coatings employed;
  - e. the total emissions of VOC from each coating employed (b x c), in pounds; and
  - f. the total emissions of VOC from all coatings employed [summation of e for all coatings], in pounds.

### III. Monitoring and/or Record Keeping Requirements (continued)

2. The permittee shall maintain monthly records of the following information:
  - a. the number of gallons of all the coatings employed [the total number of gallons shall be the summation of the daily coating usage rates (gallons) for the calendar month (See A.III.1)]; and
  - b. the rolling, 12-month summation of the number of gallons of the coatings employed.
3. The permittee shall maintain daily records that document any time periods when the dry filtration system was not in service when the emissions unit was in operation.

### IV. Reporting Requirements

1. The permittee shall notify the Director (the appropriate Ohio EPA District Office or local air agency) in writing of any daily record showing (a) that the emissions unit employed more than the applicable maximum daily coating usage restriction of 10 gallons; and/or (b) the use of noncomplying coatings in this emissions unit (i.e. for VOC content). The notification shall include a copy of such record(s) and shall be sent to the Director (the appropriate Ohio EPA District Office or local air agency) within 45 days after the exceedance occurs.
2. The permittee shall submit quarterly deviation (excursion) reports that identify all exceedances of the rolling, 12-month coating usage restriction of 3,650 gallons, and the daily VOC emission limitation of 44.3 pounds. These reports shall be submitted in accordance with the Paragraph A.1.c.ii of the General Terms and Conditions of this permit.
3. The permittee shall notify the Director (the appropriate Ohio EPA District Office or local air agency) in writing of any daily record showing that the dry filtration system was not in service when the emissions unit was in operation. The notification shall include a copy of such record and shall be sent to the Director (the appropriate Ohio EPA District Office or local air agency) within 30 days after the event occurs.

### V. Testing Requirements

1. Compliance with the emission limitations in Section A.I of the terms and conditions of this permit shall be determined in accordance with the following methods:
  - 1.a Emission Limitation:  
coating usage shall not exceed 10 gallons/day  
  
Applicable Compliance Method:  
The record keeping requirements in Section A.III.1 of this permit shall be used to determine compliance with the coating usage restriction.
  - 1.b Emission Limitation:  
0.551 lb/hr PE  
  
Applicable Compliance Method:  
To determine the actual worst case particulate emissions rate (E), the following equation may be used for the paint spraying operations:  
  
$$E = \text{particulate emissions rate (lbs/hr)}$$
$$E = \text{maximum coating solids usage rate, in pounds per hour} \times (1-TE) \times (1-CE)$$
  
  
TE = transfer efficiency, which is the ratio of the amount of coating solids deposited on the coated part to the amount of coating solids used (60% considering 40 CFR 60.453)  
  
CE = control efficiency of the control equipment (assumed to be 90%)  
  
If required, the permittee shall demonstrate compliance with the hourly allowable PE limitation pursuant to OAC rule 3745-17-03(B)(10).

**V. Testing Requirements (continued)**

- 1.c** Emission Limitation:  
Visible particulate emissions shall not exceed 20 percent opacity, as a 6-minute average, except as provided by rule.
- Applicable Compliance Method:  
If required, the permittee shall demonstrate compliance with the visible emissions limitations pursuant to OAC rule 3745-17-03(B)(1).
- 1.d** Emission Limitation:  
44.3 lbs of VOC/day
- Applicable Compliance Method:  
The record keeping requirements in Section A.III.1 of this permit shall be used to determine compliance with the daily allowable VOC emission limitation.
- 1.e** Emission Limitation:  
coating usage shall not exceed 3,650 gallons per rolling, 12-month period
- Applicable Compliance Method:  
The record keeping requirements in Section A.III.2 of this permit shall be used to determine compliance with the coating usage restriction.
- 1.f** Emission Limitation:  
4.43 lbs of VOC/gallon of coating
- Applicable Compliance Method:  
The record keeping requirements in Section A.III.1 of this permit shall be used to determine compliance with the VOC content limitation.
- 2.** Formulation data or USEPA Method 24 shall be used to determine the VOC content of the coatings.

**VI. Miscellaneous Requirements**

**None**

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
---	---	--

**2. Additional Terms and Conditions**

None

**II. Operational Restrictions**

None

**III. Monitoring and/or Record Keeping Requirements**

None

**IV. Reporting Requirements**

None

**V. Testing Requirements**

None

**VI. Miscellaneous Requirements**

None

### Part III - Terms and Conditions for Emissions Units

**Emissions Unit ID:** PAINT BOOTH # 2 (K004)  
**Activity Description:** LARGE GENERATOR PAINT SPRAY BOOTH

#### A. State and Federally Enforceable Section

##### I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
large generator paint booth (#2 booth)	OAC rule 3745-21-09(U)(2)(e)	coating usage shall not exceed 10 gallons/day
	OAC rule 3745-17-11(B)(1)	0.551 lb of particulate emissions (PE)/hr
	OAC rule 3745-17-07(A)	Visible particulate emissions shall not exceed 20 percent opacity, as a 6-minute average, except as provided by rule.
	OAC rule 3745-31-05 (PTI #03-6449)	43.9 pounds of volatile organic compounds (VOC)/day (See A.1.2.a and A.1.2.b.)

##### 2. Additional Terms and Conditions

- 2.a Coating usage shall not exceed 3,650 gallons per rolling, 12-month period.
- 2.b Each coating employed in this emissions unit shall comply with the VOC content of 4.39 lbs of VOC/gallon of coating on an "as applied" basis.

##### II. Operational Restrictions

1. The permittee shall operate the dry filtration system whenever this emissions unit is in operation.

##### III. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect, calculate and record the following information for each day for this emissions unit:
  - a. the name and identification number of each coating employed;
  - b. the volume, in gallons, of each coating employed;
  - c. the VOC content of each coating employed, in pounds/gallon;
  - d. the total volume, in gallons, of all coatings employed;
  - e. the total emissions of VOC from each coating employed (b x c), in pounds; and
  - f. the total emissions of VOC from all coatings employed [summation of e for all coatings], in pounds.

### III. Monitoring and/or Record Keeping Requirements (continued)

2. The permittee shall maintain monthly records of the following information:
  - a. the number of gallons of all the coatings employed [the total number of gallons shall be the summation of the daily coating usage rates (gallons) for the calendar month (See A.III.1)]; and
  - b. the rolling, 12-month summation of the number of gallons of the coatings employed.
3. The permittee shall maintain daily records that document any time periods when the dry filtration system was not in service when the emissions unit was in operation.

### IV. Reporting Requirements

1. The permittee shall notify the Director (the appropriate Ohio EPA District Office or local air agency) in writing of any daily record showing (a) that the emissions unit employed more than the applicable maximum daily coating usage restriction of 10 gallons; and/or (b) the use of noncomplying coatings in this emissions unit (i.e. for VOC content). The notification shall include a copy of such record(s) and shall be sent to the Director (the appropriate Ohio EPA District Office or local air agency) within 45 days after the exceedance occurs.
2. The permittee shall submit quarterly deviation (excursion) reports that identify all exceedances of the rolling, 12-month coating usage restriction of 3,650 gallons, and the daily VOC emission limitation of 43.9 pounds. These reports shall be submitted in accordance with the Paragraph A.1.c.ii of the General Terms and Conditions of this permit.
3. The permittee shall notify the Director (the appropriate Ohio EPA District Office or local air agency) in writing of any daily record showing that the dry filtration system was not in service when the emissions unit was in operation. The notification shall include a copy of such record and shall be sent to the Director (the appropriate Ohio EPA District Office or local air agency) within 30 days after the event occurs.

### V. Testing Requirements

1. Compliance with the emission limitations in Section A.I of the terms and conditions of this permit shall be determined in accordance with the following methods:
  - 1.a Emission Limitation:  
coating usage shall not exceed 10 gallons/day  
  
Applicable Compliance Method:  
The record keeping requirements in Section A.III.1 of this permit shall be used to determine compliance with the coating usage restriction.
  - 1.b Emission Limitation:  
0.551 lb/hr PE  
  
Applicable Compliance Method:  
To determine the actual worst case particulate emissions rate (E), the following equation may be used for the paint spraying operations:  
  
$$E = \text{particulate emissions rate (lbs/hr)}$$
$$E = \text{maximum coating solids usage rate, in pounds per hour} \times (1-TE) \times (1-CE)$$
  
  
TE = transfer efficiency, which is the ratio of the amount of coating solids deposited on the coated part to the amount of coating solids used (60% considering 40 CFR 60.453)  
  
CE = control efficiency of the control equipment (assumed to be 90%)  
  
If required, the permittee shall demonstrate compliance with the hourly allowable PE limitation pursuant to OAC rule 3745-17-03(B)(10).

**V. Testing Requirements (continued)**

- 1.c** Emission Limitation:  
Visible particulate emissions shall not exceed 20 percent opacity, as a 6-minute average, except as provided by rule.
- Applicable Compliance Method:  
If required, the permittee shall demonstrate compliance with the visible emissions limitations pursuant to OAC rule 3745-17-03(B)(1).
- 1.d** Emission Limitation:  
43.9 lbs of VOC/day
- Applicable Compliance Method:  
The record keeping requirements in Section A.III.1 of this permit shall be used to determine compliance with the daily allowable VOC emission limitation.
- 1.e** Emission Limitation:  
coating usage shall not exceed 3,650 gallons per rolling, 12-month period
- Applicable Compliance Method:  
The record keeping requirements in Section A.III.2 of this permit shall be used to determine compliance with the coating usage restriction.
- 1.f** Emission Limitation:  
4.39 lbs of VOC/gallon of coating
- Applicable Compliance Method:  
The record keeping requirements in Section A.III.1 of this permit shall be used to determine compliance with the VOC content limitation.
- 2.** Formulation data or USEPA Method 24 shall be used to determine the VOC content of the coatings.

**VI. Miscellaneous Requirements**

**None**

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
---	---	--

**2. Additional Terms and Conditions**

None

**II. Operational Restrictions**

None

**III. Monitoring and/or Record Keeping Requirements**

None

**IV. Reporting Requirements**

None

**V. Testing Requirements**

None

**VI. Miscellaneous Requirements**

None

### Part III - Terms and Conditions for Emissions Units

**Emissions Unit ID:** DIP TANK # 3 (K005)

**Activity Description:** 430 STATOR DIP COATING LINE WITH CURING OVEN

#### A. State and Federally Enforceable Section

##### I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
430 stator dip coating line, with curing oven	OAC rule 3745-21-09(U)(1)(a)	The emission limitation from this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
	OAC rule 3745-31-05(A)(3) (PTI #03-6449)	3.92 lbs of VOC/gallon of coating (See A.I.2.a and A.I.2.b.)

##### 2. Additional Terms and Conditions

- 2.a Coating usage shall not exceed 46 gallons/day.
- 2.b Coating usage shall not exceed 16,800 gallons per rolling, 12-month period.

##### II. Operational Restrictions

1. Each material added to the dip tank shall comply with the VOC content specified in Section A.I.1 of the terms and conditions of this permit on an "as applied" basis.

##### III. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information for each day for this emissions unit:
  - a. the name and identification number of each coating employed;
  - b. the number of gallons of each coating employed; and
  - c. the total number of gallons of all coatings employed.
2. The permittee shall collect and record the following information each month for this emissions unit:
  - a. the VOC content of each coating employed, in pounds/gallon, as applied;
  - b. the total number of gallons of all coatings employed; and
  - c. the rolling, 12-month summation of the monthly coating usage rates, in gallons.

#### **IV. Reporting Requirements**

1. The permittee shall notify the Director (the appropriate Ohio EPA District Office or local air agency) in writing of any monthly record showing the use of noncomplying coatings (i.e., for VOC content). The notification shall include a copy of such record and shall be sent to the Director (the appropriate Ohio EPA District Office or local air agency) within 30 days following the end of the calendar month.
2. The permittee shall submit quarterly deviation (excursion) reports that identify all exceedances of the rolling, 12-month coating and the daily coating usage restrictions of 16,800 and 46 gallons, respectively. These reports shall be submitted in accordance with the Paragraph A.1.c.ii of the General Terms and Conditions of this permit.

#### **V. Testing Requirements**

1. Compliance with the emission limitations in Section A.I of the terms and conditions of this permit shall be determined in accordance with the following methods:
  - 1.a Emission Limitation:  
Coating usage shall not exceed 46 gallons/day.  
  
Applicable Compliance Method:  
The record keeping requirements in Section A.III.1 of this permit shall be used to determine compliance with the coating usage restriction.
  - 1.b Emission Limitation:  
3.92 lbs of VOC/gallon of coating  
  
Applicable Compliance Method:  
The record keeping requirements in Section A.III.2 of this permit shall be used to determine compliance with the VOC content limitation.
  - 1.c Emission Limitation:  
Coating usage shall not exceed 16,800 gallons per rolling, 12-month period.  
  
Applicable Compliance Method:  
The record keeping requirements in Section A.III.2 of this permit shall be used to determine compliance with the coating usage restriction.
2. Formulation data or USEPA Method 24 shall be used to determine the VOC content of the coating materials.

#### **VI. Miscellaneous Requirements**

**None**

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
---	---	--

**2. Additional Terms and Conditions**

None

**II. Operational Restrictions**

None

**III. Monitoring and/or Record Keeping Requirements**

None

**IV. Reporting Requirements**

None

**V. Testing Requirements**

None

**VI. Miscellaneous Requirements**

None

**Part III - Terms and Conditions for Emissions Units**

**Emissions Unit ID:** DIP TANK # 4 (K008)  
**Activity Description:** RUST INHIBITOR DIP TANK

**A. State and Federally Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

- The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
rust inhibitor dip tank	OAC rule 3745-21-09(U)(2)(e)  OAC rule 3745-31-05 (PTI #03-6560)	Coating usage shall not exceed 10 gallons/day.  53.8 pounds of volatile organic compounds (VOC)/day, including cleanup materials

**2. Additional Terms and Conditions**

None

**II. Operational Restrictions**

None

### III. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect, calculate, and record the following information for each day for this emissions unit:
  - a. the name and identification number of each coating employed;
  - b. the VOC content of each coating, in pounds/gallon;
  - c. the number of gallons of each coating employed;
  - d. the number of gallons of all coatings employed;
  - e. the total emissions of VOC from each coating, in pounds;
  - f. the total emissions of VOC from all the coatings, in pounds;
  - g. the name and identification number of each cleanup material employed;
  - h. the VOC content of each cleanup material, in pounds/gallon;
  - i. the number of gallons of each cleanup material employed;
  - j. the total emissions of VOC from each cleanup material, in pounds;
  - k. the total emissions of VOC from all cleanup materials, in pounds; and
  - l. the total VOC emissions from all coatings and cleanup materials, in pounds (A.III.1.f + A.III.1.k).

### IV. Reporting Requirements

1. The permittee shall notify the Director (the appropriate Ohio EPA District Office or local air agency) in writing of any daily record showing that the emissions unit employed more than the applicable maximum daily coating usage restriction of 10 gallons. The notification shall include a copy of such record and shall be sent to the Director (the appropriate Ohio EPA District Office or local air agency) within 45 days after the exceedance occurs.
2. The permittee shall submit quarterly deviation (excursion) reports that identify all exceedances of the daily VOC emission limitation of 53.8 pounds. These reports shall be submitted in accordance with the Paragraph A.1.c.ii of the General Terms and Conditions of this permit.

### V. Testing Requirements

1. Compliance with the emission limitations in Section A.I of the terms and conditions of this permit shall be determined in accordance with the following methods:
  - 1.a Emission Limitation:  
Coating usage shall not exceed 10 gallons/day.  
  
Applicable Compliance Method:  
The record keeping requirements in Section A.III.1 of this permit shall be used to determine compliance with the coating usage restriction.
  - 1.b Emission Limitation:  
53.8 pounds of VOC/day, including cleanup materials  
  
Applicable Compliance Method:  
The record keeping requirements in Section A.III.1 of this permit shall be used to determine compliance with the daily allowable VOC emission limitation.
2. Formulation data or USEPA Method 24 shall be used to determine the VOC content of the coatings and cleanup materials.

Facility Name: **Marathon Electric Manufacturing Corporation**  
Facility ID: **03-02-02-0282**  
Emissions Unit: **DIP TANK # 4 (K008)**

**VI. Miscellaneous Requirements**

**None**

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
---	---	--

**2. Additional Terms and Conditions**

None

**II. Operational Restrictions**

None

**III. Monitoring and/or Record Keeping Requirements**

None

**IV. Reporting Requirements**

None

**V. Testing Requirements**

None

**VI. Miscellaneous Requirements**

None

### Part III - Terms and Conditions for Emissions Units

**Emissions Unit ID:** POLYBUTADIENE DIP (K011)  
**Activity Description:** POLYBUTADIENE DIP TANK WITH CURING OVEN

#### A. State and Federally Enforceable Section

##### I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
polybutadiene dip tank for metal parts coating, with curing oven	OAC rule 3745-21-09(U)(1)(c)	3.5 pounds of volatile organic compounds (VOC)/gallon of coating, excluding water and exempt solvents
	OAC rule 3745-31-05 (PTI #03-8721)	93.24 pounds of VOC/day and 11.65 tons of VOC/yr

##### 2. Additional Terms and Conditions

None

##### II. Operational Restrictions

1. Each material employed in this emissions unit shall comply with the VOC content specified in Section A.I.1 of the terms and conditions of this permit on an "as applied" basis.

##### III. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect, calculate, and record the following information for each day for this emissions unit:
  - a. the name and identification number of each coating employed;
  - b. the VOC content of each coating employed, in pounds/gallon;
  - c. the number of gallons of each coating employed;
  - d. the total emissions of VOC from each coating employed, in pounds; and
  - e. the total emissions of VOC from all coatings employed, in pounds.
2. The permittee shall maintain annual records of the total VOC emissions for this emissions unit. The annual VOC emissions shall be the summation of the daily VOC emissions for the calendar year.

##### IV. Reporting Requirements

1. The permittee shall notify the Director (the appropriate Ohio EPA District Office or local air agency) in writing of any daily record showing the use of noncomplying coatings (i.e., for VOC content). The notification shall include a copy of such record and shall be sent to the Director (the appropriate Ohio EPA District Office or local air agency) within 30 days following the end of the calendar month.

#### **IV. Reporting Requirements (continued)**

2. The permittee shall submit quarterly deviation (excursion) reports that identify all exceedances of the daily VOC emission limitation of 93.24 pounds. These reports shall be submitted in accordance with the Paragraph A.1.c.ii of the General Terms and Conditions of this permit.
3. The permittee shall submit annual reports that specify the total VOC emissions for this emissions unit. These reports shall be submitted by January 31 of each year and shall cover the previous calendar year.

#### **V. Testing Requirements**

1. Compliance with the emission limitations in Section A.I of the terms and conditions of this permit shall be determined in accordance with the following methods:
  - 1.a Emission Limitation:  
3.5 pounds of VOC/gallon of coating (excluding water and exempt solvents)  
  
Applicable Compliance Method:  
Compliance with the allowable VOC content limitation shall be based upon the record keeping requirements specified in Section A.III.1 of this permit.
  - 1.b Emission Limitation:  
93.24 lbs of VOC/day  
  
Applicable Compliance Method:  
The record keeping requirements in Section A.III.1 of this permit shall be used to determine compliance with the daily allowable VOC emission limitation.
  - 1.c Emission Limitation:  
11.65 tons of VOC/yr  
  
Applicable Compliance Method:  
The record keeping requirements in Section A.III.2 of this permit shall be used to determine compliance with the allowable annual VOC emission limitation.
2. Formulation data or USEPA Method 24 shall be used to determine the VOC content of the coating materials.

#### **VI. Miscellaneous Requirements**

**None**

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
---	---	--

**2. Additional Terms and Conditions**

None

**II. Operational Restrictions**

None

**III. Monitoring and/or Record Keeping Requirements**

None

**IV. Reporting Requirements**

None

**V. Testing Requirements**

None

**VI. Miscellaneous Requirements**

None

\*\*\*\*\*

**THIS IS THE LAST PAGE OF THE PERMIT**

\*\*\*\*\*