



Environmental  
Protection Agency

Ted Strickland, Governor  
Lee Fisher, Lt. Governor  
Chris Korleski, Director

1/6/2011

RONNIE BROWN  
FERRY INDUSTRIES INC  
4445 ALLEN RD  
STOW, OH 44224

RE: FINAL AIR POLLUTION PERMIT-TO-INSTALL AND OPERATE

Facility ID: 1677110087  
Permit Number: P0107391  
Permit Type: Renewal  
County: Summit

Certified Mail

No	TOXIC REVIEW
No	PSD
No	SYNTHETIC MINOR TO AVOID MAJOR NSR
No	CEMS
No	MACT/GACT
No	NSPS
No	NESHAPS
No	NETTING
No	MAJOR NON-ATTAINMENT
No	MODELING SUBMITTED
No	SYNTHETIC MINOR TO AVOID TITLE V
No	FEDERALLY ENFORCABLE PTIO (FEPTIO)

Dear Permit Holder:

Enclosed please find a final Air Pollution Permit-to-Install and Operate (PTIO) which will allow you to install, modify, and/or operate the described emissions unit(s) in the manner indicated in the permit. Because this permit contains conditions and restrictions, please read it very carefully. Please complete a survey at [www.epa.ohio.gov/dapc/permitsurvey.aspx](http://www.epa.ohio.gov/dapc/permitsurvey.aspx) and give us feedback on your permitting experience. We value your opinion.

The issuance of this PTI is a final action of the Director and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer Kevin Boyce," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
309 South Fourth Street, Room 222  
Columbus, OH 43215

If you have any questions, please contact Akron Regional Air Quality Management District at (330)375-2480 or the Office of Compliance Assistance and Pollution Prevention at (614) 644-3469. This permit can be accessed electronically on the DAPC Web page, [www.epa.ohio.gov/dapc](http://www.epa.ohio.gov/dapc), by clicking the "Issued Air Pollution Control Permits" link.

Sincerely,

Michael W. Ahern, Manager  
Permit Issuance and Data Management Section, DAPC

Cc: ARAQMD





**FINAL**

**Division of Air Pollution Control  
Permit-to-Install and Operate  
for  
FERRY INDUSTRIES INC**

Facility ID: 1677110087  
Permit Number: P0107391  
Permit Type: Renewal  
Issued: 1/6/2011  
Effective: 1/6/2011  
Expiration: 1/6/2021





Division of Air Pollution Control
Permit-to-Install and Operate
for
FERRY INDUSTRIES INC

Table of Contents

Authorization ..... 1
A. Standard Terms and Conditions ..... 3
1. What does this permit-to-install and operate ("PTIO") allow me to do?..... 4
2. Who is responsible for complying with this permit? ..... 4
3. What records must I keep under this permit? ..... 4
4. What are my permit fees and when do I pay them?..... 4
5. When does my PTIO expire, and when do I need to submit my renewal application? ..... 4
6. What happens to this permit if my project is delayed or I do not install or modify my source? ..... 5
7. What reports must I submit under this permit? ..... 5
8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit? ..... 5
9. What are my obligations when I perform scheduled maintenance on air pollution control equipment? ... 5
10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report? ..... 5
11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located? ..... 6
12. What happens if one or more emissions units operated under this permit is/are shut down permanently? ..... 6
13. Can I transfer this permit to a new owner or operator?..... 6
14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"? ..... 6
15. What happens if a portion of this permit is determined to be invalid? ..... 7
B. Facility-Wide Terms and Conditions..... 8
C. Emissions Unit Terms and Conditions ..... 10
1. K001, Paint Spray Booth..... 11



## Authorization

Facility ID: 1677110087  
Application Number(s): A0041006  
Permit Number: P0107391  
Permit Description: Permit-to-install and operate (PTIO) for a miscellaneous metal parts coating line.  
Permit Type: Renewal  
Permit Fee: \$0.00  
Issue Date: 1/6/2011  
Effective Date: 1/6/2011  
Expiration Date: 1/6/2021  
Permit Evaluation Report (PER) Annual Date: Jan 1 - Dec 31, Due Feb 15

This document constitutes issuance to:

FERRY INDUSTRIES INC  
4445 ALLEN RD  
STOW, OH 44224

of a Permit-to-Install and Operate for the emissions unit(s) identified on the following page.

Ohio EPA District Office or local air agency responsible for processing and administering your permit:

Akron Regional Air Quality Management District  
146 South High Street, Room 904  
Akron, OH 44308  
(330)375-2480

The above named entity is hereby granted this Permit-to-Install and Operate for the air contaminant source(s) (emissions unit(s)) listed in this section pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the described emissions unit(s) will operate in compliance with applicable State and federal laws and regulations.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

  
Chris Korleski  
Director



## Authorization (continued)

Permit Number: P0107391

Permit Description: Permit-to-install and operate (PTIO) for a miscellaneous metal parts coating line.

Permits for the following Emissions Unit(s) or groups of Emissions Units are in this document as indicated below:

<b>Emissions Unit ID:</b>	<b>K001</b>
Company Equipment ID:	Paint Spray Booth
Superseded Permit Number:	P0103453
General Permit Category and Type:	Not Applicable

## **A. Standard Terms and Conditions**

**1. What does this permit-to-install and operate ("PTIO") allow me to do?**

This permit allows you to install and operate the emissions unit(s) identified in this PTIO. You must install and operate the unit(s) in accordance with the application you submitted and all the terms and conditions contained in this PTIO, including emission limits and those terms that ensure compliance with the emission limits (for example, operating, recordkeeping and monitoring requirements).

**2. Who is responsible for complying with this permit?**

The person identified on the "Authorization" page, above, is responsible for complying with this permit until the permit is revoked, terminated, or transferred. "Person" means a person, firm, corporation, association, or partnership. The words "you," "your," or "permittee" refer to the "person" identified on the "Authorization" page above.

The permit applies only to the emissions unit(s) identified in the permit. If you install or modify any other equipment that requires an air permit, you must apply for an additional PTIO(s) for these sources.

**3. What records must I keep under this permit?**

You must keep all records required by this permit, including monitoring data, test results, strip-chart recordings, calibration data, maintenance records, and any other record required by this permit for five years from the date the record was created. You can keep these records electronically, provided they can be made available to Ohio EPA during an inspection at the facility. Failure to make requested records available to Ohio EPA upon request is a violation of this permit requirement.

**4. What are my permit fees and when do I pay them?**

There are two fees associated with permitted air contaminant sources in Ohio:

- PTIO fee. This one-time fee is based on a fee schedule in accordance with Ohio Revised Code (ORC) section 3745.11, or based on a time and materials charge for permit application review and permit processing if required by the Director.

You will be sent an invoice for this fee after you receive this PTIO and payment is due within 30 days of the invoice date. You are required to pay the fee for this PTIO even if you do not install or modify your operations as authorized by this permit.

- Annual emissions fee. Ohio EPA will assess a separate fee based on the total annual emissions from your facility. You self-report your emissions in accordance with Ohio Administrative Code (OAC) Chapter 3745-78. This fee assessed is based on a fee schedule in ORC section 3745.11 and funds Ohio EPA's permit compliance oversight activities. Unless otherwise specified, facilities subject to one or more synthetic minor restrictions must use Ohio EPA's "Air Services" to submit annual emissions associated with this permit requirement. Ohio EPA will notify you when it is time to report your emissions and to pay your annual emission fees.

**5. When does my PTIO expire, and when do I need to submit my renewal application?**

This permit expires on the date identified at the beginning of this permit document (see "Authorization" page above) and you must submit a renewal application to renew the permit. Ohio EPA will send a renewal notice to you approximately six months prior to the expiration date of this permit. However, it is very important that you submit a complete renewal permit application (postmarked prior to expiration of this permit) even if you do not receive the renewal notice.

If a complete renewal application is submitted before the expiration date, Ohio EPA considers this a timely application for purposes of ORC section 119.06, and you are authorized to continue operating the emissions unit(s) covered by this permit beyond the expiration date of this permit until final action is taken by Ohio EPA on the renewal application.

**6. What happens to this permit if my project is delayed or I do not install or modify my source?**

This PTIO expires 18 months after the issue date identified on the "Authorization" page above unless otherwise specified if you have not (1) started constructing the new or modified emission sources identified in this permit, or (2) entered into a binding contract to undertake such construction. This deadline can be extended by up to 12 months, provided you apply to Ohio EPA for this extension within a reasonable time before the 18-month period has ended and you can show good cause for any such extension.

**7. What reports must I submit under this permit?**

An annual permit evaluation report (PER) is required in addition to any malfunction reporting required by OAC rule 3745-15-06 or other specific rule-based reporting requirement identified in this permit. Your PER due date is identified in the Authorization section of this permit.

**8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit?**

If you are required to obtain a Title V permit under OAC Chapter 3745-77 in the future, the permit-to-operate portion of this permit will be superseded by the issued Title V permit. From the effective date of the Title V permit forward, this PTIO will effectively become a PTI (permit-to-install) in accordance with OAC rule 3745-31-02(B). The following terms and conditions will no longer be applicable after issuance of the Title V permit: Section B, Term 1.b) and Section C, for each emissions unit, Term a)(2). The PER requirements in this permit remain effective until the date the Title V permit is issued and is effective, and cease to apply after the effective date of the Title V permit. The final PER obligation will cover operations up to the effective date of the Title V permit and must be submitted on or before the submission deadline identified in this permit on the last day prior to the effective date of the Title V permit.

**9. What are my obligations when I perform scheduled maintenance on air pollution control equipment?**

You must perform scheduled maintenance of air pollution control equipment in accordance with OAC rule 3745-15-06(A). If scheduled maintenance requires shutting down or bypassing any air pollution control equipment, you must also shut down the emissions unit(s) served by the air pollution control equipment during maintenance, unless the conditions of OAC rule 3745-15-06(A)(3) are met. Any emissions that exceed permitted amount(s) under this permit (unless specifically exempted by rule) must be reported as deviations in the annual permit evaluation report (PER), including nonexempt excess emissions that occur during approved scheduled maintenance.

**10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report?**

If you have a reportable malfunction of any emissions unit(s) or any associated air pollution control system, you must report this to the Akron Regional Air Quality Management District in accordance with OAC rule 3745-15-06(B). Malfunctions that must be reported are those that result in emissions that

exceed permitted emission levels. It is your responsibility to evaluate control equipment breakdowns and operational upsets to determine if a reportable malfunction has occurred. If you have a malfunction, but determine that it is not a reportable malfunction under OAC rule 3745-15-06(B), it is recommended that you maintain records associated with control equipment breakdown or process upsets. Although it is not a requirement of this permit, Ohio EPA recommends that you maintain records for non-reportable malfunctions.

**11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located?**

Yes. Under Ohio law, the Director or his authorized representative may inspect the facility, conduct tests, examine records or reports to determine compliance with air pollution laws and regulations and the terms and conditions of this permit. You must provide, within a reasonable time, any information Ohio EPA requests either verbally or in writing.

**12. What happens if one or more emissions units operated under this permit is/are shut down permanently?**

Ohio EPA can terminate the permit terms associated with any permanently shut down emissions unit. "Shut down" means the emissions unit has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent "modification" or "installation" as defined in OAC Chapter 3745-31. You should notify Ohio EPA of any emissions unit that is permanently shut down by submitting<sup>1</sup> a certification that identifies the date on which the emissions unit was permanently shut down. The certification must be submitted by an authorized official from the facility. You cannot continue to operate an emissions unit once the certification has been submitted to Ohio EPA by the authorized official. You must comply with all recordkeeping and reporting for any permanently shut down emissions unit in accordance with the provisions of the permit, regulations or laws that were enforceable during the period of operation, such as the requirement to submit a PER, air fee emission report, or malfunction report. You must also keep all records relating to any permanently shutdown emissions unit, generated while the emissions unit was in operation, for at least five years from the date the record was generated. Again, you cannot resume operation of any emissions unit certified by the authorized official as being permanently shut down without first applying for and obtaining a permit pursuant to OAC Chapter 3745-31.

**13. Can I transfer this permit to a new owner or operator?**

You can transfer this permit to a new owner or operator. If you transfer the permit, you must follow the procedures in OAC Chapter 3745-31, including notifying Ohio EPA or the local air agency of the change in ownership or operator. Any transferee of this permit must assume the responsibilities of the transferor permit holder.

**14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"?**

This permit and OAC rule 3745-15-07 prohibit operation of the air contaminant source(s) regulated under this permit in a manner that causes a nuisance. Ohio EPA can require additional controls or

---

<sup>1</sup> Permittees that use Ohio EPA's "Air Services" can mark the affected emissions unit(s) as "permanently shutdown" in the facility profile along with the date the emissions unit(s) was permanently removed and/or disabled. Submitting the facility profile update will constitute notifying of the permanent shutdown of the affected emissions unit(s).

modification of the requirements of this permit through enforcement orders or judicial enforcement action if, upon investigation, Ohio EPA determines existing operations are causing a nuisance.

**15. What happens if a portion of this permit is determined to be invalid?**

If a portion of this permit is determined to be invalid, the remainder of the terms and conditions remain valid and enforceable. The exception is where the enforceability of terms and conditions are dependent on the term or condition that was declared invalid.

## **B. Facility-Wide Terms and Conditions**

1. This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).
  - a) For the purpose of a permit-to-install document, the facility-wide terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
    - (1) None.
  - b) For the purpose of a permit-to-operate document, the facility-wide terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
    - (1) None.
2. The Ohio EPA has determined this facility may be subject to the requirements of an area source MACT/GACT rule (National Emission Standards For Hazardous Air Pollutants (NESHAP) (40 CFR part 63, Subpart HHHHHH)) that the Ohio EPA does not have the delegated authority to implement. Although Ohio EPA has determined that an area source MACT (also known as the GACT) may apply, at this time Ohio EPA does not have the authority to enforce this standard. Instead, U.S. EPA has the authority to enforce this standard. Please be advised that all requirements associated with these rules are in effect and are enforceable by U.S. EPA. For more information on the area source rules, please refer to the follow U.S. EPA website: <http://www.epa.gov/ttn/atw/area/arearules.html>

## **C. Emissions Unit Terms and Conditions**



1. K001, Paint Spray Booth

Operations, Property and/or Equipment Description:

miscellaneous metal parts coating line

a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

(1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

a. c)(1) and d)(4).

(2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

a. None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Table with 2 columns: Applicable Rules/Requirements and Applicable Emissions Limitations/Control Measures. It contains three rows (a, b, c) detailing VOC, PE, and opacity requirements.



	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
		OAC rule 3745-31-05(A)(3).
d.	OAC rule 3745-21-09(U)(1)(d)	The VOC content of the coatings employed shall not exceed a daily volume weighted average of 3.5 pounds per gallon, as applied, excluding water and exempt solvents, for coatings dried at temperatures not exceeding 200 degrees Fahrenheit.

(2) Additional Terms and Conditions

- a. The Best Available Technology (BAT) requirements for this emissions unit have been determined to be compliance with OAC rule 3745-17-11(C) and OAC rule 3745-21-09(U)(1)(d) and compliance with the terms and conditions of this permit.
- b. The permittee shall maintain the dry particulate filter in accordance with the manufacturer's recommendations, instructions, and/or operating manual(s), with any modifications deemed necessary by the permittee.

In the event the particulate filter system is not operating in accordance with the manufacturer's recommendations, instructions, or operating manual, with any modifications deemed necessary by the permittee, the control device shall be expeditiously repaired or otherwise returned to these documented operating conditions.

c) Operational Restrictions

- (1) Prior to the use of any coating in this coating line, the permittee shall determine that the coating meets the toxic screening criteria described below.

Purpose: The purpose of this test is to evaluate coatings to determine if the chemical compounds in the coatings would be emitted at acceptable levels for this permit.

Data Needed: (1) MSDS sheet for each coating to be evaluated. (2) information on the maximum coating usage rate for the line as discussed in Step 1 below.

Step 1. Using the following factors, calculate the maximum coating usage rate in terms of gallons per hour:

- a. Assume the coating line operates at its maximum speed while still making usable product.
- b. Assume the coating line is operating at its largest coating laydown rate. This would typically be accomplished by assuming the coating line is painting the largest part available.

Step 2. Review the material safety data sheet (MSDS) for the coating. Note each chemical compound listed, its TLV and the percent by weight of the chemical compound in the coating.

Step 3. Determine if any of the chemical compounds listed in the MSDS are also listed in the following table. If any of the chemical compounds are listed in the table, then calculate the maximum annual emission of that compound by multiplying the maximum coating usage rate times the percent by weight of each chemical compound. Then multiply the result by 8760 hours per year. The result will be in pounds per year.

Check to see if the calculated emission rate is less than the allowable emission rate found in the below table. If all of the compounds emitted have a maximum annual emission of less than the allowed rate, then move on to step 4. If any of the compounds are emitted at a rate higher than the allowed emission rate, then contact your appropriate District Office or local air agency contact to determine if you can use the coating.

Chemical Compound	CAS (MW)	Molecular Weight	Allowed Emission Rate (lb/year)
arsenic compounds, as As	7440-38-2	74.92	1.70
benzene	71-43-2	78.11	1100
benzidine	92-87-5	184.23	5.60
benzo(a)pyrene	50-32-8	252.30	6.90
beryllium (and Be compounds)	7440-41-7	9.01	0.350
cadmium	7440-43-9	112.4	5.20
chromium	7440-47-3	varies	0.690
hexachlorobenzene (HCB)	118-74-1	289.78	35.0
mercury (and Hg compounds)	7439-97-6	200.59	0.1
nickel (Ni subsulfide)	12035-72-2	240.19	17.0
polychlorinated dibenzo-p-dioxins	1746-01-6	varies	0.030
polychlorinated dibenzofurans	132-64-9	varies	0.030
polychlorinated biphenyls (PCBs, aroclors)	1336-36-3	varies	87.0
vinyl chloride	75-01-4	62.50	2000

Step 4. Find all of the chemical compounds in the coating that have a listed American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV). For each chemical compound with a listed TLV (other than those in the above table), calculate the maximum short-term emission rate by multiplying the maximum coating usage rate times the percent by weight of each chemical compound. The result should be in terms of pounds of the chemical compound per hour.

Step 5. Determine if the compound will be emitted at or below the acceptable rate. This is done by searching the following table for the chemical compound's TLV and then determining the maximum allowed emission rate listed in the below table. (Note. If the TLV is listed as ppm, then convert the TLV to  $\mu\text{g}/\text{m}^3$  by using the following formula:  $(\text{TLV in ppm}) \times (\text{MW}) \times (1000) / 24.45 = \text{TLV in } \mu\text{g}/\text{m}^3$ ; where MW is the molecular weight of the compound.) This table lists the allowable emission rates for compounds with a TLV between the high range and low range. Compare the maximum calculated short-term emission rate of each chemical compound to the allowed emission rate in the table. If



the maximum emission rate is less than the allowed emission rate, then the chemical compound is emitted at an acceptable rate.

TLV Range (µg/m <sup>3</sup> ) (The TLV must be less than the high value listed and greater than or equal to the low value listed)		Allowed Emission Rate (lb/hr)
15	1	0.000067
30	15	0.0010
60	30	0.0020
120	60	0.0040
240	120	0.0080
480	240	0.0160
960	480	0.0320
1,920	960	0.0640
3,840	1,920	0.128
7,680	3,840	0.256
15,360	7,680	0.512
30,720	15,360	1.02
61,440	30,720	2.05
122,880	61,440	4.10
245,760	122,880	8.19
491,520	245,760	16.4
983,040	491,520	32.8
1,966,080	983,040	65.5
3,932,160	1,966,080	131

Step 6. Check each chemical compound that has a listed TLV. If all compounds are emitted at a rate less than the allowed emission rate, then the coating passes the toxic screening test and can be used under this permit. If one or more of the chemical compounds are emitted at a rate greater than the allowed emission rate, then you should contact your appropriate District Office or local air agency contact to determine if you can use the coating.

d) Monitoring and/or Recordkeeping Requirements

- (1) The permittee shall collect and record the following information each day for the coating line:
  - a. The name and identification number of each coating employed.
  - b. The VOC content (excluding water and exempt solvents) of each coating, as applied.
  - c. The number of gallons (excluding water and exempt solvents) of each coating, as applied.
  - d. The daily VOC emissions from all the coatings employed, in pounds, [i.e., the sum of d)(1)b. times d)(1)c. for each coating employed].

- e. The daily volume-weighted average VOC content of all the coatings, as applied, calculated in accordance with the equation specified in paragraph (B)(9) of OAC rule 3745-21-10 for CVOC,2.
- f. The total number of hours this emissions unit was in operation.
- g. The average hourly VOC emissions from all coatings employed, in pounds [i.e., the quotient of d)(1)d. divided by d)(1)f.].

Note: If the VOC content of each of the coatings employed during a day is less than 3.5 lbs per gallon, as applied, excluding water and exempt solvents, the daily volume-weighted average VOC content record is not required for that day.

- (2) The permittee shall collect and record the following information for each month for this emissions unit:
  - a. The company identification of each cleanup material employed.
  - b. The number of gallons of each cleanup material employed.
  - c. The VOC content of each cleanup material employed, in pounds per gallon.
  - d. The total VOC emissions from all the cleanup materials employed, in pounds [i.e., the sum of d)(2)b. x d)(2)c. for each cleanup material employed].
  - e. The amount of cleanup material recovered, in pounds.
  - f. The total monthly VOC emissions from cleanup operations, in pounds [i.e., d)(2)d. -d)(2)e.].
- (3) The permittee shall calculate and record the total annual VOC emissions from coatings and cleanup materials, [i.e., the sum of the daily VOC emission rates from the coating materials for the calendar year in d)(1) plus the sum of the monthly emissions from cleanup materials for the calendar year in d)(2)].
- (4) The permittee shall collect and record the results of any toxic screening evaluations done per c)(1).
- (5) The permittee shall maintain documentation of the manufacturer's recommendations, instructions, or operating manuals for the dry particulate filter, along with documentation of any modifications deemed necessary by the permittee. These documents shall be maintained at the facility and shall be made available to the appropriate Ohio EPA District Office or local air agency upon request.
- (6) The permittee shall conduct periodic inspections of the dry particulate filter to determine whether it is operating in accordance with the manufacturer's recommendations, instructions, or operating manuals with any modifications deemed necessary by the permittee or operator. These inspections shall be performed at a frequency that shall be based upon the recommendation of the manufacturer and the permittee shall maintain a

copy of the manufacturer's recommended inspection frequency and it shall be made available to the Ohio EPA upon request.

- (7) In addition to the recommended periodic inspections, not less than once each calendar year the permittee shall conduct a comprehensive inspection of the dry particulate filter while the emissions unit is shut down and perform any needed maintenance and repair to ensure that it is operated in accordance with the manufacturer's recommendations.
- (8) The permittee shall document each inspection (periodic and annual) of the dry particulate filter system and shall maintain the following information:
  - a. the date of the inspection;
  - b. a description of each/any problem identified and the date it was corrected;
  - c. a description of any maintenance and repairs performed; and
  - d. the name of person who performed the inspection.

These records shall be maintained at the facility for not less than five years from the date the inspection and any necessary maintenance or repairs were completed and shall be made available to the appropriate Ohio EPA District Office or local air agency upon request.

- (9) The permittee shall maintain records that document any time periods when the dry particulate filter was not in service when the emissions unit(s) was/were in operation, as well as, a record of all operations during which the dry particulate filter was not operated according to the manufacturer's recommendations with any documented modifications made by the permittee. These records shall be maintained for a period of not less than five years and shall be made available to the Ohio EPA upon request.

e) Reporting Requirements

- (1) The permittee shall notify the Director (appropriate District Office or local air agency) in writing of each daily record showing a daily volume-weighted average greater than 3.5 pounds VOC per gallon, as applied, excluding water and exempt solvents. The notification shall include a copy of such record and shall be sent to the Director (appropriate District Office or local air agency) within 30 days after the exceedance occurs.
- (2) The permittee shall notify the Director (appropriate District Office or local air agency) in writing of any record showing that the dry filtration system was not in service when this missions unit was in operation. The notification shall include a copy of such record and shall be sent to the Director (appropriate District Office or local air agency) within 30 days after the event occurs.
- (3) Annual Permit Evaluation Report (PER) forms will be mailed to the permittee at the end of the reporting period specified in the Authorization section of this permit. The permittee shall submit the PER in the form and manner provided by the director by the due date identified in the Authorization section of this permit. The permit evaluation report shall cover a reporting period of no more than twelve-months for each air contaminant source identified in this permit.

## f) Testing Requirements

(1) Compliance with the emission limitations in b)(1) shall be determined in accordance with the following methods:

## a. Emissions Limitation:

Daily volume-weighted average of 3.5 lbs VOC per gallon, as applied, excluding water and exempt solvents

## Applicable Compliance Method:

Compliance shall be based upon the record keeping specified in d)(1).

## b. Emissions Limitation:

5.6 lbs/hr of VOC emissions, as a daily average

## Applicable Compliance Method:

Compliance shall be based upon the record keeping specified in d)(1).

## c. Emissions Limitation:

25.8 TPY of VOC emissions

## Applicable Compliance Method:

Compliance shall be based upon the record keeping specified in d)(3).

## d. Emission Limitation:

0.551 lb of PE per hour

## Applicable Compliance Method:

To determine the worst case PE rate, the following equation shall be used:

$E = \text{maximum coating solids usage rate, in pounds per hour,} \times (1-TE) \times (1-CE)$

Where E = PE rate (lbs/hr);

TE = fractional transfer efficiency, which is the ratio of the amount of coating solids deposited on the coated part to the amount of coating solids used (0.55);  
and

E = fractional control efficiency of the control equipment (0.99).

When requested by the Ohio EPA, the permittee shall demonstrate compliance with the above emissions limitation pursuant to OAC rule 3745-17-03(B)(10).

## e. Emission Limitation:

2.41 tons of PE per year

## Applicable Compliance Method:

Compliance with the lb/hr emission limit demonstrates compliance with this limit because this limit is based on the lb/hr limit assuming the source operated 8760 hours per year.

## f. Emission Limitation:

Visible PE from any stack serving this emissions unit shall not exceed 20% opacity, as a six-minute average, except as specified by rule.

Applicable Compliance Method:

When requested by the Ohio EPA, compliance with the above visible emission limitation shall be determined by visible emission evaluations performed in accordance with OAC rule 3745-17-03(B)(1) using the methods and procedures specified in USEPA Reference Method 9.

- (2) In accordance with OAC rule 3745-21-04(B)(5), facilities located in Ashtabula, Butler, Clark, Clermont, Cuyahoga, Delaware, Franklin, Geauga, Greene, Hamilton, Lake, Licking, Lorain, Lucas, Mahoning, Medina, Miami, Montgomery, Portage, Stark, Summit, Trumbull, Warren and Wood Counties shall use USEPA Method 24 to determine the VOC contents of the coatings. If, pursuant to section 4.3 of Method 24, 40 CFR Part 60, Appendix A, an owner or operator determines that Method 24 cannot be used for a particular coating, the permittee shall so notify the Administrator of the USEPA and shall use formulation data for that coating to demonstrate compliance until the USEPA provides alternative analytical procedures or alternative precision statements for Method 24.

Facilities located in all other counties shall use USEPA Method 24 or formulation data to determine the VOC contents of the coatings.

US EPA Method 24 or formulation data shall be used to determine the VOC contents of the cleanup materials.

g) Miscellaneous Requirements

- (1) None.