



Re: Permit to Install  
Cuyahoga County  
Application No. 13-550

July 24, 1980

Elco Corporation  
1000 Belt Line Road  
Cleveland, Ohio 44109

CERTIFIED MAIL

Attention: D. Pachko

Dear Sir or Madam:

Enclosed is the Ohio EPA Permit to Install which will allow you to install the described source(s) in the manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

Under Ohio Revised Code, Chapters 119 and 3704, this permit will take effect on the date indicated unless you or an objector requests an adjudication hearing within thirty (30) days of the date of issuance, as provided for by Rule 3745-47-13 of the Ohio Administrative Code. At an adjudication hearing you may appear in person, or be represented by your attorney, or by such other representative as is permitted to practice before this Agency, or you may present your position, arguments, or contentions in writing. At the hearing you may present evidence and examine witnesses appearing for and against you. Requests for hearings shall be in writing and shall specify the issues of fact and law to be contested. Requests for hearings should be sent to the Hearing Clerk, Box 1049, 361 East Broad Street, Columbus, Ohio 43215.

The Director may withdraw this permit at any time before it takes effect.

If you have any questions, please contact the Ohio EPA District Office or local air pollution control agency to which you submitted your application.

Very truly yours,

*Thomas E. Crepeau*

Thomas E. Crepeau, Chief  
Division of Authorization & Compliance  
Office of Air Pollution Control

TEC/bs

cc: Cleveland Div. of Air Pollution Control ✓  
Northeast District Office

OHIO ENVIRONMENTAL PROTECTION AGENCY

Permit to Install

Application No. 13-550

Name of Applicant: Elco Corporation

Permit Fee: \$390.00

Address: 1000 Belt Line

City: Cleveland

State: Ohio 44109

Telephone: (216) 749-2605

Location of proposed source(s): 1000 Belt Line Road  
Cleveland, Ohio


Description of proposed source(s): Four closed reactors (K1, K3, K4, K5) with  
Equipment Engineering fume incinerator  
controlling exhaust and Champion baghouse  
controlling charging emissions

Issuance Date: July 24, 1980

Effective Date: September 7, 1980

The above named entity is hereby granted a permit to install for the above described source pursuant to Chapter 3745-31 of the Ohio Administrative Code (former Ohio EPA Regulation EP-30). Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described source of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described source of pollutants will be granted the necessary operating permits. This permit is granted subject to the following conditions attached hereto:

Ohio Environmental Protection Agency



by James F. McAvoy  
Director  
361 East Broad Street  
Columbus, Ohio 43215

July 24, 1980

Page 2

Substantial construction for installation must take place within eighteen months of the effective date of this permit. This deadline may be extended by up to twelve months, if application is made to the Director no less than sixty days before the expiration of this permit and the party shows good cause for any such extension.

The Director of the Ohio Environmental Protection Agency, or his authorized representatives, may enter upon the premises of the above named applicant during construction and operation at any reasonable time for the purpose of making inspections, conducting tests, examining records or reports pertaining to the construction, modification or installation of the above described source of environmental pollutants.

If the construction of the proposed source has already begun or has been completed prior to the date the Director of the Ohio Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC Rule 3745-31-02 (former EP-30-02). Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities prove to be inadequate or cannot meet applicable standards.

The specified permit fee must be remitted within 15 days of the effective date of this permit to install.

This permit shall apply only to the source(s) shown on the application approved by the Ohio Environmental Protection Agency.

The Cleveland Division of Air Pollution Control shall be notified, in writing as to (a) the construction starting date (b) the construction completion date and (c) the date the facilities plan to be placed into operation.

The permit holder shall conduct, or have conducted, performance testing of the subject air contaminant source(s) in accordance with procedures approved by the Agency and shall submit a written report, signed by the source owner, or his authorized agent, describing the test procedures followed and the results of such tests. The Director or his representative shall be allowed to witness the tests, examine testing equipment and acquire, or cause acquisition and/or submission of, data and information

July 24, 1980

Page 3

necessary to provide adequate assurance that source operation, process operating parameters and other conditions, together with testing procedures, provide a valid representation and proper characterization of the source's emissions and/or control equipment performance.

Such testing shall be planned, scheduled and implemented so as to provide for:

- (1) Prior written notification to the Ohio Environmental Protection Agency, through the appropriate District Office or Local Air Pollution Control Agency where the original application was filed. Such notification shall be made thirty (30) days in advance and shall specify the source operating parameters, the proposed test procedures and the time, date, place and person(s) conducting such tests.
- (2) Submittal of the test results report within thirty (30) days after the test completion.

Prior to operation of the completed installation or modification application(s) for Permit(s) to Operate must be submitted to the Cleveland Division of Air Pollution Control.



DDJ-4P

13-18-00-0152 P010

Ohio EPA - Office of Air Pollution Control

PTI Appl. No. 13-550

Facility Name Elco

Final Action Recommendation on a Permit to Install

Public written comments are to be accepted at the appropriate DO/LAA for a 30 day period only beginning with the date of the newspaper publication of the preliminary staff determination.

Date of Publication of Newspaper Notice 6/12/80

Comments Received (if no comments were received, write "none received" below):

Name(s)	Date Received
<u>NONE RECEIVED</u>	


Final Recommendation:  Approval  Approval with Changes  Denial

Reviewing Engineer Douglas Laman Date July 17, 1980

District Office Review \_\_\_\_\_ Date \_\_\_\_\_  
(Required for LAA's only if final recommendation differs from the preliminary staff determination)

Attach to this recommendation any revised and/or additional terms and conditions, or "Reasons for Denial" if the final recommendation is a denial.

This Final Action Recommendation is to be forwarded to the Div. of Authorization and Compliance, Office of Air Pollution Control, Central Office, within 30 days after the close of the public comment period, or 30 days after receipt of the record of a public meeting, if one had been held.



13-18-00-0152 P010

Re: Permit to Install  
Cuyahoga County  
Application No. 13-550

June 4, 1980

Elco Corporation  
1000 Beltline  
Cleveland, Ohio 44109

CERTIFIED MAIL

Attention: D. Pachko

Dear Sir:

You are hereby notified that the staff of the Ohio Environmental Protection Agency has made a preliminary determination recommending that the Director issue a Permit to Install for the source(s) indicated on the enclosed draft of the Permit to Install. Please be advised that this preliminary staff determination is not a formal authorization to commence construction or modification of your source(s). The purpose of this preliminary staff determination is to solicit public comments on the proposed construction or modification.

A public notice concerning the preliminary staff determination will appear in the Ohio EPA Weekly Review and in a newspaper of general circulation in the county in which the proposed source(s) are to be located. Public comments will be accepted by the appropriate field office within 30 days of the date of publication in the local newspaper. A list of these field offices together with their areas of jurisdiction is enclosed for your convenience.

The Director may issue a Permit to Install in proposed or final form based on the preliminary staff determination, written public comments received within 30 days of the date of public notice announcing this preliminary staff determination, and the record of a public meeting if one has been held. If a public meeting is to be held, you will be notified in writing.

Upon issuance of a permit to install a fee in the amount of \$390.00 will be assessed, unless your facility is exempt. Please do not submit any payment at this time.

If you have any questions regarding this preliminary staff determination, please contact the appropriate Ohio EPA field office as indicated on the enclosed list.

Very truly yours,



Thomas E. Crepeau, Chief  
Division of Authorization and Compliance  
Office of Air Pollution Control

TEC/jls

cc: U.S. EPA  
Northeast Ohio Areawide Coordinating Agency  
Cleveland Div. of Air Pollution Control  
Northeast District Office

OHIO ENVIRONMENTAL PROTECTION AGENCY

Permit to Install

Application No. 13-550

Name of Applicant: Elco Corporation

Permit Fee:

Address: 1000 Belt Line

City: Cleveland

State: Ohio 44109

Telephone: (216) 749-2605

Location of proposed source(s): 1000 Belt Line Road  
Cleveland, Ohio

Description of proposed source(s): Four closed reactors (K1, K3, K4, K5) with  
Equipment Engineering fume incinerator  
controlling exhaust and Champion baghouse  
controlling charging emissions

Issuance Date:

Effective Date:

The above named entity is hereby granted a permit to install for the above described source pursuant to Chapter 3745-31 of the Ohio Administrative Code (former Ohio EPA Regulation EP-30). Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described source of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described source of pollutants will be granted the necessary operating permits. This permit is granted subject to the following conditions attached hereto:

Ohio Environmental Protection Agency

by James F. McAvoy  
Director  
361 East Broad Street  
Columbus, Ohio 43215

**PRELIMINARY STAFF DETERMINATION**

**DATE OF MAILING: JUN 04 1980**

Substantial construction for installation must take place within eighteen months of the effective date of this permit. This deadline may be extended by up to twelve months, if application is made to the Director no less than sixty days before the expiration of this permit and the party shows good cause for any such extension.

The Director of the Ohio Environmental Protection Agency, or his authorized representatives, may enter upon the premises of the above named applicant during construction and operation at any reasonable time for the purpose of making inspections, conducting tests, examining records or reports pertaining to the construction, modification or installation of the above described source of environmental pollutants.

If the construction of the proposed source has already begun or has been completed prior to the date the Director of the Ohio Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC Rule 3745-31-02 (former EP-30-02). Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities prove to be inadequate or cannot meet applicable standards.

The specified permit fee must be remitted within 15 days of the effective date of this permit to install.

This permit shall apply only to the source(s) shown on the application approved by the Ohio Environmental Protection Agency.

The Cleveland Division of Air Pollution Control shall be notified, in writing as to (a) the construction starting date (b) the construction completion date and (c) the date the facilities plan to be placed into operation.

The permit holder shall conduct, or have conducted, performance testing of the subject air contaminant source(s) in accordance with procedures approved by the Agency and shall submit a written report, signed by the source owner, or his authorized agent, describing the test procedures followed and the results of such tests. The Director or his representative shall be allowed to witness the tests, examine testing equipment and acquire, or cause acquisition and/or submission of, data and information

**PRELIMINARY STAFF DETERMINATION**

**DATE OF MAILING: JUN 04 1980**

necessary to provide adequate assurance that source operation, process operating parameters and other conditions, together with testing procedures, provide a valid representation and proper characterization of the source's emissions and/or control equipment performance.

Such testing shall be planned, scheduled and implemented so as to provide for:

- (1) Prior written notification to the Ohio Environmental Protection Agency, through the appropriate District Office or Local Air Pollution Control Agency where the original application was filed. Such notification shall be made thirty (30) days in advance and shall specify the source operating parameters, the proposed test procedures and the time, date, place and person(s) conducting such tests.
- (2) Submittal of the test results report within thirty (30) days after the test completion.

Prior to operation of the completed installation or modification application(s) for Permit(s) to Operate must be submitted to the Cleveland Division of Air Pollution Control.

**PRELIMINARY STAFF DETERMINATION**  
**DATE OF MAILING: JUN 04 1980**