



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL
HOLMES COUNTY**

CERTIFIED MAIL

Street Address:

50 West Town Street, Suite 700

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049

Application No: 02-22607

Fac ID: 0238000141

DATE: 6/7/2007

Keim Lumber Co.
William R. Keim
P.O. Box 40
Charm, OH 44617

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, OH 43215

Sincerely,

Michael W. Ahern, Manager
Permit Issuance and Data Management Section
Division of Air Pollution Control

CC: USEPA

NEDO



STATE OF OHIO ENVIRONMENTAL PROTECTION AGENCY

Permit To Install

Issue Date: 6/7/2007

FINAL PERMIT TO INSTALL 02-22607

Application Number: 02-22607
Facility ID: 0238000141
Permit Fee: **\$1500**
Name of Facility: Keim Lumber Co.
Person to Contact: William R. Keim
Address: P.O. Box 40
Charm, OH 44617

Location of proposed air contaminant source(s) [emissions unit(s)]:

4465 State Route 557
Charm, Ohio

Description of proposed emissions unit(s):

Woodworking operation controlled by Baghouse no.1.

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency



Chris Korleski
Director

Keim Lumber Co.
PTI Application: 02-22607
Issued: 6/7/2007

Facility ID: 0238000141

Part I - GENERAL TERMS AND CONDITIONS

A. Permit to Install General Terms and Conditions

1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

2. Reporting Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted (i.e., postmarked) quarterly by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon

Keim Lumber Co.
PTI Application: 02-22607
Issued: 6/7/2007

Facility ID: 0238000141

the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Termination of Permit to Install

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

9. Construction of New Sources(s)

Keim Lumber Co.
PTI Application: 02-22607
Issued: 6/7/2007

Facility ID: 0238000141

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

10. Public Disclosure

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

11. Applicability

This Permit To Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate Permit To Install for the installation or modification of any other emissions unit(s) are required for any emissions unit for which a Permit To Install is required.

12. Best Available Technology

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

Keim Lumber Co.
 PTI Application: 02-22607
 Issued: 6/7/2007

Facility ID: 0238000141

13. Source Operation and Operating Permit Requirements After Completion of Construction

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the emissions unit(s) covered by this permit.

14. Construction Compliance Certification

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

15. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

B. Permit to Install Summary of Allowable Emissions

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)
 TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
PE	24.04

PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

Operations, Property, and/or Equipment - (P001) - Woodworking shop and wood waste silo vent controlled by three parallel dust collection systems: 53,000 cfm, return-air baghouse; 39,400 cfm return-air baghouse; 60,000 cfm return-air baghouse; Associated wood waste silo load-out

Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
OAC rule 3745-31-05(A)(3)	See A.2.a, A.2.b, A.2.e, B.1, B.2 and B.3 below.
OAC rule 3745-17-08(B)	None (see A.2.c).
OAC rule 3745-17-07(B)	None (see A.2.d).
OAC rule 3745-17-11	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
OAC rule 3745-17-07(A)	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

2. Additional Terms and Conditions

- 2.a Particulate emissions (PE) shall not exceed 0.01 grain per dscf of exhaust gas of each baghouse. Baghouse #1 PE shall not exceed 4.54 pounds per hour and 6.59 tons per year from the dust collector exhaust. Baghouse #2 PE shall not exceed 3.38 pounds per hour and 4.90 tons per year from the dust collector exhaust. Baghouse #3 PE shall not exceed 5.14 pounds per hour and 7.46 tons per year from the dust collector exhaust. Fugitive PE from the wood waste silo shall not exceed 5.10 tons per year.
- 2.b There shall be no visible emissions from the dust collector exhausts.
- 2.c This emissions unit is not located within areas identified in "Appendix A" of OAC rule 3745-17-08 (it is located in Holmes County). Therefore, the requirements of OAC rule 3745-17-08(B) do not apply to this emissions unit.

Issued: 6/7/2007

- 2.d** This emissions unit is exempt from the visible PE limitations specified in OAC rule 3745-17-07(B) pursuant to OAC rule 3745-17-07(B)(11)(e).
- 2.e** Visible emissions of fugitive dust shall not exceed 20% opacity, as a 3-minute average during loadout.

B. Operational Restrictions

1. The pressure drop across the dust collectors shall be maintained within the manufacturer's recommended range while the emissions unit is in operation, or within the pressure drop range established during the most recent compliance inspection or stack test that determined the emissions unit was in compliance.
2. The dust collectors shall be operated with a sufficient volumetric flow rate to eliminate visible particulate emissions at the point(s) of capture to the extent possible with good engineering design.
3. During any unloading of sawdust into trucks from the dust collector silo, every attempt shall be made to reduce or control fugitive dust emissions by enclosing the area with tarps, minimizing the drop height to the truck, utilizing a truck with high side boards, or placing a covering over the discharge chute during the unloading process. The collection efficiency shall be considered adequate if there are no visible particulate emissions of fugitive dust from the fabric tube during wood waste storage silo load-out in excess of 20% opacity, as a 3-minute average.

C. Monitoring and/or Record keeping Requirements

1. The permittee shall properly install, operate, and maintain equipment to monitor the pressure drop across the dust collectors while the emissions unit is in operation. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across each dust collector on a weekly basis.
2. When a dust collector is vented outside the building, the permittee shall perform weekly checks for any visible particulate emissions from the exhaust of the dust collector. The presence or absence of any visible emissions from the exhausts of the dust collectors shall be noted in an operations log. If any visible emissions are observed, corrective actions shall be taken to eliminate the visible emissions and these actions shall also be

Emissions Unit ID: P001

noted in the operations log:

- a. the color of the emissions;
- b. the total duration of any visible emission incident; and
- c. any corrective actions taken to eliminate the visible emissions.

NOTE: The exhaust from the dust collectors for this emissions unit are currently vented back into the building. This is the normal operating mode for this emissions unit.

3. The permittee shall record in an operations log any time the fabric tube or other drop height reduction tool are not in use when sawdust load out is in operation.
4. The permittee shall maintain copies of these records for a period of at least five years. Those records should be made available for Ohio EPA or their representatives to review during normal working hours.

D. Reporting Requirements

1. The permittee shall submit quarterly deviation (excursion) reports that include the following information:
 - a. all periods of time during which the pressure drop across the dust collectors did not comply with the allowable range specified above; and
 - b. all periods of time that the fabric tube or other drop height reduction tool were not used during while the sawdust load-out was in operation.

The quarterly deviations reports shall be submitted in accordance with the General Terms and Conditions. These reports shall be submitted by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters.

2. The permittee shall submit semiannual written reports that:
 - a. identify all days during which any visible particulate emissions were observed from the exhaust of any dust collector serving this emissions unit; and
 - b. describe any corrective actions taken to eliminate the visible particulate emissions.

These reports shall be submitted to the Director (the Ohio EPA Northeast District Office) by January 31 and July 31 of each year and shall cover the previous 6-month period.

Issued: 6/7/2007

E. Testing Requirements

1. Compliance with the emission limitations in Sections A.1 and A.2 of these terms and conditions shall be determined in accordance with the following methods:

- a. Emission Limitations:
 - 0.01 gr/dscf PE from each baghouse exhaust;
 - 4.54 lbs/hr PE from Baghouse #1;
 - 3.38 lbs/hr PE from Baghouse #2; and
 - 5.14 lbs/hr PE from Baghouse #3.

Applicable Compliance Methods:

If required compliance with the PE limitations above shall be determined according Methods 1 - 5, 40 CFR 60, Appendix A.

- b. Emission Limitation:
 - 6.59 tpy PE from Baghouse #1;
 - 4.90 tpy PE from Baghouse #2;
 - 7.46 tpy PE from Baghouse #3.

Applicable Compliance Methods:

Compliance the annual allowable PE limitation may be determined by the following equation:

$$(0.055 \text{ gr/dscf}) \times Q \times (60 \text{ min/hr}) \times (8760 \text{ hr/yr}) \times (\text{lb}/7000 \text{ gr}) \times (\text{ton}/2000 \text{ lb}) \times (1-(0.99))$$

Where:

0.055 gr/dscf is the emission factor from AP-42, table 10.4-1 version 4/78; and Q is the dust collector flow rate; 53,000 cfm for baghouse #1; 39,400 cfm for baghouse #2; and 60,000 cfm for baghouse #3; and 99.9% is the manufacturer's guaranteed control efficiency at 1 micron.

- c. Emission Limitation:
 - 5.10 tpy fugitive PE during wood waste silo unloading

Applicable Compliance Methods:

Compliance the annual allowable PE limitation may be determined by the following equation:

Emissions Unit ID: **P001**

(2.0 lbs/ton)(83,068 cu yd/yr)(338.5 lbs/cu yd)(ton/2000 lbs)(ton/2000 lbs)

Where:

2.0 pounds per ton is the emission factor from AP-42, Table 10.4-2 (7/79);
 83,068 is the maximum wood waste generated by the wood working shop; and
 338.5 pounds per cubic yard is the weight of the wood waste.

- d. Emission Limitation:
 There shall be no visible emissions from the dust collector exhaust.

Applicable Compliance Methods:

Compliance with the no visible emission limit for the exhausts from the dust collector shall be determined using Test Method 22-like visible emission observations. (Although Test Method 22 applies to fugitive emissions units, the visible/no visible emissions observation technique of Test Method 22 can be applied to ducted emissions, i.e., Test Method 22-like visible emission observations.)

- e. Emission Limitation:
 Visible emissions of fugitive dust shall not exceed 20% opacity, as a 3-minute average during loadout.

Applicable Compliance Method:

Compliance with the visible fugitive emission limitation shall be determined by OAC rule 3745-17-03(B)(3), in accordance with Method 9, as set forth in 40 CFR Part 60, Appendix A.

F. Miscellaneous Requirements

None

