



Environmental Protection Agency

John R. Kasich, Governor
Mary Taylor, Lt. Governor
Scott J. Nally, Director

5/9/2011

Scott Turner
HUBBELL POWER SYSTEMS / OHIO BRASS
1850 Richland Avenue, East
Aiken, SC 29801

RE: FINALAIR POLLUTION PERMIT-TO-INSTALL AND OPERATE
Facility ID: 1652100011
Permit Number: P0108058
Permit Type: Renewal
County: Medina

Certified Mail

No	TOXIC REVIEW
No	PSD
No	SYNTHETIC MINOR TO AVOID MAJOR NSR
No	CEMS
No	MACT/GACT
No	NSPS
No	NESHAPS
No	NETTING
No	MAJOR NON-ATTAINMENT
No	MODELING SUBMITTED
No	SYNTHETIC MINOR TO AVOID TITLE V
No	FEDERALLY ENFORCABLE PTIO (FEPTIO)

Dear Permit Holder:

Enclosed please find a final Air Pollution Permit-to-Install and Operate (PTIO) which will allow you to install, modify, and/or operate the described emissions unit(s) in the manner indicated in the permit. Because this permit contains conditions and restrictions, please read it very carefully. Please complete a survey at www.epa.ohio.gov/dapc/permitsurvey.aspx and give us feedback on your permitting experience. We value your opinion.

The issuance of this PTI is a final action of the Director and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer Josh Mandel," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, OH 43215

If you have any questions, please contact Akron Regional Air Quality Management District at (330)375-2480 or the Office of Compliance Assistance and Pollution Prevention at (614) 644-3469. This permit can be accessed electronically on the DAPCWeb page, www.epa.ohio.gov/dapc, by clicking the "Issued Air Pollution Control Permits" link.

Sincerely,

Michael W. Ahern, Manager
Permit Issuance and Data Management Section, DAPC

Cc: ARAQMD



FINAL

**Division of Air Pollution Control
Permit-to-Install and Operate
for
HUBBELL POWER SYSTEMS / OHIO BRASS**

Facility ID:	1652100011
Permit Number:	P0108058
Permit Type:	Renewal
Issued:	5/9/2011
Effective:	5/9/2011
Expiration:	5/9/2021



Division of Air Pollution Control
Permit-to-Install and Operate
for
HUBBELL POWER SYSTEMS / OHIO BRASS

Table of Contents

Authorization 1
A. Standard Terms and Conditions 3
1. What does this permit-to-install and operate ("PTIO") allow me to do?..... 4
2. Who is responsible for complying with this permit? 4
3. What records must I keep under this permit? 4
4. What are my permit fees and when do I pay them?..... 4
5. When does my PTIO expire, and when do I need to submit my renewal application? 4
6. What happens to this permit if my project is delayed or I do not install or modify my source? 5
7. What reports must I submit under this permit? 5
8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit? 5
9. What are my obligations when I perform scheduled maintenance on air pollution control equipment? ... 5
10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report? 6
11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located? 6
12. What happens if one or more emissions units operated under this permit is/are shut down permanently? 6
13. Can I transfer this permit to a new owner or operator?..... 7
14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"? 7
15. What happens if a portion of this permit is determined to be invalid? 7
B. Facility-Wide Terms and Conditions..... 8
C. Emissions Unit Terms and Conditions 10
1. P018, Binder Burnout Oven #5 11
2. Emissions Unit Group - Spray Dryers: P005, P011, 15

Authorization

Facility ID: 1652100011
Application Number(s): A0041792
Permit Number: P0108058
Permit Description: Renewal Permit to Install and Operate for two spray dryers and one binder burnout oven.
Permit Type: Renewal
Permit Fee: \$0.00
Issue Date: 5/9/2011
Effective Date: 5/9/2011
Expiration Date: 5/9/2021
Permit Evaluation Report (PER) Annual Date: Jan 1 - Dec 31, Due Feb 15

This document constitutes issuance to:

HUBBELL POWER SYSTEMS / OHIO BRASS
8711 WADSWORTH ROAD
Wadsworth, OH 44281

of a Permit-to-Install and Operate for the emissions unit(s) identified on the following page.


Ohio EPA District Office or local air agency responsible for processing and administering your permit:

Akron Regional Air Quality Management District
146 South High Street, Room 904
Akron, OH 44308
(330)375-2480

The above named entity is hereby granted this Permit-to-Install and Operate for the air contaminant source(s) (emissions unit(s)) listed in this section pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the described emissions unit(s) will operate in compliance with applicable State and federal laws and regulations.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency


Scott J. Nally
Director



Authorization (continued)

Permit Number: P0108058

Permit Description: Renewal Permit to Install and Operate for two spray dryers and one binder burnout oven.

Permits for the following Emissions Unit(s) or groups of Emissions Units are in this document as indicated below:

Emissions Unit ID:	P018
Company Equipment ID:	Binder Burnout Oven #5
Superseded Permit Number:	16-02257
General Permit Category and Type:	Not Applicable

Group Name: Spray Dryers

Emissions Unit ID:	P005
Company Equipment ID:	Spray Dryer #2 Dust Collector
Superseded Permit Number:	16-02257
General Permit Category and Type:	Not Applicable
Emissions Unit ID:	P011
Company Equipment ID:	Spray Dryer #3 Dust Collector
Superseded Permit Number:	16-02257
General Permit Category and Type:	Not Applicable

A. Standard Terms and Conditions

1. What does this permit-to-install and operate ("PTIO") allow me to do?

This permit allows you to install and operate the emissions unit(s) identified in this PTIO. You must install and operate the unit(s) in accordance with the application you submitted and all the terms and conditions contained in this PTIO, including emission limits and those terms that ensure compliance with the emission limits (for example, operating, recordkeeping and monitoring requirements).

2. Who is responsible for complying with this permit?

The person identified on the "Authorization" page, above, is responsible for complying with this permit until the permit is revoked, terminated, or transferred. "Person" means a person, firm, corporation, association, or partnership. The words "you," "your," or "permittee" refer to the "person" identified on the "Authorization" page above.

The permit applies only to the emissions unit(s) identified in the permit. If you install or modify any other equipment that requires an air permit, you must apply for an additional PTIO(s) for these sources.

3. What records must I keep under this permit?

You must keep all records required by this permit, including monitoring data, test results, strip-chart recordings, calibration data, maintenance records, and any other record required by this permit for five years from the date the record was created. You can keep these records electronically, provided they can be made available to Ohio EPA during an inspection at the facility. Failure to make requested records available to Ohio EPA upon request is a violation of this permit requirement.

4. What are my permit fees and when do I pay them?

There are two fees associated with permitted air contaminant sources in Ohio:

- PTIO fee. This one-time fee is based on a fee schedule in accordance with Ohio Revised Code (ORC) section 3745.11, or based on a time and materials charge for permit application review and permit processing if required by the Director.

You will be sent an invoice for this fee after you receive this PTIO and payment is due within 30 days of the invoice date. You are required to pay the fee for this PTIO even if you do not install or modify your operations as authorized by this permit.

- Annual emissions fee. Ohio EPA will assess a separate fee based on the total annual emissions from your facility. You self-report your emissions in accordance with Ohio Administrative Code (OAC) Chapter 3745-78. This fee assessed is based on a fee schedule in ORC section 3745.11 and funds Ohio EPA's permit compliance oversight activities. Unless otherwise specified, facilities subject to one or more synthetic minor restrictions must use Ohio EPA's "Air Services" to submit annual emissions associated with this permit requirement. Ohio EPA will notify you when it is time to report your emissions and to pay your annual emission fees.

5. When does my PTIO expire, and when do I need to submit my renewal application?

This permit expires on the date identified at the beginning of this permit document (see "Authorization" page above) and you must submit a renewal application to renew the permit. Ohio EPA will send a renewal notice to you approximately six months prior to the expiration date of this permit. However, it is

very important that you submit a complete renewal permit application (postmarked prior to expiration of this permit) even if you do not receive the renewal notice.

If a complete renewal application is submitted before the expiration date, Ohio EPA considers this a timely application for purposes of ORC section 119.06, and you are authorized to continue operating the emissions unit(s) covered by this permit beyond the expiration date of this permit until final action is taken by Ohio EPA on the renewal application.

6. What happens to this permit if my project is delayed or I do not install or modify my source?

This PTIO expires 18 months after the issue date identified on the "Authorization" page above unless otherwise specified if you have not (1) started constructing the new or modified emission sources identified in this permit, or (2) entered into a binding contract to undertake such construction. This deadline can be extended by up to 12 months, provided you apply to Ohio EPA for this extension within a reasonable time before the 18-month period has ended and you can show good cause for any such extension.

7. What reports must I submit under this permit?

An annual permit evaluation report (PER) is required in addition to any malfunction reporting required by OAC rule 3745-15-06 or other specific rule-based reporting requirement identified in this permit. Your PER due date is identified in the Authorization section of this permit.

8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit?

If you are required to obtain a Title V permit under OAC Chapter 3745-77 in the future, the permit-to-operate portion of this permit will be superseded by the issued Title V permit. From the effective date of the Title V permit forward, this PTIO will effectively become a PTI (permit-to-install) in accordance with OAC rule 3745-31-02(B). The following terms and conditions will no longer be applicable after issuance of the Title V permit: Section B, Term 1.b) and Section C, for each emissions unit, Term a)(2).

The PER requirements in this permit remain effective until the date the Title V permit is issued and is effective, and cease to apply after the effective date of the Title V permit. The final PER obligation will cover operations up to the effective date of the Title V permit and must be submitted on or before the submission deadline identified in this permit on the last day prior to the effective date of the Title V permit.

9. What are my obligations when I perform scheduled maintenance on air pollution control equipment?

You must perform scheduled maintenance of air pollution control equipment in accordance with OAC rule 3745-15-06(A). If scheduled maintenance requires shutting down or bypassing any air pollution control equipment, you must also shut down the emissions unit(s) served by the air pollution control equipment during maintenance, unless the conditions of OAC rule 3745-15-06(A)(3) are met. Any emissions that exceed permitted amount(s) under this permit (unless specifically exempted by rule) must be reported as deviations in the annual permit evaluation report (PER), including nonexempt excess emissions that occur during approved scheduled maintenance.

10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report?

If you have a reportable malfunction of any emissions unit(s) or any associated air pollution control system, you must report this to the Akron Regional Air Quality Management District in accordance with OAC rule 3745-15-06(B). Malfunctions that must be reported are those that result in emissions that exceed permitted emission levels. It is your responsibility to evaluate control equipment breakdowns and operational upsets to determine if a reportable malfunction has occurred.

If you have a malfunction, but determine that it is not a reportable malfunction under OAC rule 3745-15-06(B), it is recommended that you maintain records associated with control equipment breakdown or process upsets. Although it is not a requirement of this permit, Ohio EPA recommends that you maintain records for non-reportable malfunctions.

11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located?

Yes. Under Ohio law, the Director or his authorized representative may inspect the facility, conduct tests, examine records or reports to determine compliance with air pollution laws and regulations and the terms and conditions of this permit. You must provide, within a reasonable time, any information Ohio EPA requests either verbally or in writing.

12. What happens if one or more emissions units operated under this permit is/are shut down permanently?

Ohio EPA can terminate the permit terms associated with any permanently shut down emissions unit. "Shut down" means the emissions unit has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent "modification" or "installation" as defined in OAC Chapter 3745-31.

You should notify Ohio EPA of any emissions unit that is permanently shut down by submitting¹ a certification that identifies the date on which the emissions unit was permanently shut down. The certification must be submitted by an authorized official from the facility. You cannot continue to operate an emissions unit once the certification has been submitted to Ohio EPA by the authorized official.

You must comply with all recordkeeping and reporting for any permanently shut down emissions unit in accordance with the provisions of the permit, regulations or laws that were enforceable during the period of operation, such as the requirement to submit a PER, air fee emission report, or malfunction report. You must also keep all records relating to any permanently shutdown emissions unit, generated while the emissions unit was in operation, for at least five years from the date the record was generated.

Again, you cannot resume operation of any emissions unit certified by the authorized official as being permanently shut down without first applying for and obtaining a permit pursuant to OAC Chapter 3745-31.

¹Permittees that use Ohio EPA's "Air Services" can mark the affected emissions unit(s) as "permanently shutdown" in the facility profile along with the date the emissions unit(s) was permanently removed and/or disabled. Submitting the facility profile update will constitute notifying of the permanent shutdown of the affected emissions unit(s).

13. Can I transfer this permit to a new owner or operator?

You can transfer this permit to a new owner or operator. If you transfer the permit, you must follow the procedures in OAC Chapter 3745-31, including notifying Ohio EPA or the local air agency of the change in ownership or operator. Any transferee of this permit must assume the responsibilities of the transferor permit holder.

14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"?

This permit and OAC rule 3745-15-07 prohibit operation of the air contaminant source(s) regulated under this permit in a manner that causes a nuisance. Ohio EPA can require additional controls or modification of the requirements of this permit through enforcement orders or judicial enforcement action if, upon investigation, Ohio EPA determines existing operations are causing a nuisance.

15. What happens if a portion of this permit is determined to be invalid?

If a portion of this permit is determined to be invalid, the remainder of the terms and conditions remain valid and enforceable. The exception is where the enforceability of terms and conditions are dependent on the term or condition that was declared invalid.

B. Facility-Wide Terms and Conditions

1. This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).
 - a) For the purpose of a permit-to-install document, the facility-wide terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (1) None.
 - b) For the purpose of a permit-to-operate document, the facility-wide terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (1) None.

C. Emissions Unit Terms and Conditions

1. P018, Binder Burnout Oven #5

Operations, Property and/or Equipment Description:

1.5 million Btu/hr natural gas fired oven - Binder Burnout Oven 5.

a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

(1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

a. None.

(2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

a. g)(1).

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3)	<p>The organic compound (OC) emissions from this emissions unit shall not exceed 37.44 pounds per day and 6.83 tons per year.</p> <p>Natural gas combustion emissions from the binder burnout oven shall not exceed the following:</p> <p>0.15 pound of nitrogen oxides (NO_x) per hour and 0.66 ton of NO_x per year</p> <p>0.12 pound of carbon monoxide (CO) per hour and 0.53 ton of CO per year</p> <p>0.01 pound of particulate emissions (PE) per hour and 0.05 ton of PE per year</p>

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
		0.02 pound of OC per hour and 0.09 ton of OC per year

- (2) Additional Terms and Conditions
 - a. None.
- c) Operational Restrictions
 - (1) The permittee shall burn only natural gas in this emissions unit.
- d) Monitoring and/or Recordkeeping Requirements
 - (1) For each day during which the permittee burns a fuel other than natural gas, the permittee shall maintain a record of the type and quantity of fuel burned in this emissions unit.
 - (2) The permittee shall maintain records of all preventive maintenance activities, inspections, and repairs involving this emissions unit.
 - (3) The permittee shall maintain records that identify any changes in the oven cycle, oven parameters related to the efficient operation of the oven, and type of materials supplied to the oven that deviate from the conditions present at the April 1, 1994 emission testing of the binder burnout oven #1.
- e) Reporting Requirements
 - (1) Annual permit evaluation report (PER) forms will be mailed to the permittee at the end of the reporting period specified in the Authorization section of this permit. The permittee shall submit the PER in the form and manner provided by the director by the due date identified in the Authorization section of this permit. The PER shall cover a reporting period of no more than twelve-months for each air contaminant source identified in this permit.
- f) Testing Requirements
 - (1) Compliance with the emission limitation(s) in b)(1) above shall be determined in accordance with the following method(s):
 - a. Emission Limitation:
0.15 pound of NO_x per hour
 - Applicable Compliance Method:

Compliance with the hourly allowable NO_x emission limitation above shall be demonstrated by multiplying the emission factor of 100 pounds of NO_x per million cubic feet of natural gas fired (AP-42 Table 1.4-1 dated 7/98) by the emissions

unit's maximum hourly combustion rate of natural gas (0.00147 MM cubic feet/hour).

b. Emission Limitation:

0.12 pound of CO per hour

Applicable Compliance Method:

Compliance with the hourly allowable CO emission limitation above shall be demonstrated by multiplying the emission factor of 84 pounds of CO per million cubic feet of natural gas fired (AP-42 Table 1.4-1 dated 7/98) by the emissions unit's maximum hourly combustion rate of natural gas (0.00147 MM cubic feet/hour).

c. Emission Limitation:

0.01 pound of PE per hour

Applicable Compliance Method:

Compliance with the hourly allowable PE limitation above shall be demonstrated by multiplying the emission factor of 7.6 pounds of PE per million cubic feet of natural gas fired (AP-42 Table 1.4-2 dated 7/98) by the emissions unit's maximum hourly combustion rate of natural gas (0.00147 MM cubic feet/hour).

d. Emission Limitation:

0.02 pound of OC per hour

Applicable Compliance Method:

Compliance with the hourly allowable OC emission limitation above shall be demonstrated by multiplying the emission factor of 11 pounds of OC per million cubic feet of natural gas fired (AP-42 Table 1.4-2 dated 7/98) by the emissions unit's maximum hourly combustion rate of natural gas (0.00147 MM cubic feet/hour).

e. Emission Limitation:

0.66 ton of NO_x per year

0.53 ton of CO per year

0.05 ton of PE per year

0.09 ton of OC per year

Applicable Compliance Method:

The annual allowable emission limitations above were determined by multiplying the hourly allowable emission limitation by 8760 hours per year, and then dividing by 2000 pounds per ton. Therefore, as long as compliance with the hourly allowable emission limitation is maintained, compliance with the annual allowable emission limitation shall be assumed.

f. Emission Limitation:

The OC emissions from this emissions unit shall not exceed 37.44 pounds per day.

Applicable Compliance Method:

Stack testing may be required in the future in accordance with the procedures and requirements in Methods 1-4, 18 and 25 of 40 CFR Part 60, Appendix A. The need for stack testing will be determined through facility inspections and/or significant change in oven operations.

g. Emission Limitation:

The OC emissions from this emissions unit shall not exceed 6.83 tons per year.

Applicable Compliance Method:

The annual allowable OC emission limitation above was determined by multiplying the daily allowable emission limitation by 365 days per year, and then dividing by 2000 pounds per ton. Therefore, as long as compliance with the daily allowable emission limitation is maintained, compliance with the annual allowable emission limitation shall be assumed.

g) Miscellaneous Requirements

- (1) Modeling to demonstrate compliance with, the "Toxic Air Contaminant Statute", ORC 3704.03(F)(4)(b), was not necessary because the emissions unit's maximum annual emissions for each toxic air contaminant, as defined in OAC rule 3745-114-01, will be less than 1.0 ton per year. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified Permit to Install and Operate (PTIO) prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any toxic air contaminant to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new PTIO.

2. Emissions Unit Group -Spray Dryers: P005, P011,

EU ID	Operations, Property and/or Equipment Description
P005	Anhydro Type III AK 6/8 Spray Dryer - Spray Dryer 2.
P011	Anhydro Type III AK 6/8 Spray Dryer - Spray Dryer 3.

- a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).
- (1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
- a. None.
- (2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
- a. g)(1).
- b) Applicable Emissions Limitations and/or Control Requirements
- (1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3)	<p>For emissions units P005 and P011: The particulate emissions (PE) from each emissions unit shall not exceed 0.2 pound per hour and 0.9 ton per year.</p> <p>For emissions units P005 and P011: The organic compound (OC) emissions from each emissions unit shall not exceed 42.72 pounds per day and 7.8 tons per year.</p> <p>For emissions units P005 and P011: The visible PE from the stack shall not exceed 5 percent opacity, as a six-minute average.</p>

b.	OAC rule 3745-17-07(A)	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
c.	OAC rule 3745-17-11	The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

(2) Additional Terms and Conditions

a. None.

c) Operational Restrictions

(1) None.

d) Monitoring and/or Recordkeeping Requirements

(1) In order to maintain compliance with the applicable emission limitation(s) contained in this permit, the acceptable range established for the pressure drop across each baghouse is between 2 to 9 inches of water.

(2) The permittee shall properly install, operate, and maintain equipment to continuously monitor the pressure drop, in inches of water, across each baghouse when the controlled emissions unit is in operation, including periods of startup and shutdown. The permittee shall record the pressure drop across each baghouse on daily basis. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s), with any modifications deemed necessary by the permittee.

Whenever the monitored value for the pressure drop deviates from the limit or range established in accordance with this permit, the permittee shall promptly investigate the cause of the deviation. The permittee shall maintain records of the following information for each investigation:

- a. the date and time the deviation began;
- b. the magnitude of the deviation at that time;
- c. the date the investigation was conducted;
- d. the name(s) of the personnel who conducted the investigation; and
- e. the findings and recommendations.

In response to each required investigation to determine the cause of a deviation, the permittee shall take prompt corrective action to bring the operation of the control equipment within the acceptable range specified in this permit, unless the permittee determines that corrective action is not necessary and documents the reasons for that

determination and the date and time the deviation ended. The permittee shall maintain records of the following information for each corrective action taken:

- a. a description of the corrective action;
- b. the date corrective action was completed;
- c. the date and time the deviation ended;
- d. the total period of time (in minutes) during which there was a deviation;
- e. the pressure drop readings immediately after the corrective action was implemented; and
- f. the name(s) of the personnel who performed the work.

Investigation and records required by this paragraph do not eliminate the need to comply with the requirements of OAC rule 3745-15-06 if it is determined that a malfunction has occurred.

- (3) This range or limit on the pressure drop across each baghouse is effective for the duration of this permit, unless revisions are requested by the permittee and approved in writing by the appropriate Ohio EPA District Office or local air agency. The permittee may request revisions to the permitted limit or range for the pressure drop based upon information obtained during future testing that demonstrate compliance with the allowable particulate emission rate for the controlled emissions unit(s). In addition, approved revisions to the range or limit will not constitute a relaxation of the monitoring requirements of this permit and may be incorporated into this permit by means of an administrative modification.

e) Reporting Requirements

- (1) The permittee shall identify in the annual permit evaluation report (PER) the following information concerning the operations of the baghouse during the 12-month reporting period for these emissions units:
 - a. each period of time (start time and date, and end time and date) when the pressure drop across the baghouse was outside of the acceptable range;
 - b. any period of time (start time and date, and end time and date) when the emissions unit(s) was/were in operation and the process emissions were not vented to the baghouse;
 - c. each incident of deviation described in [a] (above) where a prompt investigation was not conducted;
 - d. each incident of deviation described in [a] where prompt corrective action, that would bring the pressure drop into compliance with the acceptable range, was determined to be necessary and was not taken; and

- e. each incident of deviation described in [a] where proper records were not maintained for the investigation and/or the corrective action(s), as identified in the monitoring and record keeping requirements of this permit.
- (2) Annual PER forms will be mailed to the permittee at the end of the reporting period specified in the Authorization section of this permit. The permittee shall submit the PER in the form and manner provided by the director by the due date identified in the Authorization section of this permit. The PER shall cover a reporting period of no more than twelve-months for each air contaminant source identified in this permit.
- f) Testing Requirements
- (1) Compliance with the emission limitation(s) in b)(1) shall be determined in accordance with the following method(s):
- a. Emission Limitation:

For emissions units P005 and P011: The PE from each emissions unit shall not exceed 0.2 pound per hour.

Applicable Compliance Method:

If required, compliance with the hourly allowable PE limitation above shall be determined in accordance with Methods 1 - 5 of 40 CFR Part 60, Appendix A.
 - b. Emission Limitation:

For emissions units P005 and P011: The OC emissions from each emissions unit shall not exceed 42.72 pounds per day.

Applicable Compliance Method:

If required, the permittee shall demonstrate compliance with the daily allowable OC emission limitation above based on the results of emission testing conducted in accordance with Methods 1-4 and 18, 25, or 25A, as appropriate, of 40 CFR Part 60, Appendix A.
 - c. Emission Limitation:

For emissions units P005 and P011: The PE from each emissions unit shall not exceed 0.9 ton per year.

Applicable Compliance Method:

The annual allowable PE limitation above was determined by multiplying the hourly allowable emission limitation by 8760 hours per year, and then dividing by 2000 pounds per ton. Therefore, as long as compliance with the hourly allowable emission limitation is maintained, compliance with the annual allowable emission limitation shall be assumed.

d. Emission Limitation:

For emissions units P005 and P011: The OC emissions from each emissions unit shall not exceed 7.8 tons per year.

Applicable Compliance Method:

The annual allowable OC emission limitation above was determined by multiplying the daily allowable emission limitation by 365 days per year, and then dividing by 2000 pounds per ton. Therefore, as long as compliance with the daily allowable emission limitation is maintained, compliance with the annual allowable emission limitation shall be assumed.

e. Emission Limitation:

For emissions units P005 and P011: The visible PE from the stack shall not exceed 5 percent opacity, as a six-minute average.

Applicable Compliance Method:

If required, compliance with the visible PE limitation above shall be determined through visible emissions observations performed in accordance with OAC rule 3745-17-03(B)(1).

g) Miscellaneous Requirements

- (1) Modeling to demonstrate compliance with, the "Toxic Air Contaminant Statute", ORC 3704.03(F)(4)(b), was not necessary because the emissions unit's maximum annual emissions for each toxic air contaminant, as defined in OAC rule 3745-114-01, will be less than 1.0 ton per year. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified Permit to Install and Operate (PTIO) prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any toxic air contaminant to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new PTIO.