



Environmental Protection Agency

John R. Kasich, Governor
Mary Taylor, Lt. Governor
Scott J. Nally, Director

6/2/2011

David Jones
Lafarge - Marblehead Quarry
10325 State Route 43
STREETSBORO, OH 44241

RE: FINALAIR POLLUTION PERMIT-TO-INSTALL AND OPERATE
Facility ID: 0362000042
Permit Number: P0108185
Permit Type: Renewal
County: Ottawa

Certified Mail

No	TOXIC REVIEW
No	PSD
No	SYNTHETIC MINOR TO AVOID MAJOR NSR
No	CEMS
No	MACT/GACT
Yes	NSPS
No	NESHAPS
No	NETTING
No	MAJOR NON-ATTAINMENT
No	MODELING SUBMITTED
No	SYNTHETIC MINOR TO AVOID TITLE V
No	FEDERALLY ENFORCABLE PTIO (FEPTIO)

Dear Permit Holder:

Enclosed please find a final Air Pollution Permit-to-Install and Operate (PTIO) which will allow you to install, modify, and/or operate the described emissions unit(s) in the manner indicated in the permit. Because this permit contains conditions and restrictions, please read it very carefully. Please complete a survey at www.epa.ohio.gov/dapc/permitsurvey.aspx and give us feedback on your permitting experience. We value your opinion.

The issuance of this PTI is a final action of the Director and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer Josh Mandel," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, OH 43215

If you have any questions, please contact Ohio EPA DAPC, Northwest District Office at (419)352-8461 or the Office of Compliance Assistance and Pollution Prevention at (614) 644-3469. This permit can be accessed electronically on the DAPCWeb page, www.epa.ohio.gov/dapc, by clicking the "Issued Air Pollution Control Permits" link.

Sincerely,

Michael W. Ahern, Manager
Permit Issuance and Data Management Section, DAPC

Cc: Ohio EPA-NWDO



FINAL

**Division of Air Pollution Control
Permit-to-Install and Operate
for
Lafarge - Marblehead Quarry**

Facility ID:	0362000042
Permit Number:	P0108185
Permit Type:	Renewal
Issued:	6/2/2011
Effective:	6/2/2011
Expiration:	6/2/2021



Division of Air Pollution Control
Permit-to-Install and Operate
for
Lafarge - Marblehead Quarry

Table of Contents

Authorization 1
A. Standard Terms and Conditions 3
1. What does this permit-to-install and operate ("PTIO") allow me to do?..... 4
2. Who is responsible for complying with this permit? 4
3. What records must I keep under this permit? 4
4. What are my permit fees and when do I pay them?..... 4
5. When does my PTIO expire, and when do I need to submit my renewal application? 4
6. What happens to this permit if my project is delayed or I do not install or modify my source? 5
7. What reports must I submit under this permit? 5
8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit? 5
9. What are my obligations when I perform scheduled maintenance on air pollution control equipment? ... 5
10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report? 6
11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located? 6
12. What happens if one or more emissions units operated under this permit is/are shut down permanently? 6
13. Can I transfer this permit to a new owner or operator?..... 7
14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"? 7
15. What happens if a portion of this permit is determined to be invalid? 7
B. Facility-Wide Terms and Conditions..... 8
C. Emissions Unit Terms and Conditions 10
1. F001, RAW MATERIAL CRUSHING, SCREENING & LOADING..... 11

Authorization

Facility ID: 0362000042
Application Number(s): A0041961
Permit Number: P0108185
Permit Description: This is a Renewal PTIO for an aggregate processing plant (emission unit F001).
Permit Type: Renewal
Permit Fee: \$0.00
Issue Date: 6/2/2011
Effective Date: 6/2/2011
Expiration Date: 6/2/2021
Permit Evaluation Report (PER) Annual Date: Jan 1 - Dec 31, Due Feb 15

This document constitutes issuance to:

Lafarge - Marblehead Quarry
522 LIMESTONE DRIVE
Marblehead, OH 43440

of a Permit-to-Install and Operate for the emissions unit(s) identified on the following page.


Ohio EPA District Office or local air agency responsible for processing and administering your permit:

Ohio EPA DAPC, Northwest District Office
347 North Dunbridge Road
Bowling Green, OH 43402
(419)352-8461

The above named entity is hereby granted this Permit-to-Install and Operate for the air contaminant source(s) (emissions unit(s)) listed in this section pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the described emissions unit(s) will operate in compliance with applicable State and federal laws and regulations.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency


Scott J. Nally
Director



Authorization (continued)

Permit Number: P0108185

Permit Description: This is a Renewal PTIO for an aggregate processing plant (emission unit F001).

Permits for the following Emissions Unit(s) or groups of Emissions Units are in this document as indicated below:

Emissions Unit ID:

F001

Company Equipment ID:

RAW MATERIAL CRUSHING, SCREENING & LOADING

Superseded Permit Number:

03-17040

General Permit Category and Type:

Not Applicable

A. Standard Terms and Conditions

1. What does this permit-to-install and operate ("PTIO") allow me to do?

This permit allows you to install and operate the emissions unit(s) identified in this PTIO. You must install and operate the unit(s) in accordance with the application you submitted and all the terms and conditions contained in this PTIO, including emission limits and those terms that ensure compliance with the emission limits (for example, operating, recordkeeping and monitoring requirements).

2. Who is responsible for complying with this permit?

The person identified on the "Authorization" page, above, is responsible for complying with this permit until the permit is revoked, terminated, or transferred. "Person" means a person, firm, corporation, association, or partnership. The words "you," "your," or "permittee" refer to the "person" identified on the "Authorization" page above.

The permit applies only to the emissions unit(s) identified in the permit. If you install or modify any other equipment that requires an air permit, you must apply for an additional PTIO(s) for these sources.

3. What records must I keep under this permit?

You must keep all records required by this permit, including monitoring data, test results, strip-chart recordings, calibration data, maintenance records, and any other record required by this permit for five years from the date the record was created. You can keep these records electronically, provided they can be made available to Ohio EPA during an inspection at the facility. Failure to make requested records available to Ohio EPA upon request is a violation of this permit requirement.

4. What are my permit fees and when do I pay them?

There are two fees associated with permitted air contaminant sources in Ohio:

- PTIO fee. This one-time fee is based on a fee schedule in accordance with Ohio Revised Code (ORC) section 3745.11, or based on a time and materials charge for permit application review and permit processing if required by the Director.

You will be sent an invoice for this fee after you receive this PTIO and payment is due within 30 days of the invoice date. You are required to pay the fee for this PTIO even if you do not install or modify your operations as authorized by this permit.

- Annual emissions fee. Ohio EPA will assess a separate fee based on the total annual emissions from your facility. You self-report your emissions in accordance with Ohio Administrative Code (OAC) Chapter 3745-78. This fee assessed is based on a fee schedule in ORC section 3745.11 and funds Ohio EPA's permit compliance oversight activities. Unless otherwise specified, facilities subject to one or more synthetic minor restrictions must use Ohio EPA's "Air Services" to submit annual emissions associated with this permit requirement. Ohio EPA will notify you when it is time to report your emissions and to pay your annual emission fees.

5. When does my PTIO expire, and when do I need to submit my renewal application?

This permit expires on the date identified at the beginning of this permit document (see "Authorization" page above) and you must submit a renewal application to renew the permit. Ohio EPA will send a renewal notice to you approximately six months prior to the expiration date of this permit. However, it is

very important that you submit a complete renewal permit application (postmarked prior to expiration of this permit) even if you do not receive the renewal notice.

If a complete renewal application is submitted before the expiration date, Ohio EPA considers this a timely application for purposes of ORC section 119.06, and you are authorized to continue operating the emissions unit(s) covered by this permit beyond the expiration date of this permit until final action is taken by Ohio EPA on the renewal application.

6. What happens to this permit if my project is delayed or I do not install or modify my source?

This PTIO expires 18 months after the issue date identified on the "Authorization" page above unless otherwise specified if you have not (1) started constructing the new or modified emission sources identified in this permit, or (2) entered into a binding contract to undertake such construction. This deadline can be extended by up to 12 months, provided you apply to Ohio EPA for this extension within a reasonable time before the 18-month period has ended and you can show good cause for any such extension.

7. What reports must I submit under this permit?

An annual permit evaluation report (PER) is required in addition to any malfunction reporting required by OAC rule 3745-15-06 or other specific rule-based reporting requirement identified in this permit. Your PER due date is identified in the Authorization section of this permit.

8. If I am required to obtain a Title V operating permit in the future, what happens to the operating provisions and PER obligations under this permit?

If you are required to obtain a Title V permit under OAC Chapter 3745-77 in the future, the permit-to-operate portion of this permit will be superseded by the issued Title V permit. From the effective date of the Title V permit forward, this PTIO will effectively become a PTI (permit-to-install) in accordance with OAC rule 3745-31-02(B). The following terms and conditions will no longer be applicable after issuance of the Title V permit: Section B, Term 1.b) and Section C, for each emissions unit, Term a)(2).

The PER requirements in this permit remain effective until the date the Title V permit is issued and is effective, and cease to apply after the effective date of the Title V permit. The final PER obligation will cover operations up to the effective date of the Title V permit and must be submitted on or before the submission deadline identified in this permit on the last day prior to the effective date of the Title V permit.

9. What are my obligations when I perform scheduled maintenance on air pollution control equipment?

You must perform scheduled maintenance of air pollution control equipment in accordance with OAC rule 3745-15-06(A). If scheduled maintenance requires shutting down or bypassing any air pollution control equipment, you must also shut down the emissions unit(s) served by the air pollution control equipment during maintenance, unless the conditions of OAC rule 3745-15-06(A)(3) are met. Any emissions that exceed permitted amount(s) under this permit (unless specifically exempted by rule) must be reported as deviations in the annual permit evaluation report (PER), including nonexempt excess emissions that occur during approved scheduled maintenance.

10. Do I have to report malfunctions of emissions units or air pollution control equipment? If so, how must I report?

If you have a reportable malfunction of any emissions unit(s) or any associated air pollution control system, you must report this to the Ohio EPA DAPC, Northwest District Office in accordance with OAC rule 3745-15-06(B). Malfunctions that must be reported are those that result in emissions that exceed permitted emission levels. It is your responsibility to evaluate control equipment breakdowns and operational upsets to determine if a reportable malfunction has occurred.

If you have a malfunction, but determine that it is not a reportable malfunction under OAC rule 3745-15-06(B), it is recommended that you maintain records associated with control equipment breakdown or process upsets. Although it is not a requirement of this permit, Ohio EPA recommends that you maintain records for non-reportable malfunctions.

11. Can Ohio EPA or my local air agency inspect the facility where the emission unit(s) is/are located?

Yes. Under Ohio law, the Director or his authorized representative may inspect the facility, conduct tests, examine records or reports to determine compliance with air pollution laws and regulations and the terms and conditions of this permit. You must provide, within a reasonable time, any information Ohio EPA requests either verbally or in writing.

12. What happens if one or more emissions units operated under this permit is/are shut down permanently?

Ohio EPA can terminate the permit terms associated with any permanently shut down emissions unit. "Shut down" means the emissions unit has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent "modification" or "installation" as defined in OAC Chapter 3745-31.

You should notify Ohio EPA of any emissions unit that is permanently shut down by submitting¹ a certification that identifies the date on which the emissions unit was permanently shut down. The certification must be submitted by an authorized official from the facility. You cannot continue to operate an emissions unit once the certification has been submitted to Ohio EPA by the authorized official.

You must comply with all recordkeeping and reporting for any permanently shut down emissions unit in accordance with the provisions of the permit, regulations or laws that were enforceable during the period of operation, such as the requirement to submit a PER, air fee emission report, or malfunction report. You must also keep all records relating to any permanently shutdown emissions unit, generated while the emissions unit was in operation, for at least five years from the date the record was generated.

Again, you cannot resume operation of any emissions unit certified by the authorized official as being permanently shut down without first applying for and obtaining a permit pursuant to OAC Chapter 3745-31.

¹Permittees that use Ohio EPA's "Air Services" can mark the affected emissions unit(s) as "permanently shutdown" in the facility profile along with the date the emissions unit(s) was permanently removed and/or disabled. Submitting the facility profile update will constitute notifying of the permanent shutdown of the affected emissions unit(s).

13. Can I transfer this permit to a new owner or operator?

You can transfer this permit to a new owner or operator. If you transfer the permit, you must follow the procedures in OAC Chapter 3745-31, including notifying Ohio EPA or the local air agency of the change in ownership or operator. Any transferee of this permit must assume the responsibilities of the transferor permit holder.

14. Does compliance with this permit constitute compliance with OAC rule 3745-15-07, "air pollution nuisance"?

This permit and OAC rule 3745-15-07 prohibit operation of the air contaminant source(s) regulated under this permit in a manner that causes a nuisance. Ohio EPA can require additional controls or modification of the requirements of this permit through enforcement orders or judicial enforcement action if, upon investigation, Ohio EPA determines existing operations are causing a nuisance.

15. What happens if a portion of this permit is determined to be invalid?

If a portion of this permit is determined to be invalid, the remainder of the terms and conditions remain valid and enforceable. The exception is where the enforceability of terms and conditions are dependent on the term or condition that was declared invalid.

B. Facility-Wide Terms and Conditions

1. This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).
 - a) For the purpose of a permit-to-install document, the facility-wide terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (1) None.
 - b) For the purpose of a permit-to-operate document, the facility-wide terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (1) None.

C. Emissions Unit Terms and Conditions



1. F001, RAW MATERIAL CRUSHING, SCREENING & LOADING

Operations, Property and/or Equipment Description:

Aggregate processing plant with loading, crushing, screening, and conveying

a) This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

(1) For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.

a. None.

(2) For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.

a. None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operation(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures are identified below. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05 (A)(3)	28.25 tons fugitive particulate emissions (PE)/year 10.11 tons fugitive particulate matter less than 10 microns (PM10)/year best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust [See b)(2)a. through b)(2)c.] See b)(2)d.
b.	OAC rule 3745-17-07 (B)	See b)(2)e.
c.	OAC rule 3745-17-08 (B)	See b)(2)f.
d.	40 CFR, Part 60, Subpart OOO	Visible PE Restrictions [See b)(2)g.]

(2) Additional Terms and Conditions

- a. The permittee shall employ best available control measures for the material processing/handling operations identified below, for the purpose of ensuring compliance with the above mentioned applicable requirements. In accordance with the permit application, the permittee has committed to perform the following control measure(s) to ensure compliance:

<u>material handling operation</u>	<u>control measure(s)</u>
loading	reduced drop height
crushing and screening	water application, if needed
transfer/conveying	water application, if needed

Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.

- b. For each crushing, screening, and material handling operation that is not adequately enclosed, the above-identified control measures shall be implemented if the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measures are necessary to ensure compliance with the above-mentioned applicable requirements. Any required implementation of the control measures shall continue during the operation of the material handling operations until further observation confirms that use of the control measures is unnecessary.
- c. Implementation of the above-mentioned control measures in accordance with the terms and conditions of this permit is appropriate and sufficient to satisfy the requirements of OAC rule 3745-31-05.
- d. The requirements of this rule also include compliance with 40 CFR Part 60, Subpart OOO.
- e. This emissions unit is exempt from the visible particulate emission limitations specified in OAC rule 3745-17-07(B) pursuant to OAC rule 3745-17-07(B)(11)(e).
- f. Lafarge North America - Marblehead is not located within an "Appendix A" area as identified in OAC rule 3745-17-08. Therefore, pursuant to OAC rule 3745-17-08(A), this emissions unit is exempt from the requirements of OAC rule 3745-17-08(B)(1).
- g. Visible particulate emissions from the material processing equipment shall not exceed the opacity restrictions presented in the following tables. The material processing equipment can be used for two separate operating scenarios, denoted as Mode A and Mode B. The following tables present the opacity restrictions for the material processing equipment operating under the different modes.



The following table contains material processing equipment used in both Mode A and Mode B

Emission Point (Company ID)	Equipment Type	Opacity Limit as a 6-minute average, unless otherwise specified	Regulatory Basis for Limit
Truck unloading to Hopper/Feeder	Transfer Point	20%, as a 3-minute average	OAC rule 3745-31-05
Hopper/Feeder to Conveyor P-1	Transfer Point	10%	40 CFR, Part 60 Subpart 000
Hopper/Feeder to Primary Crusher	Transfer Point	15%	40 CFR, Part 60 Subpart 000
Primary Crusher	Crushing	15%	40 CFR, Part 60 Subpart 000
Primary Crusher to Conveyor P-1	Transfer Point	15%	40 CFR, Part 60 Subpart 000
Conveyor P-1 to Conveyor P-2	Transfer Point	10%	40 CFR, Part 60 Subpart 000
Conveyor P-2 to Conveyor P-3	Transfer Point	10%	40 CFR, Part 60 Subpart 000
Conveyor P-3 to Bin 3113401	Transfer Point	10%	40 CFR, Part 60 Subpart 000
Bin 3113401 to Belt Feeders F-1/F-2	Transfer Point	10%	40 CFR, Part 60 Subpart 000
Belt Feeders F-1/F-2 to Conveyor C-1	Transfer Point	10%	40 CFR, Part 60 Subpart 000
Conveyor C-1 to Conveyor C-2	Transfer Point	10%	40 CFR, Part 60 Subpart 000
Conveyor C-3 to Bin 3113402	Transfer Point	10%	40 CFR, Part 60 Subpart 000
Bin 3113402 to Belt Feeders F-6/F-7	Transfer Point	10%	40 CFR, Part 60 Subpart 000
Belt Feeders F-6/F-7 to Conveyor C-4E-W	Transfer Point	10%	40 CFR, Part 60 Subpart 000



Conveyor C-4E-W to Screen S-1/S-2	Transfer Point	10%	40 CFR, Part 60 Subpart 000
Screen S-1/S-2	Screen	10%	40 CFR, Part 60 Subpart 000
Screen S-1/S-2 to Conveyor C-6	Transfer Point	10%	40 CFR, Part 60 Subpart 000
Screen S-1/S-2 to Conveyor C-7	Transfer Point	10%	40 CFR, Part 60 Subpart 000
Screen C-44 to Conveyor C-45	Transfer Point	10%	40 CFR, Part 60 Subpart 000
Conveyor C-45 to Conveyor C-46	Transfer Point	10%	40 CFR, Part 60 Subpart 000
Conveyor C-46 to Conveyor C-47	Transfer Point	10%	40 CFR, Part 60 Subpart 000

The following table contains material processing equipment used in Mode A Only

Emission Point (Company ID)	Equipment Type	Opacity Limit as a 6-minute average, unless otherwise specified	Regulatory Basis for Limit
Screen S-1/S-2 to Conveyor C-8	Transfer Point	10%	40 CFR, Part 60 Subpart 000
Conveyor C-8 to C-12	Transfer Point	10%	40 CFR, Part 60 Subpart 000
Conveyor C-12 to Bin 3113403	Transfer Point	10%	40 CFR, Part 60 Subpart 000
Bin 3113403 to Belt Feeders F-8/F-9	Transfer Point	10%	40 CFR, Part 60 Subpart 000
Belt Feeders F-8/F-9 to Secondary Crusher	Transfer Point	15%	40 CFR, Part 60 Subpart 000
Secondary Crusher	Crusher	15%	40 CFR, Part 60 Subpart 000



Secondary Crusher to Conveyor C-13	Transfer Point	15%	40 CFR, Part 60 Subpart 000
Conveyor C-13 to Conveyor C-14	Transfer Point	10%	40 CFR, Part 60 Subpart 000
Conveyor C-14 to Bin 3113402	Transfer Point	10%	40 CFR, Part 60 Subpart 000
Conveyor C-7 to Conveyor C-12	Transfer Point	10%	40 CFR, Part 60 Subpart 000
Screen S-1/S-2 to Conveyor C-5	Transfer Point	10%	40 CFR, Part 60 Subpart 000
Conveyor C-5 to Conveyor C-9	Transfer Point	10%	40 CFR, Part 60 Subpart 000
Conveyor C-9 to Conveyor C-15	Transfer Point	10%	40 CFR, Part 60 Subpart 000
Conveyor C-18 to Conveyor C-19	Screen	10%	40 CFR, Part 60 Subpart 000
Conveyor C-19 to Conveyor C-20	Transfer Point	10%	40 CFR, Part 60 Subpart 000
Conveyor C-20 to Conveyor C-21	Transfer Point	10%	40 CFR, Part 60 Subpart 000

The following table contains material processing equipment used in Mode B Only

Emission Point (Company ID)	Equipment Type	Opacity Limit as a 6-minute average, unless specified otherwise	Regulatory Basis for Limit
Conveyor C-6 to Conveyor C-10	Transfer Point	10%	40 CFR, Part 60 Subpart 000
Conveyor C-10 to Feeder F-54	Transfer Point	10%	40 CFR, Part 60 Subpart 000
Feeder F-54 to Conveyor C-10A	Transfer Point	10%	40 CFR, Part 60 Subpart 000



Feeder F-54 to Canica Crusher	Transfer Point	15%	40 CFR, Part 60 Subpart 000
Canica Crusher	Crushing	15%	40 CFR, Part 60 Subpart 000
Canica Crusher to Conveyor C-10A	Transfer Point	15%	40 CFR, Part 60 Subpart 000
Conveyor C-10A to Conveyor C-16	Transfer Point	10%	40 CFR, Part 60 Subpart 000
Conveyor C-7 to Conveyor C-11	Transfer Point	10%	40 CFR, Part 60 Subpart 000
Conveyor C-11 to Conveyor C-17	Transfer Point	10%	40 CFR, Part 60 Subpart 000
Conveyor C-22 to Bin 3113410	Transfer Point	10%	40 CFR, Part 60 Subpart 000
Bin 3113410 to Feeder F-28/F-29	Transfer Point	10%	40 CFR, Part 60 Subpart 000
Feeder F-28/F-29 to Conveyor C-23E-W	Transfer Point	10%	40 CFR, Part 60 Subpart 000
Conveyor C-23E-W to Screen S-3/S-4	Transfer Point	10%	40 CFR, Part 60 Subpart 000
Screen S-3/S-4	Screen	No Visible Emissions	40 CFR, Part 60 Subpart 000
Screen S-3/S-4 to Conveyor C-26	Transfer Point	No Visible Emissions	40 CFR, Part 60 Subpart 000
Conveyor C-26 to Conveyor C-29	Transfer Point	No Visible Emissions	40 CFR, Part 60 Subpart 000
Conveyor C-29 to Conveyor C-32	Transfer Point	No Visible Emissions	40 CFR, Part 60 Subpart 000
Conveyor C-43 to Conveyor C-44	Transfer Point	No Visible Emissions	40 CFR, Part 60 Subpart 000
Screen S-3/S-4 to Conveyor C-25	Transfer Point	No Visible Emissions	40 CFR, Part 60 Subpart 000



Conveyor C-25 to Conveyor C-28	Transfer Point	No Visible Emissions	40 CFR, Part 60 Subpart 000
Conveyor C-28 to Conveyor C-31	Transfer Point	No Visible Emissions	40 CFR, Part 60 Subpart 000
Conveyor C-42 to Conveyor C-44	Transfer Point	No Visible Emissions	40 CFR, Part 60 Subpart 000
Screen S-3/S-4 to Conveyor C-24	Transfer Point	No Visible Emissions	40 CFR, Part 60 Subpart 000
Conveyor C-24 to Conveyor C-27	Transfer Point	No Visible Emissions	40 CFR, Part 60 Subpart 000
Conveyor C-27 to Conveyor C-30	Transfer Point	No Visible Emissions	40 CFR, Part 60 Subpart 000
Conveyor C-41 to Conveyor C-44	Transfer Point	No Visible Emissions	40 CFR, Part 60 Subpart 000
Screen S-3/S-4 to Cyclones	Transfer Point	No Visible Emissions	40 CFR, Part 60 Subpart 000
Cyclones to Conveyor C-34	Transfer Point	No Visible Emissions	40 CFR, Part 60 Subpart 000
Conveyor C-34 to Conveyor C-35	Transfer Point	No Visible Emissions	40 CFR, Part 60 Subpart 000
Screen S-3/S-4 to Screws	Transfer Point	No Visible Emissions	40 CFR, Part 60 Subpart 000
Screws to Conveyor C-37	Transfer Point	No Visible Emissions	40 CFR, Part 60 Subpart 000
Conveyor C-37 to Conveyor C-38	Transfer Point	No Visible Emissions	40 CFR, Part 60 Subpart 000
Conveyor C-40 to Conveyor C-44	Transfer Point	No Visible Emissions	40 CFR, Part 60 Subpart 000
Screen S-3/S-4 to Conveyor C-23A	Transfer Point	No Visible Emissions	40 CFR, Part 60 Subpart 000
Conveyor C-23A to Bin/Feeder	Transfer Point	No Visible Emissions	40 CFR, Part 60 Subpart 000



Table with 4 columns: Equipment/Location, Activity, Emission Rate, and Regulatory Reference. Rows include Bin/Feeder to HP300 Crusher, Hp300 Crusher, HP300 Crusher to Conveyor C-23B, and Conveyor C-23B to Bin 3113410.

h. The application and enforcement of the provisions of NSPS, as promulgated by the United States Environmental Protection Agency, 40 CFR Part 60, are delegated to the Ohio Environmental Protection Agency. The requirements for 40 CFR Part 60 are also federally enforceable.

c) Operational Restrictions

(1) The maximum annual material throughput for this emission unit shall not exceed 6,000,000 tons. This restriction is based on the material throughput of the Hopper/Feeder.

d) Monitoring and/or Recordkeeping Requirements

(1) The permittee shall maintain monthly records of the amount (tons per month and total tons, to date, for the calendar year) of material processed through the Hopper/Feeder of this emissions unit.

(2) Except as otherwise provided in this section, for material handling operations that are not adequately enclosed, the permittee shall perform inspections of such operations in accordance with the following minimum frequencies:

Material Handling Operations Minimum Inspection Frequency

All Once During Each Day of Operation

(3) The above-mentioned inspections shall be performed during representative, normal operating conditions.

(4) The permittee shall maintain records of the following information:

- a. the date and reason any required inspection was not performed;
b. the date of each inspection where it was determined by the permittee that it was necessary to implement the control measure(s);
c. the dates the control measure(s) was (were) implemented; and

- d. on a calendar quarter basis, the total number of days the control measure(s) was (were) implemented.

The information in d)(4)d. shall be kept separately for each material handling operation identified above, and shall be updated on a calendar quarter basis within 30 days after the end of each calendar quarter.

e) Reporting Requirements

- (1) Annual Permit Evaluation Report (PER) forms will be mailed to the permittee at the end of the reporting period specified in the Authorization section of this permit. The permittee shall submit the PER in the form and manner provided by the director by the due date identified in the Authorization section of this permit. The permit evaluation report shall cover a reporting period of no more than twelve-months for each air contaminant source identified in this permit.
- (2) The permittee shall identify in the annual PER the following occurrences concerning inspection and control measure requirements:
- a. each day during which an inspection was not performed by the required frequency; and
- b. each instance when a control measure, that was to be performed as a result of an inspection, was not implemented.
- (3) The permittee shall submit written reports of the results of all performance tests conducted to demonstrate compliance with the standards set forth in 40 CFR, Part 60, Subpart OOO, including the reports of opacity observations using Method 9 to demonstrate compliance with this subpart.
- (4) The permittee shall submit the following information for each piece of equipment that is replaced by a piece of equipment having the same function as the existing facility:
- a. for a crusher, grinding mill, bucket elevator, bagging operations, or enclosed truck or railcar loading station:
- i. the rated capacity, in tons per hour, of the existing facility being replaced, and
- ii. the rated capacity, in tons per hour, of the replacement equipment;
- b. for a conveyor belt:
- i. the width of the existing belt being replaced, and
- ii. the width of the replacement conveyor belt;
- c. for a screening operation:
- i. the total surface area of the top screen of the existing screening operation being replaced, and

- ii. the total surface area of the top screen of the replacement screening operation

The notification shall be submitted within 30 days after the equipment replacement.

- (5) Pursuant to the general provisions of NSPS, the source owner/operator is hereby advised of the requirement to report the following at the appropriate times for the "new" equipment to be added to this emissions unit:
 - a. construction date (no later than 30 days after such date);
 - b. actual start-up date (within 15 days after such date); and
 - c. date of performance testing (if required, at least 30 days prior to testing).

Reports are to be sent to:

Ohio Environmental Protection Agency
DAPC - Permit Management Unit
Lazarus Government Center
P.O. Box 1049
Columbus, OH 43216-1049

and Ohio EPA, Northwest District Office
347 North Dunbridge Road
Bowling Green, OH 43402

f) Testing Requirements

- (1) The permittee shall conduct, or have conducted, emission testing for the following transfer points and crushing operation:

Screen S-3/S-4 to Conveyor C-23A, Conveyor C-23A to Bin/Feeder, Bin/Feeder to HP300 Crusher, HP300 Crusher, HP300 Crusher to Conveyor C-23B, Conveyor C-23B to Bin 3113410.
- (2) Testing shall be conducted in accordance with the provisions of 40 CFR Part 60, Subpart A, Section 60.8 and 40 CFR Part 60, Subpart OOO, Section 60.675.
- (3) The emission testing shall be conducted within 60 days after achieving the maximum production rate at which the affected facility will be operated, by not later than 180 days after initial startup of such facility and at such other times as may be required by the Ohio Environmental Protection Agency, Division of Air Pollution Control. The emission testing shall be conducted to demonstrate compliance with the allowable visible emission rates for particulate emissions. [The required testing was conducted on October 13, 2006.]

- (4) The following test methods shall be employed to demonstrate compliance with the allowable visible emissions rates:
- a. Method 9 of 40 CFR Part 60, Appendix A shall be used to determine opacity.
- (5) The tests shall be conducted while the emissions unit is operating at its maximum capacity, unless otherwise specified or approved by the Ohio EPA, Division of Air Pollution Control. Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the Ohio EPA, Division of Air Pollution Control. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operation parameters, the times and dates of the tests, and the person(s) who will be conducting the tests. Failure to submit such notification for review and approval prior to the tests may result in the Ohio EPA District Office's air agency's refusal to accept the results of the emission tests.
- (6) Personnel from the Ohio EPA District Office's air agency shall be permitted to witness the test, examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions unit and /or the performance of the control equipment. A comprehensive written report on the emissions tests shall be signed by the person or persons responsible for the tests and submitted to the Ohio EPA Division of Air Pollution Control within 30 days following completion of the tests.
- (7) Compliance with the Emissions Limitations and/or Control Requirements specified in section b) of these terms and conditions shall be determined in accordance with the following methods:
- a. Emission Limitation:

28.25 tons fugitive PE/year
10.11 tons fugitive PM10/year

Applicable Compliance Method:
The emission limitation is based on a maximum throughput rate of 6,000,000 tons per year with the plant operating in Mode A (the worst case emissions) and the following controlled emission factors from AP-42, Section 11.19.2 (8/04): 0.0012 lb PE/ton, 0.00054 lb PM10/ton for each crusher, 0.0022 lb PE/ton, 0.00074 lb PM10/ton for each screen and 0.00014 lb PE/ton, 0.000046 lb PM-10/ton for all the transfer points.

Therefore, provided compliance is shown with the annual throughput restriction and requirements of this permit to apply best available control measures, compliance with the ton per year PE and PM10 limitation shall also be demonstrated.
 - b. Emission Limitation:

Visible PE shall not exceed 20% opacity, as a 3-minute average during loading operations of the feeder or hopper.

Applicable Compliance Method:

If required, compliance shall be demonstrated using Test Method 9 as set forth in "Appendix on Test Methods" in 40 CFR, Part 60 (Standards of Performance for New Stationary Sources") as such Appendix existed on July 1, 2002, and the modifications listed in paragraphs (B)(3)(a) and (B)(3)(b) of OAC rule 3745-17-03.

c. Emission Limitation:

The permittee shall not cause to be discharged into the atmosphere from any crusher, at which a capture system is not used, fugitive emissions which exhibit greater than 15% opacity.

Applicable Compliance Method:

If required, compliance shall be demonstrated using Method 9 of 40 CFR, Part 60, Appendix A, and the procedures in 40 CFR, Part 60, Subpart OOO.

d. Emission Limitation:

The permittee shall not cause to be discharged into the atmosphere from any transfer point or screen any fugitive emissions which exhibit greater than 10% opacity.

Applicable Compliance Method:

If required, compliance shall be demonstrated using Method 9 of 40 CFR, Part 60, Appendix A, and the procedures in 40 CFR, Part 60, Subpart OOO.

e. Emission Limitation:

The permittee shall not cause to be discharged into the atmosphere any visible emissions from wet screening operations, bucket elevators, and belt conveyors that process saturated material in the production line up to the next crusher, grinding mill or storage bin.

Applicable Compliance Method:

If required, compliance shall be demonstrated using Method 22 of 40 CFR, Part 60, Appendix A, and the procedures in 40 CFR, Part 60, Subpart OOO.

g) Miscellaneous Requirements

(1) None.