Ohio EPA
State of Ohio Environmental Protection Agency

STREET ADDRESS:
1800 WaterMark Drive
Columbus, OH 43215-1099

TELE: (614) 644-3020 FAX: (614) 644-2329

MAILING ADDRESS:
P.O. Box 1049
Columbus, OH 43216-1049

May 25, 1995 CERTIFIED MAIL

Re: Modification to Permit to Install No. 01-5153
Licking County

Coughlin Chevrolet
1850 N. 21st Street
Newark, OH 43055

Attention: Jay Lawrence

Enclosed please find a modification to the Ohio EPA Permit to Install referenced above which will modify the terms and conditions.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Board of Review pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Board of Review within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Board. An appeal may be filed with the Environmental Board of Review at the following address: Environmental Board of Review, 236 East Town Street, Room 300, Columbus, OH 43215.

Very truly yours,

Thomas G. Rigo

Thomas G. Rigo, Manager
Field Operations and Permit Section
Division of Air Pollution Control

Enclosure

cc: US EPA
CENTRAL DISTRICT OFFICE, DAPC

State of Ohio Environmental Protection Agency

Permit to Install
Terms and Conditions

Issuance Date: May 25, 1995

Effective Date: May 25, 1995

OHIO ENVIRONMENTAL PROTECTION AGENCY

MODIFICATION TO PERMIT TO INSTALL

Name of Applicant: Coughlin Chevrolet
Address: 1850 N. 21st Street
City: Newark, OH 43055
Telephone: (614) 366-1371

The Ohio EPA has received a request for a modification for the Ohio EPA Permit to Install referenced above.

The Permit to Install issued to **Couglin Chevrolet** (PTI No. 01-5153) is hereby modified in the following manner:

Terms and Conditions on page 4 of Permit to Install issued October 5, 1994.

The reason for the modification is: **To make corrections to page 4 of PTI #01-5153 issued October 5, 1994 due to administrative error.**

The above named entity is hereby granted a modification to the permit to install described above pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this modification does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described source(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans included in the application, the above described source(s) of pollutants will be granted the necessary operating permits.

Ohio Environmental Protection Agency

Donald R Schregardus

Director

SOURCE OPERATION AFTER COMPLETION OF CONSTRUCTION

This facility is permitted to operate each source described by this permit to install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies.

AIR EMISSION SUMMARY

The air contaminant sources listed below comprise the Permit to Install for COUGHLIN CHEVROLET located in Licking County. The sources listed below shall not exceed the emission limits/control requirements contained in the table. This condition in no way limits the applicability of any other state or federal regulations. Additionally, this condition does not limit the applicability of additional special terms and conditions of this permit.

Ohio EPA Source Number	Source Identification Description	BAT Determination	Applicable Federal & OAC Rules	Permit Allowable Mass Emissions and/or Control/Usage Requirements
K001	Paint Booth (Blowtherm Ultra 1000)	Compliance w/ permitted emission limits, applicable rules, and Ohio Air Toxics Policy	3745-31-05 3745-21-09 (u)(2)(E)	3.1 lbS VOC/hr VOC content of of coating shall not exceed 7.48 lbs VOC/gallon Monthly coating usage shall not exceed 125 gals. per month. VOC content of clean-up material shall not exceed 6.94 lbs VOC/gals. Monthly cleanup material usage shall not exceed 15 gals. per month See additional Terms and Conditions

SUMMARY
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

Pollutant	Tons/Year
VOC	6.23

OhioEPA
State of Ohio Environmental Protection Agency

P.O. Box 1049, 1800 WaterMark Dr.
Columbus, Ohio 43266-0149
(614) 644-3020
FAX (614) 644-2329

George V. Voinovich
Governor

Re: Permit to Install
Licking County
Application No: 01-5153
TOXIC REVIEW

CERTIFIED MAIL

October 5, 1994

COUGHLIN CHEVROLET
JAY LAWRENCE
1850 N. 21ST ST.
NEWARK, OH 43055

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Board of Review pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Board of Review within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Board. An appeal may be filed with the Environmental Board of Review at the following address:

Environmental Board of Review
236 East Town Street, Room 300
Columbus, Ohio 43215

Very truly yours,

Thomas G. Rigo

Thomas G. Rigo, Manager
Field Operations & Permit Section
Division of Air Pollution Control

cc: US EPA
CENTRAL DISTRICT OFFICE, DAPC

Printed on recycled paper

State of Ohio Environmental Protection Agency

Permit to Install
Terms and Conditions

Application No. 01-5153
APS Premise No. 0145020334
Permit Fee: $400.00

Name of Facility: COUGHLIN CHEVROLET

Person to Contact: JAY LAWRENCE

Address: 1850 N. 21ST ST.
NEWARK, OH 43055

Location of proposed source(s): 1850 N. 21ST ST.
NEWARK, OHIO

Description of proposed source(s):
ONE PAINT BOOTH.

Date of Issuance: October 5, 1994

Effective Date: October 5, 1994

The above named entity is hereby granted a permit to install for the above described source(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described source(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described source(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Donald R Schregardus

Director

TERMINATION OF PERMIT TO INSTALL

Substantial construction for installation must take place within 18 months of the effective date of this permit. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

NOTICE OF INSPECTION

The Director of the Ohio Environmental Protection Agency, or his authorized representatives, may enter upon the premises of the above-named applicant during construction and operation at any reasonable time for the purpose of making inspections, conducting tests, or to examine records or reports pertaining to the construction, modification or installation of the source(s) of environmental pollutants identified within this permit.

CONSTRUCTION OF NEW SOURCES(S)

The proposed source(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed sources are inadequate or cannot meet applicable standards.

If the construction of the proposed source(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of Ohio Administrative Code (OAC) Rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to

the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities prove to be inadequate or cannot meet applicable standards.

PERMIT TO INSTALL FEE

In accordance with Ohio Revised Code 3745.11, the specified Permit to Install fee must be remitted within 15 days of the effective date of this permit to install.

PUBLIC DISCLOSURE

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC Rule 3745-49-03.

APPLICABILITY

This Permit to Install is applicable only to the contaminant sources identified. Separate application must be made to the Director for the installation or modification of any other contaminant sources.

BEST AVAILABLE TECHNOLOGY

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

PERMIT TO OPERATE APPLICATION

A Permit to Operate application must be submitted to the appropriate field office for each air contaminant source in this Permit to Install. In accordance with OAC Rule 3745-35-02, the application shall be made at least 90 days prior to start-up of the source.

NINETY DAY OPERATING PERIOD

The facility will be permitted to operate during a 90-day period in accordance with OAC Rule 3745-35-02(C)(4)(b). The purpose of this period of operation is to fulfill the performance tests conditions used in the determination of compliance with the provisions of this Permit to Install or other applicable Ohio EPA rules.

SOURCE OPERATION AFTER COMPLETION OF CONSTRUCTION

This facility is permitted to operate each source described by this permit to install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies.

AIR EMISSION SUMMARY

The air contaminant sources listed below comprise the Permit to Install for COUGHLIN CHEVROLET located in Licking County. The sources listed below shall not exceed the emission limits/control requirements contained in the table. This condition in no way limits the applicability of any other state or federal regulations. Additionally, this condition does not limit the applicability of additional special terms and conditions of this permit.

Ohio EPA Source Number	Source Identification Description	BAT Determination	Applicable Federal & OAC Rules	Permit Allowable Mass Emissions and/or Control/Usage Requirements
K001	Paint Booth (Blowtherm Ultra 1000)	Compliance w/ permitted emission limits, applicable rules, and Ohio Air Toxics Policy	3745-31-05 3745-21-09 (u)(2)(E)	3.1 lbS VOC/hr VOC content of of coating shall not exceed 7.48 16 VOC/gallons monthly coating usage shall not exceed 125 gals. per month. VOC content of clean-up material shall not exceed 6.94 lbs VOC/gals. Monthly cleanup material usage shall not exceed 15 gals. per month See additional Terms and Conditions

SUMMARY
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

Pollutant	Tons/Year
VOC	6.23

RECORD(S) RETENTION AND AVAILABILITY

All records required by this Permit to Install shall be retained on file for a period of not less than three years unless otherwise indicated by Ohio Environmental Protection Agency. All records shall be made available to the Director, or any representative of the Director, for review during normal business hours.

REPORTING REQUIREMENTS

Unless otherwise specified, reports required by the Permit to Install need only be submitted to OEPA Central District Office - DAPC, 2305 Westbrooke Drive, Bldg. C, Box 2198, Columbus, Ohio 43266-2198.

WASTE DISPOSAL

The owner/operator shall comply with any applicable state and federal requirements governing the storage, treatment, transport and disposal of any waste material generated by the operation of the sources.

MAINTENANCE OF EQUIPMENT

This source and its associated air pollution control system(s) shall be maintained regularly in accordance with good engineering practices and the recommendations of the respective manufacturers in order to minimize air contaminant emissions.

MALFUNCTION/ABATEMENT

In accordance with OAC RULE 3745-15-06, any malfunction of the source(s) or associated air pollution control system(s) shall be reported immediately to the OEPA Central District Office - DAPC, 2305 Westbrooke Drive, Bldg. C, Box 2198, Columbus, Ohio 43266-2198.

Except as provided by OAC Rule 3745-15-06(A)(3), scheduled maintenance of air pollution control equipment that requires the shutdown or bypassing of air pollution control system(s) must be accompanied by the shutdown of the associated air pollution sources.

AIR POLLUTION NUISANCES PROHIBITED

The air contaminant source(s) identified in this permit may not cause a public nuisance in violation of OAC Rule 3745-15-07.

ADDITIONAL SPECIAL TERMS AND CONDITIONS

1. This facility shall maintain the following daily records for the OC containing material, including cleanup materials, employed in K001.

   a. the identification for each material;

   b. the Organic Compound (OC) and VOC content of each material, as applied;

   c. the water content and exempt solvent content, in percent by volume, for each material;

   d. the total number of gallons of each material employed;

   e. identification of the type (topcoat or primer) of coating employed; and

   f. the amount (gallons) of each material reclaimed and the OC/VOC content of each reclaimed material for which VOC emissions reduction credit is taken for recovery.

These records, as well as any supporting calculations or analytical data, shall be retained in the facility's files for a minimum period of three years and shall be made available to the Director or any authorized representative of the Director for review, upon request.

2. In accordance with OAC rule 3745-21-09(B)(3)(g), the owner or operator of K001 shall notify the Ohio EPA, Central District Office (CDO) of any daily record showing the use of noncomplying coatings or noncompliance with any other requirement of this permit. A copy of such record shall be sent to the CDO within thirty days following the end of the calendar month.

APPLICATION NUMBER: 01 45 02 0334/K001

FACILITY NAME: Coughlin Chevrolet

EQUIPMENT DESC.: Paint Spray Booth

COMPANY ID: Blow Therm Ultra 1000

ADDITIONAL STANDARD TERMS AND CONDITIONS

1. **Applicable State Regulation(s)**

The following rules of the Ohio Administrative Code establish the applicable emission limitations and/or control requirements for this source:

OAC 3745-21-09
OAC 3745-21-09(U)(2)(E)

(This condition in no way limits the applicability of other requirements of the Ohio Administrative Code to this source.)

2. **Allowable Emission Limitation(s)**

The emissions from this source shall not exceed the following:

3.1 lbs VOC/hr
7.48 lb VOC/gallon coating minus water and exempt solvent
6.94 lb VOC/gallon clean up material - minus water and exempt solvent
125 gallons coating/month
6.23 tons VOC/year

3. **RecordKeeping Requirements for Surface Coating Lines**

This facility shall maintain hourly and daily records which list the following information about the coatings employed in this source.

(a) the company identification of the surface coating, ink or cleanup material employed;

(b) the number of gallons employed;

(c) the VOC content, in pounds of VOC per gallon of coating;

(d) the VOC content, in pounds of VOC per gallon of coating, minus water and exempt solvent;

(e) the water and exempt solvent content, in percent by volume;

(f) the nonvolatile (solids) content, in percent by volume;

(g) the gallons of cleanup material used;

(h) the density (in pounds per gallon) of the cleanup material used;

(i) total hours of daily operation; and

(j) calculations determining compliance with emission limits set forth in term #2, including total daily VOC emissions.

The VOC content shall be determined by USEPA Method 24 (40 CFR Part 60).

These records, as well as any supporting coating analyses and computations, shall be retained in the company's files for a period of not less than three years and shall be made available to the Director or any authorized representative of the Director for review, upon request.

This facility shall notify the Central District Office of any daily record showing the use of noncomplying coatings or exceedances of permitted emission limits. A copy of such records shall be sent to the Central District Office within thirty days following the end of the calendar month in which the violation occurred.

4. **Nuisance**

This source shall not cause a nuisance in violation of OAC rule 3745-15-07.

Prepared By: Jay McCoy

Date Revised: March 6, 1995