



State of Ohio Environmental Protection Agency

**RE: FINAL PERMIT TO INSTALL  
LORAIN COUNTY**

**CERTIFIED MAIL**

Street Address:

122 S. Front Street

Lazarus Gov. Center TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center  
P.O. Box 1049

**Application No: 02-18030**

**DATE: 7/22/2003**

PolyOne Corporation  
Denny Lugar  
Moore and Walker Rds  
Avon Lake, OH 44012

Enclosed please find an Ohio EPA Permit to Install which will allow you to install the described source(s) in a manner indicated in the permit. Because this permit contains several conditions and restrictions, I urge you to read it carefully.

The Ohio EPA is urging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Pollution Prevention at (614) 644-3469.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
309 South Fourth Street, Room 222  
Columbus, Ohio 43215

Sincerely,

Michael W. Ahern, Supervisor  
Field Operations and Permit Section  
Division of Air Pollution Control

cc: USEPA

NEDO



**Permit To Install  
Terms and Conditions**

**Issue Date: 7/22/2003  
Effective Date: 7/22/2003**

**FINAL PERMIT TO INSTALL 02-18030**

Application Number: 02-18030  
APS Premise Number: 0247030884  
Permit Fee: **\$800**  
Name of Facility: PolyOne Corporation  
Person to Contact: Denny Lugar  
Address: Moore and Walker Rds  
Avon Lake, OH 44012

Location of proposed air contaminant source(s) [emissions unit(s)]:

**Moore and Walker Rds  
Avon Lake, Ohio**

Description of proposed emissions unit(s):

**D Compounding line.**

The above named entity is hereby granted a Permit to Install for the above described emissions unit(s) pursuant to Chapter 3745-31 of the Ohio Administrative Code. Issuance of this permit does not constitute expressed or implied approval or agreement that, if constructed or modified in accordance with the plans included in the application, the above described emissions unit(s) of environmental pollutants will operate in compliance with applicable State and Federal laws and regulations, and does not constitute expressed or implied assurance that if constructed or modified in accordance with those plans and specifications, the above described emissions unit(s) of pollutants will be granted the necessary permits to operate (air) or NPDES permits as applicable.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Director

## Part I - GENERAL TERMS AND CONDITIONS

### A. Permit to Install General Terms and Conditions

#### 1. Compliance Requirements

The emissions unit(s) identified in this Permit to Install shall remain in full compliance with all applicable State laws and regulations and the terms and conditions of this permit.

#### 2. Reporting Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

#### 3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

#### 4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized

representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

**5. Scheduled Maintenance/Malfunction Reporting**

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

**6. Permit Transfers**

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

**7. Air Pollution Nuisance**

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

**8. Termination of Permit to Install**

This Permit to Install shall terminate within eighteen months of the effective date of the Permit to Install if the owner or operator has not undertaken a continuing program of installation or modification or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation or modification. This deadline may be extended by up to 12 months if application is made to the Director within a reasonable time before the termination date and the party shows good cause for any such extension.

**9. Construction of New Sources(s)**

The proposed emissions unit(s) shall be constructed in strict accordance with the plans and application submitted for this permit to the Director of the Ohio Environmental Protection Agency. There may be no deviation from the approved plans without the express, written approval of the Agency. Any deviations from the approved plans or the above conditions may lead to such sanctions and penalties as provided under Ohio law. Approval of these plans does not constitute an assurance that the proposed facilities will operate in compliance with all Ohio laws and regulations. Additional facilities shall be installed upon orders of the Ohio

Environmental Protection Agency if the proposed sources cannot meet the requirements of this permit or cannot meet applicable standards.

If the construction of the proposed emissions unit(s) has already begun or has been completed prior to the date the Director of the Environmental Protection Agency approves the permit application and plans, the approval does not constitute expressed or implied assurance that the proposed facility has been constructed in accordance with the approved plans. The action of beginning and/or completing construction prior to obtaining the Director's approval constitutes a violation of OAC rule 3745-31-02. Furthermore, issuance of the Permit to Install does not constitute an assurance that the proposed source will operate in compliance with all Ohio laws and regulations. Approval of the plans in any case is not to be construed as an approval of the facility as constructed and/or completed. Moreover, issuance of the Permit to Install is not to be construed as a waiver of any rights that the Ohio Environmental Protection Agency (or other persons) may have against the applicant for starting construction prior to the effective date of the permit. Additional facilities shall be installed upon orders of the Ohio Environmental Protection Agency if the proposed facilities cannot meet the requirements of this permit or cannot meet applicable standards.

**10. Public Disclosure**

The facility is hereby notified that this permit, and all agency records concerning the operation of this permitted source, are subject to public disclosure in accordance with OAC rule 3745-49-03.

**11. Applicability**

This Permit To Install is applicable only to the emissions unit(s) identified in the Permit To Install. Separate Permit To Install for the installation or modification of any other emissions unit(s) are required for any emissions unit for which a Permit To Install is required.

**12. Best Available Technology**

As specified in OAC Rule 3745-31-05, all new sources must employ Best Available Technology (BAT). Compliance with the terms and conditions of this permit will fulfill this requirement.

**13. Source Operation and Operating Permit Requirements After Completion of Construction**

This facility is permitted to operate each source described by this Permit to Install for a period of up to one year from the date the source commenced operation. This permission to operate is granted only if the facility complies with all requirements contained in this permit and all applicable air pollution laws, regulations, and policies. Pursuant to OAC Chapter 3745-35, the permittee shall submit a complete operating permit application within ninety (90) days after commencing operation of the emissions unit(s) covered by this permit.

**14. Construction Compliance Certification**

The applicant shall provide Ohio EPA with a written certification (see enclosed form) that the facility has been constructed in accordance with the Permit to Install application and the terms and conditions of the Permit to Install. The certification shall be provided to Ohio EPA upon completion of construction but prior to startup of the source.

**15. Fees**

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78. The permittee shall pay all applicable Permit to Install fees within 30 days after the issuance of this Permit to Install.

**B. Permit to Install Summary of Allowable Emissions**

The following information summarizes the total allowable emissions, by pollutant, based on the individual allowable emissions of each air contaminant source identified in this permit.

SUMMARY (for informational purposes only)  
TOTAL PERMIT TO INSTALL ALLOWABLE EMISSIONS

<u>Pollutant</u>	<u>Tons Per Year</u>
PE	13.82
VOC	2.15

## **PART II - SPECIAL TERMS AND CONDITIONS FOR SPECIFIC EMISSIONS UNIT(S)**

### **A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operations(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
P014 - D Extruder Line, Bldg 438, conversion of PVC resin with pigments/additives to thermoplastic PVC pellets through an extrusion process. Terms in this permit supercede those identified in PTI 02-9936 issued 3/20/96.	OAC rule 3745-31-05(A)(3)	Particulate emissions shall not exceed 4.01 lbs/hr; and 13.82 tpy. See Sections A.2.a.
	OAC rule 3745-17-11(B)	Organic emissions shall not exceed 0.49 lbs/hr; and 2.15 tpy.
	OAC rule 3745-17-07(A)(1)	See Section A.2.b.  Visible particulate emissions from any stack shall not exceed 20% opacity, as a 6-minute average, except as provided by rule.

### **2. Additional Terms and Conditions**

- 2.a The requirements of this rule also include compliance with the requirements of OAC rule 3745-17-07(A)(1).
- 2.b The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
- 2.c The emission unit consists of the following emissions points:

Emissions  
Points

Control Devices  
Types

"D" Line - CaCO <sub>3</sub> Silo (1D)	fabric filter (SED-1M)
"D" Line - CaCO <sub>3</sub> Day Bin (2D)	fabric filter (SED-1/HPR-1D)
"D" Line - Resin Day Bin (3D A&B)	fabric filter (SED-1/HPR-3D)
"D" Line - Vacuum Cleaner System (4D)	fabric filter (VAC-1D)
"D" Line - BBUs, Miscellaneous (5D)	fabric filter (SED-5D)
"D" Line - Surge, Miscellaneous (5D)	fabric filter
"D" Line - Dry Blend, Miscellaneous (5D)	fabric filter (SED-5D)
"D" Line - Rework Transfer (6D)	cyclone/fabric filter (SED-1D, SED-2D)
"D" Line - Farrel/Mill process vent (7D)	none
"D" Line - Strip tank venting (8D)	none
"D" Line - Product collector (9D)	fabric filter (Packaging Baghouse 20C)
"D" Line - Weigh booths (10D)	fabric filter (WB-1D)
"D" Line - Resin Unloading (13D)	fabric filter
"D" Line - Quality Bin Dust Collector (16D)	fabric filter

## B. Operational Restrictions

- The pressure drop across each control device listed below shall be maintained within the allowable pressure drop operating range while the emissions unit is in operation.

Emissions Points	Control Devices Types	Allowable Pressure Drop Operating Ranges, in H <sub>2</sub> O
"D" Line - CaCO <sub>3</sub> Silo (1D)	fabric filter (SED-1M)	2-6
"D" Line - CaCO <sub>3</sub> Day Bin (2D)	fabric filter (SED-1/HPR-1D)	2-6
"D" Line - Resin Day Bin (3D A&B)	fabric filter (SED-1/HPR-3D)	2-6
"D" Line - Vacuum Cleaner System (4D)	fabric filter (VAC-1D)	2-6
"D" Line - BBUs, Miscellaneous (5D)	fabric filter (SED-5D)	2-6
"D" Line - Dry Blend, Miscellaneous (5D)	fabric filter (SED-5D)	2-6
"D" Line - Swing, Miscellaneous (5D)	fabric filter (SED-5D)	2-6
"D" Line - Rework Transfer (6D)	cyclone/fabric filter (SED-1D, SED-2D)	2-6
"D" Line - Product collector (9D)	fabric filter (Packaging Baghouse 20C)	2-6
"D" Line - Weigh booths (10D)	fabric filter (WB-1D)	2-6
"D" Line - Resin Unloading (13D)	fabric filter	2-6
"D" Line - Quality Bin Dust Collector (16D)	fabric filter	2-6

## C. Monitoring and/or Recordkeeping Requirements

- The permittee shall properly operate, and maintain equipment to monitor the pressure drop across

each control device while the emissions unit is in operation. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendation, instructions, and operating manual(s). The permittee shall record the pressure drop across each control device on a daily basis.

**D. Reporting Requirements**

1. The permittee shall submit pressure drop deviation (excursion) reports that identify all periods of time during which the pressure drop across each control device did not comply with the allowable range specified.

**E. Testing Requirements**

1. Emissions Limitation:  
4.01 lbs/hr and 13.82 tpy of PE

Applicable Compliance Method:

Compliance shall be based upon the use of maximum grain loading emission limits (gr/dscf) and maximum exhaust flow rates (CFM) listed below, on-line factors and the following equations:

For the hourly emission limitation (total particulate emission rate, in lb/hr):

$$E_h = \text{summation of } [A*B*60 \text{ min/hr}]/7000 \text{ gr/lb for each emission point}$$

Where:

A = maximum grain loading emission limits (gr/dscf), listed below

B = maximum flow rate (CFM), listed below

For the annual emission limitation (total particulate emission rate, in tpy):

$$E_a = \text{summation of } [(A*B*C*60 \text{ min/hr}*8760 \text{ hrs/yr})/(7000 \text{ gr/lb}*2000 \text{ lb/tons})] \text{ for each emission point}$$

Where:

A = maximum grain loading emission limits (gr/dscf), listed below

B = maximum flow rate (CFM), listed below

C = on-line factors (fraction of time each piece of equipment operates while operating the line continuously), listed below

Emissions Points	Exhaust Flow Rates (CFM)	Grain Loading Emission Limits (gr/dscf)	Hourly Emission Rates (lbs/hr)	On-Line Factors	Emission Rate (tpy)
------------------	--------------------------	---	--------------------------------	-----------------	---------------------

**PolyO**

**PTI A**

Emissions Unit ID: **P014**

**Issued: 7/22/2003**

"D" Line - CaCO3 Silo (1D)	590	0.01	0.051	0.25	0.056
"D" Line - CaCO3 Day Bin (2D)	1,150	0.01	0.099	0.15	0.065
"D" Line - Resin Day Bin (3D A&B)	1,000	0.01	0.086	0.44	0.17
"D" Line - Vacuum Cleaner System (4D)	500	0.01	0.043		0.13
	0.024				
"D" Line - BBU's, Miscellaneous (5D)	150	0.01	0.013	0.06	0.0034
"D" Line - Surge, Miscellaneous (5D)	150	0.01	0.013	0.33	0.019
"D" Line - Dry Blend, Miscellaneous (5D)	150	0.01	0.013	0.25	0.014
"D" Line - Henschel, Miscellaneous (5D)	400	0.01	0.034	0.06	0.0089
"D" Line - Swing, Miscellaneous (5D)	200	0.01	0.017	0.13	0.0097
"D" Line - Rework Transfer (6D)	250	0.01	0.021		0.07
	0.0064				
"D" Line - Farrel/Mill Process Vent (7D)	20,402	0.012	2.098	1.00	
	9.19				
"D" Line - Product collector (9D)	12,000	0.01	1.029	0.85	3.83
"D" Line - Weigh booths (10D)	4,000	0.01	0.34	0.13	0.20
"D" Line - Resin Unloading (13D)	750	0.01	0.064	0.50	0.14
"D" Line - Quality Bin Dust Collector (16D)	1,000	0.01	0.086		0.21
	0.079				
		<b>Total</b>	<b>4.01</b>		

13.82

b. Emission Limitation:

Visible particulate emissions from any stack shall not exceed 20% opacity, as a six-minute average, except as provided by rule.

Applicable Compliance Method:

Compliance shall be determined by using Method 9 as outlined in 40 CFR 60, Appendix A, if required by the Ohio EPA.

c. Emissions Limitation:

0.49 lbs/hr and 2.15 tpy of VOC

Applicable Compliance Method:

Compliance shall be determined by using facility tested data collected from similar production equipment, using U.S. EPA Methods 1, 2, 3, 4, 18, 25 and 0040 (modified), which established a maximum potential hourly emission rate of 0.49 lbs VOC/hr.

If required pursuant to OAC rule 3745-15-04, the permittee shall demonstrate compliance with the hourly Volatile Organic Compounds emission limitation by means of physical testing of the effluent from this emissions unit in accordance with testing procedures listed in 40 CFR Part 60,

**PolyOne Corporation**  
**PTI Application: 02 19030**  
**Issued**

**Facility ID: 0247030884**

Emissions Unit ID: **P014**

"Standards of Performance for New Stationary Sources", Appendix A, Method 18, 25 or alternative test method(s), approved by the Director.

As long as compliance is maintained with the hourly emission limitation, compliance with the annual emission limitation will be shown (the annual emission limitation was calculated by multiplying the hourly limitation by the maximum annual operating schedule of 8,760 hours/year and then dividing by 2,000 lbs/ton).

**F. Miscellaneous Requirements**

None