

Facility ID: 0278030072 Issuance type: Final State Permit To Operate

This version of facility specific terms and conditions was converted from a database format to an HTML file during an upgrade of the Ohio EPA, Division of Air Pollution Control's permitting software. Every attempt has been made to convert the terms and conditions to look and substantively conform to the permit issued or being drafted in STARS. However, the format of the terms may vary slightly from the original. In addition, although it is not expected, there is a slight possibility that a term and condition may have been inadvertently "left out" of this reproduction during the conversion process. Therefore, if this version is to be used as a starting point in drafting a new version of a permit, it is imperative that the entire set of terms and conditions be reviewed to ensure they substantively mimic the issued permit. The official version of any permit issued final by Ohio EPA is kept in the Agency's Legal section. The Legal section may be contacted at (614) 644-3037.

In addition to the terms and conditions, hyperlinks have been inserted into the document so you may more readily access the section of the document you wish to review.

Finally, the term language under "Part II" and before "A. Applicable Emissions Limitations..." has been added to aid in document conversion, and was not part of the original issued permit.

- [Go to Part II for Emissions Unit K007](#)
- [Go to Part II for Emissions Unit K008](#)
- [Go to Part II for Emissions Unit K009](#)
- [Go to Part II for Emissions Unit K010](#)

\*\*\*THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION\*\*\*

Facility ID: 0278030072 Emissions Unit ID: K007 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

**Part II - Special Terms and Conditions**

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
  - (a) None.
2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
  - (a) None.

**A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Can Line #7 Welded Quart Line with Side Seam Applicator	OAC rule 3745-21-09(D)(2)(d)	See A.2.a.
	PTI No. 02-7360 OAC rule 3745-31-05	7.7 tons per year VOC

2. **Additional Terms and Conditions**
  - (a) The volatile organic compound (VOC) content of the coatings employed in this side-seam coating line shall not exceed 5.5 pounds of VOC per gallon of coating, excluding water and exempt solvents.

**B. Operational Restrictions**

1. None

**C. Monitoring and/or Record Keeping Requirements**

1. The permittee shall collect and record the following information each month for the line:
  - a. The name and identification number of each coating, as applied.
  - b. The VOC content of each coating (excluding water and exempt solvents), as applied.
2. The permittee shall collect and record the following information for the purpose of determining annual VOC emissions:
  - a. The name and identification of each cleanup material employed.
  - b. The VOC content of each cleanup material, in pounds per gallon.
  - c. The number of gallons of each cleanup material employed.
  - d. The number of gallons (excluding water and exempt solvents) of each coating employed.
  - e. The total VOC emissions from all coatings and cleanup materials employed, in pounds or tons.

**D. Reporting Requirements**

1. The permittee shall notify the Director (the Ohio EPA Northeast District Office ) in writing of any monthly record showing the use of noncomplying coatings. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northeast District Office) within 30 days following the end of the calendar month.
2. The permittee shall submit annual reports which specify the total VOC emissions from this emissions unit for the previous calendar year. These reports shall be submitted by April 15 of each year.

**E. Testing Requirements**

1. Compliance with the emission limitation(s) in Section A of these terms and conditions shall be determined in accordance with the following method(s):  
 Emission Limitation -  
 5.5 lbs VOC/gallon coating excluding water and exempt solvents.  
  
 Applicable Compliance Method -  
 The VOC content of each coating material used shall be based upon the use of USEPA Method 24.  
 Emission Limitation:  
 7.7 tons per year VOC  
  
 Applicable Compliance Method:  
 Compliance shall be based upon the record keeping specified in Section C of this permit.

**F. Miscellaneous Requirements**

1. None

\*\*\*THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION\*\*\*

Facility ID: 0278030072 Emissions Unit ID: K008 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

**Part II - Special Terms and Conditions**

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
  - (a) None.
2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
  - (a) None.

**A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Can Line #1	OAC rule 3745-21-09(D)(2)(d)	See A.2.a.
Welded Gallon Line with Post-Weld Stripe		
Spray Applicator	PTI No. 02-8045	6.94 tons per year VOC
	OAC rule 3745-31-05	

**2. Additional Terms and Conditions**

- (a) The volatile organic compound (VOC) content of the coatings employed in this side-seam coating line shall not exceed 5.5 pounds of VOC per gallon of coating, excluding water and exempt solvents.

**B. Operational Restrictions**

1. None

**C. Monitoring and/or Record Keeping Requirements**

1. The permittee shall collect and record the following information each month for the line:
  - a. The name and identification number of each coating, as applied.
  - b. The VOC content of each coating (excluding water and exempt solvents), as applied.
2. The permittee shall collect and record the following information for the purpose of determining annual VOC emissions:
  - a. The name and identification of each cleanup material employed.
  - b. The VOC content of each cleanup material, in pounds per gallon.
  - c. The number of gallons of each cleanup material employed.
  - d. The number of gallons (excluding water and exempt solvents) of each coating employed.
  - e. The total VOC emissions from all coatings and cleanup materials employed, in pounds or tons.

**D. Reporting Requirements**

1. The permittee shall notify the Director (the Ohio EPA Northeast District Office ) in writing of any monthly record showing the use of noncomplying coatings. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northeast District Office) within 30 days following the end of the calendar month.
  2. The permittee shall submit annual reports which specify the total VOC emissions from this emissions unit for the previous calendar year. These reports shall be submitted by April 15 of each year.
- E. Testing Requirements**
1. Compliance with the emission limitation(s) in Section A of these terms and conditions shall be determined in accordance with the following method(s):  
 Emission Limitation -  
 5.5 lbs VOC/gallon coating excluding water and exempt solvents.  
  
 Applicable Compliance Method -  
 The VOC content of each coating material used shall be based upon the use of USEPA Method 24.  
 Emission Limitation:  
 6.94 tons per year VOC  
  
 Applicable Compliance Method:  
 Compliance shall be based upon the record keeping specified in Section C of this permit.
- F. Miscellaneous Requirements**
1. None

\*\*\*THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION\*\*\*

Facility ID: 0278030072 Emissions Unit ID: K009 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

**Part II - Special Terms and Conditions**

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
  - (a) None.
2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
  - (a) None.

**A. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Can Line #4 Welded Half Pint Line with Side Seam Applicator	OAC rule 3745-21-09(D)(2)(d)	See A.2.a.
	PTI No. 02-9864 OAC rule 3745-31-05	8.76 tons per year VOC

2. **Additional Terms and Conditions**
  - (a) The volatile organic compound (VOC) content of the coatings employed in this side-seam coating line shall not exceed 5.5 pounds of VOC per gallon of coating, excluding water and exempt solvents.

**B. Operational Restrictions**

1. None

**C. Monitoring and/or Record Keeping Requirements**

1. The permittee shall collect and record the following information each month for the line:
  - a. The name and identification number of each coating, as applied.
  - b. The VOC content of each coating (excluding water and exempt solvents), as applied.
2. The permittee shall collect and record the following information for the purpose of determining annual VOC emissions:
  - a. The name and identification of each cleanup material employed.

- b. The VOC content of each cleanup material, in pounds per gallon.
- c. The number of gallons of each cleanup material employed.
- d. The number of gallons (excluding water and exempt solvents) of each coating employed.
- e. The total VOC emissions from all coatings and cleanup materials employed, in pounds or tons.
- D. **Reporting Requirements**
  - 1. The permittee shall notify the Director (the Ohio EPA Northeast District Office ) in writing of any monthly record showing the use of noncomplying coatings. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northeast District Office) within 30 days following the end of the calendar month.
  - 2. The permittee shall submit annual reports which specify the total VOC emissions from this emissions unit for the previous calendar year. These reports shall be submitted by April 15 of each year.
- E. **Testing Requirements**
  - 1. Compliance with the emission limitation(s) in Section A of these terms and conditions shall be determined in accordance with the following method(s):  
 Emission Limitation -  
 5.5 lbs VOC/gallon coating excluding water and exempt solvents.  
  
 Applicable Compliance Method -  
 The VOC content of each coating material used shall be based upon the use of USEPA Method 24.  
 Emission Limitation:  
 8.76 tons per year VOC  
  
 Applicable Compliance Method:  
 Compliance shall be based upon the record keeping specified in Section C of this permit.
- F. **Miscellaneous Requirements**
  - 1. None

\*\*\*THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION\*\*\*

Facility ID: 0278030072 Emissions Unit ID: K010 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

**Part II - Special Terms and Conditions**

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

- 1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
  - (a) None.
- 2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
  - (a) None.

**A. Applicable Emissions Limitations and/or Control Requirements**

- 1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Can Line #3/#5 Welded Quarter Pint/ Pint Line with Side Seam Applicator	OAC rule 3745-21-09(D)(2)(d)  PTI No. 02-9864 OAC rule 3745-31-05	See A.2.a.  11.7 tons per year VOC

**2. Additional Terms and Conditions**

- (a) The volatile organic compound (VOC) content of the coatings employed in this side-seam coating line shall not exceed 5.5 pounds of VOC per gallon of coating, excluding water and exempt solvents.

**B. Operational Restrictions**

- 1. None

**C. Monitoring and/or Record Keeping Requirements**

- 1. The permittee shall collect and record the following information each month for the line:

- a. The name and identification number of each coating, as applied.
  - b. The VOC content of each coating (excluding water and exempt solvents), as applied.
2. The permittee shall collect and record the following information for the purpose of determining annual VOC emissions:
  - a. The name and identification of each cleanup material employed.
  - b. The VOC content of each cleanup material, in pounds per gallon.
  - c. The number of gallons of each cleanup material employed.
  - d. The number of gallons (excluding water and exempt solvents) of each coating employed.
  - e. The total VOC emissions from all coatings and cleanup materials employed, in pounds or tons.
- D. **Reporting Requirements**
  1. The permittee shall notify the Director (the Ohio EPA Northeast District Office ) in writing of any monthly record showing the use of noncomplying coatings. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northeast District Office) within 30 days following the end of the calendar month.
  2. The permittee shall submit annual reports which specify the total VOC emissions from this emissions unit for the previous calendar year. These reports shall be submitted by April 15 of each year.
- E. **Testing Requirements**
  1. Compliance with the emission limitation(s) in Section A of these terms and conditions shall be determined in accordance with the following method(s):

Emission Limitation -  
5.5 lbs VOC/gallon coating excluding water and exempt solvents.

Applicable Compliance Method -  
The VOC content of each coating material used shall be based upon the use of USEPA Method 24.  
Emission Limitation:  
11.7 tons per year VOC

Applicable Compliance Method:  
Compliance shall be based upon the record keeping specified in Section C of this permit.
- F. **Miscellaneous Requirements**
  1. None