

Facility ID: 0278030072 Issuance type: Final State Permit To Operate

This version of facility specific terms and conditions was converted from a database format to an HTML file during an upgrade of the Ohio EPA, Division of Air Pollution Control's permitting software. Every attempt has been made to convert the terms and conditions to look and substantively conform to the permit issued or being drafted in STARS. However, the format of the terms may vary slightly from the original. In addition, although it is not expected, there is a slight possibility that a term and condition may have been inadvertently "left out" of this reproduction during the conversion process. Therefore, if this version is to be used as a starting point in drafting a new version of a permit, it is imperative that the entire set of terms and conditions be reviewed to ensure they substantively mimic the issued permit. The official version of any permit issued final by Ohio EPA is kept in the Agency's Legal section. The Legal section may be contacted at (614) 644-3037.

In addition to the terms and conditions, hyperlinks have been inserted into the document so you may more readily access the section of the document you wish to review.

Finally, the term language under "Part II" and before "A. Applicable Emissions Limitations..." has been added to aid in document conversion, and was not part of the original issued permit.

- [Go to Part II for Emissions Unit K007](#)
- [Go to Part II for Emissions Unit K008](#)
- [Go to Part II for Emissions Unit K009](#)
- [Go to Part II for Emissions Unit K010](#)

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0278030072 Emissions Unit ID: K007 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

Part II - Special Terms and Conditions

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (a) None.
2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (a) None.

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Can Line # 7 - Welded Quart Line with Side Seam Applicator	OAC rule 3745-21-09(D)(2)(d)	See A.2.a.
	OAC rule 3745-31-05 PTI No. 02-7360	7.7 tons per year VOC
	OAC rule 3745-35-07(B)	The requirements of this rule also includes compliance with the requirements of OAC rule 3745-21-09(D) See A.2.b.

2. Additional Terms and Conditions

- (a) The volatile organic compound (VOC) content of the coatings employed in this side-seam coating line shall not exceed 5.5 pounds of VOC per gallon of coating, excluding water and exempt solvents. The total emissions from emissions units K007, K008, K009, and K010, combined, shall not exceed:
 - i. 9.5 tons/year for any individual Hazardous Air Pollutant (HAP); and
 - ii. 24.0 tons/year for the total combined Hazardous Air Pollutants (HAPs),
based upon rolling, 12-month summations of the monthly emissions.

B. Operational Restrictions

1. None

C. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information each month for this emissions unit:
 - a. the name and identification number of each coating, as applied; and
 - b. the VOC content of each coating (excluding water and exempt solvents), as applied.
2. The permittee shall collect and record the following information each month for emissions units K007, K008, K009, and K010, combined:
 - a. the name and identification number of each coating, as applied;
 - b. the individual Hazardous Air Pollutant (HAP) content for each HAP of each coating, as applied, as a weight fraction;
 - c. the total combined Hazardous Air Pollutants (HAPs) content for each coating, as applied, as a weight fraction (i.e., sum all the individual HAP contents from b);
 - d. the number of gallons of each coating employed;

- e. the density of each coating employed;
- f. the name and identification of each cleanup material employed;
- g. the individual HAP content for each HAP of each cleanup material, as applied, as a weight fraction;
- h. the total combined HAPs content of each cleanup material, as applied, as a weight fraction (i.e., sum all the individual HAP contents from g);
- i. the number of gallons of each cleanup material employed;
- j. the density of each cleanup material, as employed;
- k. the total individual HAP emissions for each HAP from all coatings and cleanup materials employed, in tons (i.e., for each HAP, the sum of (b) times (d) times (e) for each coating plus the sum of (g) times (i) times (j) for each cleanup material);
- l. the total combined HAPs emissions from all coatings and cleanup materials employed, in tons (i.e., the sum of (c) times (d) times (e) for each coating plus the sum of (h) times (i) times (j) for each cleanup material); and
- m. the rolling, 12-month individual HAP emissions (for each HAP) and the rolling, 12-month combined HAPs emissions from all coatings and cleanup materials employed, in tons.

A listing of the Hazardous Air Pollutants (HAPs) can be found in Section 112(b) of the Clean Air Act or one can be obtained by contacting your Ohio EPA field office or local air agency contact. Material Safety Data Sheets or VOC data sheets typically include a listing of the solvents contained in the coatings or cleanup materials.

This information does not have to be kept on a line-by-line basis.

Information on the material used by the ink jet printer associated with this line does not have to be included in the above records because the emissions from the ink jet printer are considered to be negligible.

- 3. The permittee shall collect and record the following information for the purpose of determining annual VOC emissions:
 - a. The name and identification of each cleanup material employed.
 - b. The VOC content of each cleanup material, in pounds per gallon.
 - c. The number of gallons of each cleanup material employed.
 - d. The number of gallons (excluding water and exempt solvents) of each coating employed.
 - e. The total VOC emissions from all coatings and cleanup materials employed, in tons.

Information on the material used by the ink jet printer associated with this line does not have to be included in the above records because the emissions from the ink jet printer are considered to be negligible.

D. Reporting Requirements

- 1. The permittee shall notify the Director (the Ohio EPA Northeast District Office) in writing of any monthly record showing the use of noncomplying coatings (i.e., for VOC content). The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northeast District Office) within 30 days following the end of the calendar month.
- 2. The permittee shall notify the Director of each monthly record showing a deviation from the following:
 - a. the rolling, 12-month, individual HAP emission limitation for each HAP for all coatings and cleanup materials employed; and
 - b. the rolling, 12-month, total combined HAPs emission limitation for all coatings and cleanup materials employed.

The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northeast District Office) within 45 days following the end of the calendar month.
- 3. The permittee shall submit annual reports that specify the VOC, individual HAP, and total combined HAPs emissions from this emissions unit and from emissions units K007, K008, K009 and K010, combined, for the previous calendar year. These reports shall be submitted by April 15 of each year.

E. Testing Requirements

- 1. Compliance with the emission limitations in Section A of these terms and conditions shall be determined in accordance with the following methods:

Emission Limitation:
5.5 lbs VOC/gallon coating, excluding water and exempt solvents

Applicable Compliance Method:
Compliance shall be based upon the record keeping in Section C.1.
The VOC content of each coating material employed shall be based upon the use of USEPA Method 24.

Emission Limitation:
7.7 tons per year VOC

Applicable Compliance Method:
Compliance shall be based upon the record keeping specified in Section C.3 of this permit.

Emission Limitation:
9.5 tons per year for each individual HAP and 24.0 tons per year for total combined HAPs from emissions units K007, K008, K009, and K010, combined

Applicable Compliance Method:
Compliance shall be based upon the record keeping specified in Section C.2.

F. Miscellaneous Requirements

1. In accordance with the provisions of OAC rule 3745-35-07, the following special terms and conditions of this permit to operate are federally enforceable: A - F.

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0278030072 Emissions Unit ID: K008 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

Part II - Special Terms and Conditions

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (a) None.
2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (a) None.

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Can Line # 1 - Welded Round Gallon Line with Post-Weld Stripe Spray Applicator	OAC rule 3745-21-09(D)(2)(d)	See A.2.a.
	OAC rule 3745-31-05 PTI No. 02-8045	6.94 tons per year VOC
	OAC rule 3745-35-07(B)	The requirements of this rule also includes compliance with the requirements of OAC rule 3745-21-09(D) See A.2.b.

2. Additional Terms and Conditions

- (a) The volatile organic compound (VOC) content of the coatings employed in this side-seam coating line shall not exceed 5.5 pounds of VOC per gallon of coating, excluding water and exempt solvents. The total emissions from emissions units K007, K008, K009, and K010, combined, shall not exceed:
 - i. 9.5 tons/year for any individual Hazardous Air Pollutant (HAP); and
 - ii. 24.0 tons/year for the total combined Hazardous Air Pollutants (HAPs),
based upon rolling, 12-month summations of the monthly emissions.

B. Operational Restrictions

1. None

C. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information each month for this emissions unit:
 - a. the name and identification number of each coating, as applied; and
 - b. the VOC content of each coating (excluding water and exempt solvents), as applied.
2. The permittee shall collect and record the following information each month for emissions units K007, K008, K009, and K010, combined:
 - a. the name and identification number of each coating, as applied;
 - b. the individual Hazardous Air Pollutant (HAP) content for each HAP of each coating, as applied, as a weight fraction;
 - c. the total combined Hazardous Air Pollutants (HAPs) content for each coating, as applied, as a weight fraction (i.e.,sum all the individual HAP contents from b);

- d. the number of gallons of each coating employed;
 - e. the density of each coating employed;
 - f. the name and identification of each cleanup material employed;
 - g. the individual HAP content for each HAP of each cleanup material, as applied, as a weight fraction;
 - h. the total combined HAPs content of each cleanup material, as applied, as a weight fraction (i.e., sum all the individual HAP contents from g);
 - i. the number of gallons of each cleanup material employed;
 - j. the density of each cleanup material, as employed;
 - k. the total individual HAP emissions for each HAP from all coatings and cleanup materials employed, in tons (i.e., for each HAP, the sum of (b) times (d) times (e) for each coating plus the sum of (g) times (i) times (j) for each cleanup material);
 - l. the total combined HAPs emissions from all coatings and cleanup materials employed, in tons (i.e., the sum of (c) times (d) times (e) for each coating plus the sum of (h) times (i) times (j) for each cleanup material); and
 - m. the rolling, 12-month individual HAP emissions (for each HAP) and the rolling, 12-month combined HAPs emissions from all coatings and cleanup materials employed, in tons.

A listing of the Hazardous Air Pollutants (HAPs) can be found in Section 112(b) of the Clean Air Act or one can be obtained by contacting your Ohio EPA field office or local air agency contact. Material Safety Data Sheets or VOC data sheets typically include a listing of the solvents contained in the coatings or cleanup materials.

This information does not have to be kept on a line-by-line basis.

Information on the material used by the ink jet printer associated with this line does not have to be included in the above records because the emissions from the ink jet printer are considered to be negligible.

- 3. The permittee shall collect and record the following information for the purpose of determining annual VOC emissions:
 - a. The name and identification of each cleanup material employed.
 - b. The VOC content of each cleanup material, in pounds per gallon.
 - c. The number of gallons of each cleanup material employed.
 - d. The number of gallons (excluding water and exempt solvents) of each coating employed.
 - e. The total VOC emissions from all coatings and cleanup materials employed, in tons.

Information on the material used by the ink jet printer associated with this line does not have to be included in the above records because the emissions from the ink jet printer are considered to be negligible.

D. Reporting Requirements

- 1. The permittee shall notify the Director (the Ohio EPA Northeast District Office) in writing of any monthly record showing the use of noncomplying coatings (i.e., for VOC content). The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northeast District Office) within 30 days following the end of the calendar month.
- 2. The permittee shall notify the Director of each monthly record showing a deviation from the following:
 - a. the rolling, 12-month, individual HAP emission limitation for each HAP for all coatings and cleanup materials employed; and
 - b. the rolling, 12-month, total combined HAPs emission limitation for all coatings and cleanup materials employed.

The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northeast District Office) within 45 days following the end of the calendar month.
- 3. The permittee shall submit annual reports that specify the VOC, individual HAP, and total combined HAPs emissions from this emissions unit and from emissions units K007, K008, K009 and K010, combined, for the previous calendar year. These reports shall be submitted by April 15 of each year.

E. Testing Requirements

- 1. Compliance with the emission limitations in Section A of these terms and conditions shall be determined in accordance with the following methods:

Emission Limitation:
5.5 lbs VOC/gallon coating, excluding water and exempt solvents

Applicable Compliance Method:
Compliance shall be based upon the record keeping in Section C.1.
The VOC content of each coating material employed shall be based upon the use of USEPA Method 24.

Emission Limitation:
6.94 tons per year VOC

Applicable Compliance Method:
Compliance shall be based upon the record keeping specified in Section C.3 of this permit.

Emission Limitation:
9.5 tons per year for each individual HAP and 24.0 tons per year for total combined HAPs from emissions units

K007, K008, K009, and K010, combined

Applicable Compliance Method:
Compliance shall be based upon the record keeping specified in Section C.2.

F. Miscellaneous Requirements

1. In accordance with the provisions of OAC rule 3745-35-07, the following special terms and conditions of this permit to operate are federally enforceable: A - F.

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0278030072 Emissions Unit ID: K009 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

Part II - Special Terms and Conditions

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (a) None.
2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (a) None.

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Can Line # 4 - Welded Half Pint Line with Side Seam Applicator	OAC rule 3745-21-09(D)(2)(d)	See A.2.a.
	OAC rule 3745-31-05 PTI No. 02-9864	8.76 tons per year VOC The requirements of this rule also includes compliance with the requirements of OAC rule 3745-21-09(D)
	OAC rule 3745-35-07(B)	See A.2.b.

2. **Additional Terms and Conditions**
 - (a) The volatile organic compound (VOC) content of the coatings employed in this side-seam coating line shall not exceed 5.5 pounds of VOC per gallon of coating, excluding water and exempt solvents. The total emissions from emissions units K007, K008, K009, and K010, combined, shall not exceed:
 - i. 9.5 tons/year for any individual Hazardous Air Pollutant (HAP); and
 - ii. 24.0 tons/year for the total combined Hazardous Air Pollutants (HAPs),

based upon rolling, 12-month summations of the monthly emissions.

B. Operational Restrictions

1. None

C. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information each month for this emissions unit:
 - a. the name and identification number of each coating, as applied; and
 - b. the VOC content of each coating (excluding water and exempt solvents), as applied.
2. The permittee shall collect and record the following information each month for emissions units K007, K008, K009, and K010, combined:
 - a. the name and identification number of each coating, as applied;
 - b. the individual Hazardous Air Pollutant (HAP) content for each HAP of each coating, as applied, as a weight fraction;
 - c. the total combined Hazardous Air Pollutants (HAPs) content for each coating, as applied, as a weight fraction (i.e., sum all the individual HAP contents from b);

- d. the number of gallons of each coating employed;
- e. the density of each coating employed;
- f. the name and identification of each cleanup material employed;
- g. the individual HAP content for each HAP of each cleanup material, as applied, as a weight fraction;
- h. the total combined HAPs content of each cleanup material, as applied, as a weight fraction (i.e., sum all the individual HAP contents from g);
- i. the number of gallons of each cleanup material employed;
- j. the density of each cleanup material, as employed;
- k. the total individual HAP emissions for each HAP from all coatings and cleanup materials employed, in tons (i.e., for each HAP, the sum of (b) times (d) times (e) for each coating plus the sum of (g) times (i) times (j) for each cleanup material);
- l. the total combined HAPs emissions from all coatings and cleanup materials employed, in tons (i.e., the sum of (c) times (d) times (e) for each coating plus the sum of (h) times (i) times (j) for each cleanup material); and
- m. the rolling, 12-month individual HAP emissions (for each HAP) and the rolling, 12-month combined HAPs emissions from all coatings and cleanup materials employed, in tons.

A listing of the Hazardous Air Pollutants (HAPs) can be found in Section 112(b) of the Clean Air Act or one can be obtained by contacting your Ohio EPA field office or local air agency contact. Material Safety Data Sheets or VOC data sheets typically include a listing of the solvents contained in the coatings or cleanup materials.

This information does not have to be kept on a line-by-line basis.

Information on the material used by the ink jet printer associated with this line does not have to be included in the above records because the emissions from the ink jet printer are considered to be negligible.

3. The permittee shall collect and record the following information for the purpose of determining annual VOC emissions:
 - a. The name and identification of each cleanup material employed.
 - b. The VOC content of each cleanup material, in pounds per gallon.
 - c. The number of gallons of each cleanup material employed.
 - d. The number of gallons (excluding water and exempt solvents) of each coating employed.
 - e. The total VOC emissions from all coatings and cleanup materials employed, in tons.

Information on the material used by the ink jet printer associated with this line does not have to be included in the above records because the emissions from the ink jet printer are considered to be negligible.

D. Reporting Requirements

1. The permittee shall notify the Director (the Ohio EPA Northeast District Office) in writing of any monthly record showing the use of noncomplying coatings (i.e., for VOC content). The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northeast District Office) within 30 days following the end of the calendar month.
2. The permittee shall notify the Director of each monthly record showing a deviation from the following:
 - a. the rolling, 12-month, individual HAP emission limitation for each HAP for all coatings and cleanup materials employed; and
 - b. the rolling, 12-month, total combined HAPs emission limitation for all coatings and cleanup materials employed.

The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northeast District Office) within 45 days following the end of the calendar month.
3. The permittee shall submit annual reports that specify the VOC, individual HAP, and total combined HAPs emissions from this emissions unit and from emissions units K007, K008, K009 and K010, combined, for the previous calendar year. These reports shall be submitted by April 15 of each year.

E. Testing Requirements

1. Compliance with the emission limitations in Section A of these terms and conditions shall be determined in accordance with the following methods:

Emission Limitation:
5.5 lbs VOC/gallon coating, excluding water and exempt solvents

Applicable Compliance Method:
Compliance shall be based upon the record keeping in Section C.1.
The VOC content of each coating material employed shall be based upon the use of USEPA Method 24.
Emission Limitation:
8.76 tons per year VOC

Applicable Compliance Method:
Compliance shall be based upon the record keeping specified in Section C.3 of this permit.
Emission Limitation:

9.5 tons per year for each individual HAP and 24.0 tons per year for total combined HAPs from emissions units K007, K008, K009, and K010, combined

Applicable Compliance Method:
Compliance shall be based upon the record keeping specified in Section C.2.

F. Miscellaneous Requirements

1. In accordance with the provisions of OAC rule 3745-35-07, the following special terms and conditions of this permit to operate are federally enforceable: A - F.

THIS IS NOT AN OFFICIAL VERSION OF THE PERMIT. SEE PAGE 1 FOR ADDITIONAL INFORMATION

Facility ID: 0278030072 Emissions Unit ID: K010 Issuance type: Final State Permit To Operate

[Go to the top of this document](#)

Part II - Special Terms and Conditions

This permit document constitutes a permit-to-install issued in accordance with ORC 3704.03(F) and a permit-to-operate issued in accordance with ORC 3704.03(G).

1. For the purpose of a permit-to-install document, the emissions unit terms and conditions identified below are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (a) None.
2. For the purpose of a permit-to-operate document, the emissions unit terms and conditions identified below are enforceable under state law only with the exception of those listed below which are federally enforceable.
 - (a) None.

A. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Can Line #3/#5 - Welded Quarter Pint/ Pint Line with Side Seam Applicator	OAC rule 3745-21-09(D)(2)(d)	See A.2.a.
	OAC rule 3745-31-05 PTI No. 02-9864	11.7 tons per year VOC
	OAC rule 3745-35-07(B)	The requirements of this rule also includes compliance with the requirements of OAC rule 3745-21-09(D) See A.2.b.

2. Additional Terms and Conditions

- (a) The volatile organic compound (VOC) content of the coatings employed in this side-seam coating line shall not exceed 5.5 pounds of VOC per gallon of coating, excluding water and exempt solvents. The total emissions from emissions units K007, K008, K009, and K010, combined, shall not exceed:
 - i. 9.5 tons/year for any individual Hazardous Air Pollutant (HAP); and
 - ii. 24.0 tons/year for the total combined Hazardous Air Pollutants (HAPs),
based upon rolling, 12-month summations of the monthly emissions.

B. Operational Restrictions

1. None

C. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information each month for this emissions unit:
 - a. the name and identification number of each coating, as applied; and
 - b. the VOC content of each coating (excluding water and exempt solvents), as applied.
2. The permittee shall collect and record the following information each month for emissions units K007, K008, K009, and K010, combined:
 - a. the name and identification number of each coating, as applied;
 - b. the individual Hazardous Air Pollutant (HAP) content for each HAP of each coating, as applied, as a weight fraction;
 - c. the total combined Hazardous Air Pollutants (HAPs) content for each coating, as applied, as a weight fraction

(i.e., sum all the individual HAP contents from b);

- d. the number of gallons of each coating employed;
- e. the density of each coating employed;
- f. the name and identification of each cleanup material employed;
- g. the individual HAP content for each HAP of each cleanup material, as applied, as a weight fraction;
- h. the total combined HAPs content of each cleanup material, as applied, as a weight fraction (i.e., sum all the individual HAP contents from g);
- i. the number of gallons of each cleanup material employed;
- j. the density of each cleanup material, as employed;
- k. the total individual HAP emissions for each HAP from all coatings and cleanup materials employed, in tons (i.e., for each HAP, the sum of (b) times (d) times (e) for each coating plus the sum of (g) times (i) times (j) for each cleanup material);
- l. the total combined HAPs emissions from all coatings and cleanup materials employed, in tons (i.e., the sum of (c) times (d) times (e) for each coating plus the sum of (h) times (i) times (j) for each cleanup material); and
- m. the rolling, 12-month individual HAP emissions (for each HAP) and the rolling, 12-month combined HAPs emissions from all coatings and cleanup materials employed, in tons.

A listing of the Hazardous Air Pollutants (HAPs) can be found in Section 112(b) of the Clean Air Act or one can be obtained by contacting your Ohio EPA field office or local air agency contact. Material Safety Data Sheets or VOC data sheets typically include a listing of the solvents contained in the coatings or cleanup materials.

This information does not have to be kept on a line-by-line basis.

Information on the material used by the ink jet printer associated with this line does not have to be included in the above records because the emissions from the ink jet printer are considered to be negligible.

- 3. The permittee shall collect and record the following information for the purpose of determining annual VOC emissions:
 - a. The name and identification of each cleanup material employed.
 - b. The VOC content of each cleanup material, in pounds per gallon.
 - c. The number of gallons of each cleanup material employed.
 - d. The number of gallons (excluding water and exempt solvents) of each coating employed.
 - e. The total VOC emissions from all coatings and cleanup materials employed, in tons.

Information on the material used by the ink jet printer associated with this line does not have to be included in the above records because the emissions from the ink jet printer are considered to be negligible.

D. Reporting Requirements

- 1. The permittee shall notify the Director (the Ohio EPA Northeast District Office) in writing of any monthly record showing the use of noncomplying coatings (i.e., for VOC content). The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northeast District Office) within 30 days following the end of the calendar month.
- 2. The permittee shall notify the Director of each monthly record showing a deviation from the following:
 - a. the rolling, 12-month, individual HAP emission limitation for each HAP for all coatings and cleanup materials employed; and
 - b. the rolling, 12-month, total combined HAPs emission limitation for all coatings and cleanup materials employed.

The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA Northeast District Office) within 45 days following the end of the calendar month.
- 3. The permittee shall submit annual reports that specify the VOC, individual HAP, and total combined HAPs emissions from this emissions unit and from emissions units K007, K008, K009 and K010, combined, for the previous calendar year. These reports shall be submitted by April 15 of each year.

E. Testing Requirements

- 1. Compliance with the emission limitations in Section A of these terms and conditions shall be determined in accordance with the following methods:
Emission Limitation:
5.5 lbs VOC/gallon coating, excluding water and exempt solvents

Applicable Compliance Method:
Compliance shall be based upon the record keeping in Section C.1.
The VOC content of each coating material employed shall be based upon the use of USEPA Method 24.
Emission Limitation:
11.7 tons per year VOC

Applicable Compliance Method:
Compliance shall be based upon the record keeping specified in Section C.3 of this permit.

Emission Limitation:

9.5 tons per year for each individual HAP and 24.0 tons per year for total combined HAPs from emissions units K007, K008, K009, and K010, combined

Applicable Compliance Method:

Compliance shall be based upon the record keeping specified in Section C.2.

F. **Miscellaneous Requirements**

1. In accordance with the provisions of OAC rule 3745-35-07, the following special terms and conditions of this permit to operate are federally enforceable: A - F.